THIS BOOK
MUST NOT BE REMOVED
FROM THE LIBRARY

University of London


608004

REPORTS

FROM

COMMISSIONERS, INSPECTORS,

AND OTHERS:

TWENTY-SEVEN VOLUMES.

—*(5.)*—

MARRIAGES, BIRTHS, AND DEATHS (IRELAND)—*continued.*
BIRTHS, DEATHS, AND MARRIAGES (SCOTLAND).

Session

8 *February* —— 15 *August* 1876.

VOL. XIX.

COMMISSIONERS, INSPECTORS,

AND OTHERS:

1876.

TWENTY-SEVEN VOLUMES:—CONTENTS OF THE

FIFTH VOLUME.

N.B.—*THE* Figures *at the* beginning of the line, *correspond with the* N° *at th*
oot of each Report; *and the* Figures *at the* end of the line, *refer to the* MS. Pagin
f the Volumes arranged for The House of Commons.

MARRIAGES, BIRTHS, AND DEATHS (IRELAND)—*continued.*

. 1617.] Twelfth Detailed Annual Report of the Registrar General of Marriages, Births, and Deaths in Ireland, 1875 - - p. 1

BIRTHS, DEATHS, AND MARRIAGES (SCOTLAND):

. 1578.] Eighteenth Detailed Annual Report of the Registrar General of Births, Deaths, and Marriages in Scotland (Abstracts of 1872) - - - - - - - - - - - 143

. 1488.] Twenty-first Annual Report of the Registrar General on the Births, Deaths, and Marriages registered in Scotland during the Year 1875; and Eleventh Annual Report on Vaccination - 451

TWELFTH

DETAILED

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

MARRIAGES, BIRTHS, AND DEATHS

IN IRELAND

1875.

Presented to both Houses of Parliament by Command of Her Majesty.

DUBLIN:
PRINTED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET,
PRINTER TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE.

1876.

[C.—1617.] *Price* 8½*d.*

CONTENTS.

REPORT:— Page

Population, Marriages, Births, Deaths, and Emigration in 1875 and ten previous years, . 5

MARRIAGES:

Their Number and Proportion to the Population, ... 6
Causes of Low Marriage-rate in Ireland, ... 6
Number by each mode of celebration in the years 1865–75, ... 7
Number of Licences issued by Registrars, ... 8
Number of Licensing Presbyterian Ministers and of Licences issued by them, . 8
Number of Buildings registered for Solemnization of Protestant Marriages, . . 8
Number of Roman Catholic and of Protestant Marriages registered in each quarter of the years 1872–75, ... 8
Civil Condition of Persons Married, ... 9
Ages of Persons Married, ... 9
Signatures to Marriage Registers and Certificates, ... 10
Marriage-rate in Provinces and Counties, ... 12

BIRTHS:

Their Number and Proportion to the Population, ... 12
Causes of Low Birth-rate in Ireland, ... 12
Proportion of Illegitimate Births in Ireland and the several Registration Divisions, . 13
Birth-rate in Provinces and Counties, ... 14
Number in each quarter of the years 1870–75, ... 14

DEATHS:

Their Number and Proportion to the Population, ... 14
Causes of Increase in Death-rate, with General Remarks on the Public Health, . 14
Death-rate in the Divisions, Provinces, and certain Counties, ... 15
Number in each quarter of 1875 and previous five years, ... 16
Causes of Death.—I. Zymotic Diseases, ... 16
„ II. Constitutional Diseases, ... 24
„ III. Local Diseases, ... 25
„ IV. Developmental Diseases, ... 27
„ V. Violence, ... 27
Inquests, ... 28
Improvement in the Returns of the Causes of Death, ... 28
Ages at Death, ... 28

Emigration from Ireland, ... 29
Prices of Provisions, and Pauperism, in 1875 and previous ten years, . . . 29
Summary of Meteorological Observations, 1870–75, ... 30
Suggestions for Amendment of Registration and Vaccination Acts, ... 31

Page

Table of Meteorological Observations, 1875, ... 3
Topographical Description of the Eight Registration Divisions of Ireland, . . . 3
Estimated Population of Ireland in each of the years 1801–75, ... 3

ABSTRACTS:—

Marriages registered in Ireland in each of the Divisions and Superintendent Registrars' Districts, also in each Province and County, in 1875, distinguishing Roman Catholic from Protestant Marriages, and giving the Total Number registered in each Quarter of the Year; the Conjugal Condition of Persons Married; the Number of Minors and of those who signed the Registers by Marks, ... 36–45

Ages of 14,360 Persons married in 1875, distinguishing those of Bachelors, Spinsters, Widowers, and Widows, ... 46–47

Marriages, Births, and Deaths registered in each of the Divisions and Superintendent Registrars' Districts, and in each Province and County in 1875; also Births and Deaths, and Excess of Births over Deaths in each of the Registrars' Districts of Ireland, distinguishing the Sexes and Illegitimate Births, ... 48–72

Births registered in the Divisions and Superintendent Registrars' Districts, and in the Provinces and Counties (distinguishing Males and Females) in each of the Four Quarters of 1875, ... 74–83

Deaths registered in each of the Four Quarters of 1875 (distinguishing Males and Females), in Divisions and Superintendent Registrars' Districts, also in Provinces and Counties, 84–93

Deaths of Males and Females at different Ages registered in 1875, in Divisions and Superintendent Registrars' Districts, also in Provinces and Counties, . . 94–101

Causes of Death of Males and Females in Ireland, at different periods of life, in 1875, . 102–109

Supplementary Table of Causes of Death of Males and Females, at different periods of life, in 1875, ... 110–113

Causes of Death of Males and Females in Ireland, and in each of the Divisions, in 1875, . 114–121

Deaths from several Zymotic and other Causes in 1875, in the Divisions and Superintendent Registrars' Districts, and in the Provinces and Counties, . . . 122–125

ndex to Superintendent Registrars' Districts, and Registrars' Districts, ... 126–133

REPORT

TO

His Grace, JAMES, DUKE OF ABERCORN, K.G., &c., &c., &c.,
Lord Lieutenant-General and General Governor of Ireland.

MAY IT PLEASE YOUR GRACE,—

I have the honour to submit my Report on the Marriages, Births, and Deaths registered in Ireland during the year 1875, together with the General Abstracts in which the number, season, locality, and special nature of these events are set forth in detail.

Returns prepared from data supplied for the purpose by the several Registrars, and containing approximate information on some of the more salient features of the Registration records, in so far as they relate to the Public Health, were issued after the close of each Quarter; and a preliminary Annual Abstract, compiled from the same sources, was presented to Parliament early in this year.

The information given in those Returns, necessarily imperfect, has since been carefully revised, and in the Abstracts now submitted the corrected results will be found incorporated with many additional features of general interest and utility.

GENERAL SUMMARY.

The Marriages registered during the year number 24,037; the Births 138,320; and the Deaths 98,114. Both absolutely and in proportion to the estimated population, the marriages and births are under, and the deaths over, the annual average for the preceding ten years.

TABLE I.—Showing for each of the years 1865–75, the estimated **Population**; the number of **Marriages, Births,** and **Deaths** registered, and the number of **Emigrants** enumerated, with the rates per 1,000 of the estimated Population represented thereby, and the averages for the ten years 1865–74.

YEARS.	*Estimated* Population.	Numbers *Registered.*			Number of Emigrants as returned by the Enumerators.	Rate per 1,000 of Estimated Population.			
		Marriages.	Births.	Deaths.		Marriages.	Births.	Deaths.	Emigrants.
1865, . . .	5,594,589	30,802	144,970	93,154	101,497	5·51	25·9	16·7	18·1
1866, . . .	5,522,942	30,121	146,090	93,027	99,467	5·45	26 5	16·8	18·0
1867, . . .	5,486,509	29,742	144,388	93,503	80,624	5·42	26·3	17·0	14·7
1868, . . .	5,465,914	27,699	146,051	86,185	61,018	5·07	26·7	15·8	11·2
1869, . . .	5,449,094	27,277	145,659	89,593	66,568	5·01	26·7	16·4	12 2
1870, . . .	5,418,512	28,667	149,846	90,462	74,855	5·29	27·7	16·7	13 8
1871, . . .	5,395,007	28,960	151,355	88,348	71,240	5·37	28·1	16·4	13·2
1872, . . .	5,372,199	26,943	149,278	97,294	78,102	5·02	27·8	18·1	14·5
1873, . . .	5,337,261	25,730	144,377	97,537	90,149	4·82	27·1	18·3	16·9
1874, . . .	5,314,844	24,481	141,288	91,961	73,184	4·61	26·6	17·3	13·8
Yearly Average, 1865–74.	5,435,687	28,042	146,330	92,106	79,670	5·16	26·9	17·0	14·6
1875, . .	5,309,494	24,037	138,320	98,114	51,462	4·53	26·1	18·5	9·7

The number of Emigrants, 51,462, being very much less than for many years past, the decrease in the population did not amount to one half the average annual decrease for the ten years 1865-74. The estimated population in the middle of the year was 5,309,494.

MARRIAGES.

The number of marriages registered during the year is only 24,037, being 1 in every 221, or 4·53 per 1,000 of the estimated population.

This rate, which is lower than that for any of the ten years 1865-74, is very much under the marriage-rates in other countries the statistics of which are available.

There is no doubt that a portion of this disparity is due to defective registration; but the loss to be set down to this cause is not so great as might at first sight appear and the actual marriage-rate in Ireland, in proportion to the total population is, unquestionably, low.

This is, in part, accounted for by the abnormal conditions arising from a large annual emigration of unmarried persons of what may be called the marrying ages. The consequent reduction of the sources from which the marriage ranks are recruited is accompanied by an undue increase in the proportion of the population embraced in the other age-periods, and the result tends to produce a low rate compared with the number of inhabitants at all ages.

Again, amongst the actual population, the marriage-rate is evidently low. Thus, from the last Census Reports it appears that, while in England the per-centage of men aged 20 years and upwards who were unmarried was only 27·1, in Ireland the unmarried formed 38·3 per cent. of the total at the same ages.

But the returns now under notice in themselves contain proof of the comparative paucity of marriages in Ireland.

The provisions of the law respecting the registration of Protestant marriages are such that it is all but impossible any should remain unaccounted for; yet, compared, say, with the general marriage-rate for England, the result appears very unfavourable. Thus the average annual rate in England is 1 in every 119 persons, or 8·4 per 1,000 of the population, while the Protestant marriages in Ireland last year only equal 1 in 168, or 5·97 per 1,000 of the estimated Protestant population.

There are no grounds for assuming that marriages are proportionately more numerous among the Roman Catholic than among the Protestant inhabitants; so that marriages of the latter, if, indeed, not much over the general rate, are certainly not under it, and the extent to which the registered Roman Catholic marriages fall short of the rate yielded by marriages of Protestants is the maximum possible loss by non-registration.

The Roman Catholic marriages registered last year only afford a rate of 1 in 245, or 4·08 per 1,000 of the estimated Roman Catholic population, which, as may be seen, is much under the rate for Protestant marriages.

There are no precise data for determining how far this can be satisfactorily accounted for; but, as the Roman Catholic inhabitants constitute the great majority of the people and include the large mass of the humbler classes, there seems but little doubt that the depression in the marriage-rate, referred to above as resulting from emigration, would be

most apparent amongst them, and also that any economic reason leading to a low rate would be likely to affect them to a greater extent than it would their Protestant fellow countrymen.

It is, however, to be feared that, after making all due allowances, the unregistered marriages, which, as may be gathered from what has been stated above, are confined to those of Roman Catholics, are still numerous.

There is no valid reason why they should be so. The trouble involved in complying with the law regarding the registration of Roman Catholic marriages is reduced to a minimum, while the individual and the national value of a perfect record is manifest, and ought to secure the willing co-operation of all concerned.

Dealing with the returns for last year, it is found that of the 24,037 marriages registered, 16,589 were between Roman Catholics, 4,088 were celebrated according to the rites and ceremonies of the late Established Church; 2,495 were in Presbyterian Meeting-houses; 326 in "Registered Buildings" belonging to various religious denominations; only 522 by civil contract in the Registrars' offices; 14 were according to the usages of the Society of Friends, and 3 according to the Jewish rite. The small number of marriages in the Registrars' offices is in striking contrast to the proportion of civil marriages in many other countries, and, so far from showing signs of an increase, is less than one-half the number of such marriages in 1865.

TABLE II.—**Marriages** registered in Ireland in 1875 and each of the previous ten years, according to the **modes of celebration**; with the **rate** per 1,000 of the population represented :—

Years.	Marriages registered under 7 & 8 Vic., cap. 81.							Roman Catholic Marriages.	Total Marriages Registered.	Rate per 1,000 of estimated corresponding Population represented by		
	According to the Rites of the late Established Church.	In Registered Presbyterian Meeting-houses.	In Registered Buildings.	In the Registrars' Offices.	Society of Friends.	Jews.	Total.			Marriages under 7 & 8 Vic., cap. 81.	Roman Catholic Marriages.	Total Marriages.
1865, .	5,064	2,709	165	1,062	15	5	9,020	21,782	30,802	6·98	4·81	5·51
1866, ..	5,006	2,697	245	946	14	2	8,910	21,211	30,121	6·93	4·78	5·45
1867, .	4,992	2,674	206	877	13	3	8,765	20,977	29,742	6·81	4·66	5·42
1868, .	4,678	2,457	243	780	18	2	8,178	19,521	27,699	6·65	4·54	5·07
1869, ..	4,739	2,515	230	792	15	–	8,291	18,986	27,277	6·75	4·43	5·01
1870, .	4,704	2,528	235	737	7	2	8,213	20,454	28,667	6·52	4·96	5·29
1871, .	4,205	2,805	294	697	14	3	8,018	20,942	28,960	6·32	5·08	5·37
1872, .	4,374	2,773	291	561	11	1	8,011	18,932	26,943	6·42	4·63	5·02
1873, .	4,210	2,484	324	566	16	1	7,601	18,129	25,730	6·37	4·55	4·82
1874, .	3,914	2,365	299	547	7	1	7,133	17,348	24,481	5·71	4·27	4·61
Average 1865–74,	4,589	2,601	253	756	13	2	8,214	19,828	28,042	6·55	4·67	5·16
1875, .	4,088	2,495	326	522	14	3	7,448	16,589	24,037	5·97	4·08	4·53

Of the 4,088 marriages according to the rites of the late Established Church, 74 were by special licence, 3,233 by licence, 505 after the publication of banns, 21 on Registrar's certificate, and in 255 instances there was no information afforded as to which of the foregoing methods was adopted.

During the year 1875 there were issued by the Registrars 678 Licences for Marriage in Registered Buildings and in the Registrars' offices.

The number of Marriage Licences issued by the licensing Ministers of the several Presbyterian bodies is given in the following summary :—

Presbytery or Synod.	Number of Licensing Ministers on 31st December, 1875.	Number of Registered Meeting-houses on 31st December, 1875.	Number of Licences issued.
1. General Assembly of the Presbyterian Church in Ireland,	131	554	2,372
2. Remonstrant Synod of Ulster,	9	21	53
3. Presbytery of Antrim,	4	9	17
4. United Presbytery or Synod of Munster,	3	4	–
5. Northern Presbytery of Antrim,	1	5	17
Total,	148	593	2,459

There being no civil restrictions as to the time or place for celebrating marriages between Roman Catholics in Ireland, a registration of the churches and chapels of the Roman Catholic Church is not necessary for the purposes of this office; but with reference to other religious bodies, a record is kept of the places of Divine worship in which marriages may lawfully be solemnized without special licence, and from this it appears that, on the 31st December, 1875, there were 1,509 churches and chapels of the late Established Church, 594 registered Presbyterian Meeting-houses, and 285 "Registered Buildings" belonging to various religious denominations. Compared with the previous year, these numbers show an increase of 3 as regards the late Established Church, an increase of 1 Presbyterian Meeting-house, and an increase of 10 "Registered Buildings."

The following statement shows the several religious bodies having "Registered Buildings" in 1875 :—

Denominations.	No. of Places of Worship.	Denominations.	No. of Places of Worship.
Wesleyan Methodists,	157	United Original Seceders,	1
Reformed Presbyterians,	37	Protestant Dissenters,	1
Independents,	21	Christians,	1
Baptists,	17	Non Subscribing Unitarians,	1
Seceders,	11	"The Catholic Apostolic Church,"	1
United Presbyterians,	9	Primitive Methodists,	1
Primitive Wesleyan Methodists,	8	Christian Brethren,	1
Methodists, New Connexion,	7	Independent Protestants,	1
Moravians, or United Brethren,	5	Jews,	1
Evangelical Union,	2		
Church Methodists,	1	Total,	285
Covenanters,	1		

As more than a moiety of the annual number of Roman Catholic marriages in the provinces of Munster and Connaught are celebrated between Christmas and Shrovetide, the marriages registered in Ireland during the first quarter of the year always largely outnumber those in any of the other quarters. Owing, probably, to the early Lent of 1875, this difference is

not so great as usual, but it is still very marked; the numbers recorded were—in the first quarter 8,403; in the second, 5,122; in the third, 5,120; and in the last, 5,392.

TABLE III.—The Number of **Roman Catholic** and of **Protestant Marriages** registered in each Quarter during the last four years :—

QUARTER ENDING THE LAST DAY OF	Years and Number of **Marriages** Registered.							
	1872.		1873.		1874.		1875.	
	Roman Catholic.	Protestant.	Roman Catholic.	Protestant.	Roman Catholic.	Protestant.	Roman Catholic.	Protestant.
March, .	8,297	1,972	8,383	1,860	7,608	1,701	6,577	1,826
June, . .	3,639	1,875	3,209	1,820	3,359	1,764	3,386	1,736
September, .	3,360	2,014	3,130	1,887	3,136	1,785	3,259	1,861
December, .	3,636	2,150	3,407	2,034	3,245	1,883	3,367	2,025
Total, .	18,932	8,011	18,129	7,601	17,348	7,133	16,589	7,448
General Total,	26,943		25,730		24,481		24,037	

The marriages of bachelors and spinsters constitute 84·8 per cent. of the total; those of widowers and spinsters 9·2 per cent.; of bachelors and widows 3·2 per cent; and of widowers and widows 2·8 per cent. Thus, 12 in every 100 of the men married were widowers, and 6 per cent. of the women were widows; and in 15 instances in every 100 marriages one or both of the contracting parties had been in the married state before.

A complete registry of the exact ages of the persons married would be valuable from many points of view; hence it is matter for regret that in the great majority of instances the ages are not recorded. The requirements of the law are technically complied with by the entry in the age column of "minor" or "of full age," as the case may be, and there seems to be a general and increasing inclination to take advantage of this circumstance, as last year the ages of both parties were specified in only 7,180 instances being considerably less than one-third of the total number of marriages. In the year 1865, when 30,802 marriages were registered, the ages of both parties were given in 13,910 instances.

Of 24,037 men married during last year, 665, or 2·77 per cent. were minors; and of the women married, 3,042, or 12·66 per cent. were under age. The per-centage of husbands married under age is slightly over the average for the preceding ten years, while, as regards the wives, the proportion under age, though somewhat greater than in either 1873 or 1874, is much under the average for the ten years, there having been a remarkable gradual decline from 16·65 per cent. in 1865 to 11·87 per cent. in 1874.

The highest proportion of husbands married under age last year, 3·79 per cent., was in the North-Eastern Division, which includes Belfast and nearly all the northern manufacturing districts; and the highest per centage of wives, 19·28, was in the Western Division. These results coincide with those in the preceding ten years.

It may be added, that the per-centage of persons married in Ireland

who were under age is very far below the corresponding rates in England and Scotland.

The signatures of the contracting parties in the marriage registers or certificates afford a rough test of the progress of elementary education. Last year 16,757, or 69·7 per cent. of the husbands, and 15,215, or 63·3 per cent., of the wives, wrote their names, and the remainder signed by marks.

These figures, though slightly less favourable than in the preceding year, and still leaving much to be desired, contrast hopefully with those of eleven years since, the per-centage of persons married in 1865 who wrote their names being—men 59·6, and women 48·3.

As usual, the most favourable results appear in the Eastern or Metropolitan Division, and the least satisfactory in the Western Division, the number who wrote their names varying from 79 in every 100 men and 75 in every 100 women in the former, to 55 per cent. of the men and 51 per cent. of the women married in the latter division.

The number of marriages registered in each of the eleven years 1865–75; the proportion per cent. of persons married who wrote their names in the registers, of minors, of widowers, and of widows, are given in the following table, for the several registration divisions:—

TABLE IV.—The Number of **Marriages** in the Eight Registration Divisions of Ireland* during the years 1865–75, and proportion per cent. of Persons who **signed their Names,** of Persons **not of Full Age,** and of **Re-marriages.**

Registration Divisions.*		Number of Marriages.	Signed their Names in Writing.		Persons not of Full Age.		Re-marriages.	
							Widowers.	Widows.
			Of 100 Men Married.	Of 100 Women Married.	Of 100 Men Married.	Of 100 Women Married.	Of 100 Men Married.	Of 100 Women Married.
No.	IRELAND, 1865	30,802	59·6	48·3	3·33	16·65	10·78	5·72
	1866	30,121	61·4	50·3	3·06	15·31	10·56	5·61
	1867	29,742	62·7	52·2	2·54	14·65	10·18	5·47
	1868	27,699	63·9	53·4	2·41	13·75	10·31	5·64
	1869	27,277	63·4	54·3	2·40	13·74	10·19	5·46
	1870	28,667	62·8	53·5	2·61	13·57	10·57	5·55
	1871	28,960	62·5	54·8	2·57	13·24	10·87	5·90
	1872	26,943	65·4	58·2	2·70	13·56	11·62	5·95
	1873	25,730	68·3	61·3	2·45	12·16	11·64	6·05
	1874	24,481	69·9	63·6	2·33	11·87	11·34	5·87
	1875	24,037	69·7	63·3	2·77	12·66	12·02	5·96
1	North-Eastern, 1865	7,173	62·8	48·8	4·49	14·46	10·93	4·99
	1866	7,130	65·6	50·7	3·94	15·25	11·19	4·75
	1867	6,710	67·5	52·8	3·56	13·64	10·64	4·74
	1868	6,060	69·4	55·0	3·42	14·34	10·91	5·20
	1869	6,075	69·5	57·5	3·11	12·87	11·21	4·87
	1870	6,115	69·7	57·1	3·53	13·59	12·38	4·92
	1871	6,407	69·8	58·1	3·40	13·00	11·64	5·46
	1872	6,360	69·0	57·4	3·47	14·12	12·72	5·05
	1873	5,758	73·2	62·2	3·51	11·76	12·09	4·81
	1874	5,782	73·2	63·2	3·18	12·37	11·76	4·46
	1875	6,037	74·9	64·1	3·79	12·67	11·89	4·87
2	North-Western, 1865	2,539	53·7	42·5	3·15	18·67	10·71	3·98
	1866	2,597	55·1	43·0	2·46	14·79	11·24	4·31
	1867	2,661	57·4	47·3	2·33	14·13	10·00	3·87
	1868	2,371	58·3	46·4	3·16	14·80	9·91	4·64
	1869	2,331	57·1	47·9	2·36	12·53	9·48	4·03
	1870	2,510	56·7	49·0	2·83	13·31	9·68	3·71
	1871	2,682	57·4	50·3	2·42	14·69	10·10	3·54
	1872	2,327	59·1	51·8	3·48	14·65	11·09	4·38
	1873	2,233	61·9	55·3	1·79	12·81	11·15	3·94
	1874	2,003	64·6	57·9	2·40	12·63	11·33	3·64
	1875	2,006	65·0	57·9	1·84	12·76	11·22	4·49

* For Topographical description of the Eight Divisions, see page 33.

TABLE IV.—*continued.*

	Registration Divisions.		Number of Marriages.	Signed their Names in Writing.		Persons not of Full Age.		Re-marriages.	
								Widowers.	Widows.
				Of 100 Men Married.	Of 100 Women Married.	Of 100 Men Married.	Of 100 Women Married.	Of 100 Men Married.	Of 100 Women Married.
3	Eastern,	1865	4,962	72·1	62·4	3·10	14·45	11·63	6·55
		1866	4,880	72·2	63·0	2·87	13·16	11·17	7·36
		1867	4,782	74·8	66·7	2·49	11·19	11·86	7·17
		1868	4,506	74·5	66·3	2·40	10·50	10·87	6·41
		1869	4,655	74·9	68·3	2·45	11·47	9·77	6·17
		1870	4,601	74·3	65·7	2·26	9·69	10·63	6·59
		1871	4,624	73·6	68·0	2·51	10·21	10·14	6·60
		1872	4,725	75·0	69·4	2·41	9·88	11·72	7·49
		1873	4,850	76·9	72·3	2·00	8·93	12·54	8·06
		1874	4,583	78·4	74·1	2·09	8·64	13·03	8·31
		1875	4,301	78·7	75·5	2·19	9·32	12·28	7·04
4	North Midland,	1865	2,427	62·4	54·6	2·55	18·54	10·05	5·23
		1866	2,177	66·5	59·0	2·99	18·19	10·15	5·01
		1867	2,179	62·7	54·7	1·74	16·34	9·13	4·41
		1868	1,944	63·4	55·1	1·80	12·24	9·88	5·20
		1869	1,838	63·3	56·0	1·31	13·38	8·76	5·22
		1870	2,058	61·1	55·1	1·60	14·24	9·82	5·20
		1871	2,117	59·8	52·8	2·31	13·56	10·72	6·24
		1872	1,953	64·8	62·3	2·56	13·62	10·65	5·79
		1873	1,939	65·6	60·9	1·55	12·27	11·40	5·36
		1874	1,807	67·1	64·2	1·66	11·40	10·68	5·92
		1875	1,812	66·6	63·8	2·21	11·92	11·48	5·41
5	South Midland,	1865	2,160	62·8	52·8	2·18	14·40	10·46	6·11
		1866	2,059	63·6	55·5	1·99	12·43	10·59	6·07
		1867	2,204	67·2	59·3	1·13	12·57	9·44	5·90
		1868	2,089	67·1	61·7	1·34	11·25	10·15	5·84
		1869	2,257	70·4	66·1	1·95	11·92	9·57	5·36
		1870	2,303	67·8	61·6	2·17	9·60	10·59	5·38
		1871	2,190	66·4	63·0	1·92	10·00	11·23	6·26
		1872	1,991	68·7	66·1	2·06	9·64	10·90	5·78
		1873	1,856	74·2	72·3	1·24	8·30	11·05	5·55
		1874	1,766	71·0	70·4	·85	9·80	10·59	5·83
		1875	1,772	71·3	68·3	1·81	11·23	11·46	5·98
6	Western,	1865	3,807	48·5	39·8	3·41	20·91	9·77	5·46
		1866	3,899	47·2	39·6	3·21	18·44	9·87	4·69
		1867	3,909	49·6	42·2	2·20	20·36	8·75	4·73
		1868	3,529	47·8	40·5	2·18	17·63	9·69	5·47
		1869	3,409	49·1	41·6	2·43	19·16	10·53	5·69
		1870	3,743	48·4	41·8	2·59	20·14	9·16	4·94
		1871	3,821	46·5	40·3	1·91	18·11	10·18	5·84
		1872	3,240	50·0	44·6	2·96	20·37	11·20	5·25
		1873	3,128	52·9	48·4	3·04	19·41	10·68	5·50
		1874	2,897	57·4	50·8	2·76	16·98	11·05	5·56
		1875	2,624	55·1	51·3	2·97	19·28	13·53	6·29
7	South-Eastern,	1865	2,715	53·7	41·4	2·39	12·56	11·31	5·93
		1866	2,498	57·0	45·8	2·40	9·89	9·21	5·60
		1867	2,547	58·3	47·3	1·85	10·33	10·64	5·65
		1868	2,515	59·2	50·0	1·83	10·30	10·02	5·77
		1869	2,390	56·0	45·7	2·13	10·17	10·46	4·98
		1870	2,598	56·3	46·6	2·66	10·39	11·39	5·66
		1871	2,622	55·9	49·5	2·67	10·37	10·95	6·03
		1872	2,250	61·7	54·6	2·13	9·69	12·18	6·13
		1873	2,099	63·1	55·5	2·00	9·67	11·53	6·05
		1874	2,006	65·6	59·9	1·89	9·02	10·92	5·33
		1875	2,001	63·4	57·3	2·10	9·40	11·74	6·75
8	South-Western,	1865	5,019	54·4	42·0	3·33	19·98	10·74	6·99
		1866	4,881	58·2	45·7	2·99	18·07	10·06	6·64
		1867	4,750	58·0	46·0	2·93	17·66	9·73	6·48
		1868	4,685	62·6	50·0	1·94	16·24	10·05	6·15
		1869	4,322	59·6	48·3	2·17	16·87	10·09	6·55
		1870	4,739	59·4	47·6	2·28	15·62	9·60	7·01
		1871	4,497	60·8	51·4	2·45	14·81	11·41	6·85
		1872	4,097	64·9	57·1	1·88	14·91	10·96	7·05
		1873	3,867	67·8	58·3	2·64	13·71	11·40	7·63
		1874	3,637	70·1	62·6	2·20	13·45	9·73	6·79
		1875	3,484	67·9	59·6	3·24	14·67	12·00	6·92

In the province of Leinster, 74·4 per cent. of the men, and 71·4 per cent. of the women married wrote their names; in Ulster, 71·9 per cent. of the men, and 62·5 per cent. of the women; in Munster, 68 in every 100 men, and 61 in every 100 women; and in Connaught, only 56·6 per cent. of the men, and 52·1 per cent. of the women.

In 5,463 instances, both of the parties married signed the register by "mark," and in 5,176 cases the register was thus signed by either the husband or the wife, so that in 10,639 instances, or 44·3 per cent. of the total number of marriages, one or both of the parties signed by mark; and in 13,398 instances, or 55·7 per cent., *both* parties wrote their names.

In proportion to the estimated population at all ages the registered marriages were most numerous in the province of Leinster in which, however the rate was only 5·1 per 1,000 persons; Ulster comes next, with 4·7 per 1,000; Munster third, with 4·4 per 1,000; and Connaught last, the rate being only 3·6 per 1,000.

The highest rate in any county was 7·1 per 1,000, which was the marriage rate for Dublin; and the lowest 3·1 per 1,000 for Meath and Cavan. Between these, the most favourable were 6·5 for Antrim, 5·0 in Armagh, and 4·9 in Down and Kilkenny; and the least so, 3·2 in Galway, and 3·4 in Donegal.

BIRTHS.

The number of births registered during the year 1875 is 138,320—71,118 boys, and 67,202 girls, or 105·8 of the former to every 100 of the latter—the rate afforded in proportion to the total population being 1 in 38·4, or 26·1 per 1,000.

As has been already stated, the rate is somewhat under the average (26·9) for the preceding ten years. It is, in fact, lower than for any of the ten years, except 1865, the second year of registration, in which the rate was only 25·9 per 1,000.

It has been seen that the marriages *registered* in Ireland, when compared with the total population, fall far short of the proportion in England. The births, too, present a contrast—not, indeed, so striking, but still sufficiently so to call for explanation; the average rate in England being 35·4 per 1,000 persons, against 26·9 per 1,000 in Ireland.

A large portion of the disparity between the marriage rates has been accounted for, and shown to be owing to the special circumstances of Ireland, and it is obvious, that, speaking in general terms, there must be a corresponding difference between the birth-rates.

Pursuing the inquiry with special reference to births, and omitting, for the present, those of children born out of wedlock, it is found that the average rate of legitimate births in England for the ten years 1865–74 was 33·4 per 1,000 of the population, and that the corresponding rate in Ireland was only 26·1 per 1,000.

The conclusion at first naturally suggested by these figures is that the registration of births in Ireland must be very defective; but, on examination this proves to be, in great part, erroneous.

In 1871, according to the Census, the married women in England between the ages of 15 and 55, which may be taken as the limits of the childbearing period, formed 14·7 per cent. of the total population at all ages, and in Ireland the corresponding proportion was only 11·8 per cent.,

or, in other words, there were five married women, possible mothers, in England to 4 in an equal number of the population in Ireland. Taking the ages 15 to 45 years, the difference is even greater.

Assuming the actual births to be in the same ratio to the number of married women in each of the two countries, it is evident that the births in any given number of the total population in Ireland must be less than the corresponding rate in England to the extent that the proportion of married women in the former country falls short of that for the latter.

This being so, the respective rates for legitimate births, given above, namely, 26·1 per 1,000 persons in Ireland, and 33·4 per 1,000 in England, are reconcileable, as they bear the same ratio to each other as the relative proportion of married women in the population; and, looking at the numbers from another point, it is found that the births in England are annually equal to 224 to every 1,000 mothers, and that the registered births in Ireland, equal 223 per 1,000.

There is a popular opinion that the mothers of Ireland are more fruitful than those of England; but this if true in the abstract, must, under present conditions, be to a certain extent neutralized by the comparatively late period of life at which many marriages in Ireland now take place.

Of the 138,320 children whose births were registered in Ireland last year, 135,166, or 97·7 per cent., were legitimate, and 3,154, or 2·3 per cent., were illegitimate. The average per-centage of illegitimate births in the preceding 10 years was 2·9.

It is needless to say that these results compare very favourably with similar returns for most other countries.

Of the children born in wedlock last year, 69,518 were males, and 65,648 females, being 106 of the former to every 100 of the latter; and of the illegitimate children 1,600 were males, and 1,554 females, or only 103 boys to 100 girls.

TABLE V.—The Per-centage of **Legitimate** and **Illegitimate** Births registered in Ireland during the years 1871–75, by Divisions.

Divisions.	Proportion per cent. of Legitimate Births.					Proportion per cent. of Illegitimate Births.				
	1871.	1872.	1873.	1874.	1875.	1871.	1872	1873.	1874.	1875.
IRELAND, . .	97·3	97·5	97·6	97·7	97·7	2·7	2·5	2·4	2·3	2·3
North-Eastern, .	94·8	94·9	95·1	95·4	95·4	5·2	5·1	4·9	4·6	4·6
North-Western, .	96·8	97·7	97·5	97·8	97·8	3·2	2·3	2·5	2·2	2·2
Eastern, . .	97·7	97·8	97·8	97·9	98·1	2·3	2·2	2·2	2·1	1·9
North Midland, .	98·1	98·2	98·5	98·6	98·6	1·9	1·8	1·5	1·4	1·4
South Midland, .	97·4	97·8	98·1	97·7	98·1	2·6	2·2	1·9	2·3	1·9
Western, . .	99·0	99·2	99·2	99·2	99·2	1·0	0·8	0·8	0·8	0·8
South-Eastern, .	96·7	97·3	97·0	97·4	97·3	3·3	2·7	3·0	2·6	2·7
South-Western, .	98·4	98·6	98·7	98·7	98·7	1·6	1·4	1·3	1·3	1·3

As in previous years, the lowest per-centage of children born out of wedlock was in the Western Division, and the highest in the North-Eastern division. The order of the several divisions is as follows:—Western 0·8 per cent. of total births; South-Western, 1·3; North Midland,

1·4; South Midland, 1·9; Eastern, 1·9; North-Western, 2·2; South-Eastern, 2·7; and North-Eastern, 4·6.

Comparing the provinces, we find that the per-centage of children born in Ulster, who were illegitimate, was 3·7; in Leinster, 2·0; in Munster, 1·6; and in Connaught, 0·7.

The extremes of the county rates are found in Down and Mayo. In the former of 5,973 births registered, 350, or 5·9, per cent. were illegitimate, and in the latter, out of 6,241 births recorded, only 31, or 0·5 per cent., were so classed.

The respective total birth-rates for the provinces last year were—Munster, 27·9 per 1,000 of the population; Ulster, 25·6 per 1,000; Connaught, 25·4, and Leinster, 25·3.

The four counties having the highest rates were—Kerry, 32·2 per 1,000 inhabitants; Antrim, 30·0; Limerick, 27·9; and Cork, 27·8. Those with the lowest rates were—Westmeath, 22·6; Monaghan, 22·7; Fermanagh, 23·2, and Wicklow, 23·4 per 1,000 persons.

Of the total births, 53·3 per cent. were registered in the first six months of the year (181 days), and 46·7 per cent. in the second half of the year (184 days).

The number registered in the first quarter was 36,378; in the second, 37,405; in the third, 32,588; and in the fourth, 31,949.

TABLE VI.—Showing, by **Quarterly Periods,** the number of **Births** registered in Ireland in each of the five years 1870–74, and the average number for that period; also the number registered during each quarter of the year 1875 :—

QUARTER ENDING	Years and Number of **Births** Registered.							Equivalent Annual Rate per 1,000 of Estimated Population.	
	1870.	1871.	1872.	1873.	1874.	Average Number, 1870-74.	1875.	1870–74.	1875.
31st March, . .	39,770	41,615	41,221	38,825	36,584	40,005	36,378	29·7	27·4
30th June, . .	40,987	40,768	40,033	39,565	38,514	40,159	37,405	29·8	28·2
30th September, .	34,605	34,022	33,950	33,513	33,831	34,022	32,588	25·3	24·6
31st December, .	34,484	34,950	34,074	32,474	32,359	33,917	31,949	25 2	24·1
Total, .	149,846	151,355	149,278	144,377	141,288	148,103	138,320	27·5	26·1
Annual Rate per 1,000 of the estimated population,	27·7	28·1	27·8	27·1	26·6	27·4	26·1	-	-

DEATHS.

The deaths registered during the year amount to 98,114, being equal to 1 in 54, or 18·5 per 1,000, of the estimated population. The deaths of males number 48,924, and those of females 49,190, the former being equal to 19·0 in every 1,000 males living, and the latter representing 18·0 per 1,000 females.

The total death-rate is higher than that for any of the years 1865-74, and is 1·5 in every 1,000 inhabitants over the average rate for the 10 years. The increase occurs in deaths from diseases of the respiratory organs and those from old age, and, doubtless, was caused by the harsh weather during a great portion of the year, there having been an unusual

frequency of easterly winds, and yet a rainfall much over the average for the 10 years 1865–74.

With the exception of scarlet fever and its kindred disease, diphtheria, zymotic diseases of a preventable nature were less fatal than usual. Scarlet fever, however, which was epidemic in the province of Ulster, caused a large number of deaths, especially in the first half of the year. During the same period, also, small-pox had many victims in the province of Connaught, in some districts of which, unhappily, the spread of this loathsome disease was much helped by the pernicious practice of inoculation.

The deaths from the eight principal zymotic diseases registered during 1875 form 12·1 per cent. of the deaths from all causes, and are equal to 223 in every 100,000 persons living; the average annual mortality from the same diseases in the preceding 10 years represents 13·5 per cent. of the average number of deaths from all causes, and is equal to 230 in every 100,000 of the estimated population.

The Public Health Act has been in force for too short a period to permit of a reliable analysis of the changes in the amount of disease and mortality wrought by its operation; but, from the concurring testimony of Registrars in various parts of the country, there can be no doubt of the salutary results of a prudent administration of its provisions.

Sanitary improvements have made satisfactory progress in many districts, and the Registrars testify to the benefits thereof. Unfortunately, however, there are many districts in which sanitary improvements are sadly needed.

As the principal notes on the public health furnished by the various Registrars were published in the quarterly returns at a time when they should have proved most likely to secure an abatement of then existing evils, it is unnecessary to reproduce them; but I regret to state that, according to the Registrars' reports, in several instances the Local Authorities evinced an unaccountable reluctance to remedy some glaring defects in the system of sanitation.

The death-rates in the eight divisions range from 14·6 per 1,000 persons in the Western to 21·9 in the Eastern. The following is the order of the several divisions (as usual, those along the Eastern coast have the highest mortality) :—Western, 14·6 per 1,000 persons; North Midland, 16·4; North-Western, 16·9; South Midland, 17·8; South-Western, 17·9; South-Eastern, 19·6; North-Eastern, 20·5 and Eastern, 21·9.

With respect to the four provinces, the rate for Connaught is only 14·6; that for Munster is 17·9; for Ulster, 19·1, and for Leinster, 20·7.

Of the thirty-two counties, the four having the lowest registered mortality are—Roscommon, only 14·1 per 1,000; Mayo, 14·3; Galway, 15·0; and Fermanagh, 15·0.

Those in which the rate was highest are—Dublin, 25·5; Antrim, 22·2; Carlow, 21·1; and Waterford, 20·8.

The deaths registered in the first half of the year always largely outnumber those in the second. Last year the excess was greater than usual, 57·0 per cent. of the total deaths having been registered from January to June inclusive, and only 43·0 per cent. in the remaining six months of the year.

The annual rates represented by the deaths registered in each quarter are as follows :—First quarter, 23·1 per 1,000 of the population; second, 19·1; third, 14·5; and fourth, 17·3.

TABLE VII.—Showing, by **Quarterly Periods,** the number of **Deaths** registered in Ireland in each of the five years, 1870–74, and the average number for that period; also the number registered during each quarter of the year 1875 :—

QUARTER ENDING	Years and Number of Deaths Registered.							Equivalent Annual Rate per 1,000 of Estimated Population.	
	1870.	1871.	1872.	1873.	1874.	Average Number 1870-74.	1875.	Average 1870-74.	1875.
31st March, . .	28,234	26,510	29,356	30,799	25,770	28,134	30,605	21·0	23·1
30th June, . .	23,310	22,446	25,938	26,112	24,063	24,374	25,297	18·2	19·1
30th September, .	18,209	17,585	19,631	19,196	19,538	18,832	19,237	14·0	14·5
31st December, .	20,709	22,179	22,369	21,430	22,590	21,855	22,975	16·3	17·3
Total, . . .	90,462	88,720	97,294	97,537	91,961	93,195	98,114	17·4	18·5
Annual Rate per 1,000 of the estimated population,	16·7	16·4	18·1	18·3	17·4	17·4	17·3	-	-

CAUSES OF DEATH.

I.—ZYMOTIC DISEASES.

The deaths from all diseases of this class registered in 1875 amount to 16,254, or 306·13 in every 100,000 of the estimated population. This mortality differs very slightly from the average annual number in the preceding 10 years, which was 16,649, or 306·29 in every 100,000 of the estimated mean population in that period. There are, however, considerable variations in the rates for the several divisions; thus, that for the North-Eastern is 417·78 per 100,000 persons, against an average rate of 335·41 for the 10 years 1865–74; in the North-Western, too, the rate increased from an average of 214·74 to 303·87 for last year; while in the Eastern it fell from 420·37, the average, to 341·92 for last year; and in the South-Eastern the rate for last year was only 207·39, while the average for the 10 years 1865–74 was 310·00.

The highest rate last year was 417·78 (in the North-Eastern division), and the lowest 207·39 (in the South-Eastern division). Taking the average for the preceding 10 years, the highest was 420·37 (in the Eastern Division), and the lowest 217·15 (in the North Midland).

Zymotic diseases proved most fatal in the first quarter of the year, in which 4,693 or 28·9 per cent. of the total number, were registered; the registered mortality in the second quarter was 4,115, or 25·3 per cent. of the total; in the third, 3,645, or 22·4, per cent.; and in the fourth, 3,801, or 23·4 per cent.

Of the 16,254 deaths from these diseases, 9,821, or 60·4 per cent., were amongst children under 10 years of age, being equal to a mortality of 8 in every 1,000 children living at that age.

TABLE VIII.—Showing, by DIVISIONS, the Number of Deaths from the principal Zymotic Diseases and from all diseases of that class *registered* in Ireland during the Ten Years 1865–74; the Average Annual Number for that period; and the Average Annual Rate per 100,000 of the Estimated Population; with the Number *registered* in 1875, and the Rate represented thereby.

DISEASES.		DIVISIONS.								TOTAL, IRELAND.
		North-Eastern.	North-Western.	Eastern.	North Midland.	South Midland.	Western.	South-Eastern.	South-Western.	
SMALL-POX,	1865,	111	53	84	34	18	108	26	27	461
	1866,	31	2	80	4	6	57	4	10	194
	1867,	.	.	4	1	.	11	.	5	21
	1868,	3	.	4	.	.	11	2	3	23
	1869,	5	3	1	1	.	9	.	1	20
	1870,	24	.	1	1	.	2	2	2	32
	1871,	299	3	314	11	4	9	18	7	665
	1872,	309	9	1,714	25	38	19	63	1,071	3,248
	1873,	128	29	35	32	2	2	20	256	504
	1874,	217	158	9	6	3	166	9	1	569
Av. annual No. 1865–74,		113	26	225	12	7	39	14	138	574
Number in 1875, . .		31	1	5	8	1	487	.	2	535
Rate per 100,000 Inhabitants,	Av. 1865–74,	10·16	4·91	28·48	2·33	1·55	5·07	3·08	17 00	10·56
	1875, . .	2·80	0·19	0·64	1·62	0·23	64·84	.	0·25	10·08
MEASLES,	1865,	157	136	193	49	98	120	148	135	1,036
	1866,	269	16	163	78	64	76	33	152	851
	1867,	171	12	505	193	55	65	58	233	1,292
	1868,	399	57	115	33	210	141	134	162	1,251
	1869,	321	73	166	20	35	216	61	56	948
	1870,	307	31	119	116	22	131	137	91	954
	1871,	204	89	81	26	3	126	5	13	547
	1872,	130	53	277	24	98	147	212	439	1,380
	1873,	235	32	105	69	124	106	148	484	1,303
	1874,	154	20	182	79	80	84	26	42	667
Av. annual No. 1865–74,		235	52	190	69	79	121	96	181	1,023
Number in 1875, . .		512	39	166	37	9	77	11	47	898
Rate per 100,000 Inhabitants,	Av. 1865–74,	21·13	9·83	24·05	13·38	17·44	15·72	21·12	22.29	18·82
	1875, . .	46·22	7·60	21·39	7·47	2·09	10 25	2·51	5·90	16·91
SCARLET FEVER (Scarlatina),	1865,	715	187	418	350	124	811	232	846	3,683
	1866,	943	199	308	379	368	711	319	274	3,501
	1867,	602	82	442	145	248	83	273	270	2,145
	1868,	696	149	679	188	141	24	294	525	2,696
	1869,	1,685	432	887	162	89	94	89	232	3,670
	1870,	1,238	298	728	134	152	153	103	172	2,978
	1871,	251	182	513	122	225	255	121	538	2,207
	1872,	186	143	291	74	340	286	358	781	2,459
	1873,	351	73	358	36	142	246	407	480	2,093
	1874,	1,486	196	1,181	292	207	165	245	262	4,034
Av. annual No. 1865–74,		815	194	581	188	204	283	244	438	2,917
Number in 1875, . .		1,620	701	613	367	89	215	45	195	3,845
Rate per 100,000 Inhabitants,	Av. 1865–74,	73·29	36·67	73·54	36·45	45·05	36·78	53·68	53·95	54·22
	1875, . .	146·24	136·55	78·97	74·13	20·64	28·63	10·27	24·48	72·42
DIPHTHERIA,	1865,	148	57	88	36	38	57	35	21	480
	1866,	111	19	88	11	24	19	14	31	317
	1867,	59	16	42	3	15	12	18	24	189
	1868,	68	9	42	12	8	20	9	34	202
	1869,	84	24	33	11	14	26	14	37	243
	1870,	68	8	39	9	11	17	11	25	188
	1871,	80	16	48	11	13	20	17	21	226
	1872,	62	28	56	10	25	14	42	20	257
	1873,	116	18	81	21	28	26	4	32	326
	1874,	210	23	138	47	43	18	35	51	565
Av. annual No. 1865–74, .		100	22	65	17	22	23	20	30	299
Number in 1875, . .		129	36	102	23	33	21	35	64	443
Rate per 100,000 Inhabitants,	Av. 1865–74,	8·99	4·16	8·23	3·30	4·86	2·99	4·40	3·70	5·50
	1875, . .	11·64	7·01	13·14	4·65	7·65	2·80	7·99	8·03	8·34

TABLE VIII.—Showing, by DIVISIONS, the Number of Deaths from the principal Zymo
Diseases and from all diseases of that class *registered* in Ireland during the Ten Ye
1865–74; the Average Annual Number for that period; and the Average Annual Ra
per 100,000 of the Estimated Population; with the Number *registered* in 1875, and
Rate represented thereby—*continued.*

DISEASES.		DIVISIONS. North-Eastern.	North-Western.	Eastern.	North Midland.	South Midland.	Western.	South-Eastern.	South-Western.	TOTA IRELA
WHOOPING-COUGH,	1865,	576	134	227	65	65	127	19	293	1,5
	1866,	488	109	314	184	79	170	148	244	1,7
	1867,	297	112	386	193	138	279	548	191	2,1
	1868,	451	277	440	212	162	372	68	398	2,3
	1869,	398	197	74	100	46	308	60	256	1,4
	1870,	477	20	213	88	62	142	124	193	1,3
	1871,	388	90	315	81	140	102	142	130	1,3
	1872,	367	125	199	310	213	220	82	410	1,9
	1873,	264	125	522	147	51	272	251	354	1,9
	1874,	428	134	143	198	76	319	220	511	2,0
Av. annual No. 1865–74,		414	132	283	158	103	231	166	298	1,7
Number in 1875,		344	162	173	195	79	214	48	161	1,3
Rate per 100,000 Inhabitants,	Av. 1865–74,	37·23	24·95	35·82	30·63	22·74	30·02	36·52	36·70	32
	1875,	31·05	31·56	22·29	39·39	18·32	28·49	10·95	20·21	25
FEVER,	1865,	1,191	498	947	281	521	587	530	728	5,2
	1866,	866	377	940	304	465	407	383	476	4,2
	1867,	816	283	729	300	421	412	352	437	3,7
	1868,	892	279	639	268	354	392	300	436	3,5
	1869,	848	266	612	250	343	339	269	472	3,3
	1870,	632	234	621	214	264	395	248	377	2,9
	1871,	711	203	664	170	247	423	242	516	3,1
	1872,	664	291	604	208	238	507	221	487	3,2
	1873,	591	290	503	192	255	527	262	618	3,2
	1874,	651	245	567	201	299	415	259	512	3,1
Av. annual No. 1865–74,		786	297	682	239	341	440	307	506	3,5
Number in 1875,		615	196	464	180	230	371	270	528	2,8
Rate per 100,000 Inhabitants,	Av. 1865–74,	70·68	56·14	86·33	46·34	75·30	57·18	67·55	62·32	66
	1875,	55·52	38·18	59·78	36·36	53·35	49·40	61·60	66·29	53
ERYSIPELAS,	1865,	82	22	74	18	24	24	22	33	2
	1866,	74	20	90	15	32	26	30	36	3
	1867,	51	17	79	18	32	29	23	41	2
	1868,	60	17	81	14	21	34	15	41	2
	1869,	77	17	64	20	30	34	26	48	3
	1870,	85	11	61	24	24	28	21	60	3
	1871,	60	6	93	27	15	31	26	61	3
	1872,	50	23	50	13	18	19	18	50	2
	1873,	49	22	36	22	19	20	19	47	2
	1874,	77	16	76	18	19	26	25	35	2
Av. annual No. 1865–74,		67	17	70	19	23	26	23	45	2
Number in 1875,		76	28	109	25	21	41	34	58	3
Rate per 100,000 Inhabitants,	Av. 1865–74,	6·02	3·21	8·86	3·68	5·08	3·38	5·06	5·54	5
	1875,	6·86	5·45	14·04	5·05	4·87	5·46	7·76	7·28	7
INFLUENZA,	1865,	57	26	45	32	11	12	18	19	2
	1866,	61	32	34	21	4	12	16	9	1
	1867,	44	15	12	11	20	23	23	16	1
	1868,	30	1	9	6	6	11	7	26	
	1869,	46	11	26	17	18	14	26	22	1
	1870,	30	19	31	20	7	23	15	21	1
	1871,	22	12	10	15	9	22	9	6	1
	1872,	30	9	29	7	13	17	12	15	1
	1873,	25	11	32	2	3	12	9	6	1
	1874,	32	4	26	10	8	7	3	10	1
Av. annual No. 1865–74,		38	14	25	14	10	15	14	15	1
Number in 1875,		45	5	31	8	5	13	8	9	1
Rate per 100,000 Inhabitants,	Av. 1865–74,	3·42	2·65	3·16	2·71	2·21	1·95	3·08	1·85	2
	1875,	4·06	0·97	3·99	1·62	1·16	1·73	1·83	1·13	2

TABLE VIII.—Showing, by DIVISIONS, the Number of Deaths from the principal Zymotic Diseases and from all diseases of that class *registered* in Ireland during the Ten Years 1865–74; the Average Annual Number for that period; and the Average Annual Rate per 100,000 of the Estimated Population; with the number *registered* in 1875, and the Rate represented thereby—*continued*.

DISEASES.		DIVISIONS. North-Eastern.	North-Western.	Eastern.	North Midland.	South Midland.	Western.	South-Eastern.	South-Western.	TOTAL, IRELAND.
DYSENTERY,	1865,	146	41	108	48	68	76	56	87	630
	1866,	116	20	72	55	58	94	49	84	548
	1867,	100	22	58	38	45	87	48	76	474
	1868,	82	17	49	44	36	79	52	57	416
	1869,	65	17	54	61	34	52	28	79	390
	1870,	47	12	43	29	40	70	36	94	371
	1871,	35	9	41	32	25	50	27	65	284
	1872,	39	14	32	37	30	79	34	60	325
	1873,	45	19	37	31	21	60	25	60	298
	1874,	44	15	32	31	34	55	18	65	294
Av. annual No. 1865–74,		72	19	53	41	39	70	37	72	403
Number in 1875,		33	11	36	27	31	34	13	46	231
Rate per 100,000 Inhabitants,	Av. 1865–74,	6·47	3·59	6·71	7·95	8·61	9·10	8·14	8·87	7·41
	1875,	2·98	2·14	4·64	5·45	7·19	4·53	2·97	5·77	4·35
DIARRHŒA,	1865,	561	105	505	135	189	177	182	285	2,139
	1866,	439	118	499	91	191	143	155	275	1,911
	1867,	466	92	486	84	194	176	173	249	1,920
	1868,	543	115	599	85	171	134	205	275	2,127
	1869,	448	83	405	99	174	114	163	245	1,731
	1870,	429	120	504	106	195	165	195	406	2,120
	1871,	454	100	403	85	151	125	136	282	1,736
	1872,	425	86	325	83	167	151	160	228	1,625
	1873,	488	117	347	120	179	198	246	400	2,095
	1874,	439	88	309	90	169	134	174	268	1,671
Av. annual No. 1865–74,		460	102	438	98	188	152	179	291	1,908
Number in 1875,		474	94	380	69	174	139	167	327	1,824
Rate per 100,000 Inhabitants,	Av. 1865–74,	41·36	19·28	55·44	19·00	41·51	19·75	39·38	35·84	35·10
	1875,	42·79	18·31	48·96	13·94	40·36	18·51	38·56	41·05	34·35
CHOLERA,	1865,	14	9	23	2	12	3	9	19	91
	1866,	75	11	1,714	62	113	52	166	308	2,501
	1867,	38	6	105	84	50	8	65	31	387
	1868,	35	6	33	3	13	5	27	35	157
	1869,	28	4	16	2	10	7	14	17	98
	1870,	13	5	27	7	3	3	9	26	93
	1871,	16	5	21	2	7	4	8	27	90
	1872,	20	2	14	3	16	7	9	30	101
	1873,	21	5	16	6	7	7	6	23	91
	1874,	22	3	19	4	11	9	11	24	103
Av. annual No. 1865–74,		28	6	199	17	24	11	32	54	371
Number in 1875,		16	2	21	6	3	4	4	24	80
Rate per 100,000 Inhabitants,	Av. 1865–74,	2·52	1·13	25·19	3·30	5·30	1·43	7·04	6·65	6·83
	1875,	1·44	0·39	2·71	1·21	0·70	0·53	0·91	3·01	1·51
All Zymotic Diseases,	1865,	4,550	1,588	3,260	1,382	1,545	2,701	1,660	3,116	19,802
	1866,	4,067	1,201	4,860	1,469	1,720	2,234	1,604	2,471	19,626
	1867,	3,221	891	3,399	1,321	1,500	1,626	1,850	2,258	16,066
	1868,	3,828	1,122	3,232	1,088	1,343	1,743	1,380	2,751	16,487
	1869,	4,619	1,353	2,805	964	1,051	1,702	1,001	2,060	15,555
	1870,	3,878	1,005	2,839	966	1,023	1,626	1,167	2,044	14,548
	1871,	3,056	928	3,013	804	1,086	1,677	1,031	2,341	13,936
	1872,	2,780	1,011	4,043	992	1,439	1,949	1,495	4,114	17,823
	1873,	2,882	1,050	2,555	946	1,085	2,036	1,628	3,412	15,594
	1874,	4,419	1,212	3,203	1,274	1,266	1,990	1,273	2,420	17,057
Av. annual No. 1865–74,		3,730	1,136	3,321	1,120	1,306	1,928	1,409	2,699	16,649
Number in 1875,		4,628	1,560	2,654	1,169	1,025	2,143	909	2,166	16,254
Rate per 100,000 Inhabitants,	Av. 1865–74,	335·41	214·74	420·37	217·15	288·39	250·54	310·00	332·43	306.29
	1875,	417·78	303·87	341·92	236·13	237·74	285·32	207·39	271·93	306·13

Small-pox.—The number of deaths caused by this disease is 535, or 10 in every 100,000 of the population; the average annual number in the preceding ten years (including 1872, in which 3,248 deaths resulted from small-pox) was 574, the number for 1874 being 569. The deaths from small-pox last year were almost exclusively confined to the Western Division, in which 487, or 65 in every 100,000 inhabitants, occurred; 330, or 137 per 100,000 persons, having taken place in the county of Mayo, where, unfortunately, inoculation was extensively practised. Taken in connexion with the heavy mortality in Mayo county, the following remarks are significant. Writing at the close of the first quarter, the Registrar of Castlebar, No. 1, in that county, reported: "The condition of my district would be highly satisfactory were it not that small-pox has made its appearance, and that the disease is propagated by the extensive practice of inoculation;" and the Registrar of Balla, in the same union and county, stated that "Small-pox of a very malignant type caused 36 deaths. Inoculation is still carried on to a great extent in my district." The Registrar of Ballinrobe District, Ballinrobe Union, also in the county of Mayo, remarked, "Small-pox of a bad type broke out in this district; I believe it was introduced by inoculation;" and the Registrar of Hollymount, another district in Ballinrobe Union, reported, "The district is remarkably free from zymotic disease, small-pox being the only form present, of which a few cases occurred (1 death registered) of a most virulent form, and in several cases attacking persons who had before had the disease from inoculation, though, curiously enough, it spared persons who had been vaccinated living in the same houses."*

Only 2 deaths from small-pox were registered in the province of Munster, 11 occurred in Leinster, 32 in Ulster (against 381 in the preceding year), and the remaining 490 in Connaught.

The deaths in the first quarter numbered 230, in the second 222, in the third 71, and in the fourth only 12.

Measles.—The deaths from measles were more numerous than in the preceding year, but less than the average for the ten years 1865–74. The number for last year is 898, or 16·91 in every 100,000 of the population; for 1874, 667, or 12·55 per 100,000 persons, and the average for the ten years 1,023, or 18·82 in every 100,000 of the mean population for those years. Of the deaths last year 512, or considerably more than one-half, occurred in the North-Eastern Division, the proportion to the population being 46·22 in every 100,000; only 9 took place in the South Midland Division. The deaths in the former division include 311 which occurred in the Union of Belfast.

There is but little difference in the numbers for the respective quarters of the year; that for the first is 213, for the second 225, for the third 236, and for the fourth 224.

Scarlet Fever.—As before stated, this disease proved very fatal, but the mortality was not quite as heavy as in the preceding year, the deaths amounting to 3,845 (2,034 males and 1,811 females), or 72·42 in every 100,000 of the population, against 4,034 in the year 1874. The average mortality for the ten years 1865–74 was 2,947, or 54·22 per 100,000. The divisions which suffered most last year were the North-Eastern and the North-Western, the rate in the former being 146·24 per 100,000 persons, and in the latter 136·55. In the Eastern Division, where the disease was proportionately most fatal during 1874, in which the deaths equalled 152·04

* See Quarterly Returns for 1875, page 37.

per 100,000 persons, the rate for last year was 78·97. Only 45 deaths were registered in the South-Eastern Division, against 245 during the preceding year.

The disease was remarkably fatal in some districts; thus, in the Union of Carrickmacross the deaths (78) from scarlet fever are equal to 3·8 in every 1,000 persons; in the Union of Inishowen to 3·3 per 1,000; and in the following unions they exceeded 2 per 1,000 of the population in 1871, viz.:—Belfast, Cookstown, Larne, Lurgan, and Newtownards, in the North-Eastern Division; Londonderry in the North-Western, and Bailieborough in the Eastern.

The distribution of the deaths from scarlet fever through each of the four provinces is as follows:—Ulster, 2,558, or 66 per cent. of the total; Leinster, 699; Connaught, 356; and Munster 232, of which 194 were in the county of Cork.

The disease proved most fatal in the earlier part of the year, the deaths for the first quarter being 1,190, for the second 938, for the third 818, and for the fourth 899.

The great bulk of the deaths from scarlet fever were amongst children under 10 years of age, the number for that age period being 3,111, or 81·8 per cent. of the total.

Diphtheria.—This disease caused 443 deaths, against 565 in the preceding year, and an annual average of 299 for the ten years 1865–74. The highest mortality in proportion to the population (13·14 per 100,000 persons) was in the Eastern Division, and the lowest (2·80) in the Western.

Quinsy.—The deaths from quinsy numbered 273, being 18 less than in the preceding year, and 27 under the number for 1873.

Croup.—There were 1,731 deaths referred to this cause, being 68 under the number in the preceding year, but still considerably over the average. As in previous years, the deaths of males are much in excess of those of females, the numbers being 947 of the former and 784 of the latter. The Western and South-Western Divisions, as usual, had the largest mortality.

The numbers for the several quarters of the year are—first, 591; second, 444; third, 293; and fourth, 403.

Whooping-cough.—The deaths from whooping-cough are much under the average. They number 1,376, or 25·92 in every 100,000 of the estimated population, against 2,029 in the preceding year, and an average of 1,785 for the ten years 1865–74. The rates varied from 10·95 per 100,000 persons in the South-Eastern Division to 39·39 in the North Midland. There were only two Unions in which the deaths from this disease equalled 1 per 1,000 of the population, namely, Glenties, in the North-Western Division, and Mohill, in the North Midland. Of the total deaths, 552 occurred in the province of Ulster, 283 in Connaught, 290 in Leinster, and 251 in Munster. While the returns for several years past show that more males than females succumb to croup, the contrary is the case with regard to whooping-cough, the numbers for last year, which are not exceptional, being—males 596 and females 780.

Deaths from whooping-cough were most numerous in the last quarter of the year, when 415 deaths were recorded; the number for the first quarter is 327, for the second 300, and for the third 334.

Fever.—Under this heading are included deaths from typhus, enteric or typhoid fever, and simple continued fever. The total number for last year is 2,854 (1,467 males and 1,387 females), or 53·75 in every 100,000

of the population, being 12·44 per 100,000 persons under the average rate for the preceding ten years. The highest divisional rate per 100,000 persons last year is 66·29 for the South-Western Division, and the lowest is 36·36 for the North Midland, which had also the lowest average rate (46·34) for the ten years 1865--74. The South-Western Division is the only one in which deaths from fever are over the average, and the state of things disclosed in the observations of many of the Registrars in this division, justifies the remark of one of them, that "there is strong evidence of its being a filth disease."* The rates for some of the other divisions show a remarkable decrease; thus the rate for the Eastern is 59·78, against an average of 86·33; that for the South Midland, 53·35, against 75·30; for the North-Eastern, 55·52, against 70·68; and for the North-Western, 38·18, against 56·14. In the South-Eastern Division, although the rate (61·60) is somewhat under the average for the ten years, still it exceeds that for any of the years in the latter half of the decade; and in the Western, in which there had been a gradual increase in the mortality, from 339 deaths, in 1869 to 527 in 1873, the deaths, which fell to 415 in 1874, still further declined to 371 last year, the rate afforded thereby being 49·40 per 100,000 persons, against an average of 57·18 for the ten years 1865--74.

There were only 6 unions in which the deaths from fever equalled 1 per 1,000 of the population, viz.:—Castlecomer, in the South Midland Division; Ballyvaghan and Killala, in the Western; and Cahersiveen, Killarney and Kinsale, in the South-Western.

With respect to the four provinces, there were 875 deaths, or 0·64 per 1,000 inhabitants in Munster; 741, or 0·58 per 1,000, in Leinster; 882, or 0·48 per 1,000, in Ulster; and 356, or 0·43 per 1,000, in Connaught.

Fever was most fatal in the first quarter, during which 792 deaths were registered; the number in the second quarter was 789; in the third 659; and in the fourth 614.

TABLE IX.—Showing for the year 1875 the Deaths from the several forms of **Fever** at each Age-Period, with the proportion to the estimated number living at each Age represented thereby.

Age-Periods.	Deaths from Fever.												No. of Deaths to 100,000 of the Living at same age.
	Typhus.			Typhoid or Enteric.			Simple continued.†			Total.			
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	
Under 5 years old,	13	12	25	69	71	140	43	46	89	125	129	254	39·62
5 and under 10,	18	15	33	52	50	102	35	46	81	105	111	216	34·82
10 " 15,	15	22	37	31	55	86	46	53	99	92	130	222	35·92
15 " 20,	48	51	99	60	63	123	82	87	169	190	201	391	74·96
20 " 25,	43	37	80	62	27	89	54	70	124	159	134	293	65·21
25 " 35,	47	47	94	46	50	96	76	82	158	169	179	348	48·36
35 " 45,	56	49	105	36	29	65	79	60	139	171	138	309	57·83
45 " 55,	49	45	94	27	25	52	79	73	152	155	143	298	63·64
55 " 65,	45	33	78	25	16	41	88	83	171	158	132	290	69·50
65 " 75,	28	9	37	14	15	29	63	39	102	105	63	168	76·09
75 and upwards,	6	6	12	4	6	10	28	15	43	38	27	65	65·70
Total,	368	326	694	426	407	833	673	654	1327 †	1,467	1,387	2,854	53·75

* Remark by Registrar of Newmarket District, Kanturk Union, county of Cork, Quarterly Returns, 1875, p. 172.

† Including deaths returned as from "fever."

Of the 2,854 deaths tabulated under the head of fever, 694 were returned as from typhus, 833 from enteric or typhoid fever, and 1,327 from simple continued fever or vaguely as from "fever."

As in the preceding year, the age periods 15 and under 20 years, and 65 to 75 were those in which fever proved most fatal in proportion to the living at the same ages; the rate for the former age period in 1874 was 83·52 per 100,000, and in 1875 74·96; and for the latter, in 1874 83·35, and in last year 76·09.

The lowest rate for last year is 34·82 for the period 5 and under 10, and the lowest in the year 1874 was 41·62, the rate amongst children under 5 years of age.

Erysipelas.—There were 392 deaths referred to erysipelas, being more than in any of the preceding ten years, and 35 per cent. over the average. Both numerically and in proportion to the population the mortality was highest in the Eastern Division, in which 109 deaths were registered, of which number 63 occurred in the two metropolitan unions.

Metria or Puerperal Fever.—This disease also proved more fatal than usual; the average number of deaths for the ten years 1865--74 is 315: last year the number rose to 442. There is no doubt a portion of this increase is only nominal, and arises from a more accurate registration of the cause of death; some deaths which would formerly have been returned as from "childbirth" being more correctly described as from metria or puerperal peritonitis.

Influenza.—One hundred and twenty-four deaths resulted from this cause, being 24 over the number in 1874, but 21 under the average for the ten years 1865–74.

Dysentery.—Only 231 deaths were caused by dysentery, against an average of 403 for the ten years 1865–74. As in previous years, the disease was much more fatal in Munster than in any of the other provinces.

Diarrhœa.—The deaths from diarrhœa numbered 1,824, or 34·35 in every 100,000 of the population, against 1,671 in the preceding year, and an average of 1,908, or 35·10 per 100,000 of the mean population, for the ten years 1865–74. The highest divisional rate is 48·96 per 100,000 for the Eastern Division, and the lowest 13·94 for the North Midland. The low diarrhœal death-rates, not only last year but for the preceding ten years, in the North Midland, North-Western, and Western Divisions, are noteworthy when compared with those for other parts of the island. For example, the average rates for these divisions are—North-Midland, 19·00; North-Western, 19·28; and Western, 19·75 per 100,000; and the rates for last year 13·94, 18·31, and 18·51 respectively; while the lowest average for any of the other divisions is 35·84, and the lowest rate last year 38·56.

In none of the 163 unions did the mortality from this disease last year equal 1 per 1,000 of the estimated population.

The rates for the provinces are as follows:—Leinster, 42·5 per 100,000; Munster, 41·4; Ulster, 31·8; and Connaught only 15·6.

Of the 1,824 deaths from diarrhœa 425 were registered in the first quarter, 378 in the second, 563 in the third, and 458 in the fourth.

Simple Cholera.—Eighty deaths were referred to this disease, of which 45 were registered in the third quarter.

One man died from hydrophobia.

II.—Constitutional Diseases.

The deaths from this class of diseases amount to 16,553—8,009 males and 8,544 females—being 16·9 per cent. of the deaths from all causes, and equal to 312 in every 100,000 of the population. This mortality, though over that for the previous year, is under the average for the ten years 1865-74.

Phthisis or Pulmonary Consumption.—To this disease, which, with the exception of bronchitis, is by far the most fatal in Ireland, there were 10,240 deaths referred last year—4,903 males and 5,337 females.

These deaths are equal to 192·86 in every 100,000 persons, against an average of 185·26 for the previous ten years.

The three eastern divisions, as has always been the case, yield the highest rates, that for the North-Eastern being 273·61 in every 100,000 persons living, for the Eastern 245·94, and for the South-Eastern 184·34. Taking the average results for the previous ten years, the highest rate was 259·62 in the Eastern Division; the next, 248·73, in the North-Eastern, and the third, 183·71, in the South-Eastern. It will be seen that the mortality in the North-Eastern Division last year was considerably over the average. In the union of Belfast, in which nearly one-third of the deaths from phthisis in that division occurred, the mortality reached the high rate of 4 in every 1,000 persons.

Table X.—Showing, by Divisions, the Number of Deaths from Phthisis or Pulmonary Consumption *registered* in Ireland during the Ten Years 1865-74; the Average Annual Number for that period; and the Average Annual Rate per 100,000 of the Estimated Population; with the number *registered* in 1875, and the Rate represented thereby.

Disease.		Divisions.								Total Ireland
		North-Eastern.	North-Western.	Eastern.	North Midland.	South Midland.	Western.	South-Eastern.	South-Western.	
Phthisis, or Consumption,	1865,	2,711	922	2,190	749	814	726	867	1,197	10,1
	1866,	2,802	921	2,072	753	809	630	906	1,226	10,1
	1867,	2,865	862	2,206	818	839	686	861	1,246	10,3
	1868,	2,590	839	1,970	732	792	647	781	1,089	9,4
	1869,	2,765	847	1,957	786	820	731	875	1,202	9,9
	1870,	2,681	908	2,023	775	821	730	806	1,245	9,9
	1871,	2,886	884	2,010	767	889	795	843	1,353	10,4
	1872,	2,825	860	2,191	731	833	805	826	1,359	10,4
	1873,	2,757	932	2,079	705	812	877	830	1,349	10,3
	1874,	2,777	786	1,807	693	729	736	759	1,129	9,4
Av. annual No. 1865–74,		2,766	876	2,051	751	816	736	835	1,239	10,0
Number in 1875,		3,031	917	1,909	728	787	830	808	1,230	10,2
Rate per 100,000 Inhabitants,	Av. 1865–74,	248·73	165·59	259·62	145·61	180·19	95·64	183·71	152·60	185·
	1875,	273·61	178·62	245·94	147·05	182·54	110·51	184·34	154·42	192·

The Registrar of Belfast, No. 9 District, reporting on the deaths in his district during the last quarter of the year, when, of 28 deaths registered, 10 resulted from phthisis, states that "Among mill-workers preventable causes of this disease—improperly selected and badly prepared food, unsuitable clothing which does not protect from weather, crowded sleeping apartments, and intemperate habits—are occasioning terrible results."*

As usual, the lowest divisional rate was in the Western Division, but the mortality here, although comparatively light, was over the average for this division—the respective rates per 100,000 persons being, for last year 110·51, and for the average of the preceding ten years 95·64.

The four provinces rank in the following order:—Ulster, Leinster, Munster, Connaught; the rates varying from 230 in every 100,000 persons in Ulster to 119 in Connaught.

Of the total deaths from phthisis, 6,953, or 68 per cent., were amongst persons aged between 15 and 45 years.

There were registered in the first quarter 2,823 deaths; in the second, 2,934; in the third, 2,205; and in the fourth, 2,278.

Other Constitutional Diseases.—There were 1,159 deaths from mesenteric disease, 1,076 from hydrocephalus or water on the brain, and 875 from scrofula. Deaths from the first-named disease are equally divided between the sexes, while those from hydrocephalus and scrofula are about 25 per cent. more numerous amongst males than amongst females. This agrees with the results for previous years. The deaths from constitutional diseases of the diathetic order include 1,753 (779 males and 974 females) from cancer, which is about the average number; 1,254 (551 males and 703 females) vaguely returned as from dropsy; 165 from mortification; and 14 (10 men and 4 women) from gout.

III.—Local Diseases.

This class comprises inflammations and diseases of the functional organs, and the deaths included under it generally amount to one-third of the total mortality from all causes. Last year the number was 33,032 (17,742 males and 15,290 females), distributed as follows:—

Diseases of the Nervous System.—The deaths from this order of diseases number 8,362, in the proportion of 4 males to 3 females. They include 1,554 from paralysis, 1,042 from apoplexy, 599 from cephalitis, 333 from epilepsy, 197 from insanity, 2 (females) from chorea or St. Vitus's dance, 3,772 (almost exclusively children) which were attributed to convulsions, and 863 that have been tabulated under the head of "brain disease, &c.," including 229 from softening of the brain, and 145 from spinal marrow disease.

Diseases of the Organs of Circulation.—Compared with earlier years of the previous decade, these diseases show a large increase; *e.g.*, in the year 1865 the number registered was 2,922, and in 1866 it was 3,168; while for last year, with a diminished population, the number is 4,096—2,125 males and 1,971 females. It is more than probable that a large portion of this increase is, in reality, only nominal, and is owing to a more precise diagnosis of the cause of death. Of the deaths from this order of diseases last year 3,922 (2,012 males and 1,910 females) were from "heart disease," 76 from pericarditis, and 98 from aneurism.

* See Quarterly Returns for 1875, page 169.

*Diseases of the Respiratory Organs.**—The deaths from these diseases, which are more numerous than in any of the preceding ten years, amount to 14,568 (7,524 males and 7,044 females), being equal to 274 in every 100,000 of the population. The average for the ten years 1865–74 was 12,743, or 234 in every 100,000 of the estimated mean population.

The divisional rates range from 166 in every 100,000 persons in the Western Division to 406 in the Eastern.

TABLE XI.—Showing, by DIVISIONS, the Number of Deaths from Diseases of the Respiratory Organs* *registered* in Ireland during the Ten Years 1865–74; the Average Annual Number for that period, and the Average Annual Rate per 100,000 of the Estimated Population; with the number *registered* in 1875, and the Rate represented thereby.

DISEASES.		DIVISIONS.								TOTAL, IRELAND.
		North-Eastern.	North-Western.	Eastern.	North Midland.	South Midland.	Western.	South-Eastern.	South-Western.	
DISEASES OF RESPIRATORY ORGANS,*	1865,	2,914	951	2,894	1,414	1,193	1,333	1,497	2,233	14,429
	1866,	2,632	900	2,635	1,130	1,039	1,239	1,326	1,950	12,851
	1867,	2,626	817	2,852	1,192	1,089	1,413	1,350	2,364	13,703
	1868,	2,031	669	2,199	838	910	983	987	1,776	10,393
	1869,	2,778	871	2,614	1,011	1,060	1,225	1,301	1,985	12,845
	1870,	2,699	832	2,561	1,177	1,052	1,347	1,364	2,120	13,152
	1871,	2,848	748	2,632	1,032	929	1,185	1,216	2,055	12,645
	1872,	2,800	779	2,299	931	941	1,191	1,283	2,104	12,328
	1873,	2,909	829	2,667	973	913	1,476	1,413	2,484	13,664
	1874,	2,590	778	2,311	887	842	1,072	1,061	1,878	11,419
AV. ANNUAL NO. 1865–74,		2,683	817	2,566	1,059	997	1,246	1,280	2,095	12,743
NUMBER IN 1875,		3,182	970	3,155	1,145	1,140	1,246	1,396	2,334	14,568
RATE PER 100,000 INHABITANTS,	AV. 1865–74,	241·26	154·44	324·80	205·32	220·16	161·92	281·62	258·04	234·43
	1875,	287·24	188·95	406·47	231·28	264·41	165·89	318·49	293·02	274·38

Deaths from diseases of the respiratory organs were most numerous in the first quarter of the year, during which 5,502 were registered; the number for the second quarter was 3,700; for the third, 2,054; and for the fourth, 3,312.

Of the 14,568 deaths from these affections, as many as 10,736 (5,251 males and 5,485 females), resulted from bronchitis; 2,138 (1,360 males and 778 females), were from pneumonia or inflammation of the lungs; 503 from asthma; 275 from pleurisy; 124 from laryngitis and 792 have been tabulated under the head of "lung disease, &c."

Diseases of the Digestive Organs.—Deaths from the various forms of disease embraced in this order, number 4,233—2,235 males, and 1,998 females. Amongst these may be noticed 552 (292 males and 260 females) from enteritis or inflammation of the bowels, 297 from peritonitis or inflammation of the covering of the bowels, 298 from inflammation of the stomach, 337 from ileus or obstruction of the bowels, 122 from hernia, 178 from ulceration of the intestines; 8 (5 males and 3 females) from fistula, 789 from stomach disease unspecified, 235 (150 males and 85 females) from inflammation of the liver, 164 from jaundice, 945 from liver disease unspecified, 16 from spleen disease, and 4 (3 males and 1 female) from disease of the pancreas.

* Exclusive of Phthisis or Pulmonary Consumption, for which see "Constitutional Diseases."

Diseases of the Urinary Organs.—There were 1,273 deaths (973 males and 300 females) referred to these diseases, which are now more fatal than they were some years since, the number of deaths, for instance, in 1865, the first year of the preceding decade, being only 1,002. Of the deaths last year, 312 (220 males and 92 females) were from nephria or Bright's disease, 112 from diabetes, 82 from inflammation of the kidneys, 75 from cystitis or inflammation of the bladder, 28 from ischuria or suppression of the secretion of urine, 16 from stone in the bladder, and 648 from "kidney disease, &c.," of which 174 were from prostatic disease.

Diseases of the Organs of Generation.—But few deaths result from the diseases included under this head; last year the number was 128—3 males, each of whom died from hydrocele, and 125 females, of whom 66 died from ovarian dropsy, and 59 from diseases of the uterus.

Diseases of the Organs of Locomotion were fatal in 172 cases, and *Diseases of the Integumentary System* in 200, of which 11 were ascribed to phlegmon, 95 (61 males and 34 females) to ulcer, and 94 to various skin diseases.

IV.—Developmental Diseases.

This class comprehends diseases incidental to the formation, the reproduction, and the decay of the body; the deaths included under it in the returns for last year amount to 27,340—12,212 males and 15,128 females. Of these, 492 were from congenital malformation and developmental diseases of children, comprising 196 deaths which followed premature birth, 7 from cyanosis, 12 from spina bifida, 12 from other malformations, and 265 of children who succumbed during teething.

In the second order of developmental diseases there were 15 deaths from paramenia, and 563 from the accidents of childbirth, the latter being 65 under the average for the previous ten years. It has been seen, however, that the deaths specifically referred to puerperal fever last year are much over the average; and taking the deaths included under both headings, the total, 1,005, not only exceeds the average annual number of deaths of parturient women, but is more remarkable when read with the comparatively low birth-rate for last year, the mortality being equal to 1 death of a mother for every 138 births registered.

The remaining deaths in this class are—4,892 from atrophy, and debility, and as many as 21,378 (9,446 males, and 11,932 females) tabulated as from old age.

V.—Violent Deaths.

The difference between the number of deaths of this nature last year and the average for the 10 years 1865--74 is scarcely appreciable, the former amounting to 2,107 (1,464 males and 643 females), or 39·68 in 100,000 persons, and the latter to 2,129, or 39·17 in every 100,000 of the estimated mean population.

The deaths last year were distributed as follows:—Accident or negligence, 1,928 (including 709 from fractures and contusions, 491 from burns or scalds, and 445 from drowning), murder or manslaughter 76, suicide 75, execution 3, and violent deaths which, owing to the vagueness of the returns, could not be classed, 25.

TABLE XII.—Showing, by DIVISIONS, the Number of Deaths in Ireland caused by Violence (including Accidental, Homicidal, and Suicidal Deaths,) *registered* during the Ten Years 1865–74; the Average Annual Number for that period, and the Average Rate per 100,000 of the Estimated Population; with the number *registered* in 1875, and the Rate represented thereby.

CLASS.		DIVISIONS.								TOTAL, IRELAND.
		North-Eastern.	North-Western.	Eastern.	North Midland.	South Midland.	Western.	South-Eastern.	South-Western.	
VIOLENT DEATHS.	1865,	416	197	385	173	189	248	198	377	2,183
	1866,	477	146	415	153	174	227	227	343	2,162
	1867,	426	186	406	159	147	256	219	378	2,177
	1868,	444	174	395	174	166	259	192	339	2,143
	1869,	443	179	374	194	159	230	191	361	2,131
	1870,	427	171	428	163	165	247	210	394	2,205
	1871,	432	167	385	174	164	227	189	863	2,101
	1872,	434	163	387	132	145	233	159	345	1,998
	1873,	464	155	417	156	149	240	204	342	2,127
	1874,	458	174	385	139	135	228	184	364	2,067
Av. annual No. 1865–74,		442	171	398	162	159	239	197	361	2,129
Number in 1875, . .		441	166	385	165	143	240	201	366	2,107
Rate per 100,000 Inhabitants,	Av. 1865–74,	39·75	32·32	50·38	31·41	35·11	31·06	43·34	44·46	39·17
	1875, . .	39·81	32·33	49·60	33·33	33·17	31·95	45·86	45·95	39·63

Inquests.—There were 2,707 inquests reported to the Registrars during the year, being 1 inquest to every 36 deaths registered.

There were 247 cases of sudden death in which the cause was not ascertained.

In 1865 there was 1 death in every 19 registered which could not be classed, owing to the cause of death having been either ill defined or unspecified; the registration has so far improved that last year the number of such deaths only equalled 1 in every 38 of the total. It is true there is still much room for improvement, but I anticipate that the adoption of the new form of "Medical Certificate of the Cause of Death" approved by your Grace in Council, in the month of April last by which some well-founded objections of the medical profession are removed, will materially tend not only to the attainment of the desired result in this respect, but also to the securing of a more precise record of the causes of death in general.

AGES.

The mortality amongst children was about the average, and that of persons of advanced years considerably greater than usual. The causes of the increase in the latter have been already sufficiently indicated.

Deaths of infants under 1 year old numbered 13,128, being equal to 9·5 per cent. of the number of births registered.

Amongst children under 5 years of age 23,368 deaths occurred—a mortality equal to 36·5 in every 1,000 of the living at that age. Of these, 12,489 were boys and 10,879 girls; the former number representing 38·5 in every 1,000 boys, and the latter 34·4 in every 1,000 girls under 5 years old.

The deaths of persons aged 65 years and upwards are equivalent to 10 per cent. of the persons living at that age.

Amongst the deaths registered are 807 of persons stated to have been aged 95 years and upwards—350 males and 457 females.

EMIGRATION.

According to the Returns obtained by the Royal Irish Constabulary and the Metropolitan Police, who acted as enumerators at the several seaports, the number of emigrants who left Ireland during the year 1875 amounted to 51,462; of these, 26,097 were males and 25,365 females. Of the whole number, 7,770 were from Leinster; 18,311 from Munster; 20,226 from Ulster; and 5,130 from Connaught: 25 persons did not state the county or province to which they belonged.

Of the emigrants in 1875, 17·4 per cent. were under 15 years of age; 67·1 per cent. were between 15 and 35 years old; and 15·5 per cent. were 35 or upwards.

PRICES OF PROVISIONS, AND PAUPERISM.

The changes during the year in the Dublin prices of the principal necessaries of life were, on the whole, in favour of the consumer. The average price of Messrs. Manders and Co.'s 4-lb. loaf was 7*d.*, against 8*d.* in the year 1874; oatmeal averaged 17*s.* 1*d.* per cwt., being 1*s.* 7*d.* under the mean price for 1874. The average prices of potatoes ranged from 2*s.* 11*d.* to 4*s.* 7*d.* per cwt., against 3*s.* 10*d.* to 5*s.* 7*d.* in 1874; and those of beef from 57*s.* to 79*s.* per cwt., against 54*s.* 6*d.* to 79*s.*

TABLE XIII.—AVERAGE PRICES in DUBLIN of BREAD, OATMEAL, POTATOES, and BEEF, during the years 1865–75, and the AVERAGE NUMBER of PERSONS in IRELAND receiving IN-DOOR and OUT-DOOR RELIEF on Saturdays in those years; also the AVERAGE PRICES of PROVISIONS and the AVERAGE NUMBER of PERSONS in RECEIPT of RELIEF during each quarter of the year 1875.

YEAR.	*Average* PRICES OF PROVISIONS.				PAUPERISM.	
	BREAD (Messrs. R. Manders & Co.'s 4-lb. Loaf).	OATMEAL (Corn Exchange), per Cwt.	POTATOES (at Potato Market), per Cwt.	BEEF (at the Dublin Cattle Market), per Cwt.	*Average* NUMBER OF PERSONS RELIEVED.	
					In-door.	Out-door.
	d.	*s.* *d.*	*s.* *d.* *s.* *d.*	*s.* *d.* *s.* *d.*		
1865, . . .	6	14 0	2 11 to 3 6	54 0 to 66 6	53,340	9,953
1866, . . .	6½	15 5	3 1 „ 4 4	52 6 „ 68 0	50,510	11,509
1867, . . .	8¼	17 9	4 3 „ 5 5	50 6 „ 67 6	53,147	14,803
1868, . . .	8½	16 11	4 2 „ 5 5	51 0 „ 65 0	54,484	16,711
1869, . . .	6¾	15 9	3 6 „ 5 1	53 0 „ 69 6	52,118	17,975
1870, . . .	6¾	15 5	3 6 „ 4 7	54 6 „ 68 6	49,115	21,068
1871, . . .	7½	15 1	2 9 „ 4 11	59 0 „ 74 0	46,094	24,209
1872, . . .	8	15 10	4 8 „ 6 7	59 0 „ 75 0	46,053	27,054
1873, . . .	8	17 2	4 6 „ 8 0	64 0 „ 82 6	47,391	30,211
1874, . . .	8	18 8	3 10 „ 5 7	54 6 „ 79 0	47,699	30,232
1875, . . .	7	17 1	2 11 „ 4 7	57 0 „ 79 0	45,809	30,241
1st Quarter, 1875,	7	16 4	2 8 „ 4 4	55 0 „ 80 0	51,444	32,349
2nd „ „ .	7	17 6	3 3 „ 5 2	57 6 „ 81 6	46,094	31,272
3rd „ „ .	7	17 11	2 10 „ 4 5	58 6 „ 79 6	41,342	28,467
4th „ „ .	7	16 6	3 1 „ 4 5	57 6 „ 75 0	44,357	28,877

Surveying the period covered by the several Tables in this Report, *i.e.*, last year and the ten years preceding, it is found that beef was lowest in the year 1868, when the average prices ranged from 51*s.* to 65*s.* per cwt., and that the lowest prices for the other commodities named are those for the year 1865, when the average price of the 4lb. loaf was 6*d.*, that of oatmeal 14*s.* per cwt., and the average range of potatoes from 2*s.* 11*d.* to 3*s.* 6*d.* per cwt. The highest average price of bread was 8¼*d.* in 1867 and 1868, of oatmeal, 18*s.* 8*d.* in 1874; the highest range for potatoes, 4*s.* 6*d.* to 8*s.* per cwt. in 1873, and for beef, 64*s.* to 82*s.* 6*d.* per cwt. also in 1873.

From Returns, for which I am indebted to the Local Government Board, it appears that the average number of workhouse inmates on Saturdays during the year 1875 was 45,809, being 1,890 under the average for the preceding year; and that the average number of persons receiving out-door relief was 30,241, or 9 over the corresponding number for 1874.

THE WEATHER.

The following particulars have been extracted from Returns of Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin, during the years 1865–75, furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.

The mean height of the barometer at 9.30 A.M. during the year 1875 was 29·964 inches, against an average of 29·933 inches for the preceding ten years. The highest reading during the year (30·634) was on the 31st March, at 9.30 P.M., air calm, and the lowest (28·773 inches) was on the 24th January, at 3.30 P.M., wind W.

The mean temperature for the year was 49·6°; the highest registered was 77·9° on the 14th May, and the lowest 15·5° on the 5th December. The average mean temperature for the years 1865–74 was 49·5°.

TABLE XIV.—METEOROLOGICAL OBSERVATIONS at Ordnance Survey Office, Phœnix Park, Dublin, 1865–75.

[For detailed Table for 1875 see page 32.]

YEARS.	Barometer.	Thermometer.			Hygrometer.	Rain-Gauge.		Wind.								
	Mean at 9.30, A.M. (corrected and reduced to 32° Fahrenheit.)	Mean (Fahrenheit).			Mean Humidity, 9.30, A.M. (Complete Saturation = 1.)	Number of days Rain or Snow fell.	Amount.	Number of days it blew in certain directions at 9.30, A.M.								Calm
		Of all highest.	Of all lowest.	Temperature.				N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W	
	Inches.	°	°	°			Inches.									
1865, . .	29·973	58·8	41·8	50·3	·794	178	28·225	25	23	60	25	26	75	99	18	14
1866, . .	29·858	56·9	41·2	49·1	·812	216	26·857	17	13	30	17	38	84	107	26	33
1867, . .	29·965	56·9	41·3	49·1	·826	201	24·050	21	14	37	31	30	71	92	47	22
1868, . .	29·931	59·4	42·3	50·8	·786	183	24·095	14	24	24	41	21	124	68	29	21
1869, . .	29·962	57·7	41·7	49·7	·801	192	28·018	19	32	19	29	10	114	50	65	27
1870, . .	30·061	57·4	39·6	49·3	·804	124	22·788	22	11	34	25	14	65	88	43	63
1871, . .	29·924	57·7	41·1	49·4	·833	176	28·252	24	9	43	30	46	57	107	21	28
1872, . .	29·767	57·6	41·3	49·4	·819	253	35·809	24	10	11	28	56	76	60	31	70
1873, . .	29·944	56·8	40·8	48·9	·792	203	25·528	22	21	40	18	25	81	89	38	31
1874, . .	29·948	57·3	40·7	49·0	·810	186	27·833	16	19	28	19	31	86	119	32	15
Yearly Average, 1865–74.	29·933	57·7	41·2	49·5	·808	191	27·146	20	18	33	26	30	83	88	35	32
1875, . .	29·964	57·8	41·3	49·6	·820	207	32·825	11	34	50	24	21	83	77	35	30

Rain or snow fell on 207 days during the year, against an average of 191 days for the preceding ten years, the amount being 32·825 inches, or 5·679 inches over the average annual rain-fall for the ten years 1865–74.

The prevailing wind was the S.W., it having blown from that point on 83 days, at 9.30 A.M., with an average pressure of 3·52 lbs. per square foot. The wind blew from W. on 77 days; from E. on 50 days; from N.W. on 35 days; from N.E. on 34 days; from S.E. on 24 days; from S. on 21 days; from N. on 11 days, and the air was calm on 30 days, at 9.30 A.M. It will be noticed that easterly winds were more frequent than usual, the number of days on which it blew from one of the three points N.E., E., and S.E. at 9.30 A.M. being 108, against an average of 77 in the ten years 1865–74. The strongest winds, S.W., were on the 24th January and 26th September, the pressure being 25 lbs. per square foot.

In the course of the foregoing observations, in which I desired to bring under the more immediate notice of your Grace some of the principal facts contained in the accompanying Abstracts, I have adverted to certain deficiencies in registration.

With regard to Roman Catholic Marriages, the registration of which, in some parts of the country, is, I fear, not at all perfect, the remedy rests, to a great extent, with the clergymen who celebrate the marriages.

In the case of Births, many instances having been reported to this department in which births have not come to the knowledge of the Registrars until after the expiration of six months from the date of birth, and consequently too late for registration, I consider that an extension of the time for registration, would, under all the circumstances, be advisable. With this change, and the aid to be derived from the effective working of the Compulsory Vaccination Act, the registration of births should approach very near to absolute completeness. Referring to the Vaccination Act, I would suggest that section 3 of that Act be so far altered that *all* certificates of vaccinations should be sent, not to the Registrar of the district in which the vaccination has been performed, but to the Registrar of *the district in which the birth occurred*, so that in case the birth has not been registered, the proper officer may have cognizance of the omission.

The registration of Deaths will not become perfect until, at least, a notification of the death to the Registrar be required before interment. The gradual enclosing of the burial grounds throughout the country renders the enforcement of such a provision much more feasible than it would have been some years since.

I have the honour to be
Your Grace's faithful servant,
W. M. BURKE,
Registrar-General.

GENERAL REGISTER OFFICE,
CHARLEMONT HOUSE,
Dublin, 25th November, 1876.

Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin, in 1875.

1875.	Self-Registering Thermometers.				Hygrometer.—9.30 A.M.					Rain Gauge.		
	Mean			Monthly Range.	Dry Bulb. Mean Temperature of Air.	Wet Bulb. Mean Temperature of Evaporation.	Mean Temperature of Dew Point.	Mean Elastic Force of Vapour.	Mean of Humidity.	Number of days Rain or Snow fell.	Amount.	Greatest amount that fell in 24 hours
	Of all highest in the Month.	Of all lowest in the Month	Temperature.									
	°	°	°	°	°	°	°				Inches.	Inches.
January,	52·2	39·7	45·9	32·0	45·6	44·1	42·1	·275	·880	24	2·027	·41
February,	46·0	33·1	39·6	32·2	38·9	37·3	35·1	·214	·877	17	3·560	1·15
March,	49·3	37·2	43·2	30·9	44·1	41·8	38·8	·243	·831	14	1·229	·45
April,	58·0	36·3	47·2	47·4	50·5	47·0	43·2	·286	·778	8	·953	·43
May,	64·9	43·3	54·1	43·9	57·5	53·0	49·0	·351	·742	16	1·044	·22
June,	66·2	46·1	56·1	36·6	59·1	55·1	51·9	·389	·779	20	3·018	·40
July,	68·5	47·2	57·9	38·9	61·1	56·9	53·7	·415	·775	20	3·029	·92
August,	71·0	51·2	61·1	35·9	63·2	59·1	56·3	·453	·791	15	2·344	1·09
September,	66·3	49·3	57·8	40·1	60·4	57·5	55·2	·438	·839	17	3·196	·57
October,	56·4	42·4	49·4	37·9	50·6	48·5	46·1	·318	·860	24	6·665	1·55
November,	49·3	36·3	42·8	40·2	42·7	40·9	38·5	·246	·858	19	3·849	1·34
December,	45·7	33·5	39·6	38·5	39·5	37·8	34·7	·216	·834	13	1·911	·53
Total,	693·8	495·6	594·7	454·5	613·2	579·0	544·6	3·844	9·844	207	32·825	
Mean,	57·8	41·3	49·6	37·9	51·1	48·3	45·4	·320	·820	17	2·735	

1875.	Cloud.			Barometer.				Wind.									
	Number of days the Sky was overcast at			Corrected and reduced o 32° Fahr.				Number of days it blew in certain directions at 9.30, A.									
	9.30, A.M.	3.30, P.M.	9.30, P.M.	Mean.			Monthly Range.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
				9.30, A.M.	3.30, P.M.	9.30, P.M.										
				Inches.	Inches.	Inches.	Inches.									
January,	8	8	11	29·740	29·731	29·746	1·692	..	.	2	5	7	13	4	.	.
February,	14	11	15	30·087	30·066	30·090	1·059	1	5	5	1	2	3	7	1	3
March,	17	17	21	30·178	30·172	30·176	1·253	.	3	7	1	.	7	3	8	1
April,	10	9	5	30·068	30·042	30·055	1·537	3	7	5	2	1	6	3	2	1
May,	6	7	13	29 970	29·958	29·989	1·118	.	2	2	2	1	9	6	7	2
June,	11	13	15	29·868	29·858	29·899	1·087	1	1	3	1	1	11	9	1	3
July,	11	11	13	30·024	30·004	30·031	·957	2	5	3	.	1	7	6	5	2
August,	10	11	13	30·011	29·995	30·007	·597	2	2	1	1	2	8	9	3	3
September,	11	9	14	29·981	29·962	29·980	1·191	.	2	10	1	.	6	7	1	3
October,	16	12	19	29·745	29·723	29·734	1·070	.	3	5	6	1	3	10	.	3
November,	15	10	21	29·831	29·829	29·845	1·278	1	3	5	3	2	1	7	4	4
December,	10	11	13	30·060	30·040	30·066	1·311	1	1	2	1	3	9	6	3	5
Total,	139	129	173	359·563	359·380	359·618	14·150	11	34	50	24	21	83	77	35	30
Mean,	12	11	14	29·964	29·948	29·968	1·179									

Topographical Description of the Eight Divisions into which Ireland has been divided for Statistical purposes

No. I., The North-Eastern Division.—This division may be described by a line passing southward from Lough Foyle through the counties of Londonderry, Tyrone, and Armagh, to Lough Bawn, in the county of Monaghan, and thence eastward to Carlingford Lough; the north and east being on the seaboard.

No. II., The North-Western Division, is bounded on the east by the division just described, from Lough Foyle to a point a little south of Six Mile Cross, in the county of Tyrone, and may be described by a line drawn thence S.W. through the county of Fermanagh to the south of Enniskillen, embracing that portion of the north-west angle of the county of Cavan belonging to the Enniskillen Union, into the county of Leitrim, crossing Lough Allen, thence into the county of Sligo, to a point situated to the southward of the town of Ballymote, and thence extending north to Ballysadare Bay; the remainder of the division is bounded by the sea. It contains Loughs Erne and Derg, and part of Lough Allen, and large portions of it are mountainous.

No. III., The Eastern Division, is situated in the provinces of Leinster and Ulster; it extends along the Irish Sea and St. George's Channel, from Warrenspoint, in the county of Down, to the south of Cahore Point, in the county of Wexford, stretching inland about twenty-five miles, and embracing the counties of Louth, Dublin, and Wicklow, and portions of the counties of Carlow, Cavan, Kildare, Meath, and Wexford; together with small portions of the counties of Armagh and Monaghan.

No. IV., The North Midland Division, is situated in the provinces of Leinster, Ulster, and Connaught, and extends southward from its junction with the "North-Western" division near Six Mile Cross, in the county of Tyrone, to Tyrrellspass, in the county of Westmeath. Virginia, in the county of Cavan, is situated on its eastern border, and Tulsk, in the county of Roscommon, on its western.

No. V., The South Midland Division, situated in the provinces of Leinster and Munster, extends from the Hill of Down, in the county of Meath, southward to Borris, in the county of Carlow. Its southern boundary may be described by a line drawn thence to New Birmingham, in the county of Tipperary, and from that point south to Fethard, in the same county, thence westward to the northern base of the Galty mountains, and in a north-westerly direction, to Pallasgreen, in the county of Limerick. On the east it is bounded by the "Eastern" division, and on the west by the "Western" and the "South-Western" divisions.

No. VI., The Western Division.—This division extends southwards from Sligo and Killala Bays to the northern bank of the River Shannon, lying westward of Limerick; the extreme points, north and south, being Benwee Head, in the county of Mayo, and Loop Head, in the county of Clare, a distance in or about 120 miles, which, however, does not represent the extent of seaboard, the western coast being indented by numerous bays and inlets. This division has been extended much more inland than the eastern division, as from its exposure to the Atlantic Ocean, and the prevalence of westerly winds (which blow for nearly three-fourths of the year), the climate must be affected for a considerable distance inland; the Unions situated on the extreme east are Boyle, Castlereagh, Glennamaddy, Mountbellew, Ballinasloe, and Portumna.

No. VII., The South-Eastern Division.—This division extends from its junction with the "Eastern" division, southward of Cahore Point, in the county of Wexford, along the eastern and southern coasts to the east of Cork Harbour, and is bounded on the north by the "South Midland" division. It embraces the county of Waterford, nearly the whole of the county of Wexford, parts of the counties of Carlow, Kilkenny, and Tipperary; that portion of the county of Limerick (38,550 acres) comprised in the Mitchelstown Union, and a portion of the eastern side of Cork county.

No. VIII., The South-Western Division, extends along the southern and western coasts from Cork Harbour to the River Shannon, and embraces the county of Kerry, nearly the whole of the counties of Cork and Limerick, and a small portion of the county of Clare, comprised in the Limerick Union.

POPULATION OF IRELAND (including Army, Navy, and Merchant Seamen on shore and in port) *estimated* to the middle of each of the Years 1801 to 1875, inclusive:—

Middle of the Years	Estimated POPULATION.			Middle of the Years	Estimated POPULATION.			Middle of the Years	Estimated POPULATION.		
	Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
1801	5,216,329	2,591,758	2,624,571	1826	7,268,570	3,561,209	3,707,361	1851	6,514,473	3,181,353	3,333,12
1802	5,285,994	2,624,911	2,661,083	1827	7,365,700	3,606,763	3,758,937	1852	6,336,889	3,095,135	3,241,75
1803	5,356,594	2,658,488	2,698,106	1828	7,464,131	3,652,899	3,811,232	1853	6,198,984	3,031,226	3,167,75
1804	5,428,135	2,692,494	2,735,641	1829	7,563,878	3,699,625	3,864,253	1854	6,083,183	2,976,928	3,106,25
1805	5,500,636	2,726,936	2,773,700	1830	7,664,964	3,746,950	3,918,014	1855	6,014,665	2,946,068	3,068,59
1806	5,574,105	2,761,818	2,812,287	1831	7,767,401	3,794,880	3,972,521	1856	5,972,851	2,926,173	3,046,67
1807	5,648,558	2,797,146	2,851,412	1832	7,809,578	3,818,515	3,991,063	1857	5,919,454	2,897,924	3,021,53
1808	5,724,008	2,832,927	2,891,081	1833	7,851,988	3,842,296	4,009,692	1858	5,890,814	2,881,994	3,008,82
1809	5,800,464	2,869,164	2,931,300	1834	7,894,634	3,866,227	4,028,407	1859	5,861,711	2,865,930	2,995,78
1810	5,877,946	2,905,865	2,972,081	1835	7,937,516	3,890,306	4,047,210	1860	5,820,960	2,845,121	2,975,83
1811	5,956,466	2,943,037	3,013,429	1836	7,980,637	3,914,535	4,066,102	1861	5,788,415	2,831,783	2,956,63
1812	6,036,034	2,980,683	3,055,351	1837	8,023,995	3,938,914	4,085,081	1862	5,775,588	2,827,336	2,948,25
1813	6,116,668	3,018,811	3,097,857	1838	8,067,596	3,963,447	4,104,149	1863	5,718,235	2,799,689	2,918,54
1814	6,198,381	3,057,426	3,140,955	1839	8,111,438	3,988,132	4,123,306	1864	5,640,527	2,761,866	2,878,66
1815	6,281,188	3,096,536	3,184,652	1840	8,155,521	4,012,970	4,142,551	1865	5,594,589	2,740,800	2,853,78
1816	6,365,103	3,136,146	3,228,957	1841	8,199,853	4,037,964	4,161,889	1866	5,522,942	2,700,565	2,822,37
1817	6,450,141	3,176,263	3,273,878	1842	8,220,926	4,047,879	4,173,047	1867	5,486,509	2,681,015	2,805,49
1818	6,536,316	3,216,892	3,319,424	1843	8,239,832	4,056,704	4,183,128	1868	5,465,914	2,669,125	2,796,78
1819	6,623,645	3,258,041	3,365,604	1844	8,276,627	4,074,467	4,202,160	1869	5,449,094	2,659,713	2,789,38
1820	6,712,144	3,299,717	3,412,427	1845	8,295,061	4,083,043	4,212,018	1870	5,418,512	2,641,840	2,776,67
1821	6,801,827	3,341,926	3,459,901	1846	8,287,848	4,078,789	4,209,059	1871	5,395,007	2,626,661	2,768,34
1822	6,892,708	3,384,674	3,508,034	1847	8,025,274	3,943,938	4,081,336	1872	5,372,199	2,610,511	2,761,68
1823	6,984,809	3,427,971	3,556,838	1848	7,639,800	3,746,427	3,893,373	1873	5,337,261	2,587,199	2,750,06
1824	7,078,140	3,471,820	3,606,320	1849	7,256,314	3,551,244	3,705,070	1874	5,314,844	2,573,543	2,741,30
1825	7,172,722	3,516,230	3,656,492	1850	6,877,549	3,361,009	3,516,540	1875	5,309,494	2,572,088	2,737,40

NOTE.—This table has been constructed for the years 1801 to 1831—By adopting the rates of increase of the ma and female population between 1821 and 1831, as shown by the Irish Census Reports of 1831—the first complet Census of Ireland having been taken in 1821.

1832 to 1841—By adopting the rate of increase between the population of 1831 and 1841, according to the Iris Census Report of 1841.

1842 to 1846—By taking the English average birth-rate of 1 in 31, and death-rate of 1 in 45, and deducting th annual emigration from Ireland according to the returns received from the Emigration Commissioners in England.

1847 to 1851—The English birth-rate, as above, was used, deducting the number of deaths and the number emigrants in each year, as given in the Irish Census Reports of 1851; an allowance, proportioned to the number recorded deaths and the number of emigrants being made in each year for the excess of the number thus arrived for 1851 over the actual population according to the Census of that year.

1852 to 1871—The English birth and death rates, as above, were used, deducting the number of emigrants accordi to the returns obtained by the Registrar-General for Ireland, and allowing for excess over Census numbers for 18 and 1871 as explained for the last period.

1872–5—By assuming the annual excess of births over deaths to equal 1 per cent. of the population, and deductin the number of emigrants according to the returns obtained by the Registrar-General.

ANNUAL ABSTRACTS

OF

MARRIAGES, BIRTHS, AND DEATHS.

1875.

ABSTRACT OF MARRIAGES.—Marriages *registered* in Ireland, pursuant to t

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	TOTAL MARRIAGES.	MARRIAGES Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the late Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	TOTAL.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered unde the Act 7 & 8 Vic., c. 81	Roman Catholic Marriages under the 26 & 27 Vic., c. 90.
IRELAND, .	20,322,641	5,412,377	24,037	74	3,233	505	21	255	4,088	2,495	326	522	14	3	7,448	16,58
No. DIVISIONS.														"		
I. North-Eastern,	2,328,305	1,111,167	6,037	11	1,529	209	5	101	1,855	2,076	231	272	6	1	4,441	1,59
II. North-Western,	2,392,501	526,339	2,006	2	369	2	.	32	405	243	37	36	.	.	721	1,28
III. Eastern, . .	1,993,016	787,416	4,301	54	556	219	7	43	879	66	30	139	5	2	1,121	3,18
IV. North Midland,	2,019,408	511,940	1,812	.	252	7	.	23	282	78	9	22	.	.	391	1,42
V. South Midland,	2,361,709	448,840	1,772	3	140	8	3	19	173	9	3	3	.	.	188	1,58
VI. Western, . .	4,088,459	766,202	2,624	.	60	.	.	8	68	4	1	6	.	.	79	2,54
VII. South-Eastern,	1,826,172	451,483	2,001	.	80	28	3	14	125	3	3	8	.	.	139	1,86
VIII. South-Western,	3,313,071	808,990	3,484	4	247	32	3	15	301	16	12	36	3	.	368	3,11
I.—NORTH-EASTERN DIVISION.—																
No.																
1 ANTRIM, . . .	117,119	35,928	159	.	16	2	.	.	18	104	7	5	.	.	134	2
2 ARMAGH, . .	154,253	72,391	286	.	89	1	5	4	99	54	3	36	.	.	192	9
3 BALLYCASTLE, .	102,197	18,507	77	.	16	.	.	4	20	22	.	.	.	.	42	3
4 BALLYMENA, . .	161,161	71,465	398	.	20	3	.	7	30	227	11	73	.	.	341	5
5 BALLYMONEY, . .	127,518	38,505	179	.	25	2	.	.	27	101	7	12	.	.	147	3
6 BANBRIDGE, . .	124,928	65,768	321	.	99	.	.	6	105	102	16	21	2	.	246	7
7 BELFAST, . .	47,812	202,591	1,732	9	556	194	.	19	778	544	111	23	4	1	1,461	27
8 CASTLEBLAYNEY, .	94,213	30,584	159	1	9	.	.	1	11	28	4	1	.	.	44	11
9 COLERAINE, . .	112,396	38,773	192	.	47	3	.	1	51	86	13	13	.	.	163	2
10 COOKSTOWN, . .	96,720	34,661	149	.	23	1	.	9	33	43	5	1	.	.	82	6
11 DOWNPATRICK, .	147,361	54,644	279	.	42	.	.	2	44	106	3	18	.	.	171	10
12 DUNGANNON, . .	102,548	45,989	191	.	34	.	.	16	50	41	2	5	.	.	98	9
13 KILKEEL, . .	81,829	21,426	108	.	19	.	.	.	19	28	.	3	.	.	50	5
14 LARNE, . . .	117,784	34,401	173	.	23	.	.	.	23	108	13	1	.	.	145	2
15 LIMAVADY,† . .	152,712	27,821	112	.	16	.	.	1	17	45	.	1	.	.	63	4
16 LISBURN, . .	119,843	59,714	246	1	84	2	.	18	105	90	6	10	.	.	211	3
17 LURGAN, . . .	79,464	69,916	372	.	210	1	.	1	212	49	10	10	.	.	281	9
18 MAGHERAFELT, .	156,721	58,747	265	.	62	.	.	4	66	60	7	8	.	.	141	12
19 NEWRY, . . .	137,875	72,105	391	.	82	.	.	6	88	85	7	9	.	.	189	20
20 NEWTOWNARDS, .	93,851	48,231	248	.	57	.	.	2	59	153	6	22	.	.	240	
II.—NORTH-WESTERN DIVISION.—																
21 BALLYSHANNON, .	132,353	28,308	85	.	17	.	.	.	17	3	1	3	.	.	24	6
22 CASTLEDERG, . .	91,785	16,311	53	.	7	.	.	1	8	17	1	.	.	.	26	2
23 DONEGAL, . .	160,411	29,393	101	.	26	.	.	.	26	1	5	2	.	.	34	6
24 DUNFANAGHY, .	125,650	16,477	83	.	6	.	.	5	11	3	.	.	.	.	14	6
25 ENNISKILLEN, . .	203,628	43,599	203	.	66	.	.	4	70	7	5	16	.	.	98	10
26 GLENTIES, . .	257,430	37,930	132	.	9	.	.	1	10	.	3	.	.	.	13	11
27 GORTIN, . . .	111,261	15,546	56	.	4	.	.	.	4	7	.	.	.	.	11	4
28 INISHOWEN, . .	159,408	33,697	124	.	12	.	.	.	12	4	1	1	.	.	18	10
29 IRVINESTOWN, .	75,927	19,713	58	.	26	.	.	2	28	2	2	1	.	.	33	2
30 LETTERKENNY, .	101,207	17,113	30	.	7	.	.	.	7	15	.	.	.	.	22	
31 LONDONDERRY, .	143,996	58,758	299	1	75	2	.	2	80	76	7	5	.	.	168	13
32 MANORHAMILTON, .	144,847	30,667	121	.	9	.	.	2	11	.	.	.	.	.	11	11
33 MILLFORD, . .	111,335	25,819	66	.	10	.	.	.	10	10	2	1	.	.	23	4
34 OMAGH, . . .	174,217	47,139	156	1	35	.	.	3	39	33	2	.	.	.	74	8
35 SLIGO, . . .	143,523	47,750	195	.	30	.	.	9	39	2	5	1	.	.	47	14
36 STRABANE, . .	134,372	39,510	173	.	20	.	.	2	22	58	2	5	.	.	87	8
37 STRANORLAR, . .	121,151	18,609	71	.	10	.	.	1	11	5	1	1	.	.	18	4

* The *Divisions* consist of groups of Superintendent Registrars' Districts, which Districts, 163 in number,
† Formerly called Newtownlimavady.

cts 7 & 8 Vic., c. 81, and 26 & 27 Vic., c. 90, in the Year ending 31st December, 1875.

MARRIAGES Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of full Age.		Signed the Marriage Register with Marks.				DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
														Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
4,403	5,122	5,120	5,392	20,390	757	2,215	675	2,890	1,432	665	3,042	7,280	8,822	5,463	5,176	**IRELAND.**
																DIVISIONS.
1,522	1,337	1,486	1,692	5,178	141	565	153	718	294	229	765	1,517	2,165	1,182	1,318	**North-Eastern.**
739	455	353	459	1,734	47	182	43	225	90	37	256	703	845	561	426	**North-Western.**
921	1,110	1,112	1,158	3,590	183	408	120	528	303	94	401	918	1,055	520	933	**Eastern.**
645	412	373	382	1,551	53	163	45	208	98	40	216	606	656	425	412	**North Midland.**
616	357	410	389	1,515	54	151	52	203	106	32	199	509	562	349	373	**South Midland.**
1,518	407	352	347	2,179	90	280	75	355	165	78	506	1,178	1,279	999	459	**Western.**
756	423	426	396	1,691	75	175	60	235	135	42	188	732	854	565	456	**South-Eastern.**
1,686	621	608	569	2,952	114	291	127	418	241	113	511	1,117	1,406	862	799	**South-Western.**

ARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS.

42	43	26	48	135	6	14	4	18	10	6	22	27	34	19	23	ANTRIM.
78	72	73	63	246	5	27	8	35	13	9	35	75	113	64	60	ARMAGH.
17	21	14	25	68	.	8	1	9	1	1	10	24	19	12	19	BALLYCASTLE.
92	87	104	115	359	7	25	7	32	14	20	68	121	165	96	94	BALLYMENA.
54	43	30	52	163	5	7	4	11	9	4	18	42	58	33	34	BALLYMONEY.
77	72	79	93	273	10	32	6	38	16	8	37	100	138	77	84	BANBRIDGE.
395	357	481	499	1,440	52	178	62	240	114	78	242	245	520	185	395	BELFAST.
58	39	25	37	135	6	15	3	18	9	3	10	54	67	44	33	CASTLEBLAYNEY.
45	42	46	59	162	3	21	6	27	9	7	22	47	64	36	39	COLERAINE.
31	30	32	56	127	2	17	3	20	5	6	17	63	72	49	37	COOKSTOWN.
71	69	65	74	249	7	20	3	23	10	9	35	71	81	50	52	DOWNPATRICK.
50	44	38	59	164	6	19	2	21	8	3	16	56	72	45	38	DUNGANNON.
33	25	20	30	92	1	14	1	15	2	3	9	25	32	18	21	KILKEEL.
48	38	33	54	154	4	12	3	15	7	8	24	28	34	20	22	LARNE.
27	29	25	31	102	1	9	.	9	1	5	10	25	24	14	21	LIMAVADY.†
63	52	71	60	206	5	28	7	35	12	14	38	70	94	58	48	LISBURN.
82	83	105	102	309	9	44	10	54	19	16	54	148	203	131	89	LURGAN.
85	55	57	68	224	5	29	7	36	12	7	26	114	136	92	66	MAGHERAFELT.
114	76	93	108	353	5	26	7	33	12	10	41	125	154	104	71	NEWRY.
60	60	69	59	217	2	20	9	29	11	12	31	57	85	35	72	NEWTOWNARDS.

ARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS.

29	20	18	18	74	1	7	3	10	4	1	11	23	25	17	14	BALLYSHANNON.
10	15	12	16	49	.	4	.	4	.	1	11	23	22	15	15	CASTLEDERG.
54	14	15	18	81	3	14	3	17	6	.	10	39	43	27	28	DONEGAL.
59	14	2	8	70	3	7	3	10	6	3	15	55	60	52	11	DUNFANAGHY.
54	48	39	62	167	9	20	7	27	16	1	31	57	79	44	48	ENNISKILLEN.
91	12	9	20	116	1	12	3	15	4	4	18	45	50	39	17	GLENTIES.
16	12	12	16	51	1	3	1	4	2	.	4	23	32	18	19	GORTIN.
66	15	17	26	114	1	6	3	9	4	1	11	58	74	52	28	INISHOWEN.
17	8	9	24	53	.	5	.	5	.	.	5	18	22	11	18	IRVINESTOWN.
6	11	6	7	27	1	1	1	2	2	2	3	8	10	6	6	LETTERKENNY.
78	86	61	74	261	9	28	1	29	10	7	29	86	112	62	74	LONDONDERRY.
64	21	21	15	107	2	11	1	12	3	2	19	25	35	21	18	MANORHAMILTON
23	23	10	10	62	1	3	.	3	1	3	8	35	42	32	13	MILLFORD.
34	41	28	53	131	5	17	3	20	8	4	12	43	65	37	34	OMAGH.
71	57	34	33	158	3	24	10	34	13	2	26	56	56	33	46	SLIGO.
33	41	47	49	154	5	12	2	14	7	5	38	72	76	61	26	STRABANE.
34	14	13	10	59	2	8	2	10	4	1	5	37	42	34	11	STRANORLAR.

nterminate with the Poor Law Unions of the same names. For topographical description of the Divisions, see page 33.

III.—EASTERN DIVISION.—

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	TOTAL MARRIAGES.	MARRIAGES Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the late Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	TOTAL.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.	Roman Catholic Marriages under the 26 & 27 Vic., c. 90
38	ARDEE,	96,211	22,282	72	.	2	.	.	.	2	.	.	.	.	.	2	7
39	BAILIEBOROUGH,	65,909	22,062	83	.	6	.	.	4	10	11	.	.	.	.	21	6
40	BALROTHERY,	75,139	20,066	94	.	7	.	.	2	9	.	.	.	.	.	9	8
41	BALTINGLASS,	139,108	20,403	103	.	7	.	.	1	8	.	.	.	.	.	8	9
42	CARRICKMACROSS,	60,664	20,650	52	.	2	.	.	.	2	2	.	.	.	.	4	4
43	CELBRIDGE,	86,838	18,062	62	.	.	.	.	.	.	.	.	1	.	.	1	6
44	DROGHEDA,	99,045	34,726	120	.	5	.	.	2	7	3	.	.	.	.	10	11
45	DUBLIN, NORTH,	40,769	134,991	904	13	131	42	2	3	191	22	13	35	.	.	261	64
46	DUBLIN, SOUTH,	48,089	199,512	1,566	27	252	131	3	19	432	18	11	88	5	2	556	1,01
47	DUNDALK,	104,434	45,401	186	.	12	.	.	1	13	3	1	1	.	.	18	16
48	DUNSHAUGHLIN,	108,339	11,647	42	.	1	.	.	.	1	.	.	.	.	.	1	4
49	GOREY,	129,705	23,209	91	1	19	.	.	3	23	.	.	.	.	.	23	6
50	KELLS,	108,982	21,895	33	.	3	.	.	.	3	2	.	.	.	.	5	2
51	NAAS,	216,622	44,197	198	1	10	34	.	1	46	.	.	6	.	.	52	14
52	NAVAN,	94,466	19,311	69	.	3	1	.	.	4	.	.	.	.	.	4	6
53	RATHDOWN,	61,514	54,697	324	12	67	9	.	5	93	5	2	7	.	.	107	21
54	RATHDRUM,	227,541	37,807	165	.	16	1	.	.	17	.	2	1	.	.	20	14
55	SHILLELAGH,	110,122	17,857	68	.	11	.	.	2	13	.	1	.	.	.	14	3
56	TRIM,	119,519	19,541	69	.	2	1	2	.	5	.	.	.	.	.	5	6

IV.—NORTH MIDLAND DIVISION.—

57	ATHLONE,	150,768	33,612	164	.	10	.	.	.	10	3	1	6	.	.	20	14
58	BALLYMAHON,	100,126	18,788	82	.	5	.	.	.	5	.	.	.	.	.	5	2
59	BAWNBOY,	104,504	24,006	92	.	25	.	.	1	26	.	.	.	.	.	26	6
60	CARRICK-ON-SHANNON,	100,736	28,115	93	.	10	.	.	.	10	.	.	.	.	.	10	8
61	CAVAN,	160,662	53,562	148	.	34	1	.	.	35	4	1	.	.	.	40	10
62	CLOGHER,	101,679	25,199	99	.	24	.	.	1	25	23	1	.	.	.	49	5
63	CLONES,	73,502	23,207	81	.	16	.	.	5	21	4	.	6	.	.	31	4
64	COOTEHILL,	105,848	34,831	87	.	22	.	.	3	25	9	1	1	.	.	36	4
65	DELVIN,	74,775	11,847	46	.	1	.	.	1	2	.	.	1	.	.	3	4
66	GRANARD,	134,003	33,633	119	.	1	.	.	1	2	.	.	.	.	.	2	11
67	LISNASKEA,	98,745	22,946	83	.	33	1	.	6	40	2	3	5	.	.	50	3
68	LONGFORD,	109,961	29,530	123	.	12	.	.	1	13	2	1	.	.	.	16	10
69	MOHILL,	92,955	27,714	90	.	13	.	.	.	13	2	.	.	.	.	15	4
70	MONAGHAN,	112,739	40,829	127	.	24	.	.	2	26	26	1	.	.	.	53	4
71	MULLINGAR,	208,401	36,837	152	.	14	5	.	2	21	1	.	2	.	.	24	15
72	OLDCASTLE,	85,912	21,471	61	.	6	.	.	.	6	2	.	.	.	.	8	1
73	ROSCOMMON,	114,056	22,468	95	.	2	.	.	.	2	.	.	1	.	.	3	1
74	STROKESTOWN,	90,036	23,345	70	.	.	.	.	.	.	.	.	.	.	.	.	1

V.—SOUTH MIDLAND DIVISION.—

75	ABBEYLEIX,	107,167	19,949	76	.	7	.	.	2	9	.	1	.	.	.	10	1
76	ATHY,	160,254	30,025	113	.	4	.	.	1	5	.	.	.	.	.	5	1
77	BORRISOKANE,	81,850	11,510	43	.	10	.	.	1	11	.	1	.	.	.	12	1
78	CARLOW,	185,857	45,835	182	1	21	1	.	2	24	.	.	.	.	.	24	1
79	CASHEL,	156,822	29,392	103	.	4	.	.	.	4	.	.	.	.	.	4	
80	CASTLECOMER,	57,820	14,302	68	.	5	.	.	1	6	.	.	.	.	.	6	
81	DONAGHMORE,	51,060	8,359	18	.	1	.	.	.	1	.	.	.	.	.	1	
82	EDENDERRY,	172,407	20,160	86	.	7	1	.	.	8	.	.	.	.	.	8	
83	KILKENNY,	110,943	31,193	162	1	12	3	.	1	17	1	.	.	.	.	18	1
84	MOUNTMELLICK,	200,633	37,165	144	1	14	.	.	3	18	2	1	.	.	.	21	1

MARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS.

MARRIAGES												Signed the Marriage Register with Marks.				DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
14	22	23	13	64	1	7	.	7	1	1	9	33	31	23	18	ARDEE.
23	17	16	27	73	1	8	1	9	2	3	16	23	23	12	22	BAILIEBOROUGH.
17	26	20	31	78	6	10	.	10	6	3	7	30	20	12	26	BALROTHERY.
32	22	20	29	89	5	8	1	9	6	1	5	32	33	15	35	BALTINGLASS.
25	12	4	11	46	4	1	1	2	5	.	11	17	23	14	12	CARRICKMACROSS.
7	20	17	18	50	1	9	2	11	3	.	3	18	12	7	16	CELBRIDGE.
22	30	34	34	101	3	11	5	16	8	.	8	44	54	33	32	DROGHEDA.
176	225	229	274	748	42	80	34	114	76	31	109	144	199	71	201	DUBLIN, NORTH.
317	438	447	364	1,271	70	168	57	225	127	34	118	235	344	135	309	DUBLIN, SOUTH.
42	50	40	54	166	8	11	1	12	9	2	14	62	71	40	53	DUNDALK.
15	14	4	9	31	2	8	1	9	3	1	5	12	14	11	4	DUNSHAUGHLIN.
21	24	21	25	76	5	9	1	10	6	4	13	31	29	20	20	GOREY.
12	3	7	11	30	1	2	.	2	1	.	2	6	4	1	8	KELLS.
42	51	50	55	169	14	13	2	15	16	3	22	68	54	39	44	NAAS.
19	16	16	18	65	2	2	.	2	2	1	11	14	15	8	13	NAVAN.
67	81	85	91	272	8	36	8	44	16	5	26	43	40	22	39	RATHDOWN.
36	34	50	45	148	4	11	2	13	6	3	11	63	45	29	50	RATHDRUM.
18	13	14	23	52	5	10	1	11	6	1	3	21	20	12	17	SHILLELAGH.
16	12	15	26	61	1	4	3	7	4	1	8	22	24	16	14	TRIM.

MARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS.

73	34	34	23	130	13	12	9	21	22	.	11	56	73	43	43	ATHLONE.
28	18	20	16	65	4	10	3	13	7	4	9	41	37	26	26	BALLYMAHON.
38	19	15	20	82	2	8	.	8	2	2	18	26	20	14	18	BAWNBOY.
31	24	23	15	78	2	10	3	13	5	.	14	21	22	13	17	CAR.-ON-SHAN.
40	43	32	33	128	7	11	2	13	9	3	18	47	50	32	33	CAVAN.
22	30	15	32	88	1	9	1	10	2	4	13	28	33	20	21	CLOGHER.
18	22	19	22	70	3	6	2	8	5	2	7	33	37	27	16	CLONES.
16	21	20	30	74	1	9	3	12	4	4	8	27	33	20	20	COOTEHILL.
12	13	13	8	38	1	7	.	7	1	.	3	22	19	15	11	DELVIN.
39	26	30	24	104	3	11	1	12	4	2	14	48	60	41	26	GRANARD.
30	19	12	22	70	2	9	2	11	4	.	13	23	21	13	18	LISNASKEA.
53	26	26	18	101	1	18	3	21	4	1	9	38	42	26	28	LONGFORD.
34	20	19	17	76	1	9	4	13	5	4	11	24	34	18	22	MOHILL.
52	24	23	28	110	3	12	2	14	5	2	25	51	64	43	29	MONAGHAN.
42	37	43	30	136	4	8	4	12	8	6	12	46	42	27	34	MULLINGAR.
17	11	13	20	56	1	4	.	4	1	3	8	18	18	11	14	OLDCASTLE.
56	19	8	12	88	1	4	2	6	3	1	12	30	27	18	21	ROSCOMMON.
44	6	8	12	57	3	6	4	10	7	2	11	27	24	18	15	STROKESTOWN.

MARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS.

18	28	14	16	64	4	7	1	8	5	1	10	30	28	22	14	ABBEYLEIX.
23	22	31	37	99	4	7	3	10	7	6	11	47	44	30	31	ATHY.
15	8	10	10	35	.	5	3	8	3	.	6	8	11	5	9	BORRISOKANE.
50	42	45	45	183	3	15	1	16	4	2	17	62	69	44	43	CARLOW.
40	15	31	17	86	5	7	5	12	10	.	13	37	40	23	31½	CASHEL.
31	8	8	21	63	3	2	.	2	3	1	6	18	11	8	13½	CASTLECOMER.
3	8	2	5	15	1	2	.	2	1	.	2	10	11	7	7	DONAGHMORE.
21	22	19	24	75	1	7	3	10	4	2	11	42	35	29	19	EDENDERRY.
49	29	43	41	130	6	16	10	26	16	2	18	39	57	32	32	KILKENNY.
29	34	40	41	118	9	14	3	17	12	1	14	41	44	24	37	MOUNTMELLICK.

V.—SOUTH MIDLAND DIVISION.—

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	TOTAL MARRIAGES.	MARRIAGES Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the late Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	Total.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.	Roman Catholic Marriages under the 26 & 27 Vic., c. 90.
85	NENAGH,	183,088	33,206	114	.	8	1	.	.	9	.	.	.	.	.	9	105
86	PARSONSTOWN,	220,437	32,261	112	.	18	1	.	7	26	1	.	.	.	.	27	85
87	ROSCREA,	118,488	20,034	79	.	12	.	.	.	12	.	.	.	.	.	12	67
88	THURLES,	143,351	31,475	130	1	6	1	3	.	11	.	.	.	.	.	11	119
89	TIPPERARY,	179,988	42,931	176	.	3	.	.	1	4	2	.	1	.	.	7	169
90	TULLAMORE,	155,395	28,420	115	.	7	.	.	.	7	3	.	2	.	.	12	103
91	URLINGFORD,	76,149	12,623	51	.	1	.	.	.	1	.	.	.	.	.	1	50

VI.—WESTERN DIVISION.—

92	BALLINA,	150,415	30,911	102	.	5	.	.	.	5	1	.	1	.	.	7	95
93	BALLINASLOE,	160,507	24,291	79	.	4	.	.	1	5	.	.	.	.	.	5	74
94	BALLINROBE,	144,894	29,276	105	.	.	.	.	.	.	.	.	.	.	.	.	105
95	BALLYVAGHAN,	71,063	5,712	21	.	.	.	.	.	.	.	.	.	.	.	.	21
96	BELMULLET,	177,933	15,758	48	.	1	.	.	.	1	.	.	.	.	.	1	47
97	BOYLE,	159,696	44,240	146	.	2	.	.	.	2	1	.	.	.	.	3	143
98	CASTLEBAR,	140,998	32,174	124	.	4	.	.	1	5	1	.	2	.	.	8	116
99	CASTLEREAGH,	162,363	44,238	170	.	1	.	.	.	1	.	.	.	.	.	1	169
100	CLAREMORRIS,	110,788	31,300	93	.	.	.	.	.	.	.	.	.	.	.	.	93
101	CLIFDEN,	192,965	25,231	80	.	5	.	.	.	5	.	.	.	.	.	5	75
102	CORROFIN,	61,386	7,095	29	.	2	.	.	.	2	.	.	.	.	.	2	27
103	DROMORE, WEST,	96,985	17,742	39	.	5	.	.	2	7	.	.	1	.	.	8	31
104	ENNIS,	112,505	26,530	114	.	2	.	.	1	3	.	.	.	.	.	3	111
105	ENNISTIMON,	99,281	23,355	70	.	.	.	.	.	.	.	.	.	.	.	.	70
106	GALWAY,	197,467	44,022	154	.	2	.	.	3	5	.	.	1	.	.	6	148
107	GLENNAMADDY,	100,319	20,274	54	.	.	.	.	.	.	.	.	.	.	.	.	54
108	GORT,	107,919	17,973	52	.	2	.	.	.	2	.	.	.	.	.	2	50
109	KILLADYSERT,	62,319	12,211	54	.	.	.	.	.	.	.	.	.	.	.	.	54
110	KILLALA,	104,882	10,242	33	.	2	.	.	.	2	.	.	.	.	.	2	31
111	KILRUSH,	136,788	35,978	131	.	3	.	.	.	3	.	.	.	.	.	3	128
112	LOUGHREA,	198,832	26,402	89	.	2	.	.	.	2	.	.	.	.	.	2	87
113	MOUNTBELLEW,	102,383	18,423	68	.	.	.	.	.	.	.	.	.	.	.	.	68
114	NEWPORT,	170,413	16,061	52	.	4	.	.	.	4	1	.	.	.	.	5	47
115	OUGHTERARD,	172,745	19,591	52	.	1	.	.	.	1	.	.	.	.	.	1	51
116	PORTUMNA,	77,046	12,906	45	.	4	.	.	.	4	.	.	.	.	.	4	41
117	SCARRIFF,	86,320	13,953	48	.	1	.	.	.	1	.	.	.	.	.	1	47
118	SWINEFORD,	152,594	53,540	225	.	.	.	.	.	.	.	.	.	.	.	.	225
119	TOBERCURRY,	125,774	26,724	90	.	3	.	.	.	3	.	.	.	.	.	3	87
120	TUAM,	190,649	41,323	114	.	1	.	.	.	1	.	.	.	.	.	1	113
121	TULLA,	84,723	13,961	55	.	3	.	.	.	3	.	.	.	.	.	3	52
122	WESTPORT,	175,507	24,765	88	.	1	.	.	.	1	.	1	1	.	.	3	85

VII.—SOUTH-EASTERN DIVISION.—

123	CALLAN,	104,011	20,764	82	.	3	.	.	1	4	.	.	.	.	.	4	78
124	CARRICK-ON-SUIR,	112,630	28,113	108	.	2	.	.	.	2	.	.	.	.	.	2	106
125	CLOGHEEN,	118,427	22,247	69	.	.	3	.	.	3	.	.	.	.	.	3	66
126	CLONMEL,	86,810	24,089	125	.	1	4	.	1	6	.	1	.	.	.	7	118
127	DUNGARVAN,	94,044	21,869	107	.	4	.	.	.	4	.	.	.	.	.	4	103
128	ENNISCORTHY,	196,689	39,557	152	.	13	.	.	8	21	.	1	.	.	.	22	130
129	FERMOY,	148,268	32,784	133	.	9	1	.	.	10	.	.	.	.	.	10	123
130	KILMACTHOMAS,	64,478	13,399	37	.	.	.	.	.	.	.	.	.	.	.	.	37
131	LISMORE,	97,140	18,834	90	.	.	1	.	1	2	1	.	.	.	.	3	87
132	MIDDLETON,	109,266	30,404	119	.	4	4	.	.	8	.	.	.	.	.	8	111

MARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS—*continued.*

MARRIAGES												Signed the Marriage Register with Marks.				DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
58	18	25	13	103	3	6	2	8	5	1	8	28	36	21	22	Nenagh.
21	28	34	29	99	3	8	2	10	5	.	11	24	31	16	23	Parsonstown.
33	12	17	17	71	1	6	1	7	2	.	9	23	29	19	14	Roscrea.
64	30	21	15	107	4	13	6	19	10	1	11	28	37	24	17	Thurles.
107	20	22	27	143	5	21	7	28	12	10	33	35	34	18	33	Tipperary.
28	26	35	26	100	1	11	3	14	4	4	18	27	29	18	20	Tullamore.
26	7	13	5	44	1	4	2	6	3	1	1	10	16	9	8	Urlingford.

MARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS.

66	15	8	13	83	4	12	3	15	7	1	8	52	59	44	23	Ballina.
32	16	15	16	66	5	3	5	8	10	3	11	25	34	22	15	Ballinasloe.
51	18	18	18	80	3	19	3	22	6	5	29	57	62	52	15	Ballinrobe.
9	3	3	6	16	1	2	2	4	3	1	6	5	4	2	5	Ballyvaghan.
30	4	8	6	41	1	6	.	6	1	1	6	35	38	34	5	Belmullet.
88	30	8	20	120	6	15	5	20	11	3	26	71	71	56	30	Boyle.
59	23	19	23	110	2	10	2	12	4	.	21	53	64	47	23	Castlebar.
116	21	15	18	140	7	19	4	23	11	.	20	75	88	57	49	Castlereagh.
59	15	10	9	83	3	6	1	7	4	2	18	26	33	20	19	Claremorris.
23	11	26	20	57	3	14	6	20	9	6	21	51	57	47	14	Clifden.
20	1	5	3	25	1	2	1	3	2	.	3	7	6	3	7	Corrofin.
20	3	10	6	32	.	7	.	7	.	1	6	14	15	9	11	Dromore, West.
57	20	21	16	96	3	11	4	15	7	5	26	44	44	39	10	Ennis.
43	11	13	3	55	4	9	2	11	6	4	22	13	12	10	5	Ennistimon.
56	19	45	34	122	11	13	8	21	19	10	52	80	92	75	22	Galway.
41	4	5	4	41	1	12	.	12	1	3	13	14	15	12	5	Glennamaddy.
34	7	9	2	47	1	4	.	4	1	.	9	22	25	20	7	Gort.
34	9	8	3	47	.	5	2	7	2	5	7	10	17	7	13	Killadysert.
18	8	4	3	28	.	4	1	5	1	.	1	20	20	16	8	Killala.
77	24	15	15	96	12	16	7	23	19	3	32	38	44	31	20	Kilrush.
33	19	19	18	77	.	10	2	12	2	6	23	28	28	18	20	Loughrea.
45	12	8	3	63	.	5	.	5	.	1	13	36	38	31	12	Mountbellew.
34	9	5	4	42	2	6	2	8	4	2	20	32	39	32	7	Newport.
33	4	.	15	43	.	8	1	9	1	.	14	34	43	34	9	Oughterard.
8	19	10	8	40	2	1	2	3	4	2	8	12	15	9	9	Portumna.
35	6	4	3	39	3	2	4	6	7	.	4	15	12	9	9	Scarriff.
189	19	4	13	197	2	24	2	26	4	6	23	167	171	152	34	Swineford.
56	19	5	10	77	1	11	1	12	2	.	10	50	48	43	12	Tobercurry.
66	22	12	14	97	5	11	1	12	6	3	18	43	39	33	16	Tuam.
34	6	8	7	45	3	7	.	7	3	.	10	13	8	5	11	Tulla.
52	10	12	14	74	4	6	4	10	8	5	26	36	38	30	14	Westport.

MARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS.

30	21	15	16	73	3	4	2	6	5	4	5	17	25	11	20	Callan.
38	24	25	21	97	2	7	2	9	4	2	8	47	56	39	25	Carrick-on-Suir.
31	16	11	11	53	7	8	1	9	8	.	4	30	33	28	7	Clogheen.
50	18	33	24	99	3	16	7	23	10	3	9	32	41	25	23	Clonmel.
51	22	16	18	94	3	9	1	10	4	5	22	37	42	25	29	Dungarvan.
48	29	33	42	127	11	14	2	16	11	4	14	52	57	40	29	Enniscorthy.
53	25	30	25	110	4	11	8	19	12	.	14	52	62	40	34	Fermoy.
12	14	3	8	32	1	3	1	4	2	2	6	13	20	11	11	Kilmacthomas.
37	22	19	12	79	2	7	2	9	4	.	12	43	48	36	19	Lismore.
58	17	31	13	97	4	11	7	18	11	1	5	47	36	25	33	Middleton.

VII.—SOUTH-EASTERN DIVISION.—

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	TOTAL MARRIAGES.	MARRIAGES Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the late Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	Total.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.	Roman Catholic Marriages under the 26 & 27 Vic., c. 90.
133	Mitchelstown,	86,957	20,745	89	.	3	.	.	.	3	.	.	.	.	.	3	86
134	New Ross,	177,231	39,946	148	.	3	1	.	.	4	.	.	.	.	.	4	144
135	Thomastown,	107,577	18,817	92	.	3	3	.	.	6	.	.	1	.	.	7	85
136	Waterford,	125,719	57,316	325	.	23	3	.	2	28	1	.	1	.	.	30	295
137	Wexford,	126,301	40,640	199	.	7	.	.	1	8	1	1	1	.	.	11	188
138	Youghal,	70,624	21,959	126	.	5	8	3	.	16	.	.	5	.	.	21	105

VIII.—SOUTH-WESTERN DIVISION.—

139	Bandon,	101,345	25,740	99	.	11	.	1	1	13	1	1	1	.	.	16	83
140	Bantry,	106,855	16,330	39	.	1	.	.	.	1	.	.	.	.	.	1	38
141	Cahersiveen,	197,545	25,148	106	.	1	.	.	.	1	.	.	.	.	.	1	105
142	Castletown,	73,445	14,326	49	.	.	.	.	.	.	.	.	.	.	.	.	49
143	Clonakilty,	80,465	26,849	91	.	4	1	1	2	8	.	.	.	.	.	8	83
144	Cork,	169,732	143,377	841	3	116	22	.	4	145	11	4	21	3	.	184	657
145	Croom,	83,324	17,061	51	.	1	.	.	.	1	.	.	.	.	.	1	50
146	Dingle,	125,279	20,245	88	.	2	.	.	.	2	.	.	.	.	.	2	86
147	Dunmanway,	103,917	17,666	49	.	4	.	.	.	4	.	1	1	.	.	6	43
148	Glin,	60,666	14,899	51	.	2	.	.	.	2	.	.	.	.	.	2	49
149	Kanturk,	186,524	32,796	112	.	2	.	.	.	2	.	.	.	.	.	2	110
150	Kenmare,	198,152	18,348	78	.	3	.	.	.	3	.	.	.	.	.	3	75
151	Killarney,	251,287	44,443	165	.	8	.	.	.	8	.	.	1	.	.	9	156
152	Kilmallock,	140,357	34,954	135	.	3	.	.	2	5	.	.	.	.	.	5	130
153	Kinsale,	79,651	24,594	84	.	8	1	.	1	10	.	1	2	.	.	13	71
154	Limerick,	177,951	79,248	492	.	38	5	.	3	46	3	1	7	.	.	57	435
155	Listowel,	151,208	34,283	136	.	.	.	.	.	.	.	.	.	.	.	.	136
156	Macroom,	179,108	30,544	121	.	1	1	.	.	2	.	.	.	.	.	2	119
157	Mallow,	154,358	31,112	140	1	7	1	1	.	10	1	.	2	.	.	13	127
158	Millstreet,	74,906	14,592	27	.	2	.	.	.	2	.	.	.	.	.	2	25
159	Newcastle,	143,024	30,196	111	.	.	.	.	.	.	.	.	.	.	.	.	111
160	Rathkeale,	79,932	17,884	53	.	8	.	.	.	8	.	.	.	.	.	8	45
161	Skibbereen,	115,024	31,385	115	.	12	1	.	2	15	.	3	.	.	.	18	97
162	Skull,	57,169	13,139	57	.	4	.	.	.	4	.	.	.	.	.	4	53
163	Tralee,	221,847	49,831	194	.	9	.	.	.	9	.	1	1	.	.	11	183

MARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS—*continued.*

MARRIAGES																DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of full Age.		Signed the Marriage Register with Marks.				
														Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
64	9	9	7	76	4	7	2	9	6	1	4	28	38	25	16	MITCHELSTOWN.
56	38	27	27	131	4	8	5	13	9	1	3	52	61	41	31	NEW ROSS.
37	19	15	21	78	4	7	3	10	7	.	4	37	40	29	19	THOMASTOWN.
93	69	84	79	273	11	36	5	41	16	12	40	111	153	90	84	WATERFORD.
48	53	50	48	171	7	15	6	21	13	6	26	82	87	62	45	WEXFORD.
50	27	25	24	101	7	12	6	18	13	1	12	52	55	38	31	YOUGHAL.

MARRIAGES in the Year 1875—in SUPERINTENDENT REGISTRARS' DISTRICTS.

58	17	14	10	81	2	9	7	16	9	1	11	34	35	24	21	BANDON.
35	1	1	2	35	1	3	.	3	1	.	12	14	14	9	10	BANTRY.
84	5	8	9	93	5	5	3	8	8	1	26	53	69	47	28	CAHERSIVEEN.
23	13	7	6	38	2	9	.	9	2	6	21	21	29	20	10	CASTLETOWN.
60	11	12	8	80	5	4	2	6	7	1	5	63	62	60	5	CLONAKILTY.
227	166	244	204	711	28	72	30	102	58	23	83	168	282	129	192	CORK.
31	11	5	4	45	1	5	.	5	1	1	4	15	22	13	11	CROOM.
71	6	7	4	78	1	6	3	9	4	5	20	47	51	36	26	DINGLE.
34	2	5	8	42	.	6	1	7	1	.	6	19	18	12	13	DUNMANWAY.
18	15	7	11	45	1	3	2	5	3	2	8	11	13	5	14	GLIN.
59	24	16	13	94	1	10	7	17	8	2	13	37	48	33	19	KANTURK.
56	8	5	9	67	3	7	1	8	4	1	15	25	38	22	19	KENMARE.
97	34	16	18	142	1	20	2	22	3	6	26	61	75	48	40	KILLARNEY.
73	20	18	24	113	6	15	1	16	7	5	19	43	45	24	40	KILMALLOCK.
26	22	16	20	76	2	6	..	6	2	.	9	24	23	15	17	KINSALE.
164	113	103	112	397	24	43	28	71	52	27	70	135	207	102	138	LIMERICK.
91	20	19	6	119	5	7	5	12	10	9	26	49	56	31	43	LISTOWEL.
84	15	9	13	102	2	12	5	17	7	.	15	44	50	37	20	MACROOM.
59	25	29	27	115	5	16	4	20	9	3	11	58	54	45	22	MALLOW.
20	4	1	2	24	.	3	.	3	.	.	4	11	12	8	7	MILLSTREET.
69	25	9	8	93	4	10	4	14	8	3	28	26	35	21	19	NEWCASTLE.
24	9	9	11	44	2	4	3	7	5	2	7	14	14	8	12	RATHKEALE.
75	16	16	8	103	2	6	4	10	6	1	13	50	40	33	24	SKIBBEREEN.
39	9	4	5	51	1	2	3	5	4	3	13	26	26	23	6	SKULL.
109	30	28	27	164	10	8	12	20	22	11	46	69	88	57	43	TRALEE.

ABSTRACT OF MARRIAGES.—Marriages *registered* in Ireland, pursuant to the

REGISTRATION PROVINCES AND COUNTIES.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	TOTAL MARRIAGES.	MARRIAGES Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the late Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	TOTAL.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.	Roman Catholic Marriages under the 26 & 27 Vic., c. 90.
IRELAND, .	20,322,641	5,412,377	24,037	74	3,233	505	21	255	4,088	2,495	326	522	14	3	7,448	16,589
No. PROVINCES.																
I. LEINSTER, .	4,703,640	1,315,355	6,488	56	707	234	7	71	1,075	64	35	146	5	2	1,327	5,161
II. MUNSTER, .	6,005,406	1,408,092	5,979	5	352	58	9	22	446	20	14	43	3	.	526	5,453
III. ULSTER, . .	5,402,600	1,847,852	8,640	13	2,051	213	5	144	2,426	2,400	270	319	6	1	5,422	3,218
IV. CONNAUGHT, .	4,210,995	841,078	2,930	.	123	.	.	18	141	11	7	14	.	.	173	2,757
I.—PROVINCE OF LEINSTER.—																
No.																
1 CARLOW, . .	185,857	45,835	182	.	21	1	.	2	24	.	.	.	.	.	24	158
2 DUBLIN, . .	225,511	408,366	2,888	52	457	182	5	29	725	45	26	130	5	2	933	1,955
3 KILDARE, . .	463,714	92,284	373	1	14	34	.	2	51	.	.	7	.	.	58	315
4 KILKENNY, . .	456,500	97,699	455	1	24	6	.	3	34	1	.	1	.	.	36	419
5 KING'S, . .	548,239	80,841	313	.	32	2	.	7	41	4	.	2	.	.	47	266
6 LONGFORD, . .	344,090	81,951	324	.	18	.	.	2	20	2	1	.	.	.	23	301
7 LOUTH, . . .	299,690	102,409	378	.	19	.	.	3	22	6	1	1	.	.	30	348
8 MEATH, . . .	431,306	72,394	213	.	9	2	2	.	13	2	.	.	.	.	15	198
9 QUEEN'S, . .	358,860	65,473	238	1	22	.	.	5	28	2	2	.	.	.	32	206
10 WESTMEATH, . .	283,176	48,684	198	.	15	5	.	3	23	1	.	3	.	.	27	171
11 WEXFORD, . .	629,926	143,352	590	1	42	1	.	12	56	1	2	1	.	.	60	530
12 WICKLOW, . .	476,771	76,067	336	.	34	1	.	3	38	.	3	1	.	.	42	294
II.—PROVINCE OF MUNSTER.—																
13 CLARE, . . .	714,385	138,795	522	.	11	.	.	1	12	.	.	.	.	.	12	510
14 CORK, . . .	1,892,821	527,825	2,291	4	193	40	6	10	253	13	10	32	3	.	311	1,980
15 KERRY, . . .	1,145,318	192,298	767	.	23	.	.	.	23	.	1	2	.	.	26	741
16 LIMERICK, . .	690,047	194,759	893	.	52	5	.	5	62	3	1	7	.	.	73	820
17 TIPPERARY, . .	1,068,824	214,884	839	1	44	9	3	3	60	2	2	1	.	.	65	774
18 WATERFORD, . .	494,011	139,531	667	.	29	4	.	3	36	2	.	1	.	.	39	628
III.—PROVINCE OF ULSTER.—																
19 ANTRIM, . . .	673,591	401,285	2,718	9	656	201	.	30	896	1,106	149	114	4	1	2,270	448
20 ARMAGH, . . .	371,592	214,412	1,049	.	381	2	5	11	399	188	20	55	.	.	662	387
21 CAVAN, . . .	522,835	155,932	471	.	93	1	.	8	102	26	2	1	.	.	131	340
22 DONEGAL, . .	1,168,945	207,346	692	.	97	.	.	7	104	41	13	8	.	.	166	526
23 DOWN, . . .	567,812	249,895	1,202	1	301	2	.	28	332	479	31	74	2	.	918	284
24 FERMANAGH, . .	378,300	86,258	344	.	125	1	.	12	138	11	10	22	.	.	181	163
25 LONDONDERRY, .	565,825	184,099	868	1	200	5	.	8	214	267	27	27	.	.	535	333
26 MONAGHAN, . .	341,118	124,270	419	1	51	.	.	8	60	60	5	7	.	.	132	287
27 TYRONE, . .	812,582	224,355	877	1	147	1	.	32	181	222	13	11	.	.	427	450
IV.—PROVINCE OF CONNAUGHT.—																
28 GALWAY, . .	1,500,832	250,436	787	.	21	.	.	4	25	.	.	1	.	.	26	761
29 LEITRIM, . . .	338,538	86,496	304	.	32	.	.	2	34	2	.	.	.	.	36	268
30 MAYO, . . .	1,328,424	244,027	870	.	17	.	.	1	18	3	1	4	.	.	26	844
31 ROSCOMMON, . .	676,919	167,903	645	.	15	.	.	.	15	4	1	7	.	.	27	618
32 SLIGO, . . .	366,282	92,216	324	.	38	.	.	11	49	2	5	2	.	.	58	266

* The *Registration Counties* consist of groups of Superintendent Registrars' Districts or Poor Law Unions Whenever a population is located; hence all the *Registration* Counties

Acts 7 & 8 Vic., c. 81, and 26 & 27 Vic., c. 90, in the year ending 31st December, 1875.

MARRIAGES												Signed the Marriage Registor with Marks.				REGISTRATION PROVINCES AND COUNTIES.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
8,403	5,122	5,120	5,392	20,390	757	2,215	675	2,890	1,432	665	3,042	7,280	8,822	5,463	5,176	**IRELAND.**
																PROVINCES.
1,565	1,615	1,648	1,660	5,465	254	594	175	769	429	139	592	1,663	1,854	1,051	1,415	**LEINSTER.**
2,819	1,067	1,097	966	5,027	207	530	215	745	422	170	837	1,913	2,324	1,460	1,317	**MUNSTER.**
2,407	1,932	1,953	2,348	7,444	208	789	199	988	407	285	1,113	2,432	3,241	1,895	1,883	**ULSTER.**
1,582	508	422	418	2,454	88	302	86	388	174	71	500	1,272	1,403	1,057	561	**CONNAUGHT**
MARRIAGES in the Year 1875—in Registration Counties.																
50	42	45	45	162	3	15	1	16	4	2	17	62	69	44	43	Carlow.
577	770	781	760	2,369	126	294	99	393	225	73	260	452	603	240	575	Dublin.
72	93	98	110	318	19	29	7	36	26	9	36	133	110	76	91	Kildare.
173	84	94	104	388	17	33	17	50	34	8	34	121	149	89	92	Kilkenny.
70	76	88	79	274	5	26	8	34	13	6	40	93	95	63	62	King's.
120	70	76	58	270	8	39	7	46	15	7	32	127	139	93	80	Longford.
78	102	97	101	331	12	29	6	35	18	3	31	139	156	96	103	Louth.
62	45	42	64	187	6	16	4	20	10	3	26	54	57	36	39	Meath.
50	70	56	62	197	14	23	4	27	18	2	26	81	83	53	58	Queen's.
54	50	56	38	174	5	15	4	19	9	6	15	68	61	42	45	Westmeath.
173	144	131	142	505	25	46	14	60	39	15	56	217	234	163	125	Wexford.
86	69	84	97	289	14	29	4	33	18	5	19	116	98	56	102	Wicklow.
MARRIAGES in the Year 1875—in Registration Counties.																
309	80	77	56	419	27	54	22	76	49	18	110	145	147	106	80	Clare.
1,024	403	469	395	1,936	70	199	86	285	156	43	251	748	884	576	480	Cork.
508	103	83	73	663	25	53	26	79	51	33	159	304	377	241	199	Kerry.
379	193	151	170	737	38	80	38	118	76	40	136	244	336	173	234	Limerick.
398	137	170	134	697	28	82	32	114	60	15	93	221	261	163	156	Tipperary.
231	151	147	138	575	19	62	11	73	30	21	88	251	319	201	168	Waterford.
MARRIAGES in the Year 1875—in Registration Counties.																
648	589	688	793	2,319	74	244	81	325	155	117	384	487	830	365	587	Antrim.
274	231	271	273	908	19	97	25	122	44	35	130	348	470	299	220	Armagh.
134	111	96	130	413	12	40	6	46	18	15	68	141	144	89	107	Cavan.
362	123	90	117	603	13	58	18	76	31	15	81	300	346	259	128	Donegal.
304	278	304	316	1,037	25	114	26	140	51	46	150	323	430	238	277	Down.
101	75	60	108	290	11	34	9	43	20	1	49	98	122	68	84	Fermanagh.
235	212	189	232	749	18	87	14	101	32	26	87	272	336	204	200	Londonderry.
153	97	71	98	361	16	34	8	42	24	7	53	155	191	128	90	Monaghan.
196	216	184	281	764	20	81	12	93	32	23	111	308	372	245	190	Tyrone.
MARRIAGES in the Year 1875—in Registration Counties.																
371	133	149	134	653	28	81	25	106	53	34	182	345	386	301	129	Galway.
129	65	63	47	261	5	30	8	38	13	6	44	70	91	52	57	Leitrim.
558	121	88	103	738	21	93	18	111	39	22	152	478	524	427	148	Mayo.
377	110	73	85	535	30	56	24	80	54	6	80	259	283	192	158	Roscommon.
147	79	49	49	267	4	42	11	53	15	3	42	120	119	85	69	Sligo.

District or Union extends into more than one County, it is assigned wholly to that County in which the greater portion of the differ more or less from the Counties *Proper*.

Ages of 14,360 Persons who were Married in Ireland in the Year 1875.

The Total Number of Marriages registered in Ireland in the Year 1875 was 24,037; the precise Ages of both Parties were specified in 7,180 instances.

Ages of 7,180 Men and 7,180 Women married in Ireland in the Year 1875.

——	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Men, . .	.	1	12	42	126	308	1,780	2,070	1,367	626	376	178	186	56	61	24	13	3	3	7,180
Women, .	10	44	124	347	412	843	2,633	1,606	607	255	154	60	43	20	16	2	3	1	.	7,180

Ages of 6,361 Bachelors and 6,761 Spinsters married in 1875.

——	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Bachelors, .	.	1	12	42	126	307	1,770	2,012	1,257	476	234	77	31	7	6	2	.	.	1	6,361
Spinsters, .	10	44	124	347	412	841	2,620	1,537	510	177	89	32	11	5	1	.	.	1	.	6,761

Ages of 819 Widowers and 419 Widows married in 1875.

——	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Widowers, .	.	.	.	.	.	1	10	58	110	150	142	99	105	49	55	23	13	3	2	819
Widows, .	.	.	.	.	.	2	13	69	97	78	65	28	32	15	15	2	3	.	.	419

Ages of 7,180 Husbands and their Wives, in combination in 1875.

AGES OF HUSBANDS. YEARS.	AGES OF WIVES. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Husbands.	AGES OF HUSBANDS.
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	16—
17—	.	2	1	.	2	1	4	2	.	.	.	.	.	.	.	.	.	.	.	12	17—
18—	.	4	6	8	5	7	5	7	.	.	.	.	.	.	.	.	.	.	.	42	18—
19—	1	5	11	31	22	18	28	10	.	.	.	.	.	.	.	.	.	.	.	126	19—
20—	1	3	13	41	60	86	79	20	4	.	1	.	.	.	.	.	.	.	.	308	20—
21—	2	10	42	112	154	318	916	198	29	2	1	1	.	.	.	.	.	.	.	1,780	21—
25—	4	13	28	93	108	230	935	547	93	15	2	1	1	.	.	.	.	.	.	2,070	25—
30—	1	6	10	41	40	121	436	491	174	44	2	.	1	.	.	.	.	.	.	1,367	30—
35—	.	1	7	15	15	37	147	200	124	57	15	4	2	1	1	.	.	.	.	626	35—
40—	.	.	2	5	4	16	59	90	101	60	30	5	3	1	.	.	.	.	.	376	40—
45—	1	.	3	.	.	3	18	23	39	37	34	17	2	.	.	.	.	.	.	176	45—
50—	.	.	.	1	1	5	4	17	26	26	23	13	9	1	.	.	.	.	.	136	50—
55—	.	.	.	.	.	1	.	2	11	7	13	9	10	3	.	.	.	.	.	56	55—
60—	.	.	.	.	1	.	.	2	5	5	14	6	12	5	10	.	1	.	.	61	60—
65—	.	.	1	.	.	.	.	2	.	2	5	3	1	7	2	1	.	.	.	24	65—
70—	.	.	.	.	.	.	.	.	2	.	2	1	1	1	3	1	2	.	.	13	70—
75—	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	3	75—
80—	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	3	80—
																				7,180	Husbands
TotalWives,	10	44	124	347	412	843	2,633	1,606	607	255	154	60	43	20	16	2	3	1	.	7,180	Wives.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands when married:—Thus, of 843 *Wives* of the age 20 and under 21 years *One* married a Husband aged 17; *Seven* married Husbands aged 18 years, &c.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives when married:—Thus, of 308 *Husbands* of the age 20 and under 21 years *One* married a Wife aged 15,; *Three* married Wives aged 16 years, &c.

Ages of 6,151 Bachelors and 6,151 Spinsters who intermarried in 1875.

AGES OF BACHELORS. YEARS.	AGES OF SPINSTERS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80	Total Bachelors.	AGES OF BACHELORS.
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	16—
17—	.	2	1	.	2	1	4	2	.	.	.	.	.	.	.	.	.	.	.	12	17—
18—	.	4	6	8	5	7	5	6	.	.	.	.	.	.	.	.	.	.	.	41	18—
19—	1	5	11	31	22	18	28	8	.	.	.	.	.	.	.	.	.	.	.	124	19—
20—	1	3	13	41	60	85	78	18	3	.	1	.	.	.	.	.	.	.	.	308	20—
21—	2	10	42	112	154	314	906	179	18	1	.	.	.	.	.	.	.	.	.	1,788	21—
25—	4	13	28	93	105	223	909	503	70	13	2	1	1	.	.	.	.	.	.	1,965	25—
30—	1	3	10	39	36	107	410	439	137	29	.	.	.	.	.	.	.	.	.	1,211	30—
35—	.	1	7	11	12	29	112	148	65	30	5	2	1	.	.	.	.	.	.	443	35—
40—	.	.	2	5	2	10	44	57	56	17	14	3	.	1	.	.	.	.	.	210	40—
45—	.	.	2	.	.	1	10	10	20	11	3	3	.	.	.	.	.	.	.	65	45—
50—	.	.	.	.	1	2	3	4	5	3	5	1	1	.	.	.	.	.	.	25	50—
55—	.	.	.	.	.	.	.	.	1	3	2	.	.	.	.	.	.	.	.	6	55—
60—	.	.	.	.	1	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	60—
65—	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	2	65—
70—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70—
75—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	75—
80—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	80—
																				6,151	Bachelors.
Total Spinsters,	9	41	122	340	400	797	2,510	1,375	895	107	89	9	4	2	.	.	.	1	.	6,151	Spinsters.

Ages of 210 Bachelors and 210 Widows who intermarried in 1875.

Ages of Bachelors	Ages of Widows: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Bachelors.	Ages of Bachelors
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	16—
17—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17—
18—	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	18—
19—	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	19—
20—	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	4	20—
21—	.	.	.	.	.	2	3	18	11	1	1	1	.	.	.	.	.	.	.	32	21—
25—	.	.	.	.	.	.	5	20	20	2	.	.	.	.	.	.	.	.	.	47	25—
30—	.	.	.	.	.	.	1	11	20	12	1	.	1	.	.	.	.	.	.	46	30—
35—	.	.	.	.	.	.	2	5	6	13	3	2	1	.	1	.	.	.	.	33	35—
40—	.	.	.	.	.	.	.	.	6	8	7	2	1	.	.	.	.	.	.	24	40—
45—	.	.	.	.	.	.	.	.	2	1	3	4	2	.	.	.	.	.	.	12	45—
50—	.	.	.	.	.	.	.	2	1	.	2	.	1	.	.	.	.	.	.	6	50—
55—	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	55—
60—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	60—
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65—
70—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70—
75—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	75—
80—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	80—
																				210	Bachelors.
Total Widows,	.	.	.	.	.	2	12	56	67	37	18	9	6	.	2	.	1	.	.	210	Widows.

Ages of 610 Widowers and 610 Spinsters who intermarried in 1875.

Ages of Widowers	Ages of Spinsters: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	Ages of Widowers
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	16—
17—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17—
18—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	18—
19—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19—
20—	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	20—
21—	.	.	.	.	.	2	7	.	.	.	.	.	.	.	.	.	.	.	.	9	21—
25—	.	.	.	.	3	7	20	21	1	.	.	.	.	.	.	.	.	.	.	52	25—
30—	.	3	.	2	4	14	25	39	10	2	.	.	.	.	.	.	.	.	.	99	30—
35—	.	.	.	4	3	8	33	43	27	7	3	.	.	.	.	.	.	.	.	126	35—
40—	.	.	.	.	2	6	15	31	32	23	4	.	.	.	.	.	.	.	.	113	40—
45—	1	.	1	.	.	2	8	13	13	16	11	6	.	.	.	.	.	.	.	71	45—
50—	.	.	.	1	.	3	1	11	15	14	14	5	.	.	.	.	.	.	.	64	50—
55—	.	.	.	.	.	1	.	1	10	3	5	6	3	1	.	.	.	.	.	30	55—
60—	.	.	.	.	.	.	.	2	5	4	7	3	3	1	1	.	.	.	.	26	60—
65—	.	.	1	.	.	.	.	1	.	1	3	2	1	.	.	.	.	.	.	9	65—
70—	.	.	.	.	.	.	.	.	2	.	1	1	.	1	.	.	.	.	.	5	70—
75—	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	75—
80—	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	80—
																				610	Widowers.
Total Spinsters,	1	3	2	7	13	44	110	162	115	70	50	23	7	3	1	.	.	.	.	610	Spinsters.

Ages of 209 Widowers and 209 Widows who intermarried in 1875.

Ages of Widowers	Ages of Widows: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	Ages of Widowers
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	16—
17—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17—
18—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	18—
19—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19—
20—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	20—
21—	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	21—
25—	.	.	.	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	6	25—
30—	.	.	.	.	.	.	.	2	7	1	1	.	.	.	.	.	.	.	.	11	30—
35—	.	.	.	.	.	.	.	4	6	7	4	.	.	1	.	.	.	.	.	22	35—
40—	.	.	.	.	.	.	.	2	7	12	5	1	2	.	.	.	.	.	.	29	40—
45—	.	.	.	.	.	.	.	.	3	9	12	4	.	.	.	.	.	.	.	28	45—
50—	.	.	.	.	.	.	.	.	5	9	12	7	7	1	.	.	.	.	.	41	50—
55—	.	.	.	.	.	.	.	1	.	1	5	3	7	2	.	.	.	.	.	19	55—
60—	.	.	.	.	.	.	.	.	.	1	5	3	8	4	8	.	.	.	.	29	60—
65—	.	.	.	.	.	.	.	.	.	1	2	1	.	6	2	1	.	.	.	13	65—
70—	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	1	2	.	.	8	70—
75—	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	75—
80—	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	80—
																				209	Widowers.
Total Widows,	.	.	.	.	.	.	1	13	30	41	47	19	26	15	13	2	2	.	.	209	Widows.

MARRIAGES, BIRTHS, and **DEATHS** *registered* in the Year 1875.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	IRELAND,	20,322,641	5,412,377	24,037	138,320	98,114	71,118	67,202	1,600	1,554	48,924	49,190	40,206
	DIVISIONS.												
I.	North-Eastern,	2,398,305	1,111,167	6,037	29,407	22,746	15,020	14,387	691	666	10,996	11,750	6,661
II.	North-Western,	2,392,501	526,339	2,006	12,487	8,696	6,480	6,007	135	136	4,369	4,327	3,791
III.	Eastern,	1,993,016	787,416	4,301	20,074	17,030	10,336	9,738	199	189	8,705	8,325	3,044
IV.	North Midland,	2,019,408	511,940	1,812	11,895	8,141	6,084	5,811	83	79	4,096	4,045	3,754
V.	South Midland,	2,361,709	448,840	1,772	10,623	7,693	5,523	5,100	108	95	3,853	3,840	2,930
VI.	Western,	4,088,459	766,202	2,624	19,280	10,945	9,881	9,399	64	93	5,558	5,387	8,335
VII.	South-Eastern,	1,826,172	451,483	2,001	11,407	8,582	5,922	5,485	160	151	4,220	4,362	2,825
VIII.	South-Western,	3,313,071	808,990	3,484	23,147	14,281	11,872	11,275	160	145	7,127	7,154	8,866

I.—NORTH-EASTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—
SUPERINTENDENT REGISTRARS' DISTRICTS.

No.													
1	ANTRIM,	117,119	35,928	159	935	723	462	473	23	34	338	385	212
2	ARMAGH,	154,253	72,391	286	1,554	1,345	814	740	37	38	660	685	209
3	BALLYCASTLE,	102,197	18,507	77	433	277	224	209	8	7	128	149	156
4	BALLYMENA,	161,161	71,465	398	2,100	1,259	1,102	998	74	81	610	649	841
5	BALLYMONEY,	127,518	38,505	179	897	616	452	445	26	20	288	328	281
6	BANBRIDGE,	124,928	65,768	321	1,509	1,232	765	744	44	33	574	658	277
7	BELFAST,	47,812	202,591	1,732	7,181	5,714	3,674	3,507	140	129	2,728	2,986	1,467
8	CASTLEBLAYNEY,	94,213	39,584	159	956	619	473	483	2	9	292	327	337
9	COLERAINE,	112,396	38,773	192	956	748	496	460	31	21	352	396	208
10	COOKSTOWN,	96,720	34,661	149	783	651	392	391	12	13	337	314	132
11	DOWNPATRICK,	147,361	54,644	279	1,113	1,028	559	554	42	28	478	550	85
12	DUNGANNON,	102,548	45,989	191	997	845	502	495	16	16	432	413	152
13	KILKEEL,	81,829	21,486	108	544	405	283	261	7	9	197	208	139
14	LARNE,	117,784	34,401	173	1,031	702	528	503	28	20	332	370	329
15	LIMAVADY,	152,712	27,821	112	665	474	344	321	16	13	211	263	191
16	LISBURN,	119,843	59,714	246	1,548	1,253	764	784	30	51	603	650	295
17	LURGAN,	79,464	69,916	372	1,814	1,467	918	896	51	47	748	719	347
18	MAGHERAFELT,	156,721	58,747	265	1,387	980	718	669	21	24	495	485	407
19	NEWRY,	137,875	72,105	391	1,745	1,300	903	842	22	28	666	634	445
20	NEWTOWNARDS,	93,851	48,231	248	1,259	1,108	647	612	61	45	527	581	151

II.—NORTH-WESTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—
SUPERINTENDENT REGISTRARS' DISTRICTS.

21	BALLYSHANNON,	132,353	28,808	85	606	451	326	280	3	2	231	220	155
22	CASTLEDERG,	91,785	16,311	53	387	232	208	179	5	3	106	126	155
23	DONEGAL,	160,411	29,393	101	624	418	319	305	9	3	201	217	206
24	DUNFANAGHY,	125,650	16,477	83	432	196	206	226	.	.	103	93	236
25	ENNISKILLEN,	203,628	43,599	203	1,017	726	539	478	16	17	360	366	291
26	GLENTIES,	257,430	37,930	132	974	512	532	442	2	2	253	259	462
27	GORTIN,	111,261	15,546	56	371	231	199	172	1	2	118	113	140
28	INISHOWEN,	159,408	33,697	124	918	654	466	452	8	7	342	312	264

II.—NORTH-WESTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—SUPERINTENDENT REGISTRARS' DISTRICTS—*continued.*

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
29	IRVINESTOWN,	75,927	19,713	58	417	231	225	192	9	13	103	128	186
30	LETTERKENNY,	101,207	17,113	30	358	303	167	191	6	6	159	144	55
31	LONDONDERRY,	143,996	58,758	299	1,488	1,292	760	728	16	23	665	627	196
32	MANORHAMILTON,	144,847	30,667	121	800	462	410	390	.	3	239	223	338
33	MILLFORD,	111,335	25,819	66	590	355	320	270	6	7	180	175	235
34	OMAGH,	174,217	47,139	156	1,134	849	602	532	28	23	436	413	285
35	SLIGO,	143,523	47,750	195	1,050	761	528	522	8	3	384	377	289
36	STRABANE,	134,372	39,510	173	920	740	460	460	16	19	344	396	180
37	STRANORLAR,	121,151	18,609	71	401	283	213	188	2	3	145	138	118

III.—EASTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—SUPERINTENDENT REGISTRARS' DISTRICTS.

38	ARDEE,	96,211	22,282	72	513	410	274	239	4	1	218	192	103
39	BAILIEBOROUGH,	65,909	22,062	83	536	382	287	249	5	2	190	192	154
40	BALROTHERY,	75,139	20,066	94	514	475	247	267	12	1	248	227	39
41	BALTINGLASS,	139,108	20,403	103	469	335	262	207	2	3	191	144	134
42	CARRICKMACROSS,	60,664	20,650	52	473	367	250	223	4	1	186	181	106
43	CELBRIDGE,	86,838	18,062	62	351	330	187	164	3	7	169	161	21
44	DROGHEDA,	99,045	34,726	120	790	659	388	402	4	4	329	330	131
45	DUBLIN, NORTH,	40,769	134,091	904	4,132	3,648	2,153	1,979	50	44	1,898	1,750	484
46	DUBLIN, SOUTH,	48,089	199,512	1,566	5,280	5,228	2,718	2,562	46	47	2,605	2,623	52
47	DUNDALK,	104,434	45,401	186	1,172	866	615	557	18	10	423	443	306
48	DUNSHAUGHLIN,	108,339	11,647	42	249	232	138	111	2	2	133	99	17
49	GOREY,	129,705	23,209	91	527	420	268	259	7	9	196	224	107
50	KELLS,	108,982	21,895	33	532	357	286	246	4	6	181	176	175
51	NAAS,	216,632	44,197	198	1,060	685	530	530	2	15	376	309	375
52	NAVAN,	94,466	19,311	69	418	396	209	209	3	1	210	186	22
53	RATHDOWN,	61,514	54,697	324	1,323	1,027	666	657	19	15	489	538	296
54	RATHDRUM,	227,541	37,807	165	856	618	422	434	10	11	330	288	238
55	SHILLELAGH,	110,122	17,857	68	398	261	204	194	3	6	140	121	137
56	TRIM,	119,519	19,541	69	481	334	232	249	1	4	193	141	147

IV.—NORTH MIDLAND DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—SUPERINTENDENT REGISTRARS' DISTRICTS.

57	ATHLONE,	150,768	33,612	164	770	447	394	376	3	4	235	212	323
58	BALLYMAHON,	100,126	18,788	82	430	330	214	216	3	2	148	182	100
59	BAWNBOY,	104,504	24,006	92	606	420	315	291	5	5	209	211	186
60	CARRICK-ON-SHANNON,	100,736	28,115	93	750	409	391	359	2	3	230	179	341
61	CAVAN,	160,662	53,562	148	1,306	929	667	639	5	6	473	456	377
62	CLOGHER,	101,679	25,199	99	565	425	287	278	13	10	218	207	140
63	CLONES,	73,502	23,207	81	485	273	241	244	9	5	130	143	212
64	COOTEHILL,	105,848	34,831	87	765	529	410	355	6	9	257	272	236
65	DELVIN,	74,775	11,847	46	236	206	116	120	2	.	115	91	30
66	GRANARD,	134,003	33,633	119	837	548	415	422	3	3	282	266	289
67	LISNASKEA,	98,745	22,946	83	490	284	247	243	11	10	156	128	206
68	LONGFORD,	109,961	29,530	123	668	413	340	328	1	5	208	205	255
69	MOHILL,	92,955	27,714	90	650	401	327	323	2	4	198	203	249
70	MONAGHAN,	112,739	40,829	127	835	742	442	393	6	4	345	397	93
71	MULLINGAR,	208,401	36,837	152	819	676	422	397	4	7	348	328	143
72	OLDCASTLE,	85,912	21,471	61	587	356	293	294	4	2	173	183	231
73	ROSCOMMON,	114,056	22,468	95	558	387	289	269	1	4	198	189	171
74	STROKESTOWN,	90,036	23,345	70	538	366	274	264	3	.	173	193	172

V.—SOUTH MIDLAND DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—
SUPERINTENDENT REGISTRARS' DISTRICTS.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
75	ABBEYLEIX,	107,167	19,949	76	460	383	247	213	6	3	193	190	77
76	ATHY,	160,254	30,025	113	703	516	364	339	11	12	268	248	187
77	BORRISOKANE,	81,850	11,510	43	221	161	116	105	1	3	88	73	60
78	CARLOW,	185,857	45,835	182	1,089	932	534	555	17	22	436	496	157
79	CASHEL,	156,822	29,392	103	707	558	385	322	8	11	284	274	149
80	CASTLECOMER,	67,820	14,302	68	387	262	171	216	6	6	125	137	125
81	DONAGHMORE,	51,060	8,359	18	169	95	93	76	1	.	50	45	74
82	EDENDERRY,	172,407	20,160	86	506	390	269	237	5	6	198	192	116
83	KILKENNY,	110,943	31,193	162	687	519	373	314	10	5	266	253	168
84	MOUNTMELLICK,	200,633	37,165	144	869	655	462	407	8	6	352	303	214
85	NENAGH,	183,088	33,206	114	824	519	425	399	4	3	238	281	305
86	PARSONSTOWN,	220,437	32,261	112	750	506	367	383	5	2	247	259	244
87	ROSCREA,	118,488	20,034	79	400	312	208	192	2	.	164	148	88
88	THURLES,	143,351	31,475	130	760	494	396	364	5	4	245	249	266
89	TIPPERARY,	179,988	42,931	176	1,182	755	635	547	18	5	378	377	427
90	TULLAMORE,	155,395	28,420	115	641	441	344	297	4	4	227	214	200
91	URLINGFORD,	76,149	12,623	51	268	195	134	134	2	3	94	101	73

VI.—WESTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—
SUPERINTENDENT REGISTRARS' DISTRICTS.

92	BALLINA,	150,415	30,911	102	683	467	362	321	4	.	243	224	216
93	BALLINASLOE,	160,507	24,291	79	524	348	267	257	2	9	178	170	176
94	BALLINROBE,	144,894	29,276	105	762	416	388	374	3	1	203	213	346
95	BALLYVAGHAN,	71,063	5,712	21	144	102	65	79	2	4	43	59	42
96	BELMULLET,	177,933	15,758	48	387	175	202	185	1	5	82	93	212
97	BOYLE,	159,696	44,240	146	990	491	537	453	.	3	266	225	499
98	CASTLEBAR,	140,998	32,174	124	642	455	318	324	.	.	243	212	187
99	CASTLEREAGH,	162,363	44,238	170	1,128	607	557	571	1	2	303	304	521
100	CLAREMORRIS,	110,788	31,300	93	911	518	473	438	1	1	278	240	393
101	CLIFDEN,	192,965	25,231	80	691	232	330	361	1	4	117	115	459
102	CORROFIN,	61,386	7,095	29	183	89	89	94	2	2	43	46	94
103	DROMORE, WEST,	96,985	17,742	39	454	200	251	203	1	.	111	89	254
104	ENNIS,	112,505	26,530	114	583	478	288	295	4	5	214	264	105
105	ENNISTIMON,	99,281	23,355	70	582	350	301	281	2	4	184	166	232
106	GALWAY,	197,467	44,022	154	1,111	811	567	544	4	10	369	442	300
107	GLENNAMADDY,	100,319	20,274	54	582	271	300	282	1	4	141	130	311
108	GORT,	107,919	17,973	52	436	274	236	200	3	2	142	132	162
109	KILLADYSERT,	62,319	12,211	54	363	161	179	184	1	1	90	71	202
110	KILLALA,	104,882	10,242	33	301	155	162	139	3	2	71	84	146
111	KILRUSH,	136,788	35,978	131	929	589	477	452	5	8	300	289	340
112	LOUGHREA,	198,832	26,402	89	576	401	296	280	2	3	227	174	175
113	MOUNTBELLEW,	102,383	18,423	68	432	282	208	224	1	1	153	129	150
114	NEWPORT,	170,413	16,061	52	446	165	230	216	2	3	73	92	281
115	OUGHTERARD,	172,745	19,591	52	561	246	296	265	.	.	133	113	315
116	PORTUMNA,	77,046	12,906	45	330	228	162	168	3	6	121	107	102
117	SCARIFF,	86,320	13,953	48	336	182	181	155	3	2	94	88	154
118	SWINEFORD,	152,594	53,540	225	1,445	742	729	716	1	2	342	400	703
119	TOBERCURRY,	125,774	26,724	90	718	395	382	336	2	1	213	182	323
120	TUAM,	190,649	41,323	114	1,025	557	529	496	3	6	268	289	468
121	TULLA,	84,723	13,961	55	361	205	200	161	4	2	110	95	156
122	WESTPORT,	175,507	24,765	88	664	353	319	345	2	.	203	150	311

VII.—SOUTH-EASTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—
SUPERINTENDENT REGISTRARS' DISTRICTS.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
123	CALLAN,	104,011	20,764	82	519	414	265	254	13	9	196	218	105
124	CARRICK-ON-SUIR,	112,630	28,113	108	707	505	364	343	17	21	260	245	202
125	CLOGHEEN,	118,427	22,247	69	559	360	288	271	9	6	180	180	199
126	CLONMEL,	86,810	24,089	125	601	501	302	299	10	10	235	266	100
127	DUNGARVAN,	94,044	21,869	107	639	452	331	308	11	8	219	233	187
128	ENNISCORTHY,	196,689	39,557	152	947	765	464	483	17	14	382	383	182
129	FERMOY,	148,268	32,784	133	821	534	441	380	7	2	279	255	287
130	KILMACTHOMAS,	64,478	13,399	37	339	258	173	166	6	10	124	134	81
131	LISMORE,	97,140	18,834	90	495	349	248	247	4	5	166	183	146
132	MIDDLETON,	109,266	30,404	119	800	497	423	377	4	3	252	245	303
133	MITCHELSTOWN,	86,957	20,745	89	571	308	299	272	8	4	151	157	263
134	NEW ROSS,	177,231	39,946	148	960	721	498	462	7	15	336	385	239
135	THOMASTOWN,	107,877	18,817	92	450	380	240	210	9	8	177	203	70
136	WATERFORD,	125,719	57,316	325	1,529	1,266	796	733	20	17	630	636	263
137	WEXFORD,	126,301	40,640	199	971	931	509	462	10	9	466	465	40
138	YOUGHAL,	70,624	21,959	126	499	341	281	218	8	10	167	174	158

VIII.—SOUTH-WESTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1875—
SUPERINTENDENT REGISTRARS' DISTRICTS.

139	BANDON,	101,345	25,740	99	652	432	332	320	8	3	226	206	220
140	BANTRY,	106,855	16,330	39	479	182	240	239	.	.	90	92	297
141	CAHERSIVEEN,	197,545	25,148	106	900	401	446	454	3	3	215	186	499
142	CASTLETOWN,	73,445	14,326	49	464	238	242	222	.	2	126	112	226
143	CLONAKILTY,	80,465	26,849	91	710	332	358	352	3	1	182	150	378
144	CORK,	169,732	143,377	841	3,867	3,488	1,908	1,899	30	15	1,695	1,793	379
145	CROOM,	83,324	17,061	51	398	272	197	201	2	2	131	141	126
146	DINGLE,	125,279	20,245	88	595	276	325	270	.	4	141	135	319
147	DUNMANWAY,	103,917	17,666	49	564	254	265	299	3	3	128	126	310
148	GLIN,	60,666	14,899	51	460	236	221	239	1	5	114	122	224
149	KANTURK,	186,524	32,796	112	995	520	527	468	3	8	272	248	475
150	KENMARE,	198,152	18,348	78	589	252	306	283	5	3	126	126	337
151	KILLARNEY,	251,287	44,443	165	1,483	711	765	718	14	6	371	340	772
152	KILMALLOCK,	145,150	35,471	135	982	663	488	494	12	21	337	326	319
153	KINSALE,	79,651	24,594	84	653	466	362	291	6	4	242	224	187
154	LIMERICK,	177,951	79,248	492	1,988	1,687	1,050	938	14	19	798	889	301
155	LISTOWEL,	151,208	34,283	136	1,107	535	578	529	12	4	282	253	572
156	MACROOM,	179,108	30,544	121	937	410	476	461	5	4	202	208	527
157	MALLOW,	149,565	30,595	140	755	491	397	358	7	11	237	254	264
158	MILLSTREET,	74,906	14,592	27	450	200	238	212	6	.	94	106	250
159	NEWCASTLE,	143,024	30,196	111	948	500	477	471	8	10	226	274	448
160	RATHKEALE,	79,932	17,884	53	463	328	237	226	1	3	169	159	135
161	SKIBBEREEN,	115,024	31,385	115	867	428	448	419	4	2	229	199	439
162	SKULL,	57,169	13,139	57	368	157	171	197	1	2	78	79	211
163	TRALEE,	221,847	49,831	194	1,473	822	758	715	12	10	416	406	651

MARRIAGES, BIRTHS, AND DEATHS in each Registration Province and County in Ireland, registered in the Year 1875.

No.	Registration Provinces and Counties.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	Total Marriages.	Total Births.	Total Deaths.	Births. Including Illegitimate Births. Males.	Births. Including Illegitimate Births. Females.	Births. Illegitimate Births. Males.	Births. Illegitimate Births. Females.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	IRELAND,	20,322,641	5,412,377	24,037	138,320	98,114	71,118	67,202	1,600	1,554	48,924	49,190	40,206
	PROVINCES.												
I.	**LEINSTER,**	4,703,640	1,315,355	6,488	32,431	26,559	16,640	15,791	334	327	13,443	13,116	5,872
II.	**MUNSTER,**	6,005,406	1,408,092	5,979	38,282	24,607	19,763	18,519	320	295	12,265	12,342	13,675
III.	**ULSTER,**	5,402,600	1,847,852	8,640	46,692	34,926	24,001	22,691	886	850	17,079	17,847	11,766
IV.	**CONNAUGHT,**	4,210,995	841,078	2,930	20,915	12,022	10,714	10,201	60	82	6,137	5,885	8,893
	I.—PROVINCE OF LEINSTER.—MARRIAGES, BIRTHS, AND DEATHS, 1875— Registration Counties.												
1	Carlow,	185,857	45,835	182	1,089	932	534	555	17	22	436	496	157
2	Dublin,	225,511	408,366	2,888	11,249	10,378	5,784	5,465	127	107	5,240	5,138	871
3	Kildare,	463,714	92,284	373	2,114	1,531	1,081	1,033	16	34	813	718	583
4	Kilkenny,	456,500	97,699	455	2,311	1,770	1,183	1,128	40	31	858	912	541
5	King's,	548,239	80,841	313	1,897	1,337	980	917	14	12	672	665	560
6	Longford,	344,090	81,951	324	1,935	1,291	969	966	7	10	638	653	644
7	Louth,	299,690	102,409	378	2,475	1,935	1,277	1,198	26	15	970	965	540
8	Meath,	431,366	72,394	213	1,680	1,319	865	815	10	13	717	602	361
9	Queen's,	358,860	65,473	238	1,498	1,133	802	696	15	9	595	538	365
10	Westmeath,	283,176	48,684	198	1,055	882	538	517	6	7	463	419	173
11	Wexford,	629,926	143,352	590	3,405	2,837	1,739	1,666	41	47	1,380	1,457	568
12	Wicklow,	476,771	76,067	336	1,723	1,214	888	835	15	20	661	553	509
	II.—PROVINCE OF MUNSTER.—MARRIAGES, BIRTHS, AND DEATHS, 1875— Registration Counties.												
13	Clare,	714,385	138,795	522	3,481	2,156	1,780	1,701	23	28	1,078	1,078	1,325
14	Cork,	1,892,821	527,825	2,291	14,452	9,278	7,468	6,984	103	74	4,650	4,628	5,174
15	Kerry,	1,145,318	192,298	767	6,147	2,997	3,178	2,969	46	30	1,551	1,446	3,150
16	Limerick,	690,047	194,759	893	5,239	3,686	2,670	2,569	38	60	1,775	1,911	1,553
17	Tipperary,	1,068,824	214,884	839	5,254	3,660	2,755	2,499	52	42	1,812	1,848	1,594
18	Waterford,	494,011	139,531	667	3,709	2,830	1,912	1,797	58	61	1,399	1,431	879
	III.—PROVINCE OF ULSTER.—MARRIAGES, BIRTHS, AND DEATHS, 1875— Registration Counties.												
19	Antrim,	673,591	401,285	2,718	12,577	9,291	6,442	6,135	299	291	4,424	4,867	3,286
20	Armagh,	371,592	214,412	1,049	5,113	4,112	2,635	2,478	110	113	2,074	2,038	1,001
21	Cavan,	522,835	155,932	471	3,800	2,616	1,972	1,828	25	24	1,302	1,314	1,184
22	Donegal,	1,168,945	207,346	692	4,903	3,172	2,549	2,354	36	30	1,614	1,558	1,731
23	Down,	567,812	249,895	1,202	5,973	5,026	3,018	2,955	184	166	2,379	2,647	947
24	Fermanagh,	378,300	86,258	344	1,924	1,241	1,011	913	36	40	619	622	683
25	Londonderry,	565,825	184,099	868	4,496	3,494	2,318	2,178	84	81	1,723	1,771	1,002
26	Monaghan,	341,118	124,270	419	2,749	2,001	1,406	1,343	21	19	953	1,048	748
27	Tyrone,	812,582	224,355	877	5,157	3,973	2,650	2,507	91	86	1,991	1,982	1,184
	IV.—PROVINCE OF CONNAUGHT.—MARRIAGES, BIRTHS, AND DEATHS, 1875— Registration Counties.												
28	Galway,	1,500,832	250,436	787	6,268	3,650	3,191	3,077	20	45	1,849	1,801	2,618
29	Leitrim,	338,538	86,496	304	2,200	1,272	1,128	1,072	4	10	667	605	928
30	Mayo,	1,328,424	244,027	870	6,241	3,446	3,183	3,058	17	14	1,738	1,708	2,795
31	Roscommon,	676,919	167,903	645	3,984	2,298	2,051	1,933	8	9	1,175	1,123	1,686
32	Sligo,	366,282	92,216	324	2,222	1,356	1,161	1,061	11	4	708	648	866

* See Note (*), page 44.

I.—NORTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS.

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	1. ANTRIM.											
1	Antrim, *W.*	14,578	5,715	155	157	79	76	5	11	78	79	—2
2	Connor,	21,610	5,336	137	85	70	67	5	5	44	41	52
3	Crumlin,	23,848	5,093	120	90	54	66	4	3	41	49	30
4	Doagh,	15,292	6,531	199	139	99	100	2	4	60	79	60
5	Randalstown,	20,618	7,740	189	143	97	92	2	7	67	76	46
6	Templepatrick,	21,173	5,513	135	109	63	72	5	4	48	61	26
	2. ARMAGH.											
1	Armagh, *W.*	13,764	13,828	342	366	172	170	14	16	179	187	—24
2	Blackwatertown,	16,819	6,564	100	145	49	51	2	2	65	80	—45
3	Caledon,	7,669	2,071	41	38	20	21	2	.	18	20	3
4	Keady,	35,931	15,020	341	237	135	156	4	2	134	103	104
5	Loughgall,	18,057	9,426	216	171	116	100	4	7	84	87	45
6	Markethill,	25,362	10,695	255	178	131	124	6	5	76	102	77
7	Rich Hill,	16,889	8,410	163	106	89	74	5	6	52	54	57
8	Tynan,	19,762	6,377	96	104	52	44	.	.	52	52	—8
	3. BALLYCASTLE.											
1	Ballycastle, *W.*	45,206	7,972	180	147	86	94	8	6	68	79	33
2	Croagh,	22,665	6,086	165	88	92	73	.	.	39	49	77
3	Cushendall,	34,326	4,449	88	42	46	42	.	1	21	21	46
	4. BALLYMENA.											
1	Ahoghill,	14,360	9,612	288	155	159	129	11	12	70	85	133
2	Ballymena, *W.*	8,282	12,196	382	319	194	188	16	12	158	161	63
3	Broughshane,	30,066	7,113	218	111	111	107	9	6	48	63	107
4	Clogh,	26,924	7,398	234	147	121	113	1	11	69	78	87
5	Galgorm,	15,898	10,660	312	157	170	142	17	15	79	78	155
6	Glenwhirry,	32,711	6,781	187	98	97	90	6	7	50	48	89
7	Portglenone,	17,205	9,334	272	163	144	128	7	9	89	74	109
8	Toome,	15,715	8,371	207	109	106	101	7	9	47	62	98
	5. BALLYMONEY.											
1	Ballymoney, *W.*	21,634	9,521	266	183	127	139	14	5	88	95	83
2	Castlequarter,	35,831	6,094	126	88	67	59	3	4	39	49	38
3	Dervock,	20,719	5,384	119	71	58	61	7	5	34	37	48
4	Dirraw,	26,972	8,901	206	140	102	104	2	4	67	73	66
5	Kilrea,	22,362	8,605	180	134	98	82	.	2	60	74	46
	6. BANBRIDGE.											
1	Ballyward,	24,731	10,429	208	171	113	95	7	2	73	98	37
2	Banbridge, *W.*	24,690	20,895	511	446	247	264	12	16	203	243	65
3	Crossgar,	16,269	5,140	105	90	64	41	3	3	41	49	15
4	Dromore,	15,002	9,861	255	190	122	133	8	6	92	98	65
5	Loughbrickland,	26,447	9,934	210	161	106	104	6	4	82	79	49
6	Tanderagee,	17,789	9,509	220	174	113	107	3	2	83	91	46
	7. BELFAST.											
1	Belfast, No. 1,	31,335	19,679	538	441	292	246	6	7	212	229	97
2	„ No. 2,		17,938	558	510	285	273	5	2	278	232	48
3	„ No. 3,		39,286	1,544	923	774	770	16	18	434	489	621
4	„ No. 4, *W.*		19,320	929	1,157	475	454	67	56	542	615	—228
5	„ No. 5,		19,616	685	556	347	338	11	8	253	303	129
6	„ No. 6,		36,627	1,143	927	587	556	15	11	450	477	216
7	„ No. 7,		5,996	176	136	90	86	2	7	53	83	40
8	„ No. 8,		3,443	109	79	62	47	4	4	41	38	30
9	„ No. 9,		5,296	139	125	70	69	1	3	63	62	14
10	„ No. 10, *		8,115	369	251	177	192	3	5	108	143	118

* For remainder of Belfast see next page.

NOTE.—The Registrars' Districts are sub-divisions of the Unions or Superintendent Registrars' Districts, and are identical with the Dispensary Districts of the same names, except in a few instances.

The letter *W* denotes that the Registrar's District contains within its limits the Workhouse belonging to the Union or Superintendent Registrar's District.

Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births in the Registrar's District, instead of exceeding the deaths, were, in fact, *less than the deaths*, to the extent stated.

I.—NORTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	7. BELFAST—*con.*											
11	Castlereagh, No. 1,	1,320	16,155	696	435	364	332	8	5	208	227	261
12	,, No. 2,	6,179	5,809	140	87	66	74	1	.	45	42	53
13	,, No. 3,	8,978	5,311	155	87	85	70	1	3	41	46	68
	8. CASTLEBLAYNEY.											
1	Ballybay,	25,064	10,784	270	168	142	128	.	1	78	90	102
2	Castleblayney, *W.*	27,381	12,066	293	209	143	150	1	5	113	96	84
3	Crossmaglen,	19,536	8,336	195	116	90	105	1	2	49	67	79
4	Newtownhamilton,	22,232	8,398	198	126	98	100	.	1	52	74	72
	9. COLERAINE.											
1	Aghadowey,	28,040	8,364	154	115	77	77	3	2	51	64	39
2	Articlave,	24,073	4,974	151	107	83	68	7	1	61	46	44
3	Bushmills,	12,690	4,259	128	86	62	66	6	8	37	49	42
4	Coleraine, *W.*	13,862	10,864	295	269	151	144	6	7	125	144	26
5	Garvagh,	25,080	6,802	144	105	77	67	3	2	51	54	39
6	Portrush,	8,651	3,510	84	66	46	38	6	1	27	39	18
	10. COOKSTOWN.											
1	Coagh,	11,180	5,676	113	116	54	59	2	2	51	65	—3
2	Cookstown, *W.*	32,979	13,326	331	264	162	169	2	6	139	125	67
3	Pomeroy,	36,524	9,020	188	150	100	88	2	2	82	68	38
4	Stewartstown,	16,037	6,639	151	121	76	75	6	3	65	56	30
	11. DOWNPATRICK.											
1	Ballynahinch,	28,234	9,693	194	153	99	95	6	.	66	87	41
2	Clough,	23,858	8,440	159	148	87	72	2	1	71	77	11
3	Downpatrick, *W.*	18,706	8,569	204	230	114	90	14	8	114	116	—26
4	Killough,	17,309	5,478	91	81	43	48	1	1	35	46	10
5	Killyleagh,	25,666	11,155	239	256	118	121	14	12	121	135	—17
6	Portaferry,	16,032	6,633	142	96	63	79	5	3	45	51	46
7	Strangford,	17,556	4,676	84	64	35	49	.	3	26	38	20
	12. DUNGANNON.											
1	Ballymagran,	11,123	2,827	61	45	26	35	1	1	26	19	16
2	Benburb,	17,359	6,763	110	91	59	51	1	.	54	37	19
3	Clonavaddy,	31,575	10,425	228	182	120	108	4	2	92	90	46
4	Coal Island,	20,322	12,185	294	186	146	148	6	4	96	90	108
5	Dungannon, *W.*	22,169	13,789	304	341	151	153	4	9	164	177	—37
	13. KILKEEL.											
1	Bryansford,	21,420	5,608	126	94	69	57	2	.	42	52	32
2	Kilkeel, No. 1,	28,505	7,579	185	106	97	88	4	4	58	48	79
3	,, No. 2, *W.*	19,378	5,009	154	140	87	67	1	4	68	72	14
4	Rostrevor,	12,526	3,230	79	65	30	49	.	1	29	36	14
	14. LARNE.											
1	Ballycarry,	14,198	4,533	117	81	66	51	6	3	42	39	36
2	Ballynure,	20,307	5,295	145	87	77	68	6	4	38	49	58
3	Carrickfergus,	16,702	9,397	300	173	147	153	5	6	77	96	127
4	Glenarm,*	30,836	5,095	167	93	81	86	4	3	45	48	74
5	Larne, *W.*	30,366	9,326	291	264	152	139	7	4	129	135	27
6	Waterfoot,*	5,375	755	11	4	5	6	.	.	1	3	7
	15. LIMAVADY.†											
1	Ballykelly,	30,330	6,609	175	93	95	80	5	5	46	47	82
2	Bellarena,	26,040	4,636	85	59	44	41	5	2	28	31	26
3	Dungiven,	42,318	6,317	142	105	67	75	.	1	39	66	37
4	Feeny,	29,653	3,496	77	43	41	36	1	.	19	24	34
5	Limavady, *W.*†	24,371	6,763	186	174	97	89	5	5	79	95	12

* Waterfoot District was formed on the 15th of November, 1875, by the severance of a portion of the Electoral Division of Ardcline from Glenarm District. The numbers given above for Glenarm District include the Births and Deaths registered in the entire District up to that date.

† Formerly called Newtownlimavady.

I.—NORTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	16. LISBURN.											
1	Annahilt, . . .	17,629	6,468	146	110	72	74	1	2	63	47	36
2	Ballylesson, . .	12,083	5,025	126	88	63	63	1	4	49	39	38
3	Dunmurry, . .	12,051	8,222	246	190	133	113	4	5	86	104	56
4	Glenavy, . . .	19,173	5,523	119	104	61	58	2	1	60	44	15
5	Hillsborough, . .	18,777	9,216	204	158	99	105	5	7	78	80	46
6	Knocknadona, . .	16,525	6,114	151	95	72	79	2	4	41	54	56
7	Lisburn, *W.* . .	11,037	14,580	467	410	222	245	14	24	189	221	57
8	Saintfield, . . .	12,568	4,566	89	98	42	47	1	4	37	61	—9
	17. LURGAN.											
1	Aghalee, ...	12,317	5,448	120	84	57	63	4	5	48	36	36
2	Lurgan, No. 1, *W.* .	15,450	15,447	395	540	216	179	16	16	254	286	—145
3	„ No. 2, .		4,864	126	96	69	57	6	5	55	41	30
4	Moira, . . .	13,903	7,724	178	144	88	90	4	5	73	71	34
5	Portadown, . .	11,940	16,179	477	259	250	227	9	5	133	126	218
6	Tartaraghan, . .	13,997	10,679	279	180	128	151	6	9	96	84	99
7	Waringstown, . .	11,857	9,575	239	164	110	129	6	2	89	75	75
	18. MAGHERAFELT.											
1	Bellaghy, . . .	26,353	14,138	335	231	183	152	4	4	110	121	104
2	Draperstown, . .	41,065	9,367	222	126	115	107	2	2	68	58	96
3	Maghera, . . .	34,799	12,763	294	221	146	148	5	6	108	113	73
4	Magherafelt, *W.* .	22,497	12,074	300	237	144	156	8	11	128	109	63
5	Moneymore, . .	32,007	10,405	236	165	130	106	2	1	81	84	71
	19. NEWRY.											
1	Donaghmore, . .	13,533	4,366	94	70	51	43	2	1	32	38	24
2	Forkill, . . .	11,490	5,104	134	86	66	68	2	1	49	37	48
3	Meigh, . . .	13,849	6,489	168	82	80	88	.	1	43	39	86
4	Mountnorris, . .	17,868	5,664	131	80	73	58	1	5	35	45	51
5	Mullaghglass, . .	16,130	9,678	247	177	128	119	2	7	84	93	70
6	Newry, No. 1, *W.* .	16,480	9,396	247	243	131	116	6	5	143	100	4
7	„ No. 2, .		11,352	308	178	167	141	1	2	93	85	130
8	Pointzpass, . .	7,506	2,687	51	36	25	26	4	.	14	22	15
9	Rathfriland, . .	27,850	10,883	235	215	116	119	3	5	111	104	20
10	Warrenspoint, . .	13,169	6,486	130	133	66	64	1	1	62	71	—3
	20. NEWTOWNARDS.											
1	Bangor, . . .	17,027	7,175	170	154	87	83	6	5	76	78	16
2	Comber, . . .	16,641	6,766	171	181	94	77	4	2	88	93	—10
3	Donaghadee, . .	9,593	6,518	190	139	97	93	11	10	60	79	51
4	Grey Abbey, . .	18,679	8,187	208	142	111	97	10	7	63	79	66
5	Kilmood, . . .	14,595	5,160	120	94	62	58	7	3	54	40	26
6	Newtownards, *W.* .	17,316	14,425	400	398	196	204	23	18	186	212	2

II.—NORTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS.

	21. BALLYSHANNON.											
1	Ballintra, . . .	16,066	3,098	57	43	28	29	.	.	21	22	14
2	Ballyshannon, *W.* .	25,453	9,308	185	196	107	78	2	2	107	89	—11
3	Belleek, . . .	31,690	6,100	135	74	77	58	1	.	30	44	61
4	Church Hill, . .	26,727	2,453	48	35	24	24	.	.	22	13	13
5	Kinlough, . . .	32,417	7,349	181	103	90	91	.	.	51	52	78
	22. CASTLEDERG.											
1	Castlederg, *W.* . .	23,762	7,137	192	133	103	84	3	3	61	72	59
2	Drumquin, . .	22,734	3,542	82	20	37	45	.	.	10	10	62
3	Killeter, . . .	45,289	5,782	113	79	63	50	2	.	35	44	34

II.—NORTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS —*continued.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	23. DONEGAL.											
1	Donegal, *W.*	43,440	7,041	182	166	93	89	3	2	80	86	16
2	Dunkineely,	17,561	4,825	105	60	55	50	1	.	32	28	45
3	Laghy,	29,475	5,241	110	90	62	48	2	.	40	50	20
4	Mountcharles,	33,929	7,516	163	64	78	85	1	.	29	35	99
5	Pettigoe,	36,006	4,770	64	38	31	33	2	1	20	18	26
	24. DUNFANAGHY.											
1	Crossroads,	51,353	6,420	168	67	85	83	.	.	33	34	101
2	Dunfanaghy, *W.*	32,212	5,403	127	75	56	71	.	.	41	34	52
3	Gweedore,	42,085	4,654	137	54	65	72	.	.	29	25	83
	25. ENNISKILLEN.											
1	Ely,	40,261	5,960	133	84	76	57	2	1	39	45	49
2	Enniskillen, *W.*	30,641	12,211	309	293	162	147	10	8	147	146	16
3	Florencecourt,	41,578	7,443	151	113	74	77	.	1	63	50	38
4	Holywell,	49,600	8,437	214	114	114	100	1	1	64	50	100
5	Lisbellaw,	10,634	2,418	56	33	39	17	.	.	17	16	23
6	Tempo,	30,914	7,130	154	89	74	80	3	6	30	59	65
	26. GLENTIES.											
1	Ardara,	44,764	6,188	143	68	81	62	.	2	34	34	75
2	Carrick,	45,591	6,496	182	144	97	85	.	.	74	70	38
3	Doocharry,	49,392	4,413	112	59	59	53	.	.	26	33	53
4	Dungloe,	51,933	10,853	332	129	188	144	2	.	72	57	203
5	Glenties, *W.*	43,223	4,884	102	57	57	45	.	.	27	30	45
6	Killybegs,	22,527	5,096	103	55	50	53	.	.	20	35	48
	27. GORTIN.											
1	Gortin, *W.*	55,596	8,302	185	116	105	80	1	1	62	54	69
2	Plumb Bridge,	55,665	7,244	186	115	94	92	.	1	56	59	71
	28. INISHOWEN.											
1	Buncrana,	35,618	6,397	195	116	95	100	3	2	56	60	79
2	Carndonagh, *W.*	35,326	4,613	146	153	79	67	1	1	81	72	—7
3	Clonmany,	23,376	5,311	138	112	71	67	.	.	70	42	26
4	Malin,	26,399	7,404	183	101	94	89	1	1	49	52	82
5	Moville,	38,689	9,972	256	172	127	129	3	3	86	86	84
	29. IRVINESTOWN.											
1	Clonelly,	7,967	1,869	43	16	18	25	1	3	7	9	27
2	Ederney,	31,825	7,847	137	71	81	56	2	3	34	37	66
3	Irvinestown, No. 1, *W.*	36,135	4,604	94	77	48	46	6	4	35	42	17
4	„ No. 2,		5,393	143	67	78	65	.	3	27	40	76
	30. LETTERKENNY.											
1	Church Hill,	60,136	6,194	130	113	61	69	.	.	61	52	17
2	Letterkenny, *W.*	22,459	6,832	142	145	59	83	4	6	68	77	—3
3	Manorcunningham,	18,612	4,087	86	45	47	39	2	.	30	15	41
	31. LONDONDERRY.											
1	Burt,	19,931	4,068	88	49	44	44	1	1	22	27	39
2	Clady,	30,303	6,762	165	130	82	83	.	.	72	58	35
3	City of L.derry, No. 1	5,060	8,832	232	198	125	107	3	1	107	91	34
4	„ No. 2		13,569	322	304	161	161	1	2	151	153	18
5	Eglinton,	25,290	6,028	136	112	62	74	1	3	51	61	24
6	Glendermot, *W.*	16,805	8,483	253	288	130	123	9	11	156	132	—35
7	Kilderry,	28,237	6,393	172	122	87	85	.	1	53	64	50
8	Killea,	18,370	4,623	120	89	69	51	1	4	48	41	31

II.—NORTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS —*continued.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.			DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.			
						Males.	Females.	Males.	Females.		
	32. MANORHAMILTON.										
1	Drumahaire,	31,386	8,086	216	118	114	102	.	1	69	49	98
2	Drumkeeran,	30,960	7,068	181	98	92	89	.	1	51	47	83
3	Lurganboy,	45,800	6,273	136	79	77	59	.	.	39	40	57
4	Manorhamilton, *W.*	36,701	9,240	267	167	127	140	.	1	80	87	100
	33. MILLFORD.										
1	Fanad,	26,813	6,726	164	78	86	78	1	1	40	38	86
2	Kilmacrenan and Millford, *W.*	28,655	5,079	102	118	57	45	3	4	53	65	—16
3	Rathmelton,	19,568	5,845	138	70	81	57	2	2	34	36	68
4	Rathmullan,	11,835	3,020	69	44	30	39	.	.	30	14	25
5	Rosguill,	24,464	5,149	117	45	66	51	.	.	23	22	72
	34. OMAGH.										
1	Dromore,	22,145	5,574	139	82	73	66	2	2	45	37	57
2	Drumquin,	20,699	4,570	72	47	37	35	.	.	24	23	25
3	Fintona,	27,162	8,426	189	119	108	81	8	3	56	63	70
4	Omagh, No. 1, *W.*	75,081	13,573	371	361	193	178	13	16	187	174	10
5	" " 2,		6,825	178	108	100	78	.	.	50	58	70
6	Six Mile Cross,	29,130	8,171	185	132	91	94	5	2	74	58	53
	35. SLIGO.										
1	Ballymote,	19,139	6,049	147	83	73	74	1	.	33	50	64
2	Carney, No. 1,	44,554	7,120	173	102	85	88	1	1	48	54	71
3	" " 2,		5,282	120	70	50	70	1	.	36	34	50
4	Collooney,	25,443	6,086	128	74	66	62	.	.	44	30	54
5	Riverstown,	23,552	5,928	121	74	70	51	.	1	43	31	47
6	Sligo, No. 1, *W.**	30,835	6,456	320	319	166	154	4	1	168	151	1
7	" " 2,*		10,829	41	39	18	23	1	.	12	27	2
	36. STRABANE.										
1	Castlefinn,	28,549	7,675	162	98	78	84	2	3	48	50	64
2	Dunnamanagh,	32,091	6,687	160	122	70	90	2	1	57	65	38
3	Newtownstewart,	29,265	7,483	177	139	85	92	3	1	65	74	38
4	Raphoe,	24,495	6,761	144	110	79	65	1	4	52	58	34
5	Strabane, *W.*	19,972	10,904	277	271	148	129	8	10	122	149	6
	37. STRANORLAR.										
1	Cloghan,	53,967	5,973	135	80	66	69	1	.	46	34	55
2	Killygordon,	36,758	5,635	107	65	55	52	1	.	34	31	42
3	Stranorlar, *W.*	30,426	7,001	159	138	92	67	.	3	65	73	21

III.—EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS.

	38. ARDEE.											
1	Ardee, *W.*	27,947	8,271	176	193	95	81	.	.	109	84	—17
2	Castlebellingham,	14,232	3,664	87	71	44	43	2	.	28	43	16
3	Collon,	13,432	2,433	69	42	32	37	.	1	21	21	27
4	Drumconrath,	23,809	3,685	85	57	50	35	2	.	32	25	28
5	Dunleer,	16,791	4,229	96	47	53	43	.	.	28	19	49
	39. BAILIEBOROUGH.											
1	Bailieborough, *W.*	31,514	10,257	254	214	133	121	3	2	106	108	40
2	Crossbane,	5,213	1,826	39	20	16	23	.	.	10	10	19
3	Kingscourt,	13,107	4,286	120	62	77	43	1	.	32	30	58
4	Shercock,	11,275	4,043	80	67	40	40	1	.	33	34	13
5	Termon,	4,800	1,650	43	19	21	22	.	.	9	10	24

* Sligo District was divided into two Districts on 8th October, 1875; the numbers given above for No. 1 District include the births and deaths registered in the entire District up to that date.

III.—EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*con*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	40. BALROTHERY.											
1	Balbriggan,	18,250	5,140	129	112	63	66	2	.	58	54	17
2	Holmpatrick, *W.*	7,123	3,772	107	121	48	59	4	1	59	62	—14
3	Kilsallaghan,	16,243	1,649	31	30	18	13	1	.	19	11	1
4	Lusk,	12,050	3,570	92	73	47	45	.	.	36	37	19
5	Malahide,	7,499	2,527	68	69	23	45	1	.	37	32	—1
6	Swords,	13,974	3,408	87	70	48	39	4	.	39	31	17
	41. BALTINGLASS.											
1	Baltinglass, *W.*	28,570	5,989	135	131	71	64	.	2	79	52	4
2	Dunlavin,	43,835	5,722	124	91	69	55	1	.	51	40	33
3	Kiltegan,	44,643	5,393	134	66	79	55	1	.	32	34	68
4	Rathvilly,	22,060	3,299	76	47	43	33	.	1	29	18	29
	42. CARRICKMACROSS.											
1	Carrickmacross, *W.*	22,720	8,253	201	178	97	104	3	1	87	91	23
2	Donaghmoyne,	20,357	6,348	138	100	76	62	.	.	53	47	38
3	Raferagh,	17,587	6,049	134	89	77	57	1	.	46	43	45
	43. CELBRIDGE.											
1	Celbridge, *W.*	16,639	4,535	84	96	41	43	.	3	49	47	—12
2	Kilcock,	25,753	3,865	78	61	45	33	2	.	40	21	17
3	Lucan,	11,839	3,626	83	63	43	40	.	1	28	35	20
4	Maynooth,	15,670	2,961	62	48	34	28	1	1	22	26	14
5	Rathcoole,	16,937	3,075	44	62	24	20	.	2	30	32	—18
	44. DROGHEDA.											
1	Drogheda, No. 1,	10,086	6,051	97	55	46	51	.	.	24	31	42
2	„ No. 2,		7,195	189	160	85	104	.	.	78	82	29
3	Dulcek,	20,704	3,271	77	51	41	36	.	.	28	23	26
4	Monasterboice,	17,911	3,079	68	45	44	24	.	.	24	21	23
5	St. Mary's, *W.*	9,733	6,702	159	203	72	87	2	3	103	100	—44
6	Stamullen,	21,389	3,056	62	39	33	29	2	.	18	21	23
7	Termonfeckin,	19,222	5,372	138	106	67	71	.	1	54	52	32
	45. DUBLIN, NORTH.											
1	Blanchardstown and Castleknock,	13,246	7,111	140	96	75	65	1	.	46	50	44
2	Clontarf and Howth, No. 1,	5,799	3,330	95	71	46	49	.	.	38	33	24
3	„ No. 2,		2,172	65	43	26	39	.	.	23	20	22
4	Coolock and Drumcondra, No. 1,	7,159	5,515	107	77	58	49	.	1	37	40	30
5	„ No. 2,		839	32	22	20	12	.	.	10	12	10
6	Finglas and Glasnevin,	12,868	6,448	125	96	62	63	.	1	60	36	29
7	North City, No. 1,	1,697	49,137	1,175	1,094	612	563	2	1	562	532	81
8	„ No. 2,		31,993	1,639	709	852	787	26	21	355	354	930
9	„ No. 3, *W.*		27,546	754	1,440	402	352	21	20	767	673	—686
	46. DUBLIN, SOUTH.											
1	Clondalkin,	5,902	2,576	57	51	27	30	.	1	30	21	6
2	Donnybrook,	1,945	21,758	544	500	306	238	1	.	241	259	44
3	Palmerston,	3,607	6,744	150	96	73	77	.	.	49	47	54
4	Rathfarnham,	11,628	6,325	172	133	97	75	1	.	67	66	39
5	Rathmines,	1,705	20,939	521	433	270	251	.	1	189	244	88
6	South City, No. 1, *W.*	1,895	32,184	880	1,657	437	443	27	27	813	839	—777
7	„ No. 2,		29,952	519	469	253	266	.	.	240	229	50
8	„ No. 3,		38,811	1,323	981	676	647	15	9	525	456	342
9	„ No. 4,		36,703	1,034	840	531	503	2	9	414	426	194
10	Tallaght,	21,407	3,520	80	68	48	32	.	.	32	36	12

III.—EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*con.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1871.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	47. DUNDALK.											
1	Barronstown, . .	18,863	6,700	181	115	89	92	1	1	52	63	66
2	Carlingford, . .	19,985	8,795	219	153	108	111	2	3	69	84	66
3	Dromiskin, . .	10,579	2,638	54	34	21	33	2	.	19	15	20
4	Dundalk, *W.* . .	17,123	16,242	447	397	256	191	11	4	193	204	50
5	Louth, . . .	20,065	6,175	155	97	79	76	1	2	48	49	58
6	Ravensdale, . .	17,819	4,851	116	70	62	54	1	.	42	28	46
	48. DUNSHAUGHLIN.											
1	Dunboyne, . .	32,522	3,003	68	57	40	28	1	.	27	30	11
2	Garristown, . .	24,046	2,750	52	59	28	24	1	.	34	25	—7
3	Killeen, . . .	22,970	2,703	53	42	24	29	.	.	31	11	11
4	Ratoath, *W.* . .	28,801	3,191	76	74	46	30	.	2	41	33	2
	49. GOREY.											
1	Camolin, . . .	33,045	4,932	91	73	40	51	.	1	35	38	18
2	Coolgreany, . .	30,009	4,270	102	63	50	52	.	.	37	26	39
3	Gorey, *W.* . .	31,578	7,950	194	170	96	98	7	6	72	98	24
4	Killenagh and Wells, .	35,073	6,057	140	114	82	58	.	2	52	62	26
	50. KELLS.											
1	Kells, *W.* . . .	27,063	6,455	155	137	81	74	2	5	76	61	18
2	Kilskeer, . . .	25,460	4,062	92	51	51	41	1	.	20	31	41
3	Moynalty, . . .	26,181	6,100	133	67	70	63	.	.	36	31	66
4	Nobber, . . .	30,278	5,278	152	102	84	68	1	1	49	53	50
	51. NAAS.											
1	Blessington and Ballymore, . . .	60,729	6,237	126	85	71	55	.	1	45	40	41
2	Clane and Timahoe, North, . . .	28,668	4,140	105	59	53	52	.	2	33	26	46
3	Kilcullen, . . .	29,734	12,169	116	52	55	61	.	.	25	27	64
4	Kildare, . . .	19,397	3,736	70	76	42	28	.	1	38	38	—6
5	Naas and Carragh, *W.*	24,455	6,021	158	173	79	79	2	7	97	76	—15
6	Newbridge, . . .	14,074	5,784	298	140	145	153	.	2	88	52	158
7	Rathmore, . .	19,094	2,347	74	44	38	36	.	1	23	21	30
8	Robertstown and Kilmeage, . . .	20,471	3,763	113	56	47	66	.	1	27	29	57
	52. NAVAN.											
1	Castletown, . . .	29,730	4,568	90	86	49	41	1	.	47	39	4
2	Navan, *W.* . .	37,087	10,579	247	238	114	133	2	1	130	108	9
3	Painestown, . .	27,649	4,164	81	72	46	35	.	.	33	39	9
	53. RATHDOWN.											
1	Blackrock and Stillorgan, . No. 1,	945	7,182	166	131	82	84	1	.	62	69	35
2	„ No. 2,	3,128	3,404	83	72	41	42	1	.	28	44	11
3	Bray and Rathmichael, No. 1, *W.*	8,909	3,393	112	155	57	55	9	15	77	78	—43
4	„ No. 2,		5,986	174	97	93	81	4	.	51	46	77
5	Delgany, . . .	7,922	2,432	64	41	31	33	.	.	22	19	23
6	Dundrum and Glencullen, . No. 1,	3,936	4,006	98	92	46	52	1	.	48	44	6
7	„ No. 2,	7,892	2,208	53	29	34	19	1	.	18	11	24
8	Killiney, . . .	4,797	4,833	88	58	39	49	.	.	26	32	30
9	Kingstown, No. 1,	1,647	10,314	231	146	111	120	1	.	73	73	85
10	„ No. 2,		8,147	205	176	110	95	1	.	73	103	29
11	Powerscourt, . .	22,338	2,787	49	30	22	27	.	.	11	19	19

III.—EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*co*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	54. RATHDRUM.											
1	Annamoe,	59,593	4,550	93	56	47	46	.	1	32	24	3
2	Arklow,	16,794	7,766	205	128	104	101	.	3	68	60	7
3	Ashford,	24,725	7,422	178	128	90	88	1	2	60	68	5
4	Aughrim,	24,367	2,462	60	31	31	29	1	.	14	17	12
5	Dunganstown,	23,185	2,903	68	47	39	29	1	1	28	19	12
6	Newbridge,	18,327	4,591	100	47	46	54	1	.	26	21	5
7	Newcastle,	23,585	4,295	84	70	37	47	1	1	39	31	1
8	Rathdrum, *W.*	36,965	3,818	68	111	28	40	5	3	63	48	—4
	55. SHILLELAGH.											
1	Coolattin and Clonegall, *W.*	38,366	6,338	128	100	61	67	2	3	49	51	2
2	Coolkenna & Hacketstown,	31,128	6,213	147	100	73	74	1	2	58	42	4
3	Tinahely,	40,628	5,306	123	61	70	53	.	1	33	28	6
	56. TRIM.											
1	Athboy,	37,046	6,487	173	103	88	85	.	.	62	41	7
2	Innfield,	25,117	3,310	68	55	34	34	.	1	30	25	1
3	Summerhill,	30,763	4,272	117	69	49	68	1	1	31	38	4
4	Trim, *W.*	26,593	5,472	123	107	61	62	.	2	70	37	1

IV.—NORTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS.

No.												
	57. ATHLONE.											
1	Athlone, No. 1, *W.*	27,613	4,741	109	90	50	59	2	1	47	43	1
2	,, No. 2,		6,918	144	63	88	56	.	.	36	27	3
3	Brideswell,	38,339	6,172	157	66	71	86	1	2	32	34	9
4	Glassan,	24,601	4,834	93	65	45	48	.	.	40	25	2
5	Kiltoom,	27,562	4,708	131	69	71	60	.	.	37	32	6
6	Moate,	32,653	6,239	136	94	69	67	.	1	43	51	4
	58. BALLYMAHON.											
1	Abbeyshrule,	30,734	5,953	127	92	63	64	1	1	40	52	3
2	Ballymahon, *W.*	38,933	7,720	177	152	84	93	1	1	72	80	2
3	Ballymore,	30,459	5,115	126	86	67	59	1	.	36	50	4
	59. BAWNBOY.											
1	Ballinamore,	26,499	7,311	245	147	115	130	.	1	76	71	9
2	Ballyconnell, *W.*	30,700	6,500	152	140	86	66	5	4	73	67	1
3	Newtowngore,	18,405	4,769	96	61	48	48	.	.	26	35	3
4	Swanlinbar,	28,900	5,426	113	72	66	47	.	.	34	38	4
	60. CARRICK-ON-SHANNON.											
1	Aughrim,	21,856	5,097	125	69	72	53	1	.	36	33	5
2	Drumshambo,	33,787	8,005	210	94	99	111	1	1	59	35	11
3	Jamestown, *W.*	21,974	7,714	204	156	103	101	.	2	79	77	4
4	Leitrim,	23,119	7,299	211	90	117	94	.	.	56	34	12

IV.—NORTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	61. CAVAN.											
1	Arvagh,	17,072	5,777	171	67	86	85	.	.	40	27	104
2	Ballyhaise,	19,792	6,568	133	72	53	80	.	2	38	34	61
3	Bellananagh,	16,683	5,903	168	101	98	70	2	1	57	44	67
4	Belturbet,	21,550	6,698	165	118	94	71	1	1	58	60	47
5	Cavan, *W.*	26,252	9,908	207	245	102	105	1	2	113	132	—38
6	Killeshandra,	16,958	4,746	112	100	63	49	.	.	50	50	12
7	Kilnaleck,	21,111	7,341	194	124	97	97	1	.	68	56	70
8	Stradone,	21,244	6,621	156	102	74	82	.	.	49	53	54
	62. CLOGHER.											
1	Aughnacloy,	22,570	6,676	146	108	71	75	1	1	60	48	38
2	Ballygawley,	22,495	6,163	126	100	62	64	1	1	54	46	26
3	Clogher, *W.*	31,018	7,655	161	147	87	74	7	5	76	71	14
4	Fivemiletown,	25,596	4,705	132	70	67	65	4	3	28	42	62
	63. CLONES.											
1	Clones, *W.*	22,030	9,942	214	152	97	117	8	4	68	84	62
2	Newtownbutler,	24,159	6,698	130	57	70	60	1	1	28	29	73
3	Rosslea,	27,313	6,567	141	64	74	67	.	.	34	30	77
	64. COOTEHILL.											
1	Cootehill, *W.*	27,031	10,453	246	190	116	130	4	5	94	96	56
2	Dawson Grove,	22,425	6,876	138	107	72	66	2	2	48	59	31
3	Drum,	29,738	9,366	178	111	98	80	.	.	49	62	67
4	Tullyvin,	26,654	8,136	203	121	124	79	.	2	66	55	82
	65. DELVIN.											
1	Castlepollard,	23,490	4,624	100	73	46	54	1	.	33	40	27
2	Clonmellon,	23,602	3,694	67	54	34	33	1	.	35	19	13
3	Delvin, *W.*	27,683	3,529	69	79	36	33	.	.	47	32	—10
	66. GRANARD.											
1	Ballinalee,	22,070	5,633	142	84	67	75	.	.	49	35	58
2	Coole,	11,521	1,682	32	28	16	16	.	.	12	16	4
3	Finnea,	22,495	5,738	157	100	89	68	.	1	51	49	57
4	Granard, *W.*	26,824	7,387	172	152	79	93	2	2	76	76	20
5	Scrabby,	21,566	7,283	224	104	114	110	.	.	50	54	120
6	Street,	29,527	5,910	110	80	50	60	1	.	44	36	30
	67. LISNASKEA.											
1	Brookeborough,	35,197	6,834	162	84	83	79	6	3	47	37	78
2	Derrylin,	26,984	6,962	150	75	85	65	.	.	40	35	75
3	Lisnaskea, *W.*	25,433	6,026	120	83	59	61	5	4	47	36	37
4	Maguiresbridge,	11,131	3,124	58	42	20	38	.	3	22	20	16
	68. LONGFORD.											
1	Drumlish,	35,839	11,128	279	154	143	136	.	.	78	76	125
2	Killashee,	39,816	6,313	108	54	52	56	.	1	25	29	54
3	Longford, *W.*	34,306	12,089	281	205	145	136	1	4	105	100	76
	69. MOHILL.											
1	Carrigallen,	18,540	5,572	110	91	60	50	1	1	54	37	19
2	Mohill, *W.*	26,258	8,970	248	169	127	121	1	3	74	95	79
3	Rinn,	29,105	8,085	144	73	70	74	.	.	36	37	71
4	Rowan,	19,052	5,087	148	68	70	78	.	.	34	34	80

IV.—NORTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	70. MONAGHAN.											
1	Castleshane,	23,848	8,835	187	124	101	86	.	.	55	69	63
2	Glaslough,	23,324	7,451	133	139	72	61	.	.	72	67	—6
3	Kilmore,	18,324	6,833	129	113	67	62	.	1	50	63	16
4	Monaghan, *W.*	17,684	9,452	205	221	102	103	6	3	97	124	—16
5	Scotstown,	29,559	8,258	181	145	100	81	.	.	71	74	36
	71. MULLINGAR.											
1	Ballynacarrigy,	34,441	5,502	95	79	56	39	1	.	33	46	16
2	Castletown Geoghegan,	35,225	4,890	92	75	43	49	.	.	36	39	17
3	Killucan,	25,973	4,525	117	73	70	47	.	.	36	37	44
4	Milltown,	27,492	3,357	74	62	38	36	.	.	30	32	12
5	Mullingar, *W.*	31,787	10,171	256	239	126	130	3	5	134	105	17
6	Multyfarnham,	22,302	3,574	81	51	39	42	.	2	33	18	30
7	Tyrrellspass,	31,181	4,818	104	97	50	54	.	.	46	51	7
	72. OLDCASTLE.											
1	Ballyjamesduff,	19,049	6,653	175	107	95	80	1	.	52	55	68
2	Crossakeel,	19,569	2,650	54	35	25	29	.	.	13	22	19
3	Oldcastle, *W.*	24,855	5,136	142	105	70	72	2	.	51	54	37
4	Virginia,	22,439	7,032	216	109	103	113	1	2	57	52	107
	73. ROSCOMMON.											
1	Athleague,	36,367	5,993	158	100	84	74	.	.	63	37	58
2	Ballyleague,	41,195	8,486	202	107	101	101	1	.	51	56	95
3	Roscommon, *W.*	36,494	7,989	198	180	104	94	.	.	84	96	18
	74. STROKESTOWN.											
1	Elphin,	25,151	5,845	122	103	68	54	1	.	41	62	19
2	Roosky,	33,271	8,328	193	106	98	95	.	.	52	54	87
3	Strokestown, *W.*	31,614	9,172	223	157	108	115	2	.	80	77	66

V.—SOUTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS.

	75. ABBEYLEIX.											
1	Abbeyleix, *W.*	18,878	4,833	101	107	55	46	5	2	57	50	—6
2	Ballinakill,	25,602	4,078	69	61	33	36	.	.	29	32	8
3	Ballyroan,	20,012	3,511	98	101	59	39	.	.	50	51	—3
4	Castletown,	18,631	2,971	69	46	33	36	1	.	22	24	23
5	Durrow,	24,044	4,556	123	68	67	56	.	1	35	33	55
	76. ATHY.											
1	Athy, *W.*	30,509	8,256	200	184	102	98	7	8	92	92	16
2	Ballylynan,	21,758	3,994	89	51	54	35	.	1	27	24	38
3	Castledermot,	23,731	3,555	77	60	40	37	1	.	29	31	17
4	Fontstown,	26,293	3,163	66	39	35	31	1	1	18	21	27
5	Monasterevin,	31,702	6,297	159	107	76	83	2	1	63	44	52
6	Stradbally,	26,261	4,760	112	75	57	55	.	1	39	36	37
	77. BORRISOKANE.											
1	Borrisokane, *W.*	25,143	4,151	68	53	34	34	1	2	27	26	15
2	Cloghjordan,	26,962	3,721	70	43	34	36	.	.	21	22	27
3	Terryglass,	29,745	3,638	83	65	48	35	.	1	40	25	18

—SOUTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS —*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	78. CARLOW.											
1	Bagenalstown,	16,854	4,630	109	105	58	51	2	1	48	57	4
2	Ballickmoyler and Newtown,	29,672	5,967	176	101	87	89	2	.	51	50	75
3	Borris,	26,335	5,659	135	91	63	72	2	1	42	49	44
4	Carlow, *W.*	28,075	12,339	271	315	125	146	10	13	145	170	—44
5	Fennagh and Myshall,	31,682	5,488	124	101	57	67	1	1	41	60	23
6	Leighlinbridge,	20,105	4,500	104	78	48	56	.	3	42	36	26
7	Tullow,	33,134	7,252	170	141	96	74	.	3	67	74	29
	79. CASHEL.											
1	Cashel, *W.*	32,836	8,693	183	221	97	86	2	7	119	102	—38
2	Fethard,	29,670	5,820	130	95	72	58	1	2	50	45	35
3	Killenaule,	28,512	4,909	109	83	58	51	.	1	40	43	26
4	Kilpatrick,	31,850	5,419	166	82	93	73	.	1	43	39	84
5	Tullamain,	33,954	4,551	119	77	65	54	.	.	32	45	42
	80. CASTLECOMER.											
1	Ballyragget,	18,555	3,857	92	50	37	55	1	.	24	26	42
2	Castlecomer, *W.*	39,265	10,445	295	212	134	161	5	6	101	111	83
	81. DONAGHMORE.											
1	Borris-in-Ossory,	23,710	3,201	58	25	36	22	.	.	11	14	33
2	Rathdowney, *W.*	27,350	5,158	111	70	57	54	1	.	39	31	41
	82. EDENDERRY.											
1	Ballyboggan,	21,894	3,220	59	48	32	27	.	.	26	22	11
2	Carbury,	34,051	2,904	70	55	33	37	.	2	26	29	15
3	Edenderry, *W.*	39,312	5,154	160	135	78	82	4	4	72	63	25
4	Johnstown,	19,270	2,391	47	41	24	23	.	.	16	25	6
5	Rathangan,	28,188	3,377	80	63	47	33	1	.	30	33	17
6	Rhode,	29,692	3,114	90	48	55	35	.	.	28	20	42
	83. KILKENNY.											
1	Freshford,	18,382	3,478	83	52	49	34	1	.	27	25	31
2	Gowran,	22,388	4,457	90	61	47	43	2	.	33	28	29
3	Kilkenny, No. 1, *W.*	14,433	7,645	193	211	101	92	5	4	114	97	—18
4	,, No. 2,	13,982	9,666	199	119	105	94	1	1	59	60	80
5	Tiscoffin,	22,762	3,530	68	40	44	24	1	.	18	22	28
6	Tullaroan,	18,996	2,417	54	36	27	27	.	.	15	21	18
	84. MOUNTMELLICK.											
1	Clonaslee,	36,339	4,068	83	64	44	39	.	1	41	23	19
2	Clonygowan,	25,596	5,708	122	91	69	53	.	.	46	45	31
3	Coolrain,	28,968	2,283	65	32	32	33	.	.	19	13	33
4	Emo,	32,534	5,176	127	86	66	61	1	.	51	35	41
5	Maryborough,	23,750	6,428	157	135	81	76	2	.	77	58	22
6	Mountmellick, *W.*	27,460	7,535	178	157	94	84	5	4	73	84	21
7	Mountrath,	25,986	5,967	137	90	76	61	.	1	45	45	47
	85. NENAGH.											
1	Nenagh, *W.*	35,509	10,708	261	226	137	124	4	2	94	132	35
2	Newport,	44,900	7,033	186	112	95	91	.	1	66	46	74
3	Portroe,	30,435	5,613	137	49	75	62	.	.	23	26	88
4	Silvermines,	30,740	4,083	94	59	43	51	.	.	29	30	35
5	Toomyvara,	41,504	5,769	146	73	75	71	.	.	26	47	73

V.—SOUTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	86. PARSONSTOWN.											
1	Banagher,	40,024	6,259	173	84	87	86	.	.	44	40	89
2	Ferbane,	62,518	7,797	163	104	73	90	1	1	50	54	59
3	Frankford,	28,668	3,122	61	44	32	29	1	.	18	26	17
4	Killyon,	17,111	2,001	45	25	19	26	.	.	13	12	20
5	Kinnitty,	33,361	2,521	60	36	39	21	.	.	20	16	24
6	Parsonstown, *W.*	11,327	7,760	202	172	96	106	3	1	80	92	30
7	Riverstown,	27,428	2,801	46	41	21	25	.	.	22	19	5
	87. ROSCREA.											
1	Bourney,	35,419	4,648	90	60	50	40	.	.	29	31	30
2	Roscrea, No. 1, *W.*	45,873	7,948	149	146	80	69	1	.	79	67	3
3	,, No. 2,		1,605	30	22	15	15	.	.	9	13	3
4	Shinrone,	37,196	5,833	131	84	63	68	1	.	47	37	47
	88. THURLES.											
1	Borrisoleigh,	32,064	6,723	168	84	78	90	.	.	41	43	84
2	Holycross,	18,895	3,612	75	41	35	40	.	.	20	21	34
3	Littleton,	33,451	4,149	111	49	62	49	.	1	18	31	62
4	Moyne,	25,729	4,052	103	65	65	38	.	2	35	30	38
5	Templemore,	12,722	5,120	102	91	48	54	3	.	48	43	11
6	Thurles, *W.*	20,490	7,819	201	164	108	93	2	1	83	81	37
	89. TIPPERARY.											
1	Bansha,	41,772	6,057	162	83	92	70	3	.	45	38	79
2	Cappagh,	41,942	8,752	235	108	123	112	1	.	61	47	127
3	Emly,	24,663	6,109	190	95	93	97	.	.	54	41	93
4	Golden,	22,679	3,869	92	63	49	43	2	.	24	39	28
5	Grean,	26,323	6,955	186	98	112	74	2	1	45	53	88
6	Tipperary, *W.*	22,609	11,189	317	308	166	151	10	4	149	159	9
	90. TULLAMORE.											
1	Clara,	23,963	5,412	135	88	78	57	1	.	46	42	47
2	Kilbeggan,	21,691	3,826	92	73	45	47	.	1	34	39	19
3	Killoughy,	42,913	5,681	80	42	42	38	.	.	19	23	38
4	Philipstown,	33,631	4,313	88	56	52	36	.	1	27	29	32
5	Tullamore, *W.*	33,197	9,188	246	182	127	119	3	2	101	81	64
	91. URLINGFORD.											
1	Balleen,	17,991	2,482	36	30	18	18	.	.	11	19	6
2	Johnstown,	20,852	3,170	68	34	36	32	.	.	18	16	34
3	Kilcooly,	18,256	3,462	95	58	46	49	2	3	30	28	37
4	Urlingford, *W.*	19,050	3,509	69	73	34	35	.	.	35	38	—4

VI.—WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS.

	92. BALLINA.											
1	Ballina, *W.*	73,848	22,760	443	372	241	202	4	.	195	177	71
2	Crossmolina,	76,567	8,151	240	95	121	119	.	.	48	47	145
	93. BALLINASLOE.											
1	Ahascragh,	17,321	2,041	48	40	26	22	.	.	19	21	8
2	Ballinasloe, *W.*	19,173	6,213	119	128	64	55	1	6	64	64	—9
3	Creagh,	36,626	5,570	140	70	62	78	.	1	38	32	70
4	Killaan,	27,618	3,457	91	56	48	43	.	.	27	29	35
5	Kiltormer,	27,919	3,652	64	33	36	28	1	.	17	16	31
6	Laurencetown,	31,850	3,358	62	21	31	31	.	2	13	8	41

VI.—WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1875.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
			BIRTHS.	DEATHS.	Existing Legitimate Births.		Illegitimate Births.				
					Males.	Females.	Males.	Females.	Males.	Females.	
V: [illegible]											
34. Ballycrogh.											
1 Ballycrogh, W.	24,405	10,850	340	179	126	181	2	1	98	81	70
2 [illegible]	30,[illegible]	6,[illegible]	198	88	92	98	.	.	39	49	79
3 [illegible]	12,[illegible]	2,[illegible]	102	101	47	53	1	.	41	39	69
4 Ballymoney	41,000	8,000	222	190	110	108	.	.	55	51	114
35. Ballytrillick.											
1 Ballytrillick, W.	77,062	5,712	144	102	65	79	2	4	43	59	42
36. Belmullet.											
Belmullet	[illegible]641	3,757	174	81	103	71	.	1	21	30	122
1 Belmullet, W.	[illegible]	7,[illegible]	200	124	99	114	1	4	81	63	69
37. Boyle.											
1 Boyle	29,780	7,852	178	96	90	86	.	.	48	48	86
2 Ballintemple	5,[illegible]	1,[illegible]	70	67	37	33	.	.	37	30	64
3 Boyle, No. 1, W.	[illegible]	[illegible]	146	142	111	73	.	3	73	69	43
4 " No. 2	[illegible]	4,[illegible]	100	58	67	33	.	.	28	11	77
5 [illegible]	8,[illegible]	[illegible]	94	74	129	113	.	.	56	36	150
6 Roscommon	[illegible]	4,[illegible]	128	70	66	60	.	.	34	36	56
38. Castlebar.											
1 Bekan	40,[illegible]	[illegible]	210	160	86	126	.	.	87	83	44
2 Castlebar, No. 1, W.	4[illegible]	[illegible]	286	206	101	124	.	.	109	92	94
3 " No. 2	48,[illegible]	[illegible]	134	83	62	72	.	.	46	37	49
39. Castlerea.											
1 Ballaghaderreen	4[illegible]	[illegible]	350	180	135	174	.	.	106	87	163
2 [illegible]	[illegible]	[illegible]	[illegible]	60	50	63	.	1	28	42	4
3 Castlerea, W.	[illegible]	[illegible]	[illegible]	192	203	134	1	.	96	96	246
4 Frenchpark	[illegible]	[illegible]	253	151	115	140	.	1	72	79	104
40. Clarehorris.											
1 Ballintra	[illegible]	[illegible]	206	136	153	196	.	.	80	56	159
2 Ballintrillick	[illegible]	[illegible]	366	[illegible]	179	177	.	.	87	93	[illegible]
3 Clarehorris, W.	[illegible]	[illegible]	267	182	141	146	1	1	102	91	73
41. Clifden.											
1 Clifden, W.	49,[illegible]	[illegible]	274	111	132	142	1	.	55	56	162
2 Leenane	3,[illegible]	[illegible]	30	14	17	21	.	.	9	5	24
3 Maam	[illegible]	[illegible]	103	52	34	46	.	.	17	7	124
4 Roundstone, No. 1	[illegible]	[illegible]	92	54	40	42	.	1	12	22	47
5 " No. 2	[illegible]	[illegible]	162	49	74	66	.	2	24	25	113
42. Corrandulla.											
1 Corrandulla, W.	61,806	7,065	233	99	89	94	2	2	43	46	94
43. Dromore, West.											
1 Dromore	[illegible]	[illegible]	102	34	60	32	.	.	20	14	73
2 [illegible], W.	[illegible]	[illegible]	186	82	104	81	1	.	46	36	104
3 Newport	[illegible]	[illegible]	150	84	87	62	.	.	45	39	72

VI.—WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1871.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	104. ENNIS.											
1	Crusheen,	24,816	4,135	84	39	50	34	.	.	19	20	4
2	Ennis, No. 1, *W.*	25,268	8,721	193	263	89	104	2	4	113	150	—7
3	,, No. 2,		3,465	59	41	29	30	.	.	12	29	1
4	Killanniv,	33,230	4,475	127	43	61	66	1	.	23	20	8
5	Newmarket,	29,191	5,734	120	92	59	61	1	1	47	45	2
	105. ENNISTIMON.											
1	Ennistimon, *W.*	33,863	8,120	202	152	106	96	1	4	72	80	5
2	Milltown Malbay,	35,221	8,783	210	127	104	106	1	.	68	59	8
3	Roadford,	30,197	6,452	170	71	91	79	.	.	44	27	9
	106. GALWAY.											
1	Arran,	11,288	3,050	95	80	40	55	1	1	34	46	1
2	Galway, No. 1,	21,358	10,700	254	179	136	118	1	3	85	94	7
3	,, No. 2, *W.*		8,992	163	227	86	77	2	5	107	120	—6
4	Moycullen,	24,950	2,753	84	48	45	39	.	.	21	27	3
5	Oranmore,	30,311	5,290	145	89	84	61	.	1	39	50	5
6	Spiddle,	63,304	5,834	194	90	91	103	.	.	42	48	10
7	Turloughmore,	46,256	7,403	176	98	85	91	.	.	41	57	7
	107. GLENNAMADDY.											
1	Dunmore,	17,357	2,781	82	20	41	41	.	1	7	13	6
2	Glennamaddy, *W.*	40,162	7,827	224	112	122	102	1	2	67	45	11
3	Williamstown,	42,800	9,666	276	139	137	139	.	1	67	72	13
	108. GORT.											
1	Ardrahan,	36,821	4,497	95	45	60	35	.	.	26	19	5
2	Gort, *W.*	34,790	7,136	198	165	101	97	1	2	85	80	3
3	Kinvarra,	36,308	6,340	143	64	75	68	2	.	31	33	7
	109. KILLADYSERT.											
1	Ballynacally, *W.*	36,296	6,957	200	96	100	100	1	.	55	41	10
2	Labasheeda,	26,023	5,254	163	65	79	84	.	1	35	30	9
	110. KILLALA.											
1	Ballycastle,	79,684	5,773	172	79	88	84	1	.	34	45	9
2	Killala, *W.*	25,198	4,469	129	76	74	55	2	2	37	39	5
	111. KILRUSH.											
1	Carrigaholt,	22,599	5,117	117	99	56	61	.	1	52	47	1
2	Craggaknock,	37,310	8,896	243	126	119	124	.	2	67	59	11
3	Kilkee,	24,416	7,142	190	103	108	82	3	1	53	50	8
4	Kilmihil,	31,923	6,124	169	73	93	76	.	.	44	29	9
5	Kilrush, *W.*	20,540	8,699	210	188	101	109	2	4	84	104	2
	112. LOUGHREA.											
1	Athenry,	56,431	7,693	120	125	65	55	1	1	75	50	—
2	Bullaun,	55,815	5,587	124	64	65	59	.	2	38	26	6
3	Loughrea, *W.*	29,641	6,553	158	140	74	84	.	.	70	70	1
4	Woodford,	56,945	6,569	174	72	92	82	1	.	44	28	10
	113. MOUNTBELLEW.											
1	Clonbrock,	29,957	5,308	111	79	46	65	1	.	41	38	3
2	Killeroran,	31,924	6,218	160	78	72	88	.	.	46	32	8
3	Mountbellew, *W.*	40,502	6,897	161	125	90	71	.	1	66	59	3

VI.—WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	114. NEWPORT.											
1	Achill,	54,541	4,719	144	32	72	72	.	.	20	12	112
2	Ballycroy,	51,883	3,886	91	40	45	46	1	.	18	22	51
3	Newport, *W.*	63,989	7,456	211	93	113	98	1	3	35	58	118
	115. OUGHTERARD.											
1	Cloonbur, No. 1,	58,806	4,744	133	61	74	59	.	.	35	26	72
2	„ No. 2,		1,428	48	9	21	27	.	.	6	3	39
3	Lettermore,	44,300	7,726	261	93	137	124	.	.	50	43	168
4	Oughterard, *W.*	69,639	5,693	119	83	64	55	.	.	42	41	36
	116. PORTUMNA.											
1	Eyrecourt,	31,418	5,032	116	78	56	60	.	1	38	40	38
2	Portumna, No. 1, *W.*	45,628	5,926	174	125	82	92	3	5	68	57	49
3	„ No. 2,		1,948	40	25	24	16	.	.	15	10	15
	117. SCARRIFF.											
1	Annacarriga,	19,226	3,991	102	29	65	37	.	.	14	15	73
2	Feakle,	34,820	4,706	111	52	51	60	1	1	27	25	59
3	Mountshannon, *W.*	32,274	5,256	123	101	65	58	2	1	53	48	22
	118. SWINEFORD.											
1	Foxford,	21,914	7,113	264	132	132	132	.	1	53	79	132
2	Kilkelly,	41,331	13,248	274	162	133	141	.	.	71	91	112
3	Kiltamagh,	22,700	9,042	248	123	120	128	.	1	58	65	125
4	Lowpark,	35,954	11,838	345	138	177	168	.	.	64	74	207
5	Swineford, *W.*	30,695	12,299	314	187	167	147	1	.	96	91	127
	119. TOBERCURRY.											
1	Aclare,	50,158	11,478	303	126	167	136	.	.	76	50	177
2	Coolaney,	34,300	5,090	147	81	71	76	.	.	44	37	66
3	Tobercurry, *W.*	41,316	10,156	268	188	144	124	2	1	93	95	80
	120. TUAM.											
1	Abbey,	34,481	5,681	142	98	79	63	1	.	50	48	44
2	Dunmore,	36,442	9,631	270	138	140	130	1	.	62	76	132
3	Headford,	46,490	8,366	204	71	104	100	.	.	29	42	133
4	Tuam, No. 1, *W.*	73,236	8,479	207	167	101	106	.	6	87	80	40
5	„ No. 2,		9,166	202	83	105	97	1	.	40	43	119
	121. TULLA.											
1	Kilkishen,	21,196	3,845	103	55	61	42	1	.	27	28	48
2	Quin,	25,464	3,922	93	33	56	37	.	.	19	14	60
3	Tulla, *W.*	38,063	6,194	165	117	83	82	3	2	64	53	48
	122. WESTPORT.											
1	Islandeady,	32,579	5,796	169	73	79	90	.	.	39	34	96
2	Louisburgh, No. 1,	69,814	7,237	210	93	103	107	1	.	57	36	117
3	„ No. 2,	10,636	169	2	.	1	1	.	.	.	.	2
4	Westport, No. 1, *W.*	42,070	11,372	278	185	135	143	1	.	106	79	93
5	„ No. 2,	20,408	191	5	2	1	4	.	.	1	1	3

VII.—SOUTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS.

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Death.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	123. CALLAN.											
1	Ballingarry,	20,379	4,631	123	69	62	61	2	.	33	36	5
2	Callan, *W.*	31,839	6,824	194	191	101	93	6	5	82	109	
3	Kilmaganny,	30,309	5,199	117	89	55	62	4	4	49	40	2
4	Mullinahone,	21,484	4,110	85	65	47	38	1	.	32	33	2
	124. CARRICK-ON-SUIR.											
1	Carrick-on-Suir, *W.*	23,243	11,788	321	263	158	163	12	15	130	133	5
2	Garrangibbon,	9,061	1,358	31	22	18	13	1	1	11	11	
3	Pilltown,	32,120	6,520	137	92	81	56	2	3	52	40	4
4	Portlaw,	11,198	4,817	127	75	63	64	2	2	35	40	5
5	Rathgormuck,	37,008	3,630	91	53	44	47	.	.	32	21	3
	125. CLOGHEEN.											
1	Ardfinnan,	42,560	6,544	166	78	88	78	1	1	43	35	8
2	Caher,	33,699	7,967	187	131	92	95	3	2	59	72	5
3	Clogheen, *W.*	42,168	7,736	206	151	108	98	5	3	78	73	5
	126. CLONMEL.											
1	Ballymacarbry,	16,075	2,301	65	33	42	23	1	1	14	19	3
2	Clonmel, *W.*	6,369	11,540	276	297	127	149	9	8	142	155	−2
3	Kilsheelan,	31,010	3,906	113	84	60	53	.	1	39	45	2
4	Kiltinan,	11,139	1,307	33	19	17	16	.	.	7	12	1
5	Marlfield,	12,240	2,761	53	35	24	29	.	.	19	16	1
6	St. Mary's,	9,977	2,274	61	33	32	29	.	.	14	19	2
	127. DUNGARVAN.											
1	Dungarvan, *W.*	23,441	10,591	293	247	154	139	7	6	130	117	4
2	Ringville,	22,477	3,723	105	69	48	57	2	.	25	44	3
3	Seskinan,	30,493	3,517	115	64	63	52	2	1	29	35	5
4	Whitechurch,	17,633	4,038	126	72	66	60	.	1	35	37	5
	128. ENNISCORTHY.											
1	Clonroche,	35,282	5,639	132	96	61	71	1	.	46	50	3
2	Enniscorthy, No. 1,	16,739	4,856	130	133	67	63	5	4	66	67	−1
3	,, No. 2, *W.*	19,043	7,016	141	164	74	67	3	5	80	84	−2
4	Ferns,	23,663	3,626	102	59	56	46	1	1	29	30	4
5	Killann,	34,378	4,980	125	83	58	67	.	.	36	47	4
6	Newtownbarry,	31,102	5,626	146	74	68	78	1	2	41	33	7
7	Oulart,	36,482	7,814	171	156	80	91	1	2	84	72	1
	129. FERMOY.											
1	Ballyhooly,	32,026	6,068	149	68	88	61	.	.	34	34	8
2	Ballynoe,	33,058	5,385	126	97	69	57	3	.	46	51	2
3	Fermoy, *W.*	19,029	10,699	245	229	126	119	4	1	124	105	1
4	Kilworth,	31,652	6,331	183	85	102	81	.	1	51	34	9
5	Rathcormack,	32,503	4,301	118	55	56	62	.	.	24	31	6
	130. KILMACTHOMAS.											
1	Bunmahon,	23,639	6,852	181	122	93	88	3	4	56	66	5
2	Kilmacthomas, *W.*	40,339	6,547	158	136	80	78	3	6	68	68	2

VII.—SOUTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	131. LISMORE.											
1	Ballyduff,	28,764	4,010	114	44	53	61	1	.	25	19	70
2	Cappoquin,	26,210	5,420	129	97	67	62	.	1	53	44	32
3	Lismore, *W.*	26,022	5,480	153	140	78	75	1	4	60	80	13
4	Tallow,	16,144	3,924	99	68	50	49	2	.	28	40	31
	132. MIDDLETON.											
1	Aghada,	19,046	7,168	196	74	106	90	.	1	42	32	122
2	Castlemartyr,	20,583	4,251	125	81	68	57	.	.	35	46	44
3	Cloyne,	16,027	6,143	153	72	86	67	1	.	43	29	81
4	Middleton, No. 1, *W.*	27,449	6,096	153	187	78	75	3	2	97	90	—34
5	„ No. 2,		3,359	89	58	45	44	.	.	27	31	31
6	Walshtownmore, East,	26,161	3,387	84	25	40	44	.	.	8	17	59
	133. MITCHELSTOWN.											
1	Galbally,	25,593	6,205	171	72	94	77	2	2	33	39	99
2	Kildorrery,	24,532	5,670	159	67	79	80	.	.	38	29	92
3	Mitchelstown, *W.*	36,832	8,870	241	169	126	115	6	2	80	89	72
	134. NEW ROSS.											
1	Carrickbyrne,	36,092	5,813	137	111	70	67	1	1	58	53	26
2	Dysartmoon,	28,479	5,245	135	64	73	62	.	.	30	34	71
3	Fethard, No. 1,	16,135	4,267	106	64	60	46	.	.	24	40	42
4	„ No. 2,	18,226	4,543	101	86	53	48	2	1	41	45	15
5	New Ross, *W.*	4,400	7,339	178	208	88	90	3	11	94	114	—30
6	Old Ross,	31,546	5,102	116	66	57	59	.	.	30	36	50
7	St. Mullins,	25,135	4,929	126	82	65	61	.	2	40	42	44
8	Templeludigan,	17,218	2,708	61	40	32	29	1	.	19	21	21
	135. THOMASTOWN.											
1	Graigue,	28,184	5,464	135	121	77	58	3	1	59	62	14
2	Inistioge,	25,186	3,656	87	71	43	44	1	1	32	39	16
3	Knocktopher,	28,357	4,815	104	62	50	54	1	.	30	32	42
4	Thomastown, *W.*	25,850	4,882	124	126	70	54	4	6	56	70	—2
	136. WATERFORD.											
1	Kilmakevoge,	30,770	5,741	143	110	77	66	2	1	53	57	33
2	Kilmeadan,	19,210	3,606	69	53	41	28	.	.	24	29	16
3	Tramore,	13,135	4,575	125	104	60	65	1	1	53	51	21
4	Ullid,	24,399	7,125	178	131	96	82	.	.	69	62	47
5	Waterford, *W.*	17,209	30,635	874	779	453	421	17	13	395	384	95
6	Woodstown,	20,996	5,634	140	89	69	71	.	2	36	53	51
	137. WEXFORD.											
1	Bannow,	24,245	4,964	93	93	54	44	.	2	50	43	5
2	Bridgetown,	28,262	6,924	141	118	91	50	2	1	55	63	23
3	Broadway,	21,611	5,176	121	109	65	56	1	.	57	52	12
4	Crossabeg,	16,172	3,902	87	73	43	44	2	.	25	48	14
5	Taghmon and Glynn,	25,688	4,560	89	81	48	41	.	.	44	37	8
6	Wexford, *W.*	10,323	15,114	435	457	208	227	5	6	235	222	—22
	138. YOUGHAL.											
1	Ardmore,	13,275	3,093	84	45	50	34	.	1	22	23	39
2	Clashmore,	12,494	3,464	90	38	44	46	1	.	21	17	52
3	Killeagh,	18,795	5,191	101	36	63	38	1	1	14	22	65
4	Templemichael,	21,229	2,725	52	24	32	20	.	.	16	8	28
5	Youghal, *W.*	4,831	7,486	172	198	92	80	6	8	94	104	—26

VIII.—SOUTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS.

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1871.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	139. BANDON.											
1	Bandon, *W.*	21,143	10,057	283	214	152	131	6	3	108	106	69
2	Inishannon,	17,103	3,426	69	59	35	34	1	.	28	31	10
3	Kilbrittain,	16,094	3,023	56	44	34	22	1	.	27	17	12
4	Murragh,	22,402	4,550	117	48	56	61	.	.	26	22	69
5	Templemartin,	24,598	4,684	127	67	55	72	.	.	37	30	60
	140. BANTRY.											
1	Bantry, *W.*	24,400	6,710	167	85	82	85	.	.	40	45	82
2	Durrus and Kilcrohane,	24,139	4,433	140	40	69	71	.	.	18	22	100
3	Glengarriff,	58,316	5,187	172	57	89	83	.	.	32	25	115
	141. CAHERSIVEEN.											
1	Caher, *W.*	46,741	7,024	228	145	112	116	1	2	77	68	83
2	Darrynane,	24,733	3,920	132	55	64	68	.	.	29	26	77
3	Emlagh,	65,160	6,827	271	79	140	131	2	.	42	37	192
4	Glanbehy,	50,460	4,266	146	65	68	78	.	.	34	31	81
5	Valencia,	10,451	3,111	123	57	62	61	.	1	33	24	66
	142. CASTLETOWN.											
1	Castletown, *W.*	39,623	6,677	220	124	115	105	.	2	50	74	96
2	Kilcatherine,	33,822	7,649	244	114	127	117	.	.	76	38	130
	143. CLONAKILTY.											
1	Clonakilty, *W.*	28,602	9,842	241	149	112	129	1	1	78	71	92
2	Rosscarbery,	27,354	8,612	244	91	128	116	.	.	54	37	153
3	Timoleague,	24,509	8,395	225	92	118	107	2	.	50	42	133
	144. CORK.											
1	Ballincollig,	17,718	5,331	151	88	82	69	.	.	45	43	63
2	Ballygarvan,	13,928	2,557	67	41	38	29	.	.	19	22	26
3	Blarney,	22,448	3,875	102	60	53	49	.	.	27	33	42
4	Carrigaline,	8,853	6,218	181	114	93	88	1	.	56	58	67
5	Carrignavar, No. 1,	42,333	4,442	120	71	65	55	.	.	34	37	49
6	„ No. 2,		3,330	92	45	50	42	1	.	20	25	47
7	Cork, No. 1,	13,816	10,156	310	272	154	156	1	.	147	125	38
8	„ No. 2,		11,555	279	245	137	142	.	.	125	120	34
9	„ No. 3,		6,818	295	315	148	147	.	.	134	181	—20
10	„ No. 4,		6,227	142	188	64	78	1	1	87	101	—46
11	„ No. 5,		11,269	237	286	120	117	.	.	147	139	—49
12	„ No. 6,		15,230	448	305	235	213	.	.	136	169	143
13	„ No. 7,		7,536	209	152	98	111	.	1	69	83	57
14	„ No. 8, *W.*		18,362	476	805	242	234	26	13	379	426	—329
15	„ No. 9,		4,790	103	141	49	54	.	.	83	58	—38
16	Douglas,	10,081	3,067	86	45	42	44	.	.	21	24	41
17	Dripsey,	18,231	4,271	123	48	63	60	.	.	19	29	75
18	Queenstown,	7,013	14,411	346	218	178	168	.	.	123	95	128
19	Whitechurch,	15,311	3,912	100	49	57	43	.	.	24	25	51
	145. CROOM.											
1	Adare,	25,251	4,587	113	53	60	53	.	.	22	31	60
2	Castletown,	28,162	5,676	141	93	78	63	1	.	51	42	48
3	Croom, *W.*	29,911	6,798	144	126	59	85	1	2	58	68	18
	146. DINGLE.											
1	Anascaul,	28,251	3,717	120	51	68	52	.	.	25	26	69
2	Blaskets, The,	1,585	142	4	2	3	1	.	.	1	1	2
3	Castlegregory,	41,050	5,155	161	70	81	80	.	2	35	35	91
4	Dingle, *W.*	23,034	5,775	171	117	87	84	.	2	62	55	54
5	Ventry,	31,359	5,456	139	36	86	53	.	.	18	18	103

VIII.—SOUTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1871.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	147. DUNMANWAY.											
1	Ballineen,	28,192	6,135	175	66	84	91	.	1	34	32	109
2	Coolmountain,	46,842	5,765	184	77	78	106	3	.	37	40	107
3	Dunmanway, *W.*	28,883	5,766	205	111	103	102	.	2	57	54	94
	148. GLIN.											
1	Shanagolden,	21,956	5,426	151	75	74	77	.	1	43	32	76
2	Tarbert, No. 1,	16,134	4,636	158	63	70	88	.	1	27	36	95
3	,, No. 2, *W.*	22,576	4,837	151	98	77	74	1	3	44	54	53
	149. KANTURK.											
1	Boherboy,	35,152	7,262	262	116	147	115	.	1	58	58	146
2	Kanturk, *W.*	47,821	9,982	246	189	131	115	3	3	101	88	57
3	Milford,	40,053	7,394	201	118	108	93	.	1	62	56	83
4	Newmarket,	63,498	8,158	286	97	141	145	.	3	51	46	189
	150. KENMARE.											
1	Kenmare, *W.*	31,688	4,719	148	99	75	73	3	3	53	46	49
2	Kilgarvan,	52,381	3,723	116	42	64	52	2	.	18	24	74
3	Sneem,	58,356	5,757	187	64	91	96	.	.	29	35	123
4	Tuosist,	55,727	4,149	138	47	76	62	.	.	26	21	91
	151. KILLARNEY.											
1	Coom,	77,216	9,049	334	110	169	165	3	.	53	57	224
2	Killarney, No. 1, *W.*	56,421	5,670	142	179	80	62	3	1	88	91	—37
3	,, No. 2,		6,257	193	86	98	95	2	.	52	34	107
4	Killorglin,	53,836	9,458	369	164	183	186	4	2	90	74	205
5	Milltown,	25,071	6,499	216	100	117	99	2	3	49	51	116
6	Molahiffe,	38,743	7,510	229	72	118	111	.	.	39	33	157
	152. KILMALLOCK.											
1	Bruff,	20,721	5,918	143	99	80	63	1	1	57	42	44
2	Bruree,	23,029	4,049	84	59	46	38	.	2	41	18	25
3	Charleville,	25,409	6,070	160	101	78	82	.	.	48	53	59
4	Hospital,	18,926	5,615	163	96	80	83	.	.	46	50	67
5	Kilfinnane,	37,490	8,353	264	142	136	128	3	4	57	85	122
6	Kilmallock, *W.*	19,575	5,466	168	166	68	100	8	14	88	78	2
	153. KINSALE.											
1	Ballyfeard,	19,455	3,925	102	67	59	43	1	.	30	37	35
2	Ballymartle,	19,112	2,922	87	41	48	39	.	.	21	20	46
3	Carrigaline,	15,078	4,284	105	68	66	39	.	1	30	38	37
4	Courceys,	13,495	3,125	102	52	55	47	1	.	30	22	50
5	Kinsale, *W.*	12,511	10,338	257	238	134	123	4	3	131	107	19
	154. LIMERICK.											
1	Annacotty,	22,273	6,613	143	71	80	63	.	2	36	35	72
2	Bridgetown,	41,155	6,764	138	86	73	65	.	1	49	37	52
3	Caherconlish,	27,543	5,752	127	97	62	65	.	.	42	55	30
4	City of Limerick, No. 1,	8,509	7,918	184	182	90	94	.	.	88	94	2
5	,, No. 2, *W.*		8,992	225	539	109	116	11	12	232	307	—314
6	,, No. 3,		11,424	233	147	124	109	.	1	66	81	86
7	,, No. 4,		15,875	521	314	280	241	2	.	152	162	207
8	Clarina,	22,680	5,472	116	92	61	55	.	1	48	44	24
9	Coolacasey,	27,545	4,316	115	68	71	44	1	.	38	30	47
10	Moroe,	28,046	6,092	186	91	100	86	.	2	47	44	95

VIII.—SOUTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1875—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1871.	TOTAL.		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	155. LISTOWEL.											
1	Ballyduff,	29,235	8,105	259	116	136	123	3	2	58	58	143
2	Ballyhorgan,	42,247	6,350	215	93	121	94	2	1	47	46	122
3	Ballylongford,	36,474	8,463	242	87	112	130	.	.	54	33	155
4	Listowel, *W.*	43,252	11,365	391	239	209	182	7	1	123	116	152
	156. MACROOM.											
1	Cannaway,	26,643	4,869	143	57	75	68	1	.	25	32	86
2	Clonmoyle,	35,354	6,105	159	77	74	85	2	.	34	43	82
3	Inchigeelagh,	32,257	5,598	137	44	82	55	.	.	24	20	93
4	Macroom, *W.*	39,416	9,227	287	155	144	143	2	3	83	72	132
5	Slievereagh,	45,438	4,745	211	77	101	110	.	1	36	41	134
	157. MALLOW.											
1	Ballyclogh,	16,904	2,657	51	19	18	33	.	.	10	9	32
2	Buttevant,	28,981	6,437	159	82	98	61	2	1	35	47	77
3	Doneraile,	29,783	5,536	140	92	70	70	.	1	42	50	48
4	Kilshannig,	37,650	5,983	146	73	72	74	.	1	34	39	73
5	Mallow, *W.*	12,780	6,546	174	191	96	78	4	8	100	91	—17
6	Rahan,	23,467	3,436	85	34	43	42	1	.	16	18	51
	158. MILLSTREET.											
1	Cullen,	28,393	6,314	215	76	114	101	2	.	41	35	139
2	Millstreet, *W.*	46,513	8,278	235	124	124	111	4	.	53	71	111
	159. NEWCASTLE.											
1	Abbeyfeale,	36,885	8,624	324	117	161	163	3	1	55	62	207
2	Ardagh,	30,173	5,371	168	67	87	81	1	4	32	35	101
3	Broadford,	37,157	6,461	184	90	89	95	.	.	41	49	94
4	Feenagh,	20,913	4,179	114	67	58	56	.	.	20	47	47
5	Newcastle, *W.*	17,896	5,561	158	159	82	76	4	5	78	81	—1
	160. RATHKEALE.											
1	Askeaton,	22,183	4,608	111	61	53	58	.	.	32	29	50
2	Pallaskenry,	19,945	4,537	113	49	58	55	.	1	27	22	64
3	Rathkeale, No. 1, *W.*	37,804	4,739	124	158	58	66	1	1	74	84	—34
4	„ No. 2,		4,000	115	60	68	47	.	1	36	24	55
	161. SKIBBEREEN.											
1	Dromdaleague,	43,125	7,302	222	80	112	110	.	.	43	37	142
2	Skibbereen, *W.*	23,627	8,822	235	172	123	112	3	1	90	82	63
3	Tullagh,	20,979	6,643	179	64	90	89	1	.	34	30	115
4	Unionhall,	27,293	8,618	231	112	123	108	.	1	62	50	119
	162. SKULL.											
1	Goleen,	22,888	5,028	143	44	69	74	.	.	21	23	99
2	Skull, *W.*	34,281	8,111	225	113	102	123	1	2	57	56	112
	163. TRALEE.											
1	Ardfert,	38,753	9,431	225	116	121	104	.	1	57	59	109
2	Brosna,	60,422	7,754	326	111	158	168	3	2	49	62	215
3	Castleisland,	36,325	6,801	255	112	121	134	1	2	67	45	143
4	Castlemaine,	18,199	2,717	81	41	45	36	.	.	20	21	40
5	Kilgobban,	10,416	1,130	37	18	23	14	.	.	8	10	19
6	Tralee, No. 1, *W.*	57,732	9,216	262	258	144	118	7	5	125	133	4
7	„ No. 2,		12,782	287	166	146	141	1	.	90	76	121

TABLES SHOWING THE NUMBER

OF

BIRTHS

AND

DEATHS

REGISTERED IN EACH OF THE FOUR QUARTERS OF THE YEAR;

ALSO

DEATHS AT DIFFERENT AGES,

AND

CAUSES OF DEATH;

IN 1875.

Note.—The Number of Marriages *Registered in each Quarter of the Year* 1875 *will be found stated in the Abstract of Marriages, Page* 36.

BIRTHS registered in Ireland in the Four Quarters ending
(*Exclusive of*

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	IRELAND,	20,322,641	5,412,377	138,320	36,378	37,405	32,588	31,949
	DIVISIONS.							
I.	North-Eastern,	2,328,305	1,111,167	29,407	7,619	7,982	7,024	6,782
II.	North-Western,	2,392,501	526,339	12,487	3,437	3,297	2,884	2,869
III.	Eastern,	1,993,016	787,416	20,074	5,253	5,251	4,876	4,694
IV.	North Midland,	2,019,408	511,940	11,895	3,089	3,195	2,868	2,752
V.	South Midland,	2,361,709	448,840	10,623	2,701	2,913	2,582	2,427
VI.	Western,	4,088,459	766,202	19,280	5,182	4,832	4,414	4,852
VII.	South-Eastern,	1,826,172	451,483	11,407	3,019	3,259	2,605	2,524
VIII.	South-Western,	3,313,071	808,990	23,147	6,087	6,676	5,335	5,049
	I.—NORTH-EASTERN.							
1	Antrim,	117,119	35,928	935	249	251	231	204
2	Armagh,	154,253	72,391	1,554	431	416	354	353
3	Ballycastle,	102,197	18,507	433	123	114	106	90
4	Ballymena,	161,161	71,465	2,100	576	524	526	474
5	Ballymoney,	127,518	38,505	897	225	287	179	206
6	Banbridge,	124,928	65,768	1,509	384	431	358	336
7	Belfast,	47,812	202,591	7,181	1,763	1,933	1,771	1,714
8	Castleblayney,	94,213	39,584	956	282	246	223	205
9	Coleraine,	112,396	38,773	956	261	256	200	239
10	Cookstown,	96,720	34,661	783	198	228	191	166
11	Downpatrick,	147,361	54,644	1,113	261	305	288	259
12	Dungannon,	102,548	45,989	997	259	276	229	233
13	Kilkeel,	81,829	21,426	544	157	130	121	136
14	Larne,	117,784	34,401	1,031	292	265	247	227
15	Limavady,	152,712	27,821	665	164	182	150	169
16	Lisburn,	119,843	59,714	1,548	408	428	370	342
17	Lurgan,	79,464	69,916	1,814	463	524	444	383
18	Magherafelt,	156,721	58,747	1,387	357	387	321	322
19	Newry,	137,875	72,105	1,745	458	454	413	420
20	Newtownards,	93,851	48,231	1,259	308	345	302	304
	II.—NORTH-WESTERN.							
21	Ballyshannon,	132,353	28,308	606	168	158	153	127
22	Castlederg,	91,785	16,311	387	91	112	84	100
23	Donegal,	160,411	29,393	624	190	168	129	137
24	Dunfanaghy,	125,650	16,477	432	127	104	93	108
25	Enniskillen,	203,628	43,599	1,017	270	278	237	232
26	Glenties,	257,430	37,930	974	261	258	203	252
27	Gortin,	111,261	15,546	371	111	93	83	84
28	Inishowen,	159,408	33,697	918	228	254	186	250
29	Irvinestown,	75,927	19,713	417	119	121	85	92
30	Letterkenny,	101,207	17,113	358	101	94	94	69
31	Londonderry,	143,996	58,758	1,488	450	344	359	335

March 31st, June 30th, September 30th, and December 31st, 1875.
Still-born.)

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
18,584	19,432	16,616	16,486	71,118	67,202	17,794	17,973	15,972	15,463	**IRELAND.**
										DIVISIONS.
3,832	4,122	3,596	3,470	15,020	14,387	3,787	3,860	3,428	3,312	North-Eastern.
1,773	1,697	1,488	1,522	6,480	6,007	1,664	1,600	1,396	1,347	North-Western.
2,702	2,699	2,505	2,430	10,336	9,738	2,551	2,552	2,371	2,264	Eastern.
1,549	1,690	1,396	1,449	6,084	5,811	1,531	1,505	1,472	1,303	North Midland.
1,404	1,553	1,329	1,237	5,523	5,100	1,297	1,360	1,253	1,190	South Midland.
2,607	2,539	2,254	2,481	9,881	9,399	2,575	2,293	2,160	2,371	Western.
1,573	1,703	1,314	1,332	5,922	5,485	1,446	1,556	1,291	1,192	South-Eastern.
3,144	3,429	2,734	2,565	11,872	11,275	2,943	3,247	2,601	2,484	South-Western.
										I.—NORTH-EASTERN.
123	114	115	110	462	473	126	137	116	94	ANTRIM.
238	204	198	174	814	740	193	212	156	179	ARMAGH.
59	69	51	45	224	209	64	45	55	45	BALLYCASTLE.
276	271	293	262	1,102	998	300	253	233	212	BALLYMENA.
110	152	97	93	452	445	115	135	82	113	BALLYMONEY.
191	232	178	164	765	744	193	199	180	172	BANBRIDGE.
888	1,019	885	882	3,674	3,507	875	914	886	832	BELFAST.
139	124	113	97	473	483	143	122	110	108	CASTLEBLAYNEY.
124	136	104	132	496	460	137	120	96	107	COLERAINE.
97	124	91	80	392	391	101	104	100	86	COOKSTOWN.
123	160	139	137	559	554	138	145	149	122	DOWNPATRICK.
124	130	124	124	502	495	135	146	105	109	DUNGANNON.
87	64	60	72	283	261	70	66	61	64	KILKEEL.
155	135	131	107	528	503	137	130	116	120	LARNE.
80	96	79	89	344	321	84	86	71	80	LIMAVADY.
202	207	185	170	764	784	206	221	185	172	LISBURN.
235	270	219	194	918	896	228	254	225	189	LURGAN.
172	207	163	176	718	669	185	180	158	146	MAGHERAFELT.
250	234	219	200	903	842	208	220	194	220	NEWRY.
159	174	152	162	647	612	149	171	150	142	NEWTOWNARDS.
										II.—NORTH-WESTERN.
100	79	78	69	326	280	68	79	75	58	BALLYSHANNON.
46	61	48	53	208	179	45	51	36	47	CASTLEDERG.
98	86	63	72	319	305	92	82	66	65	DONEGAL.
55	50	45	56	206	226	72	54	48	52	DUNFANAGHY.
142	139	122	136	539	478	128	139	115	96	ENNISKILLEN.
127	151	124	130	532	442	134	107	79	122	GLENTIES.
64	51	32	52	199	172	47	42	51	32	GORTIN.
104	131	103	128	466	452	124	123	83	122	INISHOWEN.
69	71	39	46	225	192	50	50	46	46	IRVINESTOWN.
46	44	49	28	167	191	55	50	45	41	LETTERKENNY.
233	172	182	173	760	728	217	172	177	162	LONDONDERRY.

BIRTHS registered in Ireland in the Four Quarters ending

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				TOTAL.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	II.—NORTH-WESTERN— *continued.*							
32	MANORHAMILTON,	144,847	30,667	800	200	234	186	180
33	MILLFORD,	111,335	25,819	590	152	167	147	124
34	OMAGH,	174,217	47,139	1,134	312	276	275	271
35	SLIGO,	143,523	47,750	1,050	278	297	258	217
36	STRABANE,	134,372	39,510	920	242	247	229	202
37	STRANORLAR,	121,151	18,609	401	137	92	83	89
	III.—EASTERN.							
38	ARDEE,	96,211	22,282	513	126	169	112	106
39	BAILIEBOROUGH,	65,909	22,062	536	120	147	112	157
40	BALROTHERY,	75,139	20,066	514	136	138	118	122
41	BALTINGLASS,	139,108	20,403	469	122	130	111	106
42	CARRICKMACROSS,	60,664	20,650	473	101	146	105	121
43	CELBRIDGE,	86,838	18,062	351	93	94	78	86
44	DROGHEDA,	99,045	34,726	790	190	212	206	182
45	DUBLIN, NORTH,	40,769	134,091	4,132	1,090	1,054	996	992
46	DUBLIN, SOUTH,	48,089	199,512	5,280	1,373	1,302	1,374	1,231
47	DUNDALK,	104,434	45,401	1,172	324	290	285	273
48	DUNSHAUGHLIN,	108,339	11,647	249	79	64	53	53
49	GOREY,	129,705	23,209	527	142	152	117	116
50	KELLS,	108,982	21,895	532	162	152	109	109
51	NAAS,	216,622	44,197	1,060	253	291	264	252
52	NAVAN,	94,466	19,311	418	128	102	112	76
53	RATHDOWN,	61,514	54,697	1,323	368	305	335	315
54	RATHDRUM,	227,541	37,807	856	217	263	193	183
55	SHILLELAGH,	110,122	17,857	398	100	106	91	101
56	TRIM,	119,519	19,541	481	129	134	105	113
	IV.—NORTH MIDLAND.							
57	ATHLONE,	150,768	33,612	770	202	225	201	142
58	BALLYMAHON,	100,126	18,788	430	124	108	118	80
59	BAWNBOY,	104,504	24,006	606	173	174	120	139
60	CARRICK-ON-SHANNON,	100,736	28,115	750	199	178	185	188
61	CAVAN,	160,662	53,562	1,306	363	338	307	298
62	CLOGHER,	101,679	25,199	565	145	157	119	144
63	CLONES,	73,502	23,207	485	141	109	114	121
64	COOTEHILL,	105,848	34,831	765	196	195	180	194
65	DELVIN,	74,775	11,847	236	65	56	59	56
66	GRANARD,	134,003	33,633	837	201	234	218	184
67	LISNASKEA,	98,745	22,946	490	137	134	108	111
68	LONGFORD,	109,961	29,530	668	167	171	180	150
69	MOHILL,	92,955	27,714	650	163	185	163	139
70	MONAGHAN,	112,739	40,829	835	204	235	203	193
71	MULLINGAR,	208,401	36,837	819	196	243	178	202
72	OLDCASTLE,	85,912	21,471	587	144	163	148	132
73	ROSCOMMON,	114,056	22,468	558	139	153	138	128
74	STROKESTOWN,	90,036	23,345	538	121	137	129	151

March 31st, June 30th, September 30th, and December 31st, 1875—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										II.—NORTH-WESTERN *—continued.*
105	121	94	90	410	390	95	113	92	90	Manorhamilton.
81	93	75	71	320	270	71	74	72	53	Millford.
162	145	143	152	602	532	150	131	132	119	Omagh.
145	135	135	113	528	522	133	162	123	104	Sligo.
119	123	111	107	460	460	123	124	118	95	Strabane.
77	45	45	46	213	188	60	47	38	43	Stranorlar.
										III.—EASTERN.
67	95	60	52	274	239	59	74	52	54	Ardee.
76	70	63	78	287	249	44	77	49	79	Bailieborough.
63	71	51	62	247	267	73	67	67	60	Balrothery.
64	73	61	64	262	207	58	57	50	42	Baltinglass.
62	77	50	61	250	223	39	69	55	60	Carrickmacross.
43	63	34	47	187	164	50	31	44	39	Celbridge.
96	104	110	78	388	402	94	108	96	104	Drogheda.
561	535	540	517	2,153	1,979	529	519	456	475	Dublin, North.
702	669	707	640	2,718	2,562	671	633	667	591	Dublin, South.
174	144	148	149	615	557	150	146	137	124	Dundalk.
45	37	28	28	138	111	34	27	25	25	Dunshaughlin.
70	78	59	61	268	259	72	74	58	55	Gorey.
80	78	62	66	286	246	82	74	47	43	Kells.
120	143	139	128	530	530	133	148	125	124	Naas.
64	59	48	38	209	209	64	43	64	38	Navan.
183	160	160	163	666	657	185	145	175	152	Rathdown.
110	128	93	91	422	434	107	135	100	92	Rathdrum.
51	53	43	57	204	194	49	53	48	44	Shillelagh.
71	62	49	50	232	249	58	72	56	63	Trim.
										IV.—NORTH MIDLAND.
98	120	107	69	394	376	104	105	94	73	Athlone.
62	57	52	43	214	216	62	51	66	37	Ballymahon.
89	100	56	70	315	291	84	74	64	69	Bawnboy.
102	94	104	91	391	359	97	84	81	97	Carrick-on-Shannon.
182	181	145	159	667	639	181	157	162	139	Cavan.
75	82	59	71	287	278	70	75	60	73	Clogher.
65	53	59	64	241	244	76	56	55	57	Clones.
112	120	81	97	410	355	84	75	99	97	Cootehill.
28	31	29	28	116	120	37	25	30	28	Delvin.
91	124	101	99	415	422	110	110	117	85	Granard.
75	64	56	52	247	243	62	70	52	59	Lisnaskea.
79	94	91	76	340	328	88	77	89	74	Longford.
84	87	75	81	327	323	79	98	88	58	Mohill.
112	130	99	101	442	393	92	105	104	92	Monaghan.
97	122	87	116	422	397	99	121	91	86	Mullingar.
76	77	69	71	293	294	68	86	79	61	Oldcastle.
65	83	69	72	289	269	74	70	69	56	Roscommon.
57	71	57	89	274	264	64	66	72	62	Strokestown.

BIRTHS registered in Ireland in the Four Quarters ending

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				TOTAL.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	V.—SOUTH MIDLAND.							
75	ABBEYLEIX,	107,167	19,949	460	113	123	130	94
76	ATHY,	160,254	30,025	703	185	197	158	163
77	BORRISOKANE,	81,850	11,510	221	57	52	60	52
78	CARLOW,	185,857	45,835	1,089	272	291	294	232
79	CASHEL,	156,822	29,392	707	199	180	165	163
80	CASTLECOMER,	57,820	14,302	387	89	111	84	103
81	DONAGHMORE,	51,060	8,359	169	44	51	42	32
82	EDENDERRY,	172,407	20,160	506	126	138	122	120
83	KILKENNY,	110,943	31,193	687	177	164	182	164
84	MOUNTMELLICK,	200,633	37,165	869	227	260	185	197
85	NENAGH,	183,088	33,206	824	217	207	206	194
86	PARSONSTOWN,	220,437	32,261	750	175	223	191	161
87	ROSCREA,	118,488	20,034	400	101	110	83	106
88	THURLES,	143,351	31,475	760	200	217	170	173
89	TIPPERARY,	179,988	42,931	1,182	310	335	272	265
90	TULLAMORE,	155,395	28,420	641	147	188	160	146
91	URLINGFORD,	76,149	12,623	268	62	66	78	62
	VI.—WESTERN.							
92	BALLINA,	150,415	30,911	683	174	219	139	151
93	BALLINASLOE,	160,507	24,291	524	126	158	115	125
94	BALLINROBE,	144,894	29,276	762	195	201	170	196
95	BALLYVAGHAN,	71,063	5,712	144	31	38	40	35
96	BELMULLET,	177,933	15,758	387	122	104	67	94
97	BOYLE,	159,696	44,240	990	261	254	212	263
98	CASTLEBAR,	140,998	32,174	642	170	153	132	187
99	CASTLEREAGH,	162,363	44,238	1,128	322	243	286	277
100	CLAREMORRIS,	110,788	31,300	911	240	169	232	270
101	CLIFDEN,	192,965	25,231	691	165	195	165	166
102	CORROFIN,	61,386	7,095	133	46	58	37	42
103	DROMORE, WEST,	96,985	17,742	454	101	134	131	88
104	ENNIS,	112,505	26,530	583	167	176	121	119
105	ENNISTIMON,	99,281	23,355	582	157	157	129	139
106	GALWAY,	197,467	44,022	1,111	285	312	266	248
107	GLENNAMADDY,	100,319	20,274	582	195	99	122	166
108	GORT,	107,919	17,973	436	127	99	81	129
109	KILLADYSERT,	62,319	12,211	363	115	100	69	79
110	KILLALA,	104,882	10,242	301	79	86	80	56
111	KILRUSH,	136,788	35,978	929	274	260	205	190
112	LOUGHREA,	198,832	26,402	576	149	150	142	135
113	MOUNTBELLEW,	102,383	18,423	432	119	99	88	126
114	NEWPORT,	170,413	16,061	446	123	96	118	109
115	OUGHTERARD,	172,745	19,591	561	117	147	136	161
116	PORTUMNA,	77,046	12,906	330	92	93	77	68
117	SCARRIFF,	86,320	13,953	336	93	106	68	69
118	SWINEFORD,	152,594	53,540	1,445	403	236	324	482
119	TOBERCURRY,	125,774	26,724	718	195	176	164	183
120	TUAM,	190,649	41,323	1,025	306	220	242	257
121	TULLA,	84,723	13,961	361	78	110	88	85
122	WESTPORT,	175,507	24,765	664	155	184	168	157

March 31st, June 30th, September 30th, and December 31st, 1875—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH MIDLAND.
64	61	68	54	247	213	49	62	62	40	Abbeyleix.
97	114	75	78	364	339	88	83	83	85	Athy.
34	31	28	23	116	105	23	21	32	29	Borrisokane.
139	151	141	103	534	555	133	140	153	129	Carlow.
100	104	91	90	385	322	99	76	74	73	Cashel.
40	47	37	47	171	216	49	64	47	56	Castlecomer.
24	26	25	18	93	76	20	25	17	14	Donaghmore.
69	74	66	60	269	237	57	64	56	60	Edenderry.
95	89	100	89	373	314	82	75	82	75	Kilkenny.
124	147	93	98	462	407	103	113	92	99	Mountmellick.
122	101	92	110	425	399	95	106	114	84	Nenagh.
78	115	99	75	367	383	97	108	92	86	Parsonstown.
48	53	45	62	208	192	53	57	38	44	Roscrea.
97	124	96	79	396	364	103	93	74	94	Thurles.
169	181	148	137	635	547	141	154	124	128	Tipperary.
73	104	84	83	344	297	74	84	76	63	Tullamore.
31	31	41	31	134	134	31	35	37	31	Urlingford.
										VI.—WESTERN.
101	117	68	76	362	321	73	102	71	75	Ballina.
65	74	59	69	267	257	61	84	56	56	Ballinasloe.
103	94	91	100	388	374	92	107	79	96	Ballinrobe.
13	20	13	19	65	79	18	18	27	16	Ballyvaghan.
69	54	31	48	202	185	53	50	36	46	Belmullet.
151	127	112	147	537	453	110	127	100	116	Boyle.
73	89	74	82	318	324	97	64	58	105	Castlebar.
160	116	138	143	557	571	162	127	148	134	Castlereagh.
122	89	125	137	473	438	118	80	107	133	Claremorris.
75	106	74	75	330	361	90	89	91	91	Clifden.
20	30	16	23	89	94	26	28	21	19	Corrofin.
58	75	73	45	251	203	43	59	58	43	Dromore, West.
73	96	58	61	288	295	94	80	63	58	Ennis.
77	83	64	77	301	281	80	74	65	62	Ennistimon.
142	157	128	140	567	544	143	155	138	108	Galway.
93	55	69	83	300	282	102	44	53	83	Glennamaddy.
71	62	39	64	236	200	56	37	42	65	Gort.
58	47	36	38	179	184	57	53	33	41	Killadysert.
37	49	44	32	162	139	42	37	36	24	Killala.
135	138	106	98	477	452	139	122	99	92	Kilrush.
77	79	70	70	296	280	72	71	72	65	Loughrea.
53	48	44	63	208	224	66	51	44	63	Mountbellew.
56	57	63	54	230	216	67	39	55	55	Newport.
61	79	70	86	296	265	56	68	66	75	Oughterard.
36	44	47	35	162	168	56	49	30	33	Portumna.
48	62	35	36	181	155	45	44	33	33	Scarriff.
201	130	158	240	729	716	202	106	166	242	Swineford.
100	90	91	101	382	336	95	86	73	82	Tobercurry.
162	123	117	127	529	496	144	97	125	130	Tuam.
41	60	52	47	200	161	37	50	36	38	Tulla.
76	89	89	65	319	345	79	95	79	92	Westport.

BIRTHS registered in Ireland in the Four Quarters endin

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	VII.—SOUTH-EASTERN.							
123	Callan,	104,011	20,764	519	130	145	141	103
124	Carrick-on-Suir,	112,630	28,113	707	181	189	171	166
125	Clogheen,	118,427	22,247	559	139	164	124	132
126	Clonmel,	86,810	24,089	601	150	185	127	139
127	Dungarvan,	94,044	21,869	639	179	218	122	120
128	Enniscorthy,	196,689	39,557	947	267	274	202	204
129	Fermoy,	148,268	32,784	821	190	244	208	179
130	Kilmacthomas,	64,478	13,399	339	93	85	76	85
131	Lismore,	97,140	18,834	495	129	145	116	105
132	Middleton,	109,266	30,404	800	200	238	177	185
133	Mitchelstown,	86,957	20,745	571	154	155	137	125
134	New Ross,	177,231	39,946	960	281	264	202	213
135	Thomastown,	107,577	18,817	450	124	123	106	97
136	Waterford,	125,719	57,316	1,529	427	415	343	344
137	Wexford,	126,301	40,640	971	252	275	236	208
138	Youghal,	70,624	21,959	499	123	140	117	119
	VIII.—SOUTH-WESTERN.							
139	Bandon,	101,345	25,740	652	162	184	153	153
140	Bantry,	106,855	16,330	479	101	151	123	104
141	Cahersiveen,	197,545	25,148	900	233	264	171	232
142	Castletown,	73,445	14,326	464	129	126	98	111
143	Clonakilty,	80,465	26,849	710	193	192	175	150
144	Cork,	169,732	143,377	3,867	972	1,097	947	851
145	Croom,	83,324	17,061	398	104	105	100	89
146	Dingle,	125,279	20,245	595	151	182	141	121
147	Dunmanway,	103,917	17,666	564	147	177	113	127
148	Glin,	60,666	14,899	460	121	150	91	98
149	Kanturk,	186,524	32,796	995	285	268	227	215
150	Kenmare,	198,152	18,348	589	156	158	140	135
151	Killarney,	251,287	44,443	1,483	398	477	315	293
152	Kilmallock,	145,150	35,471	982	254	281	226	221
153	Kinsale,	79,651	24,594	653	173	181	174	125
154	Limerick,	177,951	79,248	1,988	517	550	501	420
155	Listowel,	151,208	34,283	1,107	300	321	251	235
156	Macroom,	179,108	30,544	937	240	272	218	207
157	Mallow,	149,565	30,595	755	214	215	154	172
158	Millstreet,	74,906	14,592	450	120	127	111	92
159	Newcastle,	143,024	30,196	948	262	280	216	190
160	Rathkeale,	79,932	17,884	463	98	141	120	104
161	Skibbereen,	115,024	31,385	867	242	243	166	216
162	Skull,	57,169	13,139	368	100	97	90	81
163	Tralee,	221,847	49,831	1,473	415	437	314	307

March 31st, June 30th, September 30th, and December 31st, 1875—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										VII.—SOUTH-EASTERN.
64	79	65	57	265	254	66	66	76	46	Callan.
87	98	89	90	364	343	94	91	82	76	Carrick-on-Suir.
82	71	65	70	288	271	57	93	59	62	Clogheen.
75	92	66	69	302	299	75	93	61	70	Clonmel.
95	114	62	60	331	308	84	104	60	60	Dungarvan.
125	126	109	104	464	483	142	148	93	100	Enniscorthy.
88	134	110	109	441	380	102	110	98	70	Fermoy.
46	46	34	47	173	166	47	39	42	38	Kilmacthomas.
70	74	51	53	248	247	59	71	65	52	Lismore.
107	128	90	98	423	377	93	110	87	87	Middleton.
80	85	66	68	299	272	74	70	71	57	Mitchelstown.
152	134	102	110	498	462	129	130	100	103	New Ross.
64	64	54	58	240	210	60	59	52	39	Thomastown.
236	230	161	169	796	733	191	185	182	175	Waterford.
135	145	125	104	509	462	117	130	111	104	Wexford.
67	83	65	66	281	218	56	57	52	53	Youghal.
										VIII.–SOUTH-WESTERN
72	102	83	75	332	320	90	82	70	78	Bandon.
43	76	59	62	240	239	58	75	64	42	Bantry.
112	136	88	110	446	454	121	128	83	122	Cahersiveen.
76	61	48	57	242	222	53	65	50	54	Castletown.
93	106	84	75	358	352	100	86	91	75	Clonakilty.
501	561	484	422	1,968	1,899	471	536	463	429	Cork.
55	49	51	42	197	201	49	56	49	47	Croom.
85	97	76	67	325	270	66	85	65	54	Dingle.
65	87	60	53	265	299	82	90	53	74	Dunmanway.
63	80	40	38	221	239	58	70	51	60	Glin.
144	142	126	115	527	468	141	126	101	100	Kanturk.
82	86	65	73	306	283	74	72	75	62	Kenmare.
227	245	154	139	765	718	171	232	161	154	Killarney.
117	145	110	116	488	494	137	136	116	105	Kilmallock.
106	92	97	67	362	291	67	89	77	58	Kinsale.
275	282	272	221	1,050	938	242	268	229	199	Limerick.
154	183	113	128	578	529	146	138	138	107	Listowel.
121	136	116	103	476	461	119	136	102	104	Macroom.
113	106	85	93	397	358	101	109	69	79	Mallow.
66	64	61	47	238	212	54	63	50	45	Millstreet.
129	144	112	92	477	471	133	136	104	98	Newcastle.
43	67	68	59	237	226	55	74	52	45	Rathkeale.
133	111	89	115	448	419	109	132	77	101	Skibbereen.
47	47	38	39	171	197	53	50	52	42	Skull.
222	224	155	157	758	715	193	213	159	150	Tralee.

BIRTHS registered in each REGISTRATION PROVINCE and COUNTY in Ireland in the Four
(*Exclusive of*

No.	REGISTRATION PROVINCES AND COUNTIES.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES. TOTAL.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	IRELAND,	20,322,641	5,412,377	138,320	36,378	37,405	32,568	31,949
No.	PROVINCES.							
I.	**LEINSTER,**	4,703,640	1,315,355	32,431	8,456	8,663	7,925	7,387
II.	**MUNSTER,**	6,005,406	1,408,092	38,282	10,097	10,960	8,766	8,459
III.	**ULSTER,**	5,402,600	1,847,852	46,692	12,302	12,546	10,980	10,864
IV.	**CONNAUGHT,**	4,210,995	841,078	20,915	5,523	5,236	4,917	5,239
	I.—PROVINCE OF LEINSTER—							
No.								
1	CARLOW,	185,857	45,835	1,089	272	291	294	232
2	DUBLIN,	225,511	408,366	11,249	2,967	2,799	2,823	2,660
3	KILDARE,	463,714	92,284	2,114	531	582	500	501
4	KILKENNY,	456,500	97,699	2,311	582	609	591	529
5	KING'S,	548,239	80,841	1,897	448	549	473	427
6	LONGFORD,	344,090	81,951	1,935	492	513	516	414
7	LOUTH,	299,690	102,409	2,475	640	671	603	561
8	MEATH,	431,306	72,394	1,680	498	452	379	351
9	QUEEN'S,	358,860	65,473	1,498	384	434	357	323
10	WESTMEATH,	283,176	48,684	1,055	261	299	237	258
11	WEXFORD,	629,926	143,352	3,405	942	965	757	741
12	WICKLOW,	476,771	76,067	1,723	439	499	395	390
	II.—PROVINCE OF MUNSTER—							
13	CLARE,	714,385	138,795	3,481	961	1,005	757	758
14	CORK,	1,892,821	527,825	14,452	3,745	4,107	3,388	3,212
15	KERRY,	1,145,318	192,298	6,147	1,653	1,839	1,332	1,323
16	LIMERICK,	690,047	194,759	5,239	1,356	1,507	1,254	1,122
17	TIPPERARY,	1,068,824	214,884	5,254	1,373	1,450	1,207	1,224
18	WATERFORD,	494,011	139,531	3,709	1,009	1,052	828	820
	III.—PROVINCE OF ULSTER—							
19	ANTRIM,	673,591	401,285	12,577	3,228	3,374	3,060	2,915
20	ARMAGH,	371,592	214,412	5,113	1,352	1,394	1,211	1,156
21	CAVAN,	522,835	155,932	3,800	996	1,017	867	920
22	DONEGAL,	1,168,945	207,346	4,903	1,364	1,295	1,088	1,156
23	DOWN,	567,812	249,895	5,973	1,518	1,639	1,439	1,377
24	FERMANAGH,	378,300	86,258	1,924	526	533	430	435
25	LONDONDERRY,	565,825	184,099	4,496	1,232	1,169	1,030	1,065
26	MONAGHAN,	341,118	124,270	2,749	728	736	645	640
27	TYRONE,	812,562	224,355	5,157	1,358	1,389	1,210	1,200
	IV.—PROVINCE OF CONNAUGHT—							
28	GALWAY,	1,500,832	250,436	6,268	1,681	1,572	1,434	1,581
29	LEITRIM,	338,538	86,496	2,200	562	597	534	507
30	MAYO,	1,328,424	244,027	6,241	1,661	1,448	1,430	1,702
31	ROSCOMMON,	676,919	167,903	3,984	1,045	1,017	966	961
32	SLIGO,	366,282	92,216	2,222	574	607	553	488

* See note (*) page 44.

Quarters ending March 31st, June 30th, September 30th, and December 31st, 1875.
Still-born.)

MALES.					FEMALES.					REGISTRATION PROVINCES AND COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
18,584	19,432	16,616	16,486	71,118	67,202	17,794	17,973	15,972	15,463	**IRELAND.**
										Provinces.
4,295	4,487	4,036	3,822	16,640	15,791	4,161	4,176	3,889	3,565	**LEINSTER.**
5,212	5,714	4,473	4,364	19,763	18,519	4,885	5,246	4,293	4,095	**MUNSTER.**
6,279	6,517	5,592	5,613	24,001	22,691	6,023	6,029	5,388	5,251	**ULSTER.**
2,798	2,714	2,515	2,687	10,714	10,201	2,725	2,522	2,402	2,552	**CONNAUGHT.**
Registration Counties.										
139	151	141	103	534	555	133	140	153	129	Carlow.
1,509	1,435	1,458	1,382	5,784	5,465	1,458	1,364	1,365	1,278	Dublin.
260	320	248	253	1,081	1,033	271	262	252	248	Kildare.
294	310	297	282	1,183	1,128	288	299	294	247	Kilkenny.
220	293	249	218	980	917	228	256	224	209	King's.
232	275	244	218	969	966	260	238	272	196	Longford.
337	343	318	279	1,277	1,198	303	328	285	282	Louth.
260	236	187	182	865	815	238	216	192	169	Meath.
212	234	186	170	802	696	172	200	171	153	Queen's.
125	153	116	144	538	517	136	146	121	114	Westmeath.
482	483	395	379	1,739	1,666	460	482	362	362	Wexford.
225	254	197	212	888	835	214	245	198	178	Wicklow.
Registration Counties.										
465	536	380	399	1,780	1,701	496	469	377	359	Clare.
1,922	2,121	1,761	1,664	7,468	6,984	1,823	1,986	1,627	1,548	Cork.
882	971	651	674	3,178	2,969	771	868	681	649	Kerry.
682	767	653	568	2,670	2,569	674	740	601	554	Limerick.
727	757	631	640	2,755	2,499	646	693	576	584	Tipperary.
534	562	397	419	1,912	1,797	475	490	431	401	Waterford.
Registration Counties.										
1,611	1,760	1,572	1,499	6,442	6,135	1,617	1,614	1,488	1,416	Antrim.
723	708	636	568	2,635	2,478	629	686	575	588	Armagh.
535	548	414	475	1,972	1,828	461	469	453	445	Cavan.
688	679	582	600	2,549	2,354	676	616	506	556	Donegal.
762	837	714	705	3,018	2,955	756	802	725	672	Down.
286	274	217	234	1,011	913	240	259	213	201	Fermanagh.
609	611	528	570	2,318	2,178	623	558	502	495	Londonderry.
378	384	321	323	1,406	1,343	350	352	324	317	Monaghan.
687	716	608	639	2,650	2,507	671	673	602	561	Tyrone.
Registration Counties.										
835	827	717	812	3,191	3,077	846	745	717	769	Galway.
291	302	273	262	1,128	1,072	271	295	261	245	Leitrim.
838	768	743	834	3,183	3,053	823	680	687	863	Mayo.
531	517	483	520	2,051	1,933	514	495	483	441	Roscommon.
303	300	299	259	1,161	1,061	271	307	254	229	Sligo.

DEATHS registered in Ireland in the Four Quarters ending

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				Total.	Registered in the Quarter endin the last day of			
					March.	June.	Sept.	Dec.
	IRELAND,	20,322,641	5,412,377	98,114	30,605	25,297	19,237	22,975
	DIVISIONS.							
I.	North-Eastern,	2,328,305	1,111,167	22,746	7,204	6,005	4,430	5,107
II.	North-Western,	2,392,501	526,339	8,696	2,829	2,134	1,719	2,014
III.	Eastern,	1,993,016	787,416	17,030	5,353	4,031	3,448	4,198
IV.	North Midland,	2,019,408	511,940	8,141	2,623	2,101	1,594	1,818
V.	South Midland,	2,361,709	448,840	7,693	2,234	2,048	1,577	1,834
VI.	Western,	4,088,459	766,202	10,945	3,561	3,015	1,994	2,375
VII.	South-Eastern,	1,826,172	451,483	8,582	2,631	2,229	1,693	2,029
VIII.	South-Western,	3,313,071	808,990	14,281	4,165	3,734	2,782	3,600
	I.—NORTH-EASTERN.							
1	Antrim,	117,119	35,928	723	255	197	127	144
2	Armagh,	154,253	72,391	1,345	425	359	238	323
3	Ballycastle,	102,197	18,507	277	102	68	45	62
4	Ballymena,	161,161	71,465	1,259	396	328	220	315
5	Ballymoney,	127,518	38,505	616	183	149	136	148
6	Banbridge,	124,928	65,768	1,232	387	333	215	297
7	Belfast,	47,812	202,591	5,714	1,770	1,451	1,179	1,314
8	Castleblayney,	94,213	39,584	619	199	169	104	147
9	Coleraine,	112,396	38,773	748	252	194	137	165
10	Cookstown,	96,720	34,661	651	201	188	121	141
11	Downpatrick,	147,361	54,644	1,028	322	280	177	249
12	Dungannon,	102,548	45,989	845	284	220	156	185
13	Kilkeel,	81,829	21,426	405	122	107	91	85
14	Larne,	117,784	34,401	702	231	185	128	158
15	Limavady,	152,712	27,821	474	153	129	89	103
16	Lisburn,	119,843	59,714	1,253	365	364	258	266
17	Lurgan,	79,464	69,916	1,467	387	392	349	339
18	Magherafelt,	156,721	58,747	980	334	254	192	200
19	Newry,	137,875	72,105	1,300	470	328	226	276
20	Newtownards,	93,851	48,231	1,108	366	310	242	190
	II.—NORTH-WESTERN.							
21	Ballyshannon,	132,353	28,308	451	143	95	94	119
22	Castlederg,	91,785	16,311	232	82	62	47	41
23	Donegal,	160,411	29,393	418	134	109	74	101
24	Dunfanaghy,	125,650	16,477	196	71	41	43	41
25	Enniskillen,	203,628	43,599	726	236	184	151	155
26	Glenties,	257,430	37,930	512	150	123	109	130
27	Gortin,	111,261	15,546	231	87	52	40	52
28	Inishowen,	159,408	33,697	654	208	166	125	155
29	Irvinestown,	75,927	19,713	231	64	60	56	51
30	Letterkenny,	101,207	17,113	303	100	96	59	48
31	Londonderry,	143,996	58,758	1,292	354	293	285	360

March 31st, June 30th, September 30th, and December 31st, 1875.

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
14,988	12,753	9,715	11,468	48,924	49,190	15,617	12,544	9,522	11,507	**IRELAND.**
										DIVISIONS.
3,389	2,937	2,172	2,498	10,996	11,750	3,815	3,068	2,258	2,609	North-Eastern.
1,380	1,074	895	1,020	4,369	4,327	1,449	1,060	824	994	North-Western.
2,651	2,082	1,811	2,161	8,705	8,325	2,702	1,949	1,637	2,037	Eastern.
1,317	1,104	794	881	4,096	4,045	1,311	997	800	937	North Midland.
1,118	1,015	804	916	3,853	3,840	1,116	1,033	773	918	South Midland.
1,834	1,531	985	1,208	5,558	5,387	1,727	1,484	1,009	1,167	Western.
1,251	1,135	866	968	4,220	4,362	1,380	1,094	827	1,061	South-Eastern.
2,048	1,875	1,388	1,816	7,127	7,154	2,117	1,859	1,394	1,784	South-Western.
										I.—NORTH-EASTERN.
114	94	64	66	338	385	141	103	63	78	Antrim.
203	178	117	162	660	685	222	181	121	161	Armagh.
51	30	20	27	128	149	51	38	25	35	Ballycastle.
185	164	99	162	610	649	211	164	121	153	Ballymena.
90	72	62	64	288	328	93	77	74	84	Ballymoney.
180	157	94	143	574	658	207	176	121	154	Banbridge.
816	710	575	627	2,728	2,986	954	741	604	687	Belfast.
83	85	51	73	292	327	116	84	53	74	Castleblayney.
107	96	70	79	352	396	145	98	67	86	Coleraine.
107	94	61	75	337	314	94	94	60	66	Cookstown.
162	126	78	110	478	550	160	152	99	139	Downpatrick.
146	103	77	106	432	413	138	117	79	79	Dungannon.
48	56	50	43	197	208	74	51	41	42	Kilkeel.
107	89	61	75	332	370	124	96	67	83	Larne.
70	64	41	36	211	263	83	65	48	67	Limavady.
172	179	123	124	603	650	193	185	130	142	Lisburn.
186	205	179	178	748	719	201	187	170	161	Lurgan.
157	130	98	110	495	485	177	124	94	90	Magherafelt.
232	163	124	147	666	634	238	165	102	129	Newry.
173	140	123	91	527	581	193	170	119	99	Newtownards.
										II.—NORTH-WESTERN.
79	51	51	50	231	220	64	44	43	69	Ballyshannon.
34	28	23	21	106	126	48	34	24	20	Castlederg.
66	46	34	55	201	217	68	63	40	46	Donegal.
32	22	24	25	103	93	39	19	19	16	Dunfanaghy.
112	97	70	81	360	366	124	87	81	74	Enniskillen.
76	65	56	56	253	259	74	58	53	74	Glenties.
45	29	20	24	118	113	42	23	20	28	Gortin.
96	89	69	88	342	312	112	77	56	67	Inishowen.
30	30	21	22	103	128	34	30	35	29	Irvinestown.
51	51	32	25	159	144	49	45	27	23	Letterkenny.
162	151	151	201	665	627	192	142	134	159	Londonderry.

DEATHS registered in Ireland in the Four Quarters ending

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	II.—NORTH-WESTERN— *continued.*							
32	Manorhamilton,	144,847	30,667	462	153	114	85	105
33	Millford,	111,335	25,819	355	109	96	71	79
34	Omagh,	174,217	47,139	849	322	177	173	177
35	Sligo,	143,523	47,750	761	263	214	127	157
36	Strabane,	134,372	39,510	740	250	178	133	179
37	Stranorlar,	121,151	18,609	283	98	74	47	64
	III.—EASTERN.							
38	Ardee,	96,211	22,282	410	121	94	74	121
39	Bailieborough,	65,909	22,062	382	127	77	87	91
40	Balrothery,	75,139	20,066	475	149	105	92	129
41	Baltinglass,	139,108	20,403	335	117	87	56	75
42	Carrickmacross,	60,664	20,650	367	92	116	79	80
43	Celbridge,	86,838	18,062	330	113	76	62	79
44	Drogheda,	99,045	34,726	659	204	161	143	151
45	Dublin, North,	40,769	134,091	3,648	1,180	851	693	924
46	Dublin, South,	48,089	199,512	5,228	1,680	1,132	1,057	1,359
47	Dundalk,	104,434	45,401	866	293	221	161	191
48	Dunshaughlin,	108,339	11,647	232	75	54	46	57
49	Gorey,	129,705	23,209	420	145	116	80	79
50	Kells,	108,982	21,895	357	119	90	80	68
51	Naas,	216,622	44,197	685	204	167	153	161
52	Navan,	94,466	19,311	396	107	122	84	83
53	Rathdown,	61,514	54,697	1,027	280	226	257	264
54	Rathdrum,	227,541	37,807	618	164	177	120	157
55	Shillelagh,	110,122	17,857	261	80	69	48	64
56	Trim,	119,519	19,541	334	103	90	76	65
	IV.—NORTH MIDLAND.							
57	Athlone,	150,768	33,612	447	142	153	68	84
58	Ballymahon,	100,126	18,788	330	121	90	50	69
59	Bawnboy,	104,504	24,006	420	149	101	85	85
60	Carrick-on-Shannon,	100,736	28,115	409	124	114	83	88
61	Cavan,	160,662	53,562	929	287	237	187	218
62	Clogher,	101,679	25,199	425	140	93	95	97
63	Clones,	73,502	23,207	273	90	56	64	63
64	Cootehill,	105,848	34,831	529	180	127	104	118
65	Delvin,	74,775	11,847	206	70	60	30	46
66	Granard,	134,003	33,633	548	157	149	113	129
67	Lisnaskea,	98,745	22,946	284	86	71	60	67
68	Longford,	109,961	29,530	413	143	101	88	81
69	Mohill,	92,955	27,714	401	125	101	84	91
70	Monaghan,	112,739	40,829	742	245	176	146	175
71	Mullingar,	208,401	36,837	676	223	163	124	166
72	Oldcastle,	85,912	21,471	356	113	103	78	62
73	Roscommon,	114,056	22,468	387	121	107	66	93
74	Strokestown,	90,036	23,345	366	112	99	69	86

March 31st, June 30th, September 30th, and December 31st, 1875—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										II.—NORTH-WESTERN *—continued.*
90	51	42	56	239	223	68	63	43	49	Manorhamilton.
54	51	42	33	180	175	55	45	29	46	Millford.
151	96	97	92	436	413	171	81	76	85	Omagh.
132	103	73	76	384	377	131	111	54	81	Sligo.
121	75	70	78	344	396	129	103	63	101	Strabane.
49	39	20	37	145	138	49	35	27	27	Stranorlar.
										III.—EASTERN.
62	54	40	62	218	192	59	40	34	59	Ardee.
71	33	44	42	190	192	56	44	43	49	Bailieborough.
77	53	50	68	248	227	72	52	42	61	Balrothery.
65	55	30	41	191	144	52	32	26	34	Baltinglass.
45	64	42	35	186	181	47	52	37	45	Carrickmacross.
55	34	35	45	169	161	58	42	27	34	Celbridge.
103	76	73	77	329	330	101	85	70	74	Drogheda.
605	442	372	479	1,898	1,750	575	409	321	445	Dublin, North.
816	580	540	669	2,605	2,623	864	552	517	690	Dublin, South.
113	116	85	109	423	443	180	105	76	82	Dundalk.
38	29	29	37	133	99	37	25	17	20	Dunshaughlin.
69	51	39	37	196	224	76	65	41	42	Gorey.
56	41	41	43	181	176	63	49	39	25	Kells.
106	95	90	85	376	309	98	72	63	76	Naas.
55	65	43	47	210	186	52	57	41	36	Navan.
136	104	125	124	489	538	144	122	132	140	Rathdown.
86	95	65	84	330	288	78	82	55	73	Rathdrum.
41	38	23	38	140	121	39	31	25	26	Shillelagh.
52	57	45	39	193	141	51	33	31	26	Trim.
										IV.—NORTH MIDLAND.
83	84	34	34	235	212	59	69	34	50	Athlone.
61	37	20	30	148	182	60	53	30	39	Ballymahon.
72	52	42	43	209	211	77	49	43	42	Bawnboy.
63	70	53	44	230	179	61	44	30	44	Carrick-on-Shannon.
143	122	102	106	473	456	144	115	85	112	Cavan.
71	48	54	45	218	207	69	45	41	52	Clogher.
46	29	29	26	130	143	44	27	35	37	Clones.
83	65	50	59	257	272	97	62	54	59	Cootehill.
40	37	15	23	115	91	30	23	15	23	Delvin.
76	78	56	72	282	266	81	71	57	57	Granard.
49	37	32	38	156	128	37	34	28	29	Lisnaskea.
73	57	39	39	208	205	70	44	49	42	Longford.
62	53	42	41	198	203	63	48	42	50	Mohill.
115	81	68	81	345	397	130	95	78	94	Monaghan.
110	96	58	84	348	328	113	67	66	82	Mullingar.
59	47	38	29	173	183	54	56	40	33	Oldcastle.
67	60	31	40	198	189	54	47	35	53	Roscommon.
44	51	31	47	173	193	68	48	38	39	Strokestown.

DEATHS registered in Ireland in the Four Quarters endin

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	V.—SOUTH MIDLAND.							
75	Abbeyleix,	107,167	19,949	383	122	100	74	87
76	Athy,	160,254	30,025	516	146	144	90	136
77	Borrisokane,	81,850	11,510	161	44	36	38	43
78	Carlow,	185,857	45,835	932	253	260	187	232
79	Cashel,	156,822	29,392	558	153	163	104	138
80	Castlecomer,	57,820	14,302	262	83	73	40	66
81	Donaghmore,	51,060	8,359	95	31	17	29	18
82	Edenderry,	172,407	20,160	300	118	95	90	87
83	Kilkenny,	110,943	31,193	519	152	104	144	119
84	Mountmellick,	200,633	37,165	655	191	191	128	145
85	Nenagh,	183,088	33,206	519	152	144	99	124
86	Parsonstown,	220,437	32,261	506	141	150	102	113
87	Roscrea,	118,488	20,034	312	79	86	69	78
88	Thurles,	143,351	31,475	494	159	124	97	114
89	Tipperary,	179,988	42,931	755	220	184	156	195
90	Tullamore,	155,395	28,420	441	132	119	99	91
91	Urlingford,	76,149	12,623	195	58	58	31	48
	VI.—WESTERN.							
92	Ballina,	150,415	30,911	467	154	153	87	73
93	Ballinasloe,	160,507	24,291	348	87	130	74	57
94	Ballinrobe,	144,894	29,276	416	125	152	60	79
95	Ballyvaghan,	71,063	5,712	102	31	25	28	18
96	Belmullet,	177,933	15,758	175	70	39	26	40
97	Boyle,	159,696	44,240	491	156	134	79	122
98	Castlebar,	140,998	32,174	455	183	137	70	65
99	Castlereagh,	162,363	44,238	607	190	129	126	161
100	Claremorris,	110,788	31,300	518	172	127	127	92
101	Clifden,	192,965	25,231	232	81	59	47	45
102	Corrofin,	61,386	7,095	89	30	27	13	19
103	Dromore, West,	96,985	17,742	200	72	46	36	46
104	Ennis,	112,505	26,530	478	129	128	114	107
105	Ennistimon,	99,281	23,355	350	122	95	52	81
106	Galway,	197,467	44,022	811	270	196	141	204
107	Glennamaddy,	100,319	20,274	271	94	73	49	55
108	Gort,	107,919	17,973	274	87	66	47	74
109	Killadysert,	62,319	12,211	161	55	35	30	41
110	Kilrala,	104,882	10,242	155	58	36	24	37
111	Kilrush,	136,788	35,978	589	173	164	111	141
112	Loughrea,	198,832	26,402	401	95	156	58	92
113	Mountbellew,	102,383	18,423	282	91	81	41	69
114	Newport,	170,413	16,061	165	57	42	36	30
115	Oughterard,	172,745	19,591	246	75	66	42	63
116	Portumna,	77,046	12,906	228	63	67	50	48
117	Scarriff,	86,320	13,953	182	52	53	44	23
118	Swineford,	152,594	53,540	742	237	198	119	188
119	Tobercurry,	125,774	26,724	395	154	106	60	75
120	Tuam,	190,649	41,323	557	205	134	103	115
121	Tulla,	84,723	13,961	205	65	51	45	44
122	Westport,	175,507	24,765	353	128	105	55	65

rch 31st, June 30th, September 30th, and December 31st, 1875—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
arch.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH MIDLAND.
57	51	41	44	193	190	65	49	33	43	Abbeyleix.
71	67	51	79	268	248	75	77	39	57	Athy.
25	26	17	20	88	73	19	10	21	23	Borrisokane.
120	114	91	111	436	496	133	146	96	121	Carlow.
81	80	53	70	284	274	72	83	51	68	Cashel.
38	37	17	33	125	137	45	36	23	33	Castlecomer.
17	4	13	16	50	45	14	13	16	2	Donaghmore.
52	40	57	49	198	192	66	55	33	38	Edenderry.
82	53	81	50	266	253	70	51	63	69	Kilkenny.
97	105	72	78	352	303	94	86	56	67	Mountmellick.
75	67	46	50	238	281	77	77	53	74	Nenagh.
76	70	40	61	247	259	65	80	62	52	Parsonstown.
45	45	35	39	164	148	34	41	34	39	Roscrea.
78	68	42	57	245	249	81	56	55	57	Thurles.
104	93	83	98	378	377	116	91	73	97	Tipperary.
68	65	53	41	227	214	64	54	46	50	Tullamore.
32	30	12	20	94	101	26	28	19	28	Urlingford.
										VI.—WESTERN.
76	78	47	42	243	224	78	75	40	31	Ballina.
46	62	34	36	178	170	41	68	40	21	Ballinasloe.
65	73	28	37	203	213	60	79	32	42	Ballinrobe.
12	12	10	9	43	59	19	13	18	9	Ballyvaghan.
29	20	14	19	82	93	41	19	12	21	Belmullet.
85	71	51	59	266	225	71	63	28	63	Boyle.
102	70	34	37	243	212	81	67	36	28	Castlebar.
92	67	60	84	303	304	98	62	66	78	Castlereagh.
94	69	73	42	278	240	78	58	54	50	Claremorris.
43	26	21	27	117	115	38	33	26	18	Clifden.
13	16	7	7	43	46	17	11	6	12	Corrofin.
40	22	20	29	111	89	32	24	16	17	Dromore, West.
61	57	50	46	214	264	68	71	64	61	Ennis.
76	44	25	39	184	166	46	51	27	42	Ennistimon.
126	95	63	85	369	442	144	101	78	119	Galway.
49	43	25	24	141	130	45	30	24	31	Glennamaddy.
47	28	25	42	142	132	40	38	22	32	Gort.
27	18	16	29	90	71	28	17	14	12	Killadysert.
29	15	12	15	71	84	29	21	12	22	Killala.
90	78	47	85	300	289	83	86	64	56	Kilrush.
58	89	31	49	227	174	37	67	27	43	Loughrea.
47	46	23	37	153	129	44	35	18	32	Mountbellew.
28	16	14	15	73	92	29	26	22	15	Newport.
36	43	21	33	133	113	39	23	21	30	Oughterard.
37	37	22	25	121	107	26	30	28	23	Portumna.
22	34	26	12	94	88	30	24	18	16	Scarriff.
114	91	48	89	342	400	123	107	71	99	Swineford.
79	56	35	43	213	182	75	50	25	32	Tobercurry.
101	64	52	51	268	289	104	70	51	64	Tuam.
34	31	22	23	110	95	31	20	23	21	Tulla.
76	60	29	38	203	150	52	45	26	27	Westport.

DEATHS registered in Ireland in the Four Quarters endi

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				TOTAL.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	VII.—SOUTH-EASTERN.							
123	CALLAN,	104,011	20,764	414	135	103	76	100
124	CARRICK-ON-SUIR,	112,630	28,113	505	151	150	97	107
125	CLOGHEEN,	118,427	22,247	360	124	88	59	89
126	CLONMEL,	86,810	24,089	501	134	136	122	109
127	DUNGARVAN,	94,044	21,869	452	137	114	91	110
128	ENNISCORTHY,	196,689	39,557	765	220	190	156	199
129	FERMOY,	148,268	32,784	534	158	151	98	127
130	KILMACTHOMAS,	64,478	13,399	258	87	66	51	54
131	LISMORE,	97,140	18,834	349	107	90	70	82
132	MIDDLETON,	109,266	30,404	497	162	129	96	110
133	MITCHELSTOWN,	86,957	20,745	308	90	84	60	74
134	NEW ROSS,	177,231	39,946	721	217	223	106	175
135	THOMASTOWN,	107,577	18,817	380	113	89	79	99
136	WATERFORD,	125,719	57,316	1,266	398	302	262	304
137	WEXFORD,	126,301	40,640	931	303	222	197	209
138	YOUGHAL,	70,624	21,959	341	95	92	73	81
	VIII.—SOUTH-WESTERN.							
139	BANDON,	101,345	25,740	432	119	115	92	106
140	BANTRY,	106,855	16,330	182	46	51	36	49
141	CAHERSIVEEN,	197,545	25,148	401	113	98	87	103
142	CASTLETOWN,	73,445	14,326	238	89	64	38	47
143	CLONAKILTY,	80,465	26,849	332	89	94	61	88
144	CORK,	169,732	143,377	3,488	984	902	662	940
145	CROOM,	83,324	17,061	272	105	53	53	61
146	DINGLE,	125,279	20,245	276	83	70	64	59
147	DUNMANWAY,	103,917	17,666	254	91	62	45	56
148	GLIN,	60,666	14,899	236	88	50	42	56
149	KANTURK,	186,524	32,796	520	162	117	105	136
150	KENMARE,	198,152	18,348	252	89	59	41	63
151	KILLARNEY,	251,287	44,443	711	211	198	148	154
152	KILMALLOCK,	145,150	35,471	663	191	146	133	193
153	KINSALE,	79,651	24,594	466	127	134	90	115
154	LIMERICK,	177,951	79,248	1,687	509	462	310	406
155	LISTOWEL,	151,208	34,283	535	175	134	90	136
156	MACROOM,	179,108	30,544	410	121	98	86	105
157	MALLOW,	149,565	30,595	491	168	125	81	117
158	MILLSTREET,	74,906	14,592	200	56	44	48	52
159	NEWCASTLE,	143,024	30,196	500	83	186	97	134
160	RATHKEALE,	79,932	17,884	328	83	74	87	84
161	SKIBBEREEN,	115,024	31,385	428	133	105	75	115
162	SKULL,	57,169	13,139	157	42	52	28	35
163	TRALEE,	221,847	49,831	822	208	241	183	190

rch 31st, June 30th, September 30th, and December 31st, 1875—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										VII.—SOUTH-EASTERN.
60	48	38	50	196	218	75	55	38	50	Callan.
76	77	58	49	260	245	75	73	39	58	Carrick-on-Suir.
67	44	34	35	180	180	57	44	25	54	Clogheen.
67	66	59	43	235	266	67	70	63	66	Clonmel.
67	62	44	46	219	233	70	52	47	64	Dungarvan.
101	101	76	104	382	383	119	89	80	95	Enniscorthy.
75	82	53	69	279	255	83	69	45	58	Fermoy.
43	33	25	23	124	134	44	33	26	31	Kilmacthomas.
46	49	34	37	166	183	61	41	36	45	Lismore.
91	63	48	50	252	245	71	66	48	60	Middleton.
49	42	28	32	151	157	41	42	32	42	Mitchelstown.
98	98	51	89	336	385	119	125	55	86	New Ross.
51	49	39	38	177	203	62	40	40	61	Thomastown.
171	167	146	146	630	636	227	135	116	158	Waterford.
147	109	102	108	466	465	156	113	95	101	Wexford.
42	45	31	49	167	174	53	47	42	32	Youghal.
										VIII.-SOUTH-WESTERN
58	56	53	59	226	206	61	59	39	47	Bandon.
23	29	15	23	90	92	23	22	21	26	Bantry.
54	61	48	52	215	186	59	37	39	51	Cahersiveen.
48	31	23	24	126	112	41	33	15	23	Castletown.
50	55	34	43	182	150	39	39	27	45	Clonakilty.
472	424	330	469	1,695	1,793	512	478	332	471	Cork.
44	20	33	34	131	141	61	33	20	27	Croom.
50	25	34	32	141	135	33	45	30	27	Dingle.
47	30	25	26	128	126	44	32	20	30	Dunmanway.
42	24	19	29	114	122	46	26	23	27	Glin.
85	65	53	69	272	248	77	52	52	67	Kanturk.
46	31	18	31	126	126	43	28	23	32	Kenmare.
118	96	75	82	371	340	93	102	73	72	Killarney.
88	70	68	111	337	326	103	76	65	82	Kilmallock.
66	74	43	59	242	224	61	60	47	56	Kinsale.
236	230	138	194	798	889	273	232	172	212	Limerick.
88	72	47	75	282	253	87	62	43	61	Listowel.
59	52	38	53	202	208	62	46	48	52	Macroom.
83	58	44	52	237	254	85	67	37	65	Mallow.
22	25	26	21	94	106	34	19	22	31	Millstreet.
30	89	44	63	226	274	53	97	53	71	Newcastle.
45	42	40	42	169	159	38	32	47	42	Rathkeale.
76	57	40	56	229	199	57	48	35	59	Skibbereen.
19	32	13	14	78	79	23	20	15	21	Skull.
99	127	87	103	416	406	109	114	96	87	Tralee.

DEATHS registered in each Registration Province and County in Ireland in t

No.	REGISTRATION PROVINCES AND COUNTIES.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1871.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	IRELAND,	20,322,641	5,412,377	98,114	30,605	25,297	19,237	22,97
	PROVINCES.							
I.	**LEINSTER,**	4,703,640	1,315,355	26,559	8,263	6,539	5,315	6,44
II.	**MUNSTER,**	6,005,406	1,408,092	24,607	7,272	6,456	4,861	6,01
III.	**ULSTER,**	5,402,600	1,847,852	34,926	11,121	8,968	6,922	7,91
IV.	**CONNAUGHT,**	4,210,995	841,078	12,022	3,949	3,334	2,139	2,60
	I.—PROVINCE OF LEINSTER.							
No.								
1	CARLOW,	185,857	45,835	932	253	260	187	23
2	DUBLIN,	225,511	408,366	10,378	3,289	2,314	2,099	2,67
3	KILDARE,	463,714	92,284	1,531	463	387	305	37
4	KILKENNY,	456,500	97,699	1,770	541	427	370	43
5	KING'S,	548,239	80,841	1,337	391	364	291	29
6	LONGFORD,	344,090	81,951	1,291	421	340	251	27
7	LOUTH,	299,690	102,409	1,935	618	476	378	46
8	MEATH,	431,306	72,394	1,319	404	356	286	27
9	QUEEN'S,	358,860	65,473	1,133	344	308	231	25
10	WESTMEATH,	283,176	48,684	882	293	223	154	21
11	WEXFORD,	629,926	143,352	2,837	885	751	539	66
12	WICKLOW,	476,771	76,067	1,214	361	333	224	29
	II.—PROVINCE OF MUNSTER.							
13	CLARE,	714,385	138,795	2,156	657	583	437	47
14	CORK,	1,892,821	527,825	9,278	2,732	2,419	1,774	2,35
15	KERRY,	1,145,318	192,298	2,997	879	800	613	70
16	LIMERICK,	690,047	194,759	3,686	1,059	971	722	93
17	TIPPERARY,	1,068,824	214,884	3,660	1,065	961	744	89
18	WATERFORD,	494,011	139,531	2,830	880	722	571	65
	III.—PROVINCE OF ULSTER.							
19	ANTRIM,	673,591	401,285	9,291	2,937	2,378	1,835	2,14
20	ARMAGH,	371,592	214,412	4,112	1,282	1,079	813	93
21	CAVAN,	522,835	155,932	2,616	856	645	541	57
22	DONEGAL,	1,168,945	207,346	3,172	1,013	800	622	73
23	DOWN,	567,812	249,895	5,026	1,562	1,394	983	1,08
24	FERMANAGH,	378,300	86,258	1,241	386	315	267	27
25	LONDONDERRY,	565,825	184,099	3,494	1,093	870	703	82
26	MONAGHAN,	341,118	124,270	2,001	626	517	393	46
27	TYRONE,	812,582	224,355	3,973	1,366	970	765	87
	IV.—PROVINCE OF CONNAUGHT.							
28	GALWAY,	1,500,832	250,436	3,650	1,148	1,028	652	82
29	LEITRIM,	338,538	86,496	1,272	407	329	252	28
30	MAYO,	1,328,424	244,027	3,446	1,184	989	604	66
31	ROSCOMMON,	676,919	167,903	2,298	721	622	408	54
32	SLIGO,	366,282	92,216	1,356	489	366	223	27

* See note (*) page 44.

ur Quarters ending March 31st, June 30th, September 30th, and December 31st, 1875.

MALES.					FEMALES.					REGISTRATION PROVINCES AND COUNTIES.
gistered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
,988	12,753	9,715	11,468	48,924	49,190	15,617	12,544	9,522	11,507	**IRELAND.**
										PROVINCES.
,062	3,331	2,747	3,303	13,443	13,116	4,201	3,208	2,568	3,139	**LEINSTER.**
,585	3,274	2,427	2,979	12,265	12,342	3,687	3,182	2,434	3,039	**MUNSTER.**
,301	4,435	3,453	3,890	17,079	17,847	5,820	4,533	3,469	4,025	**ULSTER.**
,040	1,713	1,088	1,296	6,137	5,885	1,909	1,621	1,051	1,304	**CONNAUGHT.**
GISTRATION COUNTIES.										
120	114	91	111	436	496	133	146	96	121	CARLOW.
,634	1,179	1,087	1,340	5,240	5,138	1,655	1,135	1,012	1,336	DUBLIN.
232	196	176	209	813	718	231	191	129	167	KILDARE.
263	217	187	191	858	912	278	210	183	241	KILKENNY.
196	175	150	151	672	665	195	189	141	140	KING'S.
210	172	115	141	638	653	211	168	136	138	LONGFORD.
278	246	198	248	970	965	340	230	180	215	LOUTH.
201	192	158	166	717	602	203	164	128	107	MEATH.
171	160	126	138	595	538	173	148	105	112	QUEEN'S.
150	133	73	107	463	419	143	90	81	105	WESTMEATH.
415	359	268	338	1,380	1,457	470	392	271	324	WEXFORD.
192	183	118	163	661	553	169	145	106	133	WICKLOW.
GISTRATION COUNTIES.										
335	290	203	250	1,078	1,078	322	293	234	229	CLARE.
,365	1,220	897	1,168	4,650	4,628	1,367	1,199	877	1,185	CORK.
455	412	309	375	1,551	1,446	424	388	304	330	KERRY.
485	475	342	473	1,775	1,911	574	496	380	461	LIMERICK.
542	489	369	412	1,812	1,848	523	472	375	478	TIPPERARY.
403	388	307	301	1,399	1,431	477	334	264	356	WATERFORD.
GISTRATION COUNTIES.										
,363	1,159	881	1,021	4,424	4,867	1,574	1,219	954	1,120	ANTRIM.
621	546	420	487	2,074	2,038	661	533	393	451	ARMAGH.
428	319	276	279	1,302	1,314	428	326	265	295	CAVAN.
503	414	328	369	1,614	1,558	510	386	294	368	DONEGAL.
735	660	473	511	2,379	2,647	827	734	510	576	DOWN.
191	164	123	141	619	622	195	151	144	132	FERMANAGH.
496	441	360	426	1,723	1,771	597	429	343	402	LONDONDERRY.
289	259	190	215	953	1,048	337	258	203	250	MONAGHAN.
675	473	402	441	1,991	1,982	691	497	363	431	TYRONE.
GISTRATION COUNTIES.										
590	533	317	409	1,849	1,801	558	495	335	413	GALWAY.
215	174	137	141	667	605	192	155	115	143	LEITRIM.
613	492	299	334	1,738	1,708	571	497	305	335	MAYO.
371	333	207	264	1,175	1,123	350	289	201	283	ROSCOMMON.
251	181	128	148	708	648	238	185	95	130	SLIGO.

IRELAND.—**DEATHS** at different AGES registered in the year 1875—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS.—MALES.

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.		MALES.																		
		TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																
				Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
	IRELAND,*.	71118	48924	7269	2116	1379	943	782	12489	2089	1157	1542	1610	2856	2917	3331	5533	6956	6220	185
No.	DIVISIONS.																			
I.	North-Eastern,	15020	10996	1689	640	448	303	251	3331	710	405	472	376	614	547	612	954	1211	1292	41
II.	North-Western,	6,480	4,369	553	169	147	78	84	1031	222	119	128	151	259	229	259	439	666	597	22
III.	Eastern,	10335	8,705	1309	407	217	135	137	2205	354	192	231	296	610	706	819	1053	1151	841	20
IV.	North Midland,	6,981	4,096	495	131	97	80	60	863	151	85	129	125	226	203	225	458	660	708	22
V.	South Midland,	5,523	3,853	551	104	62	56	36	809	101	51	100	104	207	222	276	512	676	584	17
VI.	Western,	9,881	5,558	877	224	113	114	70	1398	239	121	177	203	281	279	339	652	832	794	19
VII.	South-Eastern,	5,922	4,220	628	135	97	48	43	951	108	72	120	114	219	253	296	599	722	604	13
VIII.	South-Western,	11872	7,127	1167	306	198	129	101	1901	204	112	185	241	434	478	505	866	1038	800	28
I.—NORTH-EASTERN.																				
1	ANTRIM,	462	338	53	20	13	12	7	105	19	10	14	8	17	14	12	30	41	50	1
2	ARMAGH,	814	660	73	18	20	12	13	136	32	18	25	21	32	46	43	80	92	97	3
3	BALLYCASTLE,	224	128	16	6	3	5	3	33	4	1	3	4	6	4	6	11	15	31	
4	BALLYMENA,	1,102	610	106	25	23	17	19	190	47	9	27	23	38	27	34	61	62	67	2
5	BALLYMONEY,	452	288	25	8	10	5	5	53	24	12	6	10	11	12	16	23	54	49	1
6	BANBRIDGE,	765	574	77	27	29	15	7	155	34	27	29	23	27	22	28	45	69	86	2
7	BELFAST,	3,674	2,728	585	282	177	99	76	1219	204	98	116	84	188	185	194	186	145	92	1
8	CASTLEBLAYNEY,	473	292	37	10	3	5	4	59	9	4	5	9	14	9	10	38	52	59	1
9	COLERAINE,	496	352	55	17	13	8	6	99	17	5	12	12	17	12	16	28	44	60	2
10	COOKSTOWN,	392	337	45	10	8	4	7	74	29	13	13	20	14	15	13	29	50	43	2
11	DOWNPATRICK,	559	478	52	13	9	11	13	98	32	29	18	11	26	22	36	51	60	72	1
12	DUNGANNON,	502	432	42	14	11	14	11	92	21	24	21	20	16	21	21	39	60	69	2
13	KILKEEL,	283	197	20	11	9	6	2	48	14	11	9	7	10	4	5	13	21	36	1
14	LARNE,	528	332	43	19	19	8	7	96	21	10	18	14	15	14	13	23	35	54	1
15	LIMAVADY,	344	211	22	9	4	4	6	45	12	6	9	6	16	6	11	19	32	35	1
16	LISBURN	764	603	96	30	21	20	6	173	52	25	36	19	25	30	30	43	69	79	2
17	LURGAN,	918	748	109	43	34	20	15	221	61	33	35	25	46	34	47	75	83	69	1
18	MAGHERAFELT,	718	495	68	27	7	10	10	122	17	21	16	23	22	15	16	36	81	96	2
19	NEWRY,	903	666	88	21	10	14	11	144	23	25	37	20	42	32	42	84	81	91	4
20	NEWTOWNARDS,	647	527	77	30	25	14	23	169	38	24	24	17	32	23	19	46	65	57	1
II.—NORTH-WESTERN.																				
21	BALLYSHANNON,	326	231	20	13	3	4	4	44	10	11	3	11	13	8	17	21	36	42	1
22	CASTLEDERG,	208	106	7	1	4	1	1	14	11	1	5	2	2	1	6	17	21	19	
23	DONEGAL,	319	201	22	12	7	2	3	46	7	4	4	7	14	15	13	18	28	29	1
24	DUNFANAGHY,	206	103	24	4	3	.	.	31	7	3	4	2	5	3	2	8	12	17	
25	ENNISKILLEN,	539	360	42	8	8	3	4	65	11	9	12	18	20	20	20	47	62	65	
26	GLENTIES,	532	253	54	10	10	1	1	76	3	2	7	9	11	15	16	26	33	37	1
27	GORTIN,	199	118	15	4	3	2	4	28	4	3	1	7	6	2	2	15	24	17	
28	INISHOWEN,	466	342	51	13	20	10	10	104	24	14	8	8	18	7	14	29	54	40	1
29	IRVINESTOWN,	225	103	13	3	.	4	.	20	1	2	1	1	5	4	6	6	26	19	1
30	LETTERKENNY,	167	159	9	7	3	1	4	24	9	3	7	6	15	10	9	18	32	19	
31	LONDONDERRY,	760	665	88	37	27	23	18	193	45	20	21	28	32	57	45	48	84	67	2
32	MANORHAMILTON,	410	239	35	9	4	8	6	62	10	9	10	8	11	8	15	22	37	28	1
33	MILLFORD,	320	180	19	9	5	2	2	37	9	4	7	2	13	13	6	24	19	38	
34	OMAGH,	602	436	53	19	13	5	16	106	31	14	16	12	30	26	23	30	65	51	2
35	SLIGO,	528	384	45	10	18	8	8	89	10	6	8	16	33	18	27	59	55	41	2
36	STRABANE,	460	344	43	8	16	3	2	72	23	12	10	11	21	18	22	35	54	41	2
37	STRANORLAR,	213	145	13	2	3	1	1	20	7	2	4	3	10	4	16	16	24	27	1
III.—EASTERN.																				
38	ARDEE,	274	218	25	1	6	2	6	40	10	6	2	4	9	15	11	24	40	44	1
39	BAILIEBOROUGH,	287	190	18	8	4	5	10	45	14	6	3	3	9	9	12	15	25	37	
40	BALROTHERY,	247	248	27	8	4	5	4	48	4	6	5	13	15	15	16	35	42	39	1
41	BALTINGLASS,	262	191	23	4	6	1	1	35	3	2	2	5	13	12	13	22	37	36	
42	CARRICKMACROSS,	250	186	18	5	6	5	6	40	19	9	3	8	6	9	7	25	30	26	3

* The *Causes of Death* in Ireland in combination with the Ages at Death are given at page 102.

IRELAND.—**DEATHS** at different AGES registered in the year 1875—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS.—FEMALES.

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	FEMALES.																				
	Total Births.	Total Deaths.	Ages at Death.																		
			Under 1 year.	1	2	3	4	Under 5 years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95 and upwards.	Unspecified.
IRELAND,	67202	49190	5859	2051	1320	952	697	10879	2067	1216	1667	1524	3107	2941	3244	5964	7240	6832	2031	457	21
DIVISIONS.																					
North-Eastern,	14387	11750	1365	601	389	295	212	2862	731	397	530	445	848	734	753	1079	1299	1510	480	79	3
North-Western,	6007	4327	429	145	136	100	72	882	188	111	156	147	270	273	229	492	608	689	217	64	1
Eastern,	9738	8325	1030	389	200	152	104	1875	327	180	248	265	624	592	702	1093	1193	912	267	44	3
North Midland,	5811	4045	430	125	105	84	56	800	150	100	117	120	197	226	251	494	706	660	174	49	1
South Midland,	5100	3840	471	116	74	51	44	756	121	79	108	84	187	195	247	490	704	629	200	38	2
Western,	9399	5387	704	236	140	82	85	1247	181	127	187	167	318	250	296	655	845	837	218	54	5
South-Eastern,	5485	4362	504	142	95	48	46	835	114	89	110	101	235	235	317	700	781	632	179	34	.
South-Western,	11275	7154	926	297	181	140	78	1622	255	133	211	195	428	436	449	961	1104	963	296	95	6
ORTH-EASTERN.																					
Antrim,	473	385	56	15	12	7	3	93	38	16	17	7	29	17	20	20	50	62	14	2	.
Armagh,	740	685	58	15	8	6	8	95	37	21	28	19	47	42	47	79	104	123	41	2	.
Ballycastle,	209	149	16	4	7	3	.	30	4	1	3	5	13	7	5	10	24	37	10	.	.
Ballymena,	998	649	92	27	17	12	16	164	43	20	24	28	36	46	32	44	80	98	31	3	.
Ballymoney,	445	328	30	8	11	6	4	59	24	11	15	9	17	26	21	23	41	50	25	7	.
Banbridge,	744	658	61	21	14	13	5	114	35	27	34	44	42	49	37	60	88	93	29	6	.
Belfast,	3507	2986	477	273	138	109	76	1073	198	104	146	141	267	223	241	255	167	138	29	4	.
Castleblayney,	483	327	31	15	9	3	1	59	7	6	5	7	19	25	28	47	45	54	20	5	.
Coleraine,	460	396	39	12	8	10	7	76	19	9	13	12	29	16	15	30	64	88	21	4	.
Cookstown,	391	314	29	11	10	12	4	66	21	12	14	5	20	22	14	24	44	51	16	5	.
Downpatrick,	554	550	43	12	12	9	14	90	37	17	18	19	36	30	29	62	79	105	24	4	.
Dungannon,	495	413	26	9	5	9	5	54	25	7	19	11	30	23	32	50	67	65	23	7	.
Kilkeel,	261	208	23	3	9	6	6	47	19	13	8	3	17	6	8	18	24	24	16	5	.
Larne,	503	370	40	15	15	12	7	89	25	16	17	11	22	19	20	29	33	64	24	1	.
Limavady,	321	263	23	11	8	4	5	51	13	7	8	10	13	9	16	36	33	47	17	3	.
Lisburn,	784	650	108	29	15	11	11	174	31	24	50	24	49	39	33	63	78	59	25	1	.
Lurgan,	896	719	67	39	33	24	19	182	69	34	31	35	50	38	49	59	73	74	21	3	1
Magherafelt,	669	485	38	16	13	10	5	82	21	11	16	9	30	25	30	51	65	102	37	5	1
Newry,	842	634	50	29	23	15	6	123	27	17	36	27	43	38	36	64	68	110	36	9	.
Newtownards,	612	581	58	37	22	14	10	141	38	24	28	19	39	34	40	55	72	66	21	3	1
ORTH-WESTERN.																					
Ballyshannon,	280	220	13	3	6	5	4	31	17	7	10	6	10	12	17	21	42	36	7	4	.
Castlederg,	179	126	13	3	4	.	4	24	9	1	4	5	5	8	7	7	14	26	11	5	.
Donegal,	305	217	22	8	4	5	1	40	6	7	6	9	12	6	16	22	33	45	13	2	.
Dunfanaghy,	226	93	9	3	3	4	1	20	2	.	1	2	5	5	5	14	14	19	2	4	.
Enniskillen,	478	366	39	7	6	8	5	65	7	9	17	13	19	27	14	43	56	66	25	5	.
Glenties,	442	259	39	13	16	3	3	74	6	7	11	5	24	18	7	30	33	27	14	3	.
Gortin,	172	113	12	4	1	1	2	20	6	6	3	5	3	6	4	14	11	25	7	3	.
Inishowen,	452	312	35	3	14	9	14	75	16	10	9	15	20	13	11	32	38	44	24	5	.
Irvinestown,	192	128	8	4	2	.	1	15	3	3	4	5	16	10	8	16	23	18	3	4	.
Letterkenny,	191	144	11	3	1	3	1	19	3	2	3	3	11	14	7	24	21	26	10	1	.
Londonderry,	728	627	75	30	24	14	9	152	45	17	33	25	29	36	50	56	73	85	22	3	1
Manorhamilton,	390	223	26	11	10	9	3	59	5	6	9	8	24	15	11	20	29	28	4	5	.
Millford,	270	175	11	5	10	5	3	34	11	4	3	3	8	9	9	24	27	33	7	3	.
Omagh,	532	413	33	11	7	14	6	71	13	14	12	13	33	25	20	48	56	71	30	7	.
Sligo,	522	377	40	17	6	9	5	77	18	10	16	13	22	28	17	57	54	53	9	3	.
Strabane,	460	396	32	17	13	9	9	80	17	5	9	16	24	31	19	39	58	66	25	7	.
Stranorlar,	188	138	11	3	9	2	1	26	4	3	6	1	5	10	7	25	26	21	4	.	.
II.—EASTERN.																					
Ardee,	239	192	16	5	3	1	.	25	7	5	4	7	11	11	10	22	32	44	11	3	.
Ballieborough,	249	192	27	7	5	7	8	54	16	9	6	2	10	12	2	20	27	25	6	3	.
Balrothery,	267	227	26	12	5	6	6	55	7	4	4	8	13	10	11	35	45	24	9	2	.
Baltinglass,	207	144	15	2	3	2	1	23	5	1	2	5	7	12	10	16	28	27	8	.	.
Carrickmacross,	223	181	13	4	5	5	3	30	13	12	9	5	9	8	13	23	32	23	4	.	.

IRELAND.—**DEATHS** at different Ages registered in the year 1875—in the Divisions and Superintendent Registrars' Districts—Males—*continued.*

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.		Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and
III.—EASTERN—*con.*																					
No.																					
43	Celbridge,	187	169	22	2	.	2	1	27	4	4	7	2	9	9	15	27	27	27	8	
44	Drogheda,	388	329	40	5	3	3	10	61	11	8	13	8	21	18	32	41	60	43	12	
45	Dublin, North,	2,153	1,898	317	116	42	25	28	528	74	41	51	68	172	185	251	229	185	89	16	
46	Dublin, South,	2,718	2,605	492	177	84	48	39	840	94	49	72	86	205	263	270	291	271	130	32	
47	Dundalk,	615	423	42	18	11	12	9	92	25	7	11	17	22	29	25	46	73	55	19	
48	Dunshaughlin,	138	133	11	5	3	3	2	24	5	2	1	6	6	6	10	17	28	21	5	
49	Gorey,	268	196	20	7	5	1	2	35	15	4	7	8	13	6	13	20	29	31	15	
50	Kells,	286	181	12	4	6	4	3	29	9	5	7	6	3	11	14	32	30	29	6	
51	Naas,	530	376	52	10	5	6	4	77	12	5	11	18	31	34	23	42	59	54	9	
52	Navan,	209	210	19	4	7	2	4	36	12	6	5	7	14	12	16	30	33	27	10	
53	Rathdown,	666	489	89	16	12	4	4	125	23	17	12	20	32	25	52	62	51	54	15	
54	Rathdrum,	422	330	39	8	7	5	3	62	10	11	12	8	18	30	25	43	51	43	15	
55	Shillelagh,	204	140	21	5	4	1	1	32	5	2	1	3	4	9	5	18	28	28	4	
56	Trim,	232	193	22	4	2	1	.	29	5	2	6	6	8	9	9	34	52	28	4	
IV.—NORTH MIDLAND.																					
57	Athlone,	394	235	29	8	3	3	4	47	7	4	7	7	14	15	11	25	37	46	14	
58	Ballymahon,	214	148	16	5	4	3	.	28	6	.	6	5	3	6	9	15	24	28	15	
59	Bawnboy,	315	209	22	9	5	6	4	46	13	8	5	5	13	13	16	22	38	23	7	
60	Carrick-on-Shannon,	391	230	25	8	6	3	5	47	10	10	10	6	10	8	9	26	46	36	10	
61	Cavan,	667	473	59	16	15	10	10	110	28	9	14	16	27	19	25	48	72	80	18	
62	Clogher,	287	218	25	10	7	3	3	48	14	6	7	8	14	8	9	22	33	35	10	
63	Clones,	241	130	16	6	2	1	1	26	5	2	4	8	3	7	7	10	24	21	10	
64	Cootehill,	410	257	23	8	5	5	1	42	7	10	8	6	14	11	14	32	50	45	17	
65	Delvin,	116	115	13	2	3	3	2	23	3	.	2	1	6	5	11	19	15	21	7	
66	Granard,	415	282	35	7	9	7	6	64	8	2	13	7	15	12	14	38	38	48	20	
67	Lisnaskea,	247	156	15	3	2	4	1	25	2	1	7	7	6	6	14	13	23	39	10	
68	Longford,	340	208	22	3	7	4	5	41	9	4	9	9	9	11	13	18	36	35	10	
69	Mohill,	327	198	32	7	5	5	4	53	7	1	2	3	5	9	10	29	34	38	5	
70	Monaghan,	442	345	38	9	6	3	4	60	11	7	15	9	27	19	17	34	55	66	24	
71	Mullingar,	422	348	43	8	3	6	5	65	7	10	9	11	40	29	20	40	56	48	12	
72	Oldcastle,	293	173	24	7	2	6	1	40	3	4	6	4	4	7	11	19	26	34	12	
73	Roscommon,	289	198	29	4	7	3	2	45	7	5	2	6	8	12	9	29	30	34	11	
74	Strokestown,	274	173	29	11	6	5	2	53	4	2	3	7	8	6	6	19	23	31	9	
V.—SOUTH MIDLAND.																					
75	Abbeyleix,	247	193	21	8	8	4	.	41	10	3	11	2	8	15	9	21	30	31	11	
76	Athy,	364	268	31	9	4	5	2	51	9	4	7	10	15	15	17	40	39	45	15	
77	Borrisokane,	116	88	4	2	3	1	.	10	3	.	3	3	5	6	7	19	15	15	2	
78	Carlow,	534	436	69	15	6	11	2	103	14	7	16	8	24	28	37	60	57	49	27	
79	Cashel,	385	284	38	9	3	2	6	58	8	5	7	7	16	16	16	41	60	37	12	
80	Castlecomer,	171	125	19	5	3	3	.	30	4	2	3	8	10	9	7	10	23	14	4	
81	Donaghmore,	93	50	6	1	.	.	.	7	3	1	1	3	3	3	5	5	9	5	5	
82	Edenderry,	269	198	28	4	1	5	2	40	7	4	4	5	11	6	17	26	41	22	13	
83	Kilkenny,	373	266	46	9	5	4	2	66	4	6	6	7	15	17	18	44	43	26	10	
84	Mountmellick,	462	352	52	11	6	4	3	76	4	.	6	6	22	13	27	43	70	72	11	
85	Nenagh,	425	238	43	4	2	3	5	57	6	2	3	8	10	15	15	24	46	37	13	
86	Parsonstown,	367	247	29	2	3	3	2	39	5	4	2	6	11	20	20	35	44	47	10	
87	Roscrea,	208	164	15	5	1	1	.	22	3	4	1	5	11	8	11	24	29	34	11	
88	Thurles,	396	245	36	7	4	4	1	52	4	2	6	10	14	13	14	37	47	32	10	
89	Tipperary,	635	378	72	9	10	2	7	100	12	1	12	7	22	25	31	48	54	54	8	
90	Tullamore,	344	227	29	3	1	4	2	39	3	5	9	7	8	11	21	30	42	44	8	
91	Urlingford,	134	94	13	1	2	.	2	18	2	1	3	2	2	2	4	5	27	20	8	
VI.—WESTERN.																					
92	Ballina,	362	243	38	5	4	6	7	60	22	5	16	15	12	11	17	33	23	23	3	
93	Ballinasloe,	267	178	16	2	2	.	1	21	1	2	3	6	18	17	19	16	31	33	9	
94	Ballinrobe,	388	203	34	15	4	4	3	60	9	8	6	7	12	7	8	23	28	29	5	
95	Ballyvaghan,	65	43	5	4	1	3	.	13	2	1	1	4	2	3	3	1	9	2	2	
96	Belmullet,	202	82	19	1	2	1	.	23	1	1	.	2	6	2	6	9	9	18	3	
97	Boyle,	537	266	27	9	6	7	4	53	10	9	4	8	14	11	17	31	41	52	13	
98	Castlebar,	318	243	30	11	6	5	6	58	20	14	14	11	16	12	15	21	28	22	11	
99	Castlereagh,	557	303	49	13	8	7	5	82	24	11	11	12	11	9	14	39	49	30	9	
100	Claremorris,	473	278	42	11	7	5	3	68	16	9	13	11	10	9	22	39	44	26	10	
101	Clifden,	330	117	23	3	2	3	3	34	3	.	3	4	4	9	10	17	18	11	4	

IRELAND.—**DEATHS** at different AGES registered in the year 1875—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS—FEMALES—*continued.*

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	FEMALES.																			
	TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																	
			Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards. Unspecified.
I.—EASTERN—*con.*																				
CELBRIDGE,	164	161	12	5	3	1	1	22	10	2	9	2	12	10	16	21	26	19	11	1 .
DROGHEDA,	402	330	37	8	10	7	2	64	7	8	11	15	15	26	20	53	57	40	12	1 1
DUBLIN, NORTH,	1979	1750	238	96	53	40	23	450	73	24	43	69	171	165	176	230	193	120	30	5 1
DUBLIN, SOUTH,	2562	2623	368	159	72	37	31	667	83	45	81	88	205	191	285	357	333	208	67	13 .
DUNDALK,	557	443	47	15	6	10	6	82	20	7	11	9	23	29	29	55	90	64	19	5 .
DUNSHAUGHLIN,	111	99	8	2	1	1	.	12	5	4	3	3	6	2	8	17	21	10	2	. .
GOREY,	259	224	21	7	5	2	4	39	9	10	9	1	12	10	13	24	32	50	13	2 .
KELLS,	246	176	13	9	2	4	1	29	9	3	4	7	12	11	6	22	28	31	14	. .
NAAS,	530	309	45	9	3	9	6	72	10	6	12	11	21	16	18	47	42	41	11	1 1
NAVAN,	209	186	15	2	3	5	3	28	8	5	8	7	12	9	13	20	41	25	9	1 .
RATHDOWN,	657	538	74	19	11	10	2	116	19	20	11	16	47	37	43	71	81	62	15	. .
RATHDRUM,	434	288	33	19	7	2	4	65	17	8	11	5	18	20	16	33	41	36	15	3 .
SHILLELAGH,	194	121	13	7	1	2	1	24	3	4	7	1	8	5	8	10	20	27	3	1 .
TRIM,	249	141	11	2	2	1	2	18	6	3	3	4	12	8	5	17	24	30	8	3 .
NORTH MIDLAND.																				
ATHLONE,	376	212	21	3	4	2	1	31	10	9	5	5	11	6	11	30	36	43	11	4 .
BALLYMAHON,	216	182	23	8	4	4	4	43	3	4	7	3	9	10	9	21	36	32	3	2 .
BAWNBOY,	291	211	29	8	7	6	5	55	9	6	7	9	9	14	11	27	29	26	7	2 .
CARRICK-ON-SHANNON,	359	179	22	4	6	3	2	37	8	3	4	3	4	17	9	20	32	31	9	. .
CAVAN,	639	456	37	18	8	13	7	83	23	14	8	10	25	28	23	56	63	85	31	7 .
CLOGHER,	278	207	23	8	5	4	5	45	4	6	5	9	11	9	13	23	34	37	8	3 .
CLONES,	244	143	17	2	5	6	1	31	7	1	3	7	6	8	8	17	24	21	8	2 .
COOTEHILL,	355	272	20	5	7	2	3	37	14	4	4	9	13	24	17	45	47	44	12	2 .
DELVIN,	120	91	9	1	1	.	.	11	2	.	2	2	4	3	9	10	24	18	3	3 .
GRANARD,	422	266	34	9	14	9	4	70	11	7	12	4	11	13	16	27	42	42	9	2 .
LISNASKEA,	243	128	12	3	3	1	1	20	7	2	6	7	7	8	6	21	16	16	10	2 .
LONGFORD,	328	265	21	8	8	5	3	45	4	5	5	8	19	10	16	20	31	32	9	. 1
MOHILL,	323	203	28	10	7	7	3	55	3	5	6	6	7	16	11	21	28	38	7	. .
MONAGHAN,	393	397	36	7	11	8	7	69	17	17	13	13	15	24	28	46	75	55	18	7 .
MULLINGAR,	397	328	29	11	8	4	6	58	9	4	11	10	15	16	22	44	75	50	9	5 .
OLDCASTLE,	294	183	25	8	1	6	2	42	3	1	8	4	9	5	15	10	46	33	6	1 .
ROSCOMMON,	269	189	28	6	1	3	1	39	7	5	5	5	10	6	15	22	34	30	8	3 .
STROKESTOWN,	264	193	16	6	5	1	1	29	9	5	6	6	12	9	12	34	34	27	6	4 .
SOUTH MIDLAND.																				
ABBEYLEIX,	213	190	15	2	6	.	4	27	8	4	9	2	9	8	8	19	40	45	9	2 .
ATHY,	339	248	27	5	5	4	2	43	11	6	7	5	13	9	20	38	44	33	17	2 .
BORRISOKANE,	105	73	6	3	2	.	.	11	4	3	1	1	2	6	4	13	18	7	3	. .
CARLOW,	555	496	72	13	10	7	5	107	15	5	14	9	21	32	35	67	87	81	20	3 .
CASHEL,	322	274	32	6	4	4	3	49	7	8	7	5	13	14	19	33	58	46	11	4 .
CASTLECOMER,	216	137	23	3	5	4	2	37	7	4	2	2	9	7	8	11	16	25	9	. .
DONAGHMORE,	76	45	6	1	1	.	2	10	.	1	3	1	1	1	5	6	7	7	3	. .
EDENDERRY,	237	192	12	3	4	3	1	23	6	3	6	6	9	8	18	24	42	34	9	3 1
KILKENNY,	314	253	30	8	5	4	4	51	11	6	8	4	17	15	19	36	40	31	10	4 1
MOUNTMELLICK,	407	303	24	11	5	2	3	45	5	4	10	9	20	23	19	45	56	54	12	1 .
NENAGH,	399	281	50	15	5	5	3	78	11	9	5	7	11	15	16	24	48	42	15	. .
PARSONSTOWN,	383	259	32	13	2	6	3	56	7	9	5	10	10	10	9	36	33	52	18	4 .
ROSCREA,	192	148	17	7	1	.	2	27	3	3	4	3	3	7	8	28	30	23	9	. .
THURLES,	364	249	41	7	6	3	2	59	6	6	9	7	11	14	14	30	41	34	17	1 .
TIPPERARY,	547	377	52	8	10	5	4	79	11	5	9	9	24	17	25	47	75	50	19	7 .
TULLAMORE,	297	214	22	5	1	1	1	30	5	3	7	3	11	5	16	23	47	49	13	2 .
URLINGFORD,	134	101	10	6	2	3	3	24	4	.	2	1	3	4	4	10	22	16	6	5 .
I.—WESTERN.																				
BALLINA,	321	224	32	8	8	3	5	56	16	2	11	12	15	8	10	21	42	24	6	1 .
BALLINASLOE,	257	170	13	3	1	1	1	19	4	2	4	10	10	11	13	17	31	31	12	5 1
BALLINROBE,	374	213	34	5	5	3	3	50	5	8	9	7	8	7	11	26	36	35	9	2 .
BALLYVAGHAN,	79	59	4	4	2	.	.	10	1	1	.	.	1	2	3	18	12	8	3	. .
BELMULLET,	185	93	14	4	2	2	1	23	2	1	.	4	6	2	6	10	19	15	4	1 .
BOYLE,	453	225	21	11	5	3	2	42	5	8	4	6	13	17	10	26	38	48	7	1 .
CASTLEBAR,	324	212	26	17	4	6	6	59	17	6	15	15	12	10	13	13	19	27	4	2 .
CASTLEREAGH,	571	304	37	16	11	7	9	80	11	5	7	8	23	18	19	40	45	38	9	1 .
CLAREMORRIS,	438	210	38	17	10	7	3	75	13	3	15	5	20	6	6	27	25	39	6	. .
CLIFDEN,	361	115	20	6	4	2	.	32	1	4	3	2	5	8	8	13	20	12	4	3 .

IRELAND.—**DEATHS** at different AGES registered in the year 1875—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS—MALES—*continued*.

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.		MALES.																			
		Total Births.	Total Deaths.	Ages at Death.																	
				Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
VI.—WESTERN—*con.*																					
No.																					
102	Corrofin,	89	43	10	.	1	.	.	11	2	.	1	2	.	.	1	5	9	10	2	.
103	Dromore, West,	251	111	21	8	.	.	.	29	5	2	2	5	4	5	7	11	16	18	6	1
104	Ennis,	288	214	19	12	5	2	5	43	4	3	7	4	16	15	20	26	43	28	5	.
105	Ennistimon,	301	184	28	4	1	5	1	39	7	4	8	9	9	9	9	17	31	27	11	4
106	Galway,	567	369	55	17	10	8	3	93	7	8	13	15	24	27	25	45	48	55	6	3
107	Glennamaddy,	300	141	34	2	3	2	1	42	3	1	5	1	8	2	6	18	23	26	5	1
108	Gort,	236	142	24	5	.	3	.	32	2	1	.	5	10	8	9	13	39	17	6	.
109	Killadysert,	179	90	11	4	1	3	.	19	2	1	1	5	2	4	3	9	16	16	9	3
110	Killala,	162	71	7	4	1	.	.	12	2	1	5	4	3	9	6	4	7	15	2	1
111	Kilrush,	477	300	69	18	6	3	2	98	4	4	6	8	13	11	18	36	44	42	13	2
112	Loughrea,	296	227	27	7	4	2	2	42	18	6	3	8	14	14	14	34	28	33	6	6
113	Mountbellew,	208	153	25	7	4	.	4	40	6	2	3	4	8	11	6	20	20	25	8	.
114	Newport,	230	73	17	3	2	3	.	25	2	1	1	.	.	4	4	8	11	13	2	2
115	Oughterard,	296	133	28	6	3	5	1	43	2	1	1	6	4	4	14	15	16	19	5	3
116	Portumna,	162	121	8	3	5	4	1	21	3	3	4	5	6	6	2	18	30	15	5	3
117	Scarriff,	181	94	16	3	1	4	.	24	1	1	3	6	8	5	6	11	17	7	4	1
118	Swineford,	729	342	79	14	12	7	4	116	18	8	13	9	18	11	14	35	41	49	9	1
119	Tobercurry,	382	213	37	7	4	11	8	67	19	4	8	13	10	9	10	22	19	30	2	.
120	Tuam,	529	268	34	13	3	4	1	55	14	6	15	5	4	16	19	32	52	45	5	.
121	Tulla,	200	110	9	6	3	4	.	22	4	.	1	4	7	12	5	12	15	26	2	.
122	Westport,	319	203	36	7	2	3	5	53	6	4	6	5	8	7	10	32	27	32	11	2
VII.—SOUTH-EASTERN.																					
123	Callan,	265	196	32	8	8	5	3	56	3	5	5	2	7	4	16	28	29	36	4	1
124	Carrick-on-Suir,	364	260	51	7	6	7	1	72	8	7	5	8	13	16	21	28	44	32	5	1
125	Clogheen,	288	180	32	4	1	.	3	40	4	.	2	2	8	6	11	32	51	18	4	2
126	Clonmel,	302	235	22	9	5	1	2	39	4	6	6	9	19	24	34	37	39	12	7	2
127	Dungarvan,	331	219	32	7	8	1	2	50	5	3	3	5	10	12	9	41	35	37	6	3
128	Enniscorthy,	464	382	53	12	6	4	2	77	11	9	7	16	15	25	18	60	61	71	12	.
129	Fermoy,	441	279	29	10	3	2	3	47	8	6	5	7	23	24	21	39	42	45	11	1
130	Kilmacthomas,	173	124	24	4	2	3	3	36	4	1	4	2	5	6	9	17	20	11	5	3
131	Lismore,	248	166	24	7	3	4	.	38	2	3	4	6	4	5	18	18	34	28	6	.
132	Middleton,	423	252	37	10	4	3	2	56	13	4	7	6	13	24	10	31	45	35	3	2
133	Mitchelstown,	299	151	21	3	4	.	.	28	5	5	6	5	9	8	15	24	24	18	3	1
134	New Ross,	498	336	49	7	9	4	4	73	9	4	18	11	18	13	15	39	67	53	13	2
135	Thomastown,	240	177	29	1	5	4	4	43	3	1	9	3	5	6	11	19	31	37	9	.
136	Waterford,	796	630	115	27	18	7	9	176	18	9	23	14	37	49	44	90	87	60	17	4
137	Wexford,	509	466	59	14	11	3	4	91	8	4	12	19	21	22	34	72	85	76	21	1
138	Youghal,	281	167	19	5	4	.	1	29	3	5	4	2	12	9	10	21	28	35	7	1
VIII.-SOUTH-WESTERN																					
139	Bandon,	332	226	30	11	10	6	7	64	7	2	11	7	9	12	18	17	33	34	12	.
140	Bantry,	240	90	13	4	1	1	3	22	1	2	2	5	10	6	5	11	14	11	.	1
141	Cahersiveen,	446	215	47	14	5	5	2	73	1	3	4	8	10	12	20	15	31	26	8	4
142	Castletown,	242	126	27	5	7	5	3	47	9	3	1	7	5	6	6	8	13	9	9	3
143	Clonakilty,	358	182	31	5	4	3	3	46	5	1	6	5	11	6	9	20	27	34	11	1
144	Cork,	1,968	1,695	237	94	67	30	24	452	54	30	48	62	151	162	154	238	197	114	28	2
145	Croom,	197	131	19	5	1	.	1	26	1	.	3	3	10	5	6	17	25	19	12	4
146	Dingle,	325	141	18	11	3	4	1	37	2	2	3	5	6	4	7	22	22	18	10	3
147	Dunmanway,	265	128	23	8	5	5	3	44	6	1	3	2	7	6	6	14	16	14	8	1
148	Glin,	221	114	21	6	2	.	.	29	3	5	3	9	7	4	7	16	18	9	4	.
149	Kanturk,	527	272	44	9	3	3	.	59	6	5	5	1	12	20	15	41	47	43	14	4
150	Kenmare,	306	126	26	3	4	2	.	35	3	1	4	4	3	5	7	17	15	22	9	1
151	Killarney,	765	371	81	16	11	6	6	120	6	4	10	19	20	19	30	43	44	40	10	6
152	Kilmallock,	488	337	72	6	4	5	2	89	11	7	3	6	22	24	22	40	57	43	10	3
153	Kinsale,	362	242	33	12	8	4	5	62	7	4	6	11	13	8	7	32	50	34	8	.
154	Limerick,	1,050	798	131	31	20	13	13	208	31	9	24	26	41	57	68	106	110	79	35	4
155	Listowel,	578	282	64	9	6	3	7	89	6	6	10	6	17	17	13	23	43	32	9	11
156	Macroom,	476	202	36	7	6	9	4	62	6	2	2	4	8	6	10	25	32	29	13	3
157	Mallow,	397	237	31	3	6	1	1	42	7	10	8	11	7	22	16	24	48	23	11	8
158	Millstreet,	238	94	8	6	1	3	1	19	1	1	3	3	3	5	6	6	18	18	8	3
159	Newcastle,	477	226	37	6	6	6	1	56	10	3	4	4	10	14	11	32	35	31	13	3
160	Rathkeale,	237	169	20	5	2	3	.	30	5	3	2	8	14	5	9	20	34	27	10	2
161	Skibbereen,	448	229	35	5	4	5	1	50	5	2	6	9	12	12	20	24	38	33	15	3
162	Skull,	171	78	13	.	2	1	3	19	1	1	.	3	4	9	3	14	9	9	3	3
163	Tralee,	758	416	70	25	10	6	10	121	10	5	14	13	22	32	30	41	62	49	15	2

IRELAND.—**DEATHS** at different AGES registered in the year 1875—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS—FEMALES—*continued.*

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	FEMALES.																			
	Total Births.	Total Deaths.	Ages at Death.																	
			Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
—WESTERN—*con.*																					
Corrofin,	94	46	4	.	1	.	1	6	.	.	.	2	3	2	2	5	14	10	1	1	.
Dromore, West,	203	89	7	3	.	2	2	14	1	4	3	4	8	2	4	6	15	21	6	1	.
Ennis,	295	264	21	17	12	6	3	59	7	10	5	8	12	10	19	34	38	46	15	1	.
Ennistimon,	281	166	25	4	3	2	2	36	4	2	5	5	13	13	5	19	12	33	14	5	.
Galway,	544	442	59	23	8	6	4	100	11	7	20	10	33	12	26	65	95	54	12	7	.
Glennamaddy,	282	130	24	6	4	.	2	36	3	5	3	2	8	5	4	16	22	17	8	1	.
Gort,	200	132	13	5	.	3	1	22	2	4	1	5	8	4	6	16	22	35	6	.	1
Killadysert,	184	71	11	1	2	.	.	14	.	.	.	3	2	3	3	9	13	16	7	1	.
Killala,	139	84	8	4	3	1	4	20	1	.	3	.	7	3	6	15	11	16	4	.	.
Kilrush,	452	289	31	12	3	.	5	51	5	3	10	9	17	15	24	38	47	49	17	4	.
Loughrea,	280	174	19	6	5	2	1	33	14	10	8	5	5	7	8	19	34	25	4	1	1
Mountbellew,	224	129	17	2	6	2	2	29	6	5	5	3	7	9	4	18	21	18	3	1	.
Newport,	216	92	14	6	2	1	3	26	4	2	.	4	5	2	4	11	17	12	2	2	1
Oughterard,	265	113	21	5	2	2	2	32	3	1	3	3	9	10	3	15	11	14	6	3	.
Portumna,	168	107	14	4	1	2	3	24	4	.	2	4	7	3	6	13	14	24	5	1	.
Scarriff,	155	88	13	3	3	1	1	21	.	1	1	1	4	1	6	11	17	19	5	1	.
Swineford,	716	400	71	11	12	9	5	108	15	17	21	14	24	24	18	42	54	46	17	.	.
Tobercurry,	336	182	21	10	7	4	4	46	12	7	12	6	10	6	12	15	22	27	7	.	.
Tuam,	496	289	38	10	4	2	4	58	8	8	9	8	7	19	19	52	50	42	5	3	1
Tulla,	161	95	7	7	5	2	4	25	2	1	4	.	8	3	3	10	17	15	3	4	.
Westport,	345	150	27	6	5	1	2	41	4	.	4	2	8	8	15	17	22	21	7	1	.
—SOUTH-EASTERN.																					
Callan,	254	218	28	5	6	2	2	43	7	4	4	4	9	10	15	28	49	37	6	2	.
Carrick-on-Suir,	343	245	38	12	4	3	2	59	7	6	13	6	11	15	12	32	52	24	6	2	.
Clogheen,	271	180	12	9	4	2	1	28	6	2	2	5	11	9	6	33	37	27	11	3	.
Clonmel,	299	266	37	8	7	4	1	57	3	1	7	3	19	20	25	48	44	31	5	3	.
Dungarvan,	308	233	31	6	7	3	2	49	10	7	5	8	8	13	13	34	46	32	7	1	.
Enniscorthy,	483	383	39	16	8	7	4	74	11	6	8	8	16	22	33	58	60	61	24	2	.
Fermoy,	380	255	39	10	8	3	3	63	3	6	9	2	9	14	16	45	32	41	13	2	.
Kilmacthomas,	166	134	23	5	1	1	1	31	1	2	3	1	3	8	6	22	23	23	9	2	.
Lismore,	247	183	18	8	7	1	.	34	3	3	2	4	10	10	14	26	40	30	7	.	.
Middleton,	377	245	20	10	6	2	5	43	14	10	8	11	13	7	15	37	40	37	8	2	.
Mitchelstown,	272	157	22	6	3	1	2	34	2	7	2	1	8	1	15	28	27	24	7	1	.
New Ross,	462	385	49	5	4	2	5	65	7	8	8	9	23	23	22	72	61	65	18	4	.
Thomastown,	210	203	23	9	1	2	3	38	4	1	4	4	7	7	10	35	40	40	11	2	.
Waterford,	733	636	76	16	18	7	2	119	19	18	15	14	51	31	71	96	114	74	12	2	.
Wexford,	462	465	36	13	8	7	11	75	15	5	17	15	28	34	34	74	86	57	23	2	.
Youghal,	218	174	13	4	3	1	2	23	2	3	3	6	9	11	10	32	30	29	12	4	.
—SOUTH-WESTERN																					
Bandon,	320	206	24	9	6	4	1	44	6	2	7	5	12	18	12	25	32	32	8	3	.
Bantry,	239	92	9	5	5	2	.	21	4	1	2	2	6	6	5	13	8	20	3	1	.
Cahersiveen,	454	186	40	10	5	3	4	62	3	4	.	4	9	8	7	19	21	35	10	4	.
Castletown,	222	112	14	6	2	5	3	30	8	5	2	3	4	8	5	8	22	13	3	1	.
Clonakilty,	352	150	15	6	3	4	1	29	4	7	5	3	7	9	8	11	31	21	8	7	.
Cork,	1899	1793	204	70	44	37	18	373	85	28	58	72	131	135	180	311	231	129	47	11	2
Croom,	201	141	16	4	1	1	1	23	5	6	4	6	2	6	7	22	23	27	10	.	.
Dingle,	270	135	22	6	4	4	1	37	3	2	4	2	10	11	10	16	15	21	2	2	.
Dunmanway,	299	126	13	4	8	5	7	37	9	2	2	1	5	4	7	11	16	24	7	1	.
Glin,	239	122	18	6	3	.	.	27	1	2	2	.	4	6	6	13	31	20	10	.	.
Kanturk,	468	248	31	8	9	4	3	55	5	4	5	3	17	14	13	31	45	41	12	3	.
Kenmare,	283	126	14	8	2	6	2	32	2	3	2	4	8	8	4	8	19	22	8	0	.
Killarney,	718	340	47	18	5	6	2	78	9	9	22	9	23	17	13	34	64	45	12	5	.
Kilmallock,	494	326	43	6	11	4	1	65	4	4	9	5	18	13	17	49	59	57	21	5	.
Kinsale,	291	224	19	9	8	3	5	44	14	2	7	4	12	14	10	28	35	40	11	3	.
Limerick,	938	889	130	43	23	21	7	224	30	15	28	28	49	54	56	146	130	96	23	10	.
Listowel,	529	253	36	15	5	5	3	64	7	2	3	3	9	20	11	21	45	47	13	7	1
Macroom,	461	208	26	12	4	4	3	49	9	9	4	7	16	6	15	23	29	25	13	3	.
Mallow,	358	254	22	10	5	2	2	41	9	5	5	10	18	13	17	41	43	39	9	4	.
Millstreet,	212	106	5	6	6	1	1	19	4	2	1	5	8	4	3	14	21	19	5	1	.
Newcastle,	471	274	54	8	3	5	2	72	6	5	7	3	13	14	11	34	40	50	15	3	1
Rathkeale,	226	159	13	1	2	3	2	21	3	1	5	3	12	10	3	19	36	33	9	4	.
Skibbereen,	419	199	30	9	5	2	2	48	3	5	10	5	12	13	6	14	29	36	13	4	1
Skull,	197	79	11	1	2	1	1	16	3	3	2	1	6	4	1	11	15	11	3	3	.
Tralee,	715	406	70	17	10	8	6	111	19	5	15	7	17	21	22	39	64	60	21	4	1

IRELAND.—**DEATHS** at different AGES registered in the year 1875—in the REGISTRATION PROVINCES and COUNTIES.—MALES.

No.	REGISTRATION PROVINCES AND COUNTIES.*	MALES.																		
		TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																
				Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards
	IRELAND,	71118	48924	7269	2116	1379	943	782	12489	2089	1157	1542	1610	2850	2917	3331	5533	6956	6220	1851	35
No.	PROVINCES.																			
I.	**LEINSTER,**	16640	13443	1967	529	311	211	173	3191	453	253	383	433	863	960	1143	1680	1963	1606	442	6
II.	**MUNSTER,**	19763	12265	1948	486	298	194	154	3080	340	189	314	386	722	803	866	1557	1922	1498	463	11
III.	**ULSTER,**	24001	17079	2420	871	627	413	362	4693	1028	571	654	577	952	858	961	1552	2161	2226	715	12
IV.	**CONNAUGHT,**	10714	6137	934	230	143	125	93	1525	268	144	191	214	313	296	361	744	910	890	231	4
	I.—LEINSTER.																				
1	CARLOW,	534	436	69	15	6	11	2	103	14	7	16	8	24	28	37	60	57	49	27	
2	DUBLIN,	5784	5240	925	317	142	82	75	1541	195	113	140	187	424	488	589	617	549	312	71	1
3	KILDARE,	1081	813	105	21	9	13	7	155	25	13	25	30	55	58	55	109	125	126	32	
4	KILKENNY,	1183	858	139	24	23	16	11	213	16	15	26	22	39	38	56	106	153	133	35	
5	KING'S,	980	672	86	9	5	12	6	118	15	13	15	18	30	37	58	91	127	113	31	
6	LONGFORD,	969	638	73	15	20	14	11	133	23	6	28	21	27	29	36	71	98	111	45	
7	LOUTH,	1277	970	107	24	20	17	25	193	46	21	26	29	52	62	68	111	173	142	41	
8	MEATH,	865	717	64	17	18	10	9	118	31	15	19	25	31	38	49	113	143	105	25	
9	QUEEN'S,	802	595	79	20	14	8	3	124	17	4	18	11	33	31	41	69	109	108	27	
10	WESTMEATH,	538	463	56	10	6	9	7	88	10	10	11	12	46	34	31	59	71	69	19	
11	WEXFORD,	1739	1380	181	40	31	12	12	276	43	21	44	54	67	66	80	191	242	231	61	
12	WICKLOW,	888	661	83	17	17	7	5	129	18	15	15	16	35	51	43	83	116	107	28	
	II.—MUNSTER.																				
13	CLARE,	1780	1078	167	51	19	24	8	269	26	14	28	42	57	59	65	117	184	158	48	
14	CORK,	7468	4690	667	197	139	81	64	1148	144	84	123	150	309	345	331	592	681	538	164	
15	KERRY,	3178	1551	306	78	39	26	26	475	28	21	45	55	78	89	107	167	217	187	61	
16	LIMERICK,	2670	1775	300	59	35	27	17	438	61	27	39	56	104	109	123	231	279	208	84	
17	TIPPERARY,	2755	1812	262	49	29	14	24	378	44	20	40	48	105	113	139	262	341	239	67	
18	WATERFORD,	1912	1399	246	52	37	22	15	372	37	23	39	35	69	88	101	194	220	168	39	
	III.—ULSTER.																				
19	ANTRIM,	6442	4424	828	360	245	146	117	1696	319	140	184	143	275	256	275	334	352	343	98	
20	ARMAGH,	2635	2074	270	82	64	46	39	501	116	76	97	66	120	112	132	239	256	257	91	
21	CAVAN,	1972	1302	146	48	31	32	26	283	65	37	36	34	67	59	78	136	211	219	63	
22	DONEGAL,	2549	1614	212	70	54	21	25	382	76	43	44	48	99	75	93	160	238	249	87	
23	DOWN,	3018	2379	322	111	93	66	51	643	170	116	116	77	120	101	118	192	284	330	97	
24	FERMANAGH,	1011	619	70	14	10	11	5	110	14	12	20	26	31	30	40	68	111	123	29	
25	LONDONDERRY,	2318	1723	233	90	51	45	40	459	91	52	57	69	87	90	88	131	241	258	84	
26	MONAGHAN,	1406	953	109	30	17	14	15	185	44	22	27	34	50	44	41	107	161	172	56	
27	TYRONE,	2650	1991	230	66	62	32	44	434	133	73	73	80	103	91	96	187	307	275	110	
	IV.—CONNAUGHT.																				
28	GALWAY,	3191	1849	274	65	36	31	17	423	59	30	50	59	100	114	124	228	305	279	59	
29	LEITRIM,	1128	667	92	24	15	16	15	162	27	20	22	17	26	25	34	77	117	102	32	
30	MAYO,	3183	1738	302	71	40	34	28	475	96	51	74	64	85	72	102	204	218	227	56	
31	ROSCOMMON,	2051	1175	163	45	30	25	17	280	52	31	27	40	55	53	57	143	180	193	56	
32	SLIGO,	1161	708	103	25	22	19	16	185	34	12	18	34	47	32	44	92	90	89	28	

* See note (*), page 44.

IRELAND.—**DEATHS** at different Ages registered in the year 1875—in the REGISTRATION PROVINCES and COUNTIES.—FEMALES.

REGISTRATION PROVINCES AND COUNTIES.*	FEMALES.																		
	TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																
			Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
IRELAND,	67202	49190	5859	2051	1320	952	697	10879	2067	1216	1667	1524	3107	2941	3244	5964	7240	6832	2031	457	21
PROVINCES.																					
LEINSTER,	15791	13116	1554	533	298	216	165	2766	450	248	384	377	869	842	1034	1754	2072	1725	498	91	6
MUNSTER,	18519	12342	1569	485	308	196	129	2687	386	250	340	316	704	697	803	1713	2029	1733	532	146	6
ULSTER,	22691	17847	1967	788	566	435	318	4074	1009	564	730	646	1186	1104	1090	1782	2217	2483	794	164	4
CONNAUGHT,	10201	5885	769	245	148	105	85	1352	222	154	213	185	348	298	317	715	922	891	207	56	5
I.—LEINSTER.																					
CARLOW,	555	496	72	13	10	7	5	107	15	5	14	9	21	32	35	67	87	81	20	3	.
DUBLIN,	5465	5138	706	286	141	93	62	1288	182	93	139	181	436	403	515	693	652	414	121	20	1
KILDARE,	1033	718	84	19	11	14	9	137	31	14	28	18	46	35	54	106	112	93	39	4	1
KILKENNY,	1128	912	114	31	19	15	14	193	33	15	20	15	45	43	56	120	167	149	42	13	1
KING'S,	917	665	66	21	7	10	5	109	18	15	18	19	30	23	43	83	122	135	40	9	1
LONGFORD,	966	653	78	25	26	18	11	158	18	16	24	15	39	33	41	68	109	106	21	4	1
LOUTH,	1198	965	98	28	19	18	8	171	34	20	26	31	49	66	59	130	179	148	42	9	1
MEATH,	815	602	47	15	8	11	6	87	28	15	15	21	42	30	32	76	114	102	33	4	.
QUEEN'S,	696	538	45	14	12	2	9	82	13	9	22	12	30	32	32	70	103	106	24	3	.
WESTMEATH,	517	419	38	12	9	4	6	69	11	4	13	12	19	19	31	54	99	68	12	8	.
WEXFORD,	1666	1457	145	41	25	18	24	253	42	29	42	33	79	89	102	228	239	233	78	10	.
WICKLOW,	835	553	61	28	11	6	6	112	25	13	20	11	33	37	34	59	89	90	26	4	.
II.—MUNSTER.																					
CLARE,	1701	1078	116	48	31	11	16	222	19	18	25	28	60	49	65	144	170	196	65	17	.
CORK,	6984	4628	517	185	127	81	59	969	184	101	132	141	293	281	338	683	686	581	182	54	3
KERRY,	2969	1446	229	74	31	32	18	384	43	25	46	29	76	85	67	137	228	230	66	28	2
LIMERICK,	2569	1911	274	68	43	34	13	432	49	33	55	45	98	103	100	283	319	283	88	22	1
TIPPERARY,	2499	1848	247	63	39	23	16	388	51	37	44	40	94	102	117	256	351	260	90	18	.
WATERFORD,	1797	1431	186	47	37	15	7	292	40	36	38	33	83	77	116	210	275	183	41	7	.
III.—ULSTER.																					
ANTRIM,	6135	4867	711	342	200	149	106	1508	332	168	222	201	384	338	339	381	395	449	133	17	.
ARMAGH,	2478	2038	175	83	64	45	33	400	133	72	95	81	140	118	132	202	245	307	98	14	1
CAVAN,	1828	1314	138	46	28	34	25	271	65	34	33	34	66	83	68	158	212	213	62	15	.
DONEGAL,	2354	1558	151	41	63	36	28	319	65	40	49	44	95	87	79	192	234	251	81	22	.
DOWN,	2955	2647	293	102	72	53	46	566	160	105	138	109	183	158	147	258	341	347	115	19	1
FERMANAGH,	913	622	59	14	11	9	7	100	17	14	27	25	42	45	28	80	95	100	38	11	.
LONDONDERRY,	2178	1771	175	69	53	38	26	361	98	44	70	56	101	86	111	173	235	322	97	15	2
MONAGHAN,	1343	1048	97	28	30	22	12	189	44	36	30	32	49	65	77	133	176	153	50	14	.
TYRONE,	2507	1982	168	63	45	49	35	360	95	51	66	64	126	124	109	265	284	341	120	37	.
IV.—CONNAUGHT.																					
GALWAY,	3077	1801	238	70	35	22	20	385	56	46	58	52	99	88	97	244	310	272	65	25	4
LEITRIM,	1072	605	76	25	23	19	8	151	16	16	19	17	35	48	31	61	89	97	20	5	.
MAYO,	3058	1708	264	78	51	33	32	458	77	39	78	63	105	70	89	180	245	235	59	9	1
ROSCOMMON,	1933	1123	123	42	26	16	14	221	42	32	27	30	69	56	67	152	187	186	41	13	.
SLIGO,	1061	648	68	30	13	15	11	137	31	21	31	23	40	36	33	78	91	101	22	4	.

* See note (*) page 44.

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1875—MALES.

Class.	CAUSES OF DEATH.	MALES.																		
		ALL AGES.	AGES AT DEATH.																	
			Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
	ALL CAUSES, . .	48924	7269	2116	1379	943	782	12489	2089	1157	1542	1610	2850	2917	3331	5533	6956	6220	1851	350
	SPECIFIED CAUSES,	47549	6909	2033	1328	912	752	11934	2034	1129	1498	1573	2796	2824	3202	5188	6933	6213	1851	350
	(CLASSES.)																			
I.	ZYMOTIC DISEASES,	8122	1229	943	714	534	472	3892	1144	448	384	273	337	331	357	449	324	157	21	
II.	CONSTITUTIONAL ,,	8009	450	302	206	127	122	1207	391	319	633	870	1400	892	718	896	434	212	26	
III.	LOCAL ,,	17742	2967	611	318	181	128	4205	414	278	388	343	882	1391	1901	3403	2863	1454	199	1
IV.	DEVELOPMENTAL ,,	12212	2184	128	30	16	7	2365	11	8	3	5	12	17	70	274	3194	4333	1595	32
V.	VIOLENT DEATHS, .	1464	79	49	60	54	23	265	74	76	90	82	165	193	156	166	118	57	10	.
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES,	7772	1178	928	695	528	465	3794	1125	443	379	254	288	284	302	414	310	153	21	
	2. ENTHETIC ,,	63	27	2	.	1	.	30	.	.	.	2	5	11	10	3	2	.	.	.
	3. DIETIC ,,	239	16	6	8	2	2	34	7	5	5	17	44	35	45	32	11	4	.	.
	4. PARASITIC ,,	48	8	7	11	3	5	34	12	.	.	.	.	1	.	.	1	.	.	.
II.	1. DIATHETIC ,,	1427	11	7	16	11	18	63	32	25	29	15	60	115	191	398	284	185	25	
	2. TUBERCULAR ,,	6582	439	295	190	116	104	1144	359	294	604	855	1340	777	527	498	150	27	1	.
III.	1. DISEASES OF NERVOUS SYSTEM,	4663	1809	193	80	55	33	2170	135	97	101	81	240	286	315	465	502	237	31	
	2. ,, ORGANS OF CIRCULATION, .	2125	3	3	.	.	1	7	23	39	73	62	154	241	318	481	474	228	24	.
	3. ,, RESPIRATORY ORGANS, .	7524	985	371	210	101	75	1742	175	72	108	123	282	543	842	1671	1197	653	101	1
	4. ,, DIGESTIVE ORGANS, . .	2235	126	25	16	13	13	193	52	37	57	51	133	238	325	579	410	145	15	.
	5. ,, URINARY ORGANS, . .	973	15	6	4	6	5	36	20	19	23	13	56	72	89	182	256	178	28	.
	6. ,, ORGANS OF GENERATION,	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	
	7. ,, ORGANS OF LOCOMOTION,	99	.	1	2	.	1	4	6	12	24	11	9	5	5	11	7	5	.	.
	8. ,, INTEGUMENTARY SYSTEM,	120	29	12	6	6	.	53	3	2	2	2	8	6	7	14	16	7	.	.
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN, .	265	206	58	1	.	.	265	.	.	.	.	.	.	.	.	.	.	.	.
	2. DEV. DISEASES, ADULTS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. ,, OLD PEOPLE,	9446	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3194	4333	1595	32
	4. DISEASES OF NUTRITION, . . .	2501	1978	70	29	16	7	2100	11	8	3	5	12	17	70	274	.	.	.	.
V.	1. ACCIDENT OR NEGLIGENCE, . . .	1336	65	49	60	53	23	250	72	76	88	71	145	172	144	138	106	52	10	.
	3. HOMICIDE, . . .	56	13	.	.	.	.	13	2	.	1	5	9	8	5	9	4	.	.	.
	4. SUICIDE, . . .	48	.	.	.	.	.	.	.	.	1	4	5	11	4	12	6	5	.	.
	5. EXECUTION, . . .	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	VIOLENT DEATHS NOT CLASSED, . .	21	1	.	.	1	.	2	.	.	.	1	4	2	3	7	2	.	.	.
	SUDDEN DEATHS, CAUSE UNASCERTAINED, .	167	6	1	1	.	2	10	5	2	4	7	11	29	28	47	18	4	.	.
	CAUSES NOT SPECIFIED,	1208	354	82	50	31	28	545	50	26	40	30	43	64	101	298	5	3	.	.

[*continued at page* 104.]

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1875—FEMALES.

CAUSES OF DEATH.	FEMALES.																			
	All Ages.	Ages at Death																		
		Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
ALL CAUSES, . .	49190	5859	2051	1320	952	697	10879	2067	1216	1667	1524	3107	2941	3244	5964	7240	6832	2031	457	21
SPECIFIED CAUSES,	47737	5564	1950	1259	924	676	10373	1997	1183	1640	1493	3045	2862	3084	5505	7225	6828	2031	457	14
(Classes.)																				
ZYMOTIC DISEASES,	8132	1095	926	663	538	414	3636	1149	471	398	309	569	412	326	424	258	153	21	2	4
CONSTITUTIONAL „	8544	363	283	197	120	92	1055	409	474	910	832	1324	988	806	1051	473	189	29	3	1
LOCAL „	15290	2247	573	303	208	135	3466	357	212	302	289	847	1129	1802	3497	2263	968	145	10	3
DEVELOPMENTAL „	15128	1794	127	33	18	4	1976	20	11	9	48	265	290	114	462	4185	5481	1825	440	2
VIOLENT DEATHS, .	643	65	41	63	40	31	240	62	15	21	15	40	43	36	71	46	37	11	2	4
(Orders.)																				
1. Miasmatic Diseases,	7911	1053	909	645	527	403	3537	1125	467	392	306	547	400	303	412	245	151	21	2	3
2. Enthetic „	47	25	2	.	1	.	28	.	1	1	1	7	2	5	2	.	.	.	.	.
3. Dietic „	118	9	8	11	4	3	35	5	2	5	2	15	10	18	10	13	2	.	.	1
4. Parasitic „	56	8	7	7	6	8	36	19	1	.	.	.	.	.	.	.	.	.	.	.
1. Diathetic „	1776	10	8	12	12	8	50	23	26	19	14	73	188	301	530	359	164	26	3	.
2. Tubercular „	6768	353	275	185	108	84	1005	386	448	891	818	1251	800	505	521	114	25	3	.	1
1. Diseases of Nervous System,	3699	1381	157	66	59	29	1692	104	58	98	79	170	219	237	453	393	176	20	.	.
2. „ Organs of Circulation, .	1971	4	3	3	1	4	15	27	40	59	52	175	197	303	507	419	149	24	2	2
3. „ Respiratory Organs, .	7044	738	375	200	127	83	1523	165	70	83	65	247	413	819	1928	1099	533	90	8	1
4. „ Digestive Organs, . .	1998	94	27	25	17	12	175	45	26	40	62	188	224	363	504	272	90	9	.	.
5. „ Urinary Organs, . .	300	3	2	3	1	4	13	6	8	8	17	36	42	48	63	50	9	.	.	.
6. „ Organs of Generation,	125	.	.	.	.	.	.	.	.	3	6	21	24	23	29	15	4	.	.	.
7. „ Organs of Locomotion,	73	.	1	.	1	.	2	7	8	11	8	8	6	4	7	9	3	.	.	.
8. „ Integumentary System,	80	27	8	6	2	3	46	3	2	.	.	2	4	5	6	6	4	2	.	.
1. Congenital Malformations and Dev. Diseases of Children, .	227	171	51	4	.	1	227	.	.	.	.	.	.	.	.	.	.	.	.	.
2. Dev. Diseases, Adults	578	.	.	.	.	.	.	.	1	7	47	247	253	21	1	.	.	.	.	1
3. „ Old People,	11932	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4185	5481	1825	440	1
4. Diseases of Nutrition, . . .	2391	1623	76	29	18	3	1749	20	10	2	1	18	37	93	461	.	.	.	.	.
1. Accident or Negligence, . . .	592	54	40	63	40	31	228	61	15	19	13	33	31	31	64	43	37	11	2	4
3. Homicide, . . .	20	9	.	.	.	.	9	1	.	1	1	1	5	1	1	.	.	.	.	.
4. Suicide, . . .	27	.	.	.	.	.	.	.	.	1	1	6	6	4	6	3	.	.	.	.
5. Execution, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Violent Deaths not classed, . . .	4	2	1	.	.	.	3	.	.	.	.	.	1	.	.	.	.	.	.	.
Sudden Deaths, cause unascertained, .	80	4	2	1	2	.	9	1	2	1	2	9	6	12	31	4	2	.	.	1
Causes not specified,	1373	291	99	60	26	21	497	69	31	26	29	53	73	148	428	11	2	.	.	6

[*ntinued at page* 105.]

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1875—MALES—*continued*

Class.	CAUSES OF DEATH.	MALES.																	
			AGES AT DEATH.																
		All Ages.	Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85– and upwards.
I.	ORDER 1.																		
	1. Small-pox,	278	30	8	8	12	12	70	55	37	44	35	27	3	4	2	.	.	.
	2. Measles,	439	87	142	84	39	26	378	47	12	1	.	.	.	.	1	.	.	.
	3. Scarlet Fever (Scarlatina),	2,034	136	201	278	226	221	1,065	608	214	97	24	15	5	2	3	.	.	.
	4. Diphtheria,	208	17	22	23	21	17	100	66	20	5	4	6	1	2	4	.	.	.
	5. Quinsy,	135	50	23	17	15	11	116	13	2	1	1	2	.	.	.	.	.	.
	6. Croup,	947	230	236	138	108	102	814	123	9	1	.	.	.	.	.	.	.	.
	7. Whooping-cough,	596	252	138	79	43	31	543	46	7	.	.	.	.	.	.	.	.	.
	8. Typhus,	368	5	1	2	2	3	13	18	15	48	43	47	56	49	45	28	6	.
	Enteric or Typhoid Fever,	426	14	10	17	15	13	69	52	31	60	62	46	36	27	25	14	4	.
	Simple continued Fever,	673	9	8	6	9	11	43	35	46	82	54	76	79	79	88	63	26	2
	9. Erysipelas,	245	33	4	3	2	2	44	8	14	10	6	14	20	20	43	41	17	2
	10. Puerperal Fever (Metria),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Carbuncle,	32	.	.	.	.	.	.	.	.	.	.	.	2	5	10	7	6	2
	12. Influenza,	70	16	5	.	2	.	23	1	3	.	.	2	1	3	10	11	14	1
	13. Dysentery,	113	9	2	2	1	1	15	5	1	2	3	7	13	14	21	19	10	2
	14. Diarrhœa,	890	273	115	36	29	11	464	35	11	10	6	24	36	52	95	89	58	10
	15. Simple Cholera,	44	11	5	2	1	2	21	4	2	1	1	2	4	4	2	2	.	.
	16. Ague,	6	.	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.
	17. Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	18. Rheumatism,	191	.	.	.	.	1	1	5	12	13	8	15	18	24	55	29	9	2
	19. *Other Zymotic Dis.*,	77	6	5	.	3	1	15	4	7	4	6	5	9	9	9	6	3	.
	ORDER 2.																		
	1. Syphilis,	52	27	2	.	1	.	30	.	.	.	2	4	8	6	1	1	.	.
	2. Stricture of Urethra,	10	.	.	.	.	.	.	.	.	.	.	.	3	4	2	1	.	.
	3. Hydrophobia,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	4. Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	ORDER 3.																		
	1. Privation,	24	3	.	.	.	.	3	.	.	.	.	2	3	4	9	2	1	.
	2. Want of Breast-milk,	5	5	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.
	3. Purpura and Scurvy,	50	8	6	8	2	2	26	7	4	2	1	.	3	2	2	2	1	.
	4. Alcohol. { *a* Del. Trem.	74	.	.	.	.	.	.	.	.	.	7	25	17	18	6	1	.	.
	4. Alcohol. { *b* Intemp.,	86	.	.	.	.	.	.	.	1	3	9	17	12	21	15	6	2	.
	ORDER 4.																		
	1. Thrush,	7	5	2	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.
	2. Worms, &c.,	41	3	5	11	3	5	27	12	.	.	.	.	1	.	.	1	.	.
II.	ORDER 1.																		
	1. Gout,	10	.	.	.	.	.	.	.	.	.	.	.	1	.	2	4	3	.
	2. Dropsy,	551	8	5	15	8	15	51	27	21	19	9	29	53	64	148	73	49	8
	3. Cancer,	779	.	.	1	1	1	3	1	3	8	5	29	56	117	234	192	112	15
	4. Cancrum Oris (Noma),	4	1	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.
	5. Mortification,	83	2	2	.	1	1	6	3	1	2	1	2	5	10	14	15	21	2
	ORDER 2.																		
	1. Scrofula,	487	44	26	20	13	13	116	59	51	58	49	60	29	26	23	14	1	.
	2. Tabes Mesenterica,	575	208	119	91	45	29	492	45	19	3	.	3	1	6	6	.	.	.
	3. Phthisis,	4,903	19	23	19	13	25	99	142	174	527	806	1276	747	495	469	136	26	1
	4. Hydrocephalus,	617	168	127	60	45	37	437	113	50	16	.	1	.	.	.	.	.	.
III.	ORDER 1.																		
	1. Cephalitis,	344	41	19	14	8	11	93	47	33	26	27	34	29	18	15	15	6	1
	2. Apoplexy,	598	.	.	1	.	.	1	2	5	7	8	53	57	97	125	161	72	9
	3. Paralysis,	808	.	.	2	3	.	5	3	6	3	6	41	85	101	201	220	119	16
	4. Insanity,	102	.	.	.	.	.	.	.	.	1	2	16	21	19	25	12	6	.
	5. Chorea,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6. Epilepsy,	183	.	.	1	1	1	3	8	13	22	12	38	29	24	21	8	5	.
	7. Convulsions,	2,103	1,751	167	59	39	15	2,031	49	9	5	3	.	3	1	1	1	.	.
	8. *Brain Disease, &c.*,	525	17	7	3	4	6	37	26	31	37	23	58	62	55	77	85	29	5

[*continued at page* 106.]

Note.—For the Causes of Death more in det

ELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1875—FEMALES—*continued*.

CAUSES OF DEATH.	FEMALES.																			
	ALL AGES.	AGES AT DEATH.																		
		Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
ORDER 1.																				
1. Small-pox,	257	28	15	9	5	9	66	46	37	58	31	12	4	2	1	.	.	.	.	.
2. Measles,	459	81	131	67	56	31	366	66	10	9	4	2	2	.	.	.	.	.	.	.
3. Scarlet Fever (Scarlatina),	1,811	110	173	196	203	182	864	579	213	76	24	33	15	3	1	2	.	1	.	.
4. Diphtheria,	235	18	23	27	29	24	121	78	14	7	.	4	4	3	2	2	.	.	.	.
5. Quinsy,	138	38	31	20	18	7	114	14	3	5	.	2	.	.	.	.	.	.	.	.
6. Croup,	784	168	188	129	96	71	652	124	8	.	.	.	.	.	.	.	.	.	.	.
7. Whooping-Cough,	780	318	197	110	67	23	715	57	7	1	.	.	.	.	.	.	.	.	.	.
8. Typhus,	326	.	1	4	2	5	12	15	22	51	37	47	48	45	33	9	5	.	1	1
Enteric or Typhoid Fever,	407	10	11	11	19	20	71	50	55	63	27	50	29	25	16	15	6	.	.	.
Simple continued Fever,	654	8	3	16	12	7	46	46	53	87	70	82	60	73	83	39	11	4	.	.
9. Erysipelas,	147	13	6	3	1	3	26	5	9	5	4	17	12	17	28	14	7	3	.	.
10. Puerperal Fever (Metria),	442	.	.	.	.	.	.	.	.	11	79	217	127	8	.	.	.	.	.	.
11. Carbuncle,	23	.	.	.	.	.	.	.	.	.	.	1	3	2	7	5	4	1	.	.
12. Influenza,	54	3	4	1	.	2	10	2	3	3	.	1	2	4	11	11	4	3	.	.
13. Dysentery,	118	5	3	1	1	1	11	1	2	3	4	11	8	10	27	26	14	1	.	.
14. Diarrhœa,	934	240	116	50	17	16	439	29	14	3	9	36	37	66	126	87	78	7	1	2
15. Simple Cholera,	36	11	6	.	1	.	18	1	2	2	1	2	3	2	1	3	1	.	.	.
16. Ague,	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
17. Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
18. Rheumatism,	253	.	.	.	.	.	.	7	13	7	13	13	36	39	73	31	20	1	.	.
19. *Other Zymotic Dis.*,	51	2	1	1	.	2	6	5	2	1	3	15	10	4	3	1	1	.	.	.
ORDER 2.																				
1. Syphilis,	47	25	2	.	1	.	28	.	1	1	1	7	2	5	2	.	.	.	.	.
2. Stricture of Urethra,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3. Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4. Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ORDER 3.																				
1. Privation,	15	.	2	.	.	.	2	.	.	1	.	.	.	5	1	4	1	.	.	1
2. Want of Breast-milk,	7	7	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.
3. Purpura and Scurvy,	61	2	6	11	4	3	26	5	2	4	2	4	5	5	3	5	.	.	.	.
4. Alcohol. { *a* Del. Trem.	6	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.
{ *b* Intemp.,	29	.	.	.	.	.	.	.	.	.	.	9	2	7	6	4	1	.	.	.
ORDER 4.																				
1. Thrush,	6	6	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.
2. Worms, &c.,	50	2	7	7	6	8	30	19	1	.	.	.	.	.	.	.	.	.	.	.
ORDER 1.																				
1. Gout,	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
2. Dropsy,	703	6	5	8	10	6	35	19	22	12	9	42	56	112	229	112	52	2	1	.
3. Cancer,	974	.	.	1	.	.	1	.	1	5	4	29	128	183	282	224	96	19	2	.
4. Cancrum Oris (Noma),	13	2	3	.	2	2	9	2	.	1	.	.	.	.	.	1	.	.	.	.
5. Mortification,	82	2	.	3	.	.	5	2	3	1	1	2	4	6	19	19	15	5	.	.
ORDER 2.																				
1. Scrofula,	388	47	27	19	10	3	106	49	40	50	24	33	27	17	20	16	5	1	.	.
2. Tabes Mesenterica,	584	164	140	90	44	33	471	65	23	7	1	2	4	6	5	.	.	.	.	.
3. Phthisis,	5,337	26	27	32	23	28	136	162	344	825	788	1215	769	482	496	98	20	2	.	.
4. Hydrocephalus,	459	116	81	44	31	20	292	110	41	9	5	1	.	.	.	.	.	.	.	1
ORDER 1.																				
1. Cephalitis,	255	19	13	13	11	9	65	40	22	23	15	31	23	11	11	12	2	.	.	.
2. Apoplexy,	444	.	.	.	.	.	.	1	2	20	7	34	46	65	111	101	55	2	.	.
3. Paralysis,	746	.	.	.	.	.	.	3	7	10	14	30	65	82	226	201	93	15	.	.
4. Insanity,	95	.	.	.	.	.	.	.	.	1	3	10	14	18	24	21	3	1	.	.
5. Chorea,	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
6. Epilepsy,	150	.	.	.	3	.	3	4	2	17	17	29	23	18	20	11	5	1	.	.
7. Convulsions,	1,669	1,355	141	50	41	15	1,602	36	8	4	4	8	3	2	2	.	.	.	.	.
8. *Brain Disease, &c.*,	338	7	3	3	4	5	22	19	17	23	19	28	45	41	58	47	18	1	.	.

tinued at page 107.]

lementary Table of Causes of Death, pp. 110–113.

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1875—MALES—*continued*

Class.	CAUSES OF DEATH.	MALES.																	
		ALL AGES.	AGES AT DEATH.																
			Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards
III.—*con.*	ORDER 2.																		
	1. Pericarditis,	41	.	1	.	.	.	1	2	5	5	3	5	4	6	7	3	.	.
	2. Aneurism,	72	.	.	.	.	.	.	.	.	.	.	10	22	16	17	6	1	.
	3. *Heart Disease, &c.*,	2,012	3	2	.	.	1	6	21	34	68	59	139	215	296	457	465	227	24
	ORDER 3.																		
	1. Laryngitis,	78	5	6	4	.	6	21	7	2	1	1	10	11	10	6	6	2	1
	2. Bronchitis,	5,251	836	309	166	85	49	1,445	102	37	39	36	109	260	522	1178	901	520	88
	3. Pleurisy,	175	1	2	.	1	2	6	5	3	9	14	16	26	26	38	20	10	2
	4. Pneumonia,	1,360	90	42	32	12	16	192	44	19	40	52	105	179	195	273	177	77	7
	5. Asthma,	226	1	.	.	.	.	1	.	1	4	3	13	18	37	76	47	23	2
	6. *Lung Disease, &c.*,	434	52	12	8	3	2	77	17	10	15	17	29	49	52	100	46	21	1
	ORDER 4.																		
	1. Gastritis,	137	13	4	4	1	.	22	6	4	2	.	13	11	18	30	22	9	.
	2. Enteritis,	292	36	9	4	4	7	60	17	5	7	11	16	32	27	47	50	19	1
	3. Peritonitis,	147	7	2	2	2	1	14	9	7	12	7	11	12	18	24	20	10	3
	4. Ascites,	88	.	.	1	.	.	1	1	4	2	3	7	9	16	19	20	5	1
	5. Ulceration of Intests.	102	.	.	.	.	.	.	1	1	3	3	12	8	16	22	29	6	1
	6. Hernia,	66	.	.	.	1	.	1	.	.	1	1	3	2	9	19	19	10	1
	7. Ileus,	199	19	3	.	2	2	26	2	2	7	5	10	21	23	58	30	14	1
	8. Intussusception,	30	2	1	.	.	.	3	.	.	1	3	2	2	2	7	6	3	1
	9. Stricture of Intestines,	14	.	.	.	.	.	.	.	.	1	.	.	.	2	4	5	2	.
	10. Fistula,	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.
	11. *Stomach Disease, &c.*	407	30	4	3	.	1	38	9	7	9	5	12	33	63	137	73	19	2
	12. *Pancreas Disease, &c.*	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
	13. Hepatitis,	150	1	1	1	.	.	3	1	3	3	4	14	18	25	40	30	8	1
	14. Jaundice,	71	12	.	1	1	1	15	2	.	1	1	6	3	9	15	10	9	.
	15. *Liver Disease, &c.*	514	6	1	.	2	1	10	4	4	8	6	23	83	96	154	93	30	3
	16. *Spleen Disease, &c.*	10	.	.	.	.	.	.	.	.	.	1	2	4	1	2	.	.	.
	ORDER 5.																		
	1. Nephritis,	51	3	3	3	2	4	15	4	3	2	.	2	2	4	7	5	7	.
	2. Ischuria,	22	.	.	.	.	.	.	.	.	.	.	1	2	4	6	6	3	.
	3. Bright's Disease (Nephria),	220	.	.	.	3	1	4	10	6	12	6	23	30	25	44	45	15	.
	4. Diabetes,	76	.	.	.	.	.	.	1	1	3	4	10	8	11	14	19	4	1
	5. Calculus (Stone),	15	.	.	.	.	.	.	.	.	1	.	.	1	1	6	3	3	.
	6. Cystitis,	66	.	.	.	.	.	.	.	1	.	.	1	3	6	15	27	9	4
	7. *Kidney Disease, &c.*	523	12	3	1	1	.	17	5	8	5	3	19	26	38	90	151	137	23
	ORDER 6.																		
	1. Ovarian Dropsy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. *Uterus Disease, &c.*	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	ORDER 7.																		
	1. Synovitis (Arthritis),	16	.	.	.	.	1	1	2	1	4	.	.	.	2	3	2	1	.
	2. *Joint Disease, &c.*	83	.	1	2	.	.	3	4	11	20	11	9	5	3	8	5	4	.
	ORDER 8.																		
	1. Phlegmon,	8	3	.	.	.	.	3	.	.	.	.	.	1	.	2	2	.	.
	2. Ulcer,	61	2	2	1	1	.	6	.	2	1	2	8	5	7	11	12	7	.
	3. *Skin Disease, &c.*	51	24	10	5	5	.	44	3	.	1	.	.	.	.	1	2	.	.
IV.	ORDER 1.																		
	1. Premature Birth,	108	108	.	.	.	.	108	.	.	.	.	.	.	.	.	.	.	.
	2. Cyanosis,	4	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.
	3. Spina Bifida,	7	7	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.
	4. Other Malformations,	8	8	.	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.
	5. Teething,	138	79	58	1	.	.	138	.	.	.	.	.	.	.	.	.	.	.
	ORDER 2.																		
	1. Paramenia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

[*continued at page* 108.]

ELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1875—FEMALES—*continued*.

CAUSES OF DEATH.	FEMALES.																			
	ALL AGES	AGES AT DEATH.																		
		Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Un-specified.
ORDER 2.																				
1. Pericarditis,	35	.	.	.	.	.	.	2	5	4	4	7	2	3	4	3	.	1	.	.
2. Aneurism,	26	.	.	.	.	.	.	.	.	.	1	3	6	3	8	3	1	1	.	.
3. *Heart Disease, &c.*,	1,910	4	3	3	1	4	15	25	35	55	47	165	189	297	495	413	148	22	2	2
ORDER 3.																				
1. Laryngitis,	46	5	4	6	2	2	19	6	1	1	.	5	3	2	5	4	.	.	.	.
2. Bronchitis,	5,485	637	317	165	99	64	1,282	109	35	36	33	119	268	628	1549	880	461	76	8	1
3. Pleurisy,	100	.	1	1	1	1	4	5	3	2	3	5	16	15	28	15	3	1	.	.
4. Pneumonia,	778	56	40	22	19	15	152	34	23	34	16	81	70	87	124	107	43	7	.	.
5. Asthma,	277	.	.	.	.	.	.	.	1	.	2	7	22	41	142	47	12	3	.	.
6. *Lung Disease, &c.*,	358	40	13	6	6	1	66	11	7	10	11	30	34	46	80	46	14	3	.	.
ORDER 4.																				
1. Gastritis,	161	13	7	3	5	4	32	8	.	3	8	16	15	20	31	22	6	.	.	.
2. Enteritis,	260	37	7	10	3	2	59	16	4	10	8	24	27	37	39	26	10	.	.	.
3. Peritonitis,	150	.	1	.	.	.	1	2	5	3	12	46	24	24	22	7	4	.	.	.
4. Ascites,	124	.	1	1	.	.	2	1	3	.	2	9	22	26	27	24	5	3	.	.
5. Ulceration of Intests.,	76	1	.	2	.	.	3	1	.	3	4	8	9	19	16	9	4	.	.	.
6. Hernia,	56	.	.	.	.	.	.	.	.	1	.	4	7	15	14	8	7	.	.	.
7. Ileus,	138	15	1	.	2	.	18	4	.	6	4	10	17	24	34	13	8	.	.	.
8. Intussusception,	17	1	.	.	.	.	1	1	1	.	.	.	4	.	4	5	1	.	.	.
9. Stricture of Intestines,	15	.	.	1	.	.	1	.	.	.	1	.	1	3	6	3	.	.	.	.
10. Fistula,	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
11. *Stomach Disease, &c.*,	382	17	9	5	5	3	39	3	9	11	15	28	32	70	122	39	12	2	.	.
12. *Pancreas Disease, &c.*	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
13. Hepatitis,	85	1	.	.	.	.	1	2	.	1	2	9	12	18	25	12	3	.	.	.
14. Jaundice,	93	7	1	.	.	2	10	3	.	.	.	5	7	15	27	17	9	.	.	.
15. *Liver Disease, &c.*,	431	2	.	3	2	1	8	3	3	2	6	29	46	89	136	84	21	4	.	.
16. *Spleen Disease, &c.*,	6	.	.	.	.	.	.	1	1	.	.	.	.	2	1	1	.	.	.	.
ORDER 5.																				
1. Nephritis,	31	.	.	.	1	2	3	2	1	2	2	3	5	5	6	2	.	.	.	.
2. Ischuria,	6	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	.	.	.
3. Bright's Disease (Nephria),	92	.	.	.	.	1	1	2	3	3	6	9	17	13	23	13	2	.	.	.
4. Diabetes,	36	.	.	1	.	.	1	.	3	.	2	11	5	2	8	4	.	.	.	.
5. Calculus (Stone),	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
6. Cystitis,	9	.	1	.	.	.	1	.	.	1	.	.	.	2	.	2	3	.	.	.
7. *Kidney Disease, &c.*,	125	3	1	2	.	1	7	2	1	2	6	12	14	23	25	29	4	.	.	.
ORDER 6.																				
1. Ovarian Dropsy,	66	.	.	.	.	.	.	.	.	2	4	10	16	12	13	8	1	.	.	.
2. *Uterus Disease, &c.*,	59	.	.	.	.	.	.	.	.	1	2	11	8	11	16	7	3	.	.	.
ORDER 7.																				
1. Synovitis (Arthritis),	11	.	.	.	.	.	.	.	2	.	.	.	2	2	1	4	.	.	.	.
2. *Joint Disease, &c.*,	62	.	1	.	1	.	2	7	6	11	8	8	4	2	6	5	3	.	.	.
ORDER 8.																				
1. Phlegmon,	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.
2. Ulcer,	34	3	2	2	.	1	8	1	2	.	.	2	2	4	5	4	4	2	.	.
3. *Skin Disease, &c.*,	43	24	6	4	2	2	38	2	.	.	.	.	.	1	.	2	.	.	.	.
ORDER 1.																				
1. Premature Birth,	88	88	.	.	.	.	88	.	.	.	.	.	.	.	.	.	.	.	.	.
2. Cyanosis,	3	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	[illegible]	.	.	.
3. Spina Bifida,	5	4	1	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
4. Other malformations,	4	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
5. Teething,	127	72	50	4	.	1	127	.	.	.	.	.	.	.	.	.	.	.	.	.
ORDER 2.																				
1. Paramenia,	15	.	.	.	.	.	.	.	1	4	2	2	3	2	1	.	.	.	.	.
2. Childbirth,	563	.	.	.	.	.	.	.	.	3	45	245	250	19	.	.	.	.	.	1

ntinued at page 109.]

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1875—MALES—*contin*

Class.	CAUSES OF DEATH.	MALES.																
		ALL AGES.	AGES AT DEATH.															
			Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
IV.—*con.*	ORDER 3.																	
	1. Old Age, . . .	9,446	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3194	4333	1595
	ORDER 4.																	
	1. Atrophy and Debility,	2,501	1,978	70	29	16	7	2,100	11	8	3	5	12	17	70	274	.	.	.
V.	ORDER 1.																	
	(ACCIDENT OR NEGLIGENCE.)																	
	1. Fractures & Contusions	352	4	.	5	5	4	18	27	36	37	31	64	81	75	79	59	38	5
	2. Gunshot, . . .	24	.	.	.	.	.	.	.	3	5	3	8	1	3	1	.	.	.
	3. Cut, Stab, . . .	21	2	1	.	.	.	3	1	4	3	1	3	.	2	3	1	.	.
	4. Burns and Scalds, .	215	14	37	41	40	15	147	20	4	5	4	5	6	5	4	6	5	4
	5. Poison, . . .	14	.	.	2	3	.	5	1	1	.	1	2	1	.	1	2	.	.
	6. Drowning, . .	361	.	8	11	5	2	26	21	22	30	28	45	69	44	32	26	7	1
	7. Suffocation, . .	58	12	3	1	.	.	16	2	4	2	.	8	7	9	7	2	1	.
	8. *Otherwise*, . .	91	33	.	.	.	2	35	.	2	6	3	10	7	6	11	10	1	.
	ORDER 3.																	
	(HOMICIDE.)																	
	1. Murder & Manslaughter	56	13	.	.	.	.	13	2	.	1	5	9	8	5	9	4	.	.
	ORDER 4.																	
	(SUICIDE.)																	
	1. Gunshot Wounds, .	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	2. Cut, Stab, . . .	13	.	.	.	.	.	.	.	.	.	1	1	3	.	3	2	3	.
	3. Poison, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4. Drowning, . .	9	.	.	.	.	.	.	.	.	.	1	2	.	2	1	1	2	.
	5. Hanging, . . .	17	.	.	.	.	.	.	.	.	1	1	.	6	.	7	2	.	.
	6. *Otherwise*, . .	5	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.
	ORDER 5.																	
	(EXECUTION.)																	
	1. Hanging, . . .	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
	Other Violent Deaths (not classed), . .	21	1	.	.	1	.	2	.	.	.	1	4	2	3	7	2	.	.
	Sudden Deaths (Cause unascertained), . .	167	6	1	1	.	2	10	5	2	4	7	11	29	28	47	18	4	.
	Causes not specified or ill-defined, . .	1,208	354	82	50	31	28	545	50	26	40	30	43	64	101	298	5	3	.

LAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1875—FEMALES—*continued*.

CAUSES OF DEATH.	FEMALES.																			
		AGES AT DEATH.																		
	All Ages.	Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
ORDER 3.																				
1. Old Age, . . .	11932	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4185	5481	1825	440	1
ORDER 4.																				
1. Atrophy and Debility,	2,391	1,623	76	29	18	3	1,749	20	10	2	1	18	37	93	461	.	.	.	.	.
ORDER 1. (ACCIDENT OR NEGLIGENCE.)																				
1. Fractures & Contusions	157	2	2	3	1	2	10	14	4	5	5	9	13	13	33	26	17	6	1	1
2. Gunshot, . . .	4	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.
3. Cut, Stab, . . .	3	1	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.
4. Burns and Scalds, .	276	15	32	50	35	27	159	41	3	7	5	6	6	6	14	8	16	4	1	.
5. Poison, . . .	8	.	.	.	.	.	.	1	1	.	.	1	1	2	2	.	.	.	.	.
6. Drowning, .	84	.	6	10	3	2	21	4	5	4	2	14	7	7	10	3	3	1	.	3
7. Suffocation, . .	15	9	.	.	1	.	10	1	.	.	.	.	.	1	1	1	1	.	.	.
8. *Otherwise*, .	45	27	.	.	.	.	27	.	.	1	1	3	3	2	4	4	.	.	.	.
ORDER 3. (HOMICIDE.)																				
1. Murder & Manslaughter	20	9	.	.	.	.	9	1	.	1	1	1	5	1	1	.	.	.	.	.
ORDER 4. (SUICIDE.)																				
1. Gunshot Wounds, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2. Cut, Stab, . . .	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
3. Poison, . . .	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
4. Drowning, . .	9	.	.	.	.	.	.	.	.	1	.	3	2	.	1	2	.	.	.	.
5. Hanging, . . .	10	.	.	.	.	.	.	.	.	.	.	.	2	3	4	1	.	.	.	.
6. *Otherwise*, . .	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
ORDER 5. (EXECUTION.)																				
1. Hanging, . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths (not classed), . .	4	2	1	.	.	.	3	.	.	.	.	.	1	.	.	.	.	.	.	.
Sudden Deaths (Cause unascertained), . .	80	4	2	1	2	.	9	1	2	1	2	9	6	12	31	4	2	.	.	1
Causes not specified or ill-defined, . .	1,373	291	99	60	26	21	497	69	31	26	29	53	73	148	428	11	2	.	.	6

IRELAND.—SUPPLEMENTARY TABLE

[In the Tables of Causes of Deaths, pp. 102–109, all the Diseases, either having a distinct charac
fatal to any considerable number of persons, are classified under 116 heads; some of which, however, i
groups of very distinct diseases,—such as are fatal to only a *few persons*, or *diseases* which are often confo
with other diseases. The rule has been to refer the distinct diseases to heads under which the cases v
numerous that the additional numbers would not interfere with the calculated proportions. Where it is d

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF MALES. Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
	TOTAL,	1786	101	42	18	22	10	193	57	57	84	68	136	168	197	304	290	196	33
Class I.																			
I.—1	Chicken Pox,	3	1	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.
4	Cynanche Maligna,	4	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.
18	Rheumatism of Heart or Pericardium,	17	.	.	.	.	.	.	.	.	3	2	4	2	3	2	.	1	.
19	Mumps,	12	1	4	.	1	1	7	4	.	1	.	.	.	.	.	.	.	.
	Pyæmia,	64	3	1	.	2	.	6	1	7	3	6	5	9	9	9	6	3	.
III.—2	Inanition of Infancy,	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
3	Rickets,	19	3	5	5	2	.	15	4	.	.	.	.	.	.	.	.	.	.
4	Ether,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
IV.—2	Porrigo,	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
	Scabies,	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
	Tape-worm,	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Class II.																			
I.—2	Anæmia,	16	6	.	.	.	.	6	2	.	1	2	1	2	.	1	1	.	.
	Hydropericardium,	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.
3	Fungus Hæmatodes,	5	.	.	.	.	.	.	.	.	1	.	3	.	.	.	1	.	.
	Lupus,	5	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	1	.
	Polypus,	2	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.
5	Gangræna senilis,	33	.	.	.	.	.	.	.	.	.	.	.	.	.	5	11	15	2
	Bed-sores,	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
II.—1	White Swelling,	3	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	Psoas Abscess,	40	1	.	.	1	.	2	2	1	4	5	14	4	3	1	4	.	.
3	Hæmoptysis,	107	.	.	.	.	.	.	3	1	7	6	19	23	25	19	4	.	.
	Pneumothorax,	5	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.	.	.
Class III.																			
I.—1	Myelitis,	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
3	Shaking palsy,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
4	Fright,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	Melancholy,	6	.	.	.	.	.	.	.	.	.	.	1	.	3	1	1	.	.
8	Neuralgia,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	Spinal Marrow Disease,	98	.	1	1	2	3	7	8	14	18	9	15	11	4	8	3	1	.
	Necrencephalus,	150	1	.	.	.	.	1	1	1	1	1	9	19	21	28	45	18	5
	Ophthalmia,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	Otitis,	6	.	1	.	.	.	1	.	3	.	1	.	1	.	.	.	.	.
	Idiopathic Tetanus,	7	1	1	.	.	.	2	1	.	1	.	1	1	.	1	.	.	.
	Catalepsy,	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
II.—1	Carditis,	4	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.
	Endocarditis,	13	.	1	.	.	.	1	.	1	1	.	2	2	3	2	1	.	.

[*continued at page* 112.]

of DEATH at different Periods of Life, in the Year 1875.

correction, however, can now be made by means of the following Supplementary Table, containing f the deaths from distinct diseases, such as mumps, epistaxis, polypus, rickets, bronchocele, &c., &c., n the preceding Tables have no separate classification, and also many of the deaths from various *forms* ase (such as softening of the brain, *necrencephalus*, deaths from which are included under "*Brain e, &c.*") which in some cases are returned under other heads.]

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																	
		Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards	Not specified.
TOTAL,	1410	67	24	17	15	7	130	38	33	53	67	240	247	170	212	152	59	9	.	.
s I.																				
Chicken Pox,	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Cynanche Maligna,	5	.	1	.	1	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.
Rheumatism of Heart or Pericardium,	26	.	.	.	.	.	.	2	4	1	2	1	7	4	3	.	2	.	.	.
Mumps,	8	1	.	.	.	2	3	3	.	.	.	.	1	.	1	.	.	.	.	.
Pyæmia,	42	1	1	.	.	.	2	3	2	1	2	15	9	4	2	1	1	.	.	.
Rickets,	22	1	5	11	3	1	21	1	.	.	.	.	.	.	.	.	.	.	.	.
Bronchocele,	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Goitre,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Scabies,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
s II.																				
Anæmia,	8	2	.	.	.	.	2	.	.	1	.	.	.	2	3	.	.	.	.	.
Hydropericardium,	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.
Fungus Hæmatodes,	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Lupus,	10	.	.	.	.	.	.	.	.	.	.	1	.	4	1	2	1	1	.	.
Polypus,	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.
Gangræna senilis,	34	.	.	.	.	.	.	.	.	.	.	.	.	.	11	10	9	4	.	.
Bed-sores,	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.
White Swelling,	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Psoas Abscess,	18	.	.	.	.	.	.	2	1	2	3	4	2	1	1	2	.	.	.	.
Hæmoptysis,	50	.	.	.	.	.	.	.	1	4	1	8	13	4	12	5	2	.	.	.
Pneumothorax,	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
s III.																				
Myelitis,	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
Shaking Palsy,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Fright,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Grief,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Melancholy,	11	.	.	.	.	.	.	.	.	1	.	3	2	3	2	.	.	.	.	.
Hysteria,	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Neuralgia,	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.
Spinal Marrow Disease,	47	1	.	.	1	1	3	3	7	7	5	7	6	4	2	2	1	.	.	.
Necrencephalus,	79	.	.	.	.	.	.	1	.	3	3	6	5	8	20	22	11	.	.	.
Otitis,	5	1	.	.	.	.	1	2	.	.	1	.	.	1	.	.	.	.	.	.
Idiopathic Tetanus,	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.
Carditis,	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1	.	.
Endocarditis,	6	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	.	.	.	.
Angina Pectoris,	8	.	.	.	.	.	.	.	.	.	.	1	2	1	3	1	.	.	.	.
Syncope,	14	.	.	.	.	.	.	1	.	.	.	5	1	1	3	3	.	.	.	.
Hypertrophy,	14	.	.	.	.	.	1	.	1	.	2	1	5	2	2	.	.	.	.	.
Phlebitis,	12	.	.	.	.	.	.	2	.	1	3	2	1	2	.	1	.	.	.	.
Embolism,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Œdema glottidis,	3	.	.	.	.	1	1	.	.	.	.	.	.	1	.	1	.	.	.	.
Laryngismus Stridulus,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.

inued at page 113.]

IRELAND.—Supplementary Table of the

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
			Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
III.—*continued.*																			
II.—3	Angina Pectoris,	19	.	.	.	.	.	.	.	.	.	1	3	2	1	5	5	2	.
	Syncope,	19	.	.	.	.	.	.	.	.	1	.	2	3	3	7	2	1	.
	Hypertrophy,	13	.	.	.	.	.	.	.	.	2	.	1	.	.	5	3	2	.
	Phlebitis,	6	.	.	.	.	.	.	1	1	.	.	.	1	1	2	.	.	.
	Embolism,	6	.	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.
III.—1	Œdema Glottidis,	8	1	2	.	.	1	4	.	1	.	.	1	1	.	.	1	.	.
	Laryngismus Stridulus,	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
3	Empyema,	10	.	.	.	.	.	.	1	1	1	3	1	2	1	.	.	.	.
	Hydrothorax,	6	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	1	.
5	Emphysema,	28	1	.	.	.	.	1	.	1	1	.	3	1	2	5	6	7	1
6	Epistaxis,	12	1	.	.	.	.	1	1	.	2	2	1	.	3	1	1	.	.
	Congestion of Lungs,	179	23	10	3	3	1	40	7	6	6	7	8	12	27	26	28	11	1
	Pulmonary Apoplexy,	18	.	.	.	.	.	.	.	.	1	.	2	6	1	4	3	1	.
IV.—2	Glossitis,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
5	Perforation of Intestines	10	.	.	.	.	.	.	1	.	.	1	.	1	4	2	.	1	.
6	Femoral Hernia,	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	Inguinal ,,	10	.	.	.	1	.	1	.	.	1	1	.	.	.	.	5	2	.
	Scrotal ,,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Umbilical ,,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
7	Obstruction of Bowels,	119	6	.	.	2	.	8	2	2	5	3	9	13	13	32	23	8	1
11	Dyspepsia,	56	1	.	.	.	.	1	1	.	.	.	1	1	13	23	12	4	.
	Pyrosis,	4	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	Hæmatemesis,	45	1	.	.	.	.	1	2	.	2	.	1	9	8	15	7	.	.
	Melæna,	12	1	.	.	.	.	1	.	2	1	.	.	2	1	2	3	.	.
14	Gallstone,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
15	Cirrhosis,	65	.	.	.	.	.	.	.	.	.	2	5	13	20	15	9	1	.
16	Leucocythæmia,	4	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.
V.—5	Gravel,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
6	Catarrh of Bladder,	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
7	Prostatic Disease,	174	.	.	.	.	.	.	.	.	.	.	.	.	3	25	51	79	15
	Bladder Disease,	54	.	.	.	.	.	.	.	.	.	.	1	.	3	12	22	12	4
	Addison's Disease,	3	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	Hæmaturia,	11	.	.	.	.	.	.	.	.	.	1	.	3	.	.	4	3	.
	Uræmia,	48	.	.	.	1	.	1	1	2	.	.	4	5	6	8	10	9	2
VI.—2	Hydrocele,	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
VII.—1	Ostitis,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Periostitis,	3	.	.	.	.	1	1	1	.	1	.	.	.	.	.	.	.	.
2	Mollities Ossium,	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	Caries,	20	.	1	.	.	.	1	1	5	4	4	1	.	.	2	1	1	.
	Necrosis,	16	.	.	.	.	.	.	1	1	4	.	4	1	1	1	2	1	.
VIII.—3	Urticaria,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	Eczema,	6	2	2	.	.	.	4	.	.	1	.	.	.	.	1	.	.	.
	Pemphigus,	27	13	5	4	3	.	25	2	.	.	.	.	.	.	.	.	.	.
	Psoriasis,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	Red Gum,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Class IV.																			
I.—4	Anus Imperforatus,	3	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.
	Cleft Palate,	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
NOT SPECIFIED.																			
	Abscess, Tumour,	100	20	7	3	3	3	36	5	3	3	5	5	9	11	15	5	3	.

ath at different Periods of Life, in the Year 1875—*continued.*

are entered.	CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																	
			Under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards	Unspecified
	—continued.																				
3	Empyema,	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	Hydrothorax,	10	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	2	.	.	.
5	Emphysoma,	26	.	.	.	.	.	.	.	1	.	.	.	4	2	7	10	1	1	.	.
6	Epistaxis,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Congestion of Lungs,	134	21	6	1	3	.	31	7	3	3	5	14	12	13	21	16	9	.	.	.
	Pulmonary Apoplexy,	7	1	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	1	.	.
2	Stomatitis,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Glossitis,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	Pharyngitis,	2	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Perforation of Intestines	11	.	.	.	.	.	.	.	.	2	1	2	3	1	.	2	.	.	.	.
6	Femoral Hernia,	12	.	.	.	.	.	.	.	.	.	.	1	1	1	6	2	1	.	.	.
	Umbilical „	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Inguinal „	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.
	Operation for Hernia,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
7	Obstruction of Bowels,	93	4	1	.	2	.	7	1	.	5	2	6	11	21	21	13	6	.	.	.
1	Dyspepsia,	69	2	2	.	1	1	6	.	1	.	.	6	4	19	26	6	1	.	.	.
	Pyrosis,	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Hæmatemesis,	41	1	.	.	.	.	1	.	2	3	2	4	6	7	10	5	.	1	.	.
	Melæna,	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	2	2	.	.	.
4	Gallstone,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
5	Cirrhosis,	30	.	.	.	.	1	1	.	.	.	.	1	3	6	9	8	2	.	.	.
6	Leucocythæmia,	3	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.
6	Catarrh of Bladder,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
7	Bladder Disease,	8	.	.	.	.	.	.	.	.	.	1	.	.	3	1	3	.	.	.	.
	Addison's Disease,	6	.	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.	.
	Hæmaturia,	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
	Uræmia,	11	.	.	.	.	.	.	.	.	.	1	1	2	3	2	2	.	.	.	.
2	Pelvic Abscess,	4	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.
1	Periostitis,	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
2	Mollities Ossium,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	Caries,	20	.	1	.	1	.	2	3	1	4	3	2	1	.	1	3	.	.	.	.
	Necrosis,	9	.	.	.	.	.	.	.	1	2	1	.	2	.	1	1	1	.	.	.
3	Eczema,	4	1	2	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
	Ecthyma,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	Pemphigus,	13	10	1	1	.	.	12	1	.	.	.	.	.	.	.	.	.	.	.	.
	Red Gum,	4	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
	Morbus Pedicularis,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	s IV.																				
1	Cleft Palate,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
1	Chlorosis,	5	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.
	Menorrhagia,	6	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	.	.
2	Miscarriage,	16	.	.	.	.	.	.	.	.	.	2	3	9	2	.	.	.	.	.	.
	Abortion,	15	.	.	.	.	.	.	.	.	.	3	3	7	2	.	.	.	.	.	.
	Puerperal Mania,	11	.	.	.	.	.	.	.	.	.	4	5	2	.	.	.	.	.	.	.
	Phlegmasia Dolens,	10	.	.	.	.	.	.	.	.	.	2	5	3	.	.	.	.	.	.	.
	Retention of Placenta,	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	Flooding,	139	.	.	.	.	.	.	.	.	.	4	64	68	3	.	.	.	.	.	.
	Deformed Pelvis,	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	Puerperal Convulsions,	36	.	.	.	.	.	.	.	.	.	6	19	9	2	.	.	.	.	.	.
	Placenta Prævia,	15	.	.	.	.	.	.	.	.	.	.	3	11	1	.	.	.	.	.	.
	Ruptured Uterus,	38	.	.	.	.	.	.	.	.	.	1	17	19	1	.	.	.	.	.	.
	Instrumental Delivery,	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	PECIFIED.																				
	Abscess, Tumour,	94	13	2	2	3	.	20	2	1	1	2	8	4	22	18	11	2	.	.	.

DEATHS of Males and Females from different Causes regist

Class.	CAUSES OF DEATH.	IRELAND.		I. NORTH-EASTERN.		II. NORTH-WESTERN.		III. EASTE	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	F
	ALL CAUSES,	48,924	49,190	10,996	11,750	4,369	4,327	8,705	
	SPECIFIED CAUSES,	47,549	47,737	10,825	11,537	4,231	4,183	8,544	
	(CLASSES.)								
I.	ZYMOTIC DISEASES,	8,122	8,132	2,299	2,329	791	769	1,330	
II.	CONSTITUTIONAL ,,	8,009	8,544	2,082	2,554	727	710	1,518	
III.	LOCAL ,,	17,742	15,290	3,709	3,379	1,258	1,066	3,774	
IV.	DEVELOPMENTAL ,,	12,212	15,128	2,441	3,128	1,346	1,581	1,638	
V.	VIOLENT DEATHS,	1,464	643	294	147	109	57	284	
	(ORDERS.)								
I.	1. MIASMATIC DISEASES,	7,772	7,911	2,206	2,275	761	749	1,243	
	2. ENTHETIC ,,	63	47	14	14	3	3	16	
	3. DIETIC ,,	239	118	61	27	27	13	64	
	4. PARASITIC ,,	48	56	18	13	.	4	7	
II.	1. DIATHETIC ,,	1,427	1,776	331	441	137	139	237	
	2. TUBERCULAR ,,	6,582	6,768	1,751	2,113	590	571	1,281	
III.	1. DISEASES OF NERVOUS SYSTEM,	4,663	3,699	892	723	275	224	1,104	
	2. ,, ORGANS OF CIRCULATION,	2,125	1,971	448	463	148	106	458	
	3. ,, RESPIRATORY ORGANS,	7,524	7,044	1,588	1,594	478	492	1,643	
	4. ,, DIGESTIVE ORGANS,	2,235	1,998	487	455	228	186	357	
	5. ,, URINARY ORGANS,	973	300	246	79	100	35	185	
	6. ,, ORGANS OF GENERATION,	3	125	2	41	.	6	.	
	7. ,, ORGANS OF LOCOMOTION,	99	73	32	16	7	6	15	
	8. ,, INTEGUMENTARY SYSTEM,	120	80	14	8	22	11	12	
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN.	265	227	99	83	21	18	71	
	2. DEV. DISEASES, ADULTS,	.	578	.	113	.	63	.	
	3. ,, OLD PEOPLE,	9,446	11,932	1,781	2,400	1,070	1,299	1,240	
	4. DISEASES OF NUTRITION,	2,501	2,391	561	532	255	201	327	
V.	1. ACCIDENT OR NEGLIGENCE,	1,336	592	271	132	100	56	267	
	3. HOMICIDE,	56	20	12	7	2	.	7	
	4. SUICIDE,	48	27	11	8	6	1	10	
	5. EXECUTION,	3	.	.	.	1	.	.	
	VIOLENT DEATHS NOT CLASSED,	21	4	.	.	.	.	.	
	SUDDEN DEATHS, CAUSE UNASCERTAINED.	167	80	19	12	18	9	13	
	CAUSES NOT SPECIFIED,	1,208	1,373	152	201	120	135	148	

LAND, and in each of the EIGHT DIVISIONS, in the Year 1875.

IV. TH MIDLAND.		V. SOUTH MIDLAND.		VI. WESTERN.		VII. SOUTH-EASTERN.		VIII. SOUTH-WESTERN.		CAUSES OF DEATH.
les.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
96	4,045	3,853	3,840	5,558	5,387	4,220	4,362	7,127	7,154	ALL CAUSES.
68	3,909	3,756	3,709	5,329	5,187	4,083	4,187	6,813	6,855	SPECIFIED CAUSES.
										(CLASSES.)
63	606	502	523	1,101	1,042	464	445	1,072	1,094	ZYMOTIC DISEASES.
31	582	620	667	701	661	690	722	1,040	1,072	CONSTITUTIONAL ,,
90	1,229	1,522	1,139	1,779	1,440	1,638	1,487	2,672	2,316	LOCAL ,,
75	1,436	1,004	1,345	1,586	1,966	1,157	1,466	1,765	2,271	DEVELOPMENTAL ,,
09	56	108	35	162	78	134	67	264	102	VIOLENT DEATHS.
										(ORDERS.)
53	598	480	503	1,078	1,024	435	431	1,016	1,049	1. MIASMATIC DISEASES.
.	1	3	2	6	2	8	4	13	5	2. ENTHETIC ,,
7	5	18	17	15	12	20	7	27	17	3. DIETIC ,,
3	2	1	1	2	4	1	3	16	23	4. PARASITIC ,,
25	131	118	142	188	164	108	181	183	243	1. DIATHETIC ,,
06	451	502	525	513	497	582	541	857	829	2. TUBERCULAR ,,
55	281	387	276	584	460	422	368	644	522	1. DISEASES OF NERVOUS SYSTEM.
43	144	223	171	164	138	230	256	311	324	2. ,, ORGANS OF CIRCULATION.
83	562	618	522	664	582	727	669	1,223	1,111	3. ,, RESPIRATORY ORGANS.
08	200	205	143	252	204	180	150	318	282	4. ,, DIGESTIVE ORGANS.
75	19	75	17	90	21	61	19	141	34	5. ,, URINARY ORGANS.
.	6	.	4	1	13	.	9	.	16	6. ,, ORGANS OF GENERATION.
7	8	7	3	8	6	8	8	15	13	7. ,, ORGANS OF LOCOMOTION.
19	9	7	3	16	16	10	8	20	14	8. ,, INTEGUMENTARY SYSTEM.
8	12	12	16	16	9	11	12	27	18	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN.
.	52	.	40	.	102	.	43	.	91	2. DEV. DISEASES, ADULTS.
50	1,202	833	1,084	1,274	1,534	881	1,154	1,317	1,749	3. ,, OLD PEOPLE.
17	170	159	205	296	321	265	257	421	413	4. DISEASES OF NUTRITION.
00	49	93	34	146	73	120	61	239	94	1. ACCIDENT OR NEGLIGENCE.
3	3	11	1	6	2	2	3	13	1	3. HOMICIDE.
3	1	2	.	2	2	8	3	6	7	4. SUICIDE.
.	.	.	.	.	.	1	.	1	.	5. EXECUTION.
3	3	2	.	8	1	3	.	5	.	VIOLENT DEATHS NOT CLASSED.
12	2	12	10	41	17	28	9	24	18	SUDDEN DEATHS, CAUSE UNASCERTAINED.
16	134	85	121	188	183	109	166	290	281	CAUSES NOT SPECIFIED.

DEATHS of Males and Females from different Causes registe

Class.	CAUSES OF DEATH.	IRELAND.		I. North-Eastern.		II. North-Western.		III. Eastern.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Fe
I.	Order 1.								
	1. Small-pox,	278	257	16	15	.	1	3	
	2. Measles,	439	459	243	269	19	20	86	
	3. Scarlet Fever (Scarlatina).	2,034	1,811	865	755	393	308	319	
	4. Diphtheria,	208	235	52	77	19	17	52	
	5. Quinsy,	135	138	3	4	6	14	14	
	6. Croup,	947	784	180	144	65	57	110	
	7. Whooping-cough,	596	780	146	198	72	90	71	
	8. Typhus,	368	326	81	80	21	28	49	
	Enteric or Typhoid Fever.	426	407	130	136	32	33	116	
	Simple continued Fever,	673	654	89	99	42	40	74	
	9. Erysipelas,	245	147	48	28	19	9	66	
	10. Puerperal Fever (Metria).	.	442	.	117	.	47	.	
	11. Carbuncle,	32	23	5	2	2	.	8	
	12. Influenza,	70	54	26	19	2	3	13	
	13. Dysentery,	113	118	18	15	5	6	16	
	14. Diarrhœa,	890	934	238	236	43	51	187	
	15. Simple Cholera,	44	36	8	8	.	2	10	
	16. Ague,	6	2	.	.	1	.	2	
	17. Remittent Fever,	.	.	.	.	.	.	.	
	18. Rheumatism.	191	253	40	58	15	20	32	
	19. *Other Zymotic Diseases*,	77	51	18	15	5	3	15	
	Order 2.								
	1. Syphilis,	52	47	12	14	3	3	13	
	2. Stricture of Urethra,	10	.	2	.	.	.	3	
	3. Hydrophobia,	1	.	.	.	.	.	.	
	4. Glanders,	.	.	.	.	.	.	.	
	Order 3.								
	1. Privation,	24	15	9	2	4	3	8	
	2. Want of Breast-milk,	5	7	2	4	.	.	.	
	3. Purpura and Scurvy,	50	61	14	9	8	7	6	
	4. Alcoholism { Del. Trem.	74	6	12	3	5	.	23	
	4. Alcoholism { Intemp.,	86	29	24	9	10	3	27	
	Order 4.								
	1. Thrush,	7	6	3	.	.	1	4	
	2. Worms, &c.,	41	50	15	13	.	3	3	
II.	Order 1.								
	1. Gout,	10	4	.	.	1	.	4	
	2. Dropsy,	551	703	123	148	50	50	90	
	3. Cancer,	779	974	192	269	77	80	122	
	4. Cancrum Oris (Noma),	4	13	.	5	.	.	1	
	5. Mortification,	83	82	16	19	9	9	20	
	Order 2.								
	1. Scrofula,	487	388	124	88	56	49	72	
	2. Tabes Mesenterica,	575	584	153	141	48	37	111	
	3. Phthisis,	4,903	5,337	1,291	1,740	448	469	959	
	4. Hydrocephalus,	617	459	183	144	38	16	139	

AND, and in each of the EIGHT DIVISIONS, in the Year 1875—*continued*.

IV. North Midland.		V. South Midland.		VI. Western.		VII. South-Eastern.		VIII. South-Western.		CAUSES OF DEATH.
es.	Females	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
										ORDER 1.
5	3	1	.	251	236	.	.	2	.	1. Small-pox.
4	13	2	7	38	39	4	7	23	24	2. Measles.
6	191	40	49	128	87	23	22	90	105	3. Scarlet Fever (Scarlatina).
2	11	19	14	11	10	14	21	29	35	4. Diphtheria.
8	18	32	21	25	20	19	14	28	28	5. Quinsy.
3	41	88	72	170	156	72	47	209	183	6. Croup.
0	105	34	45	96	118	18	30	69	92	7. Whooping-cough.
2	23	24	11	44	38	42	29	85	70	8. Typhus.
1	21	27	27	26	31	23	19	61	44	Enteric or Typhoid Fever.
9	54	80	61	126	106	76	81	137	131	Simple continued Fever.
6	9	9	12	29	12	27	7	31	27	9. Erysipelas.
	34	.	33	.	41	.	39	.	55	10. Puerperal Fever (Metria).
2	.	2	5	3	2	3	1	7	6	11. Carbuncle.
5	3	3	2	9	4	4	4	8	1	12. Influenza.
7	10	8	23	21	13	7	6	21	25	13. Dysentery.
2	37	32	92	68	71	86	31	154	173	14. Diarrhœa.
6	.	2	1	.	4	2	2	16	8	15. Simple Cholera.
1	.	.	.	2	1	.	.	.	1	16. Ague.
	.	.	.	.	.	.	.	.	.	17. Remittent Fever.
1	22	15	24	28	32	12	17	28	29	18. Rheumatism.
3	3	12	4	3	3	3	4	18	12	19. *Other Zymotic Diseases.*
										ORDER 2.
	1	2	2	4	2	7	4	11	5	1. Syphilis.
	.	1	.	2	.	1	.	1	.	2. Stricture of Urethra.
	.	.	.	.	.	.	.	1	.	3. Hydrophobia.
	.	.	.	.	.	.	.	.	.	4. Glanders.
										ORDER 3.
	.	1	1	1	3	.	.	1	1	1. Privation.
1	.	1	.	.	3	.	.	1	.	2. Want of Breast-milk.
4	4	2	13	4	4	7	5	5	9	3. Purpura and Scurvy.
1	.	9	1	4	1	7	.	13	.	4. Alcoholism { Del. Trem. / Intemp.
1	1	5	2	6	1	6	2	7	7	
										ORDER 4.
	1	.	.	.	.	.	.	.	3	1. Thrush.
3	1	1	1	2	4	1	3	16	20	2. Worms, &c.
										ORDER 1.
	.	4	.	.	.	.	1	1	.	1. Gout.
1	57	45	56	68	71	47	72	67	114	2. Dropsy.
9	68	61	84	112	84	58	99	98	112	3. Cancer.
	1	1	.	1	1	.	1	1	3	4. Cancrum Oris (Noma)
5	5	7	2	7	8	3	8	16	14	5. Mortification.
										ORDER 2.
7	38	35	23	31	23	44	34	68	62	1. Scrofula.
4	34	53	53	36	47	61	76	69	76	2. Tabes Mesenterica.
7	351	374	413	421	409	418	390	615	615	3. Phthisis.
8	28	40	36	25	18	59	41	105	76	4. Hydrocephalus.

DEATHS of Males and Females from different Causes register

Class.	CAUSES OF DEATH.	IRELAND.		I. NORTH-EASTERN.		II. NORTH-WESTERN.		III. EASTERN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Fem
III.	ORDER 1.								
	1. Cephalitis,	344	255	137	100	27	22	64	
	2. Apoplexy,	598	444	135	120	50	40	148	
	3. Paralysis,	808	746	170	180	76	58	168	
	4. Insanity,	102	95	15	18	10	9	8	
	5. Chorea,	.	2	.	.	.	1	.	
	6. Epilepsy,	183	150	26	23	12	17	37	
	7. Convulsions,	2,103	1,669	273	193	64	57	555	
	8. *Brain Disease, &c.*,	525	338	136	89	36	20	124	
	ORDER 2.								
	1. Pericarditis,	41	35	8	5	3	2	13	
	2. Aneurism,	72	26	10	.	3	3	27	
	3. *Heart Disease, &c.*,	2,012	1,910	430	458	142	101	418	
	ORDER 3.								
	1. Laryngitis,	78	46	17	6	10	7	12	
	2. Bronchitis,	5,251	5,485	1,135	1,302	316	370	1,149	1
	3. Pleurisy,	175	100	33	12	18	12	15	
	4. Pneumonia,	1,360	778	300	189	91	61	326	
	5. Asthma,	226	277	43	42	19	24	30	
	6. *Lung Disease, &c.*,	434	358	60	43	24	18	111	
	ORDER 4.								
	1. Gastritis,	137	161	30	31	18	16	24	
	2. Enteritis,	292	260	98	89	31	28	35	
	3. Peritonitis,	147	150	38	36	20	19	21	
	4. Ascites,	88	124	10	23	9	8	10	
	5. Ulceration of Intestines,	102	76	27	20	18	7	14	
	6. Hernia,	66	56	17	14	5	9	14	
	7. Ileus,	199	138	33	33	15	19	21	
	8. Intussusception,	30	17	6	4	1	.	5	
	9. Stricture of Intestines,	14	15	4	1	.	2	4	
	10. Fistula,	5	3	1	1	.	.	3	
	11. *Stomach Disease, &c.*,	407	382	68	69	51	34	48	
	12. *Pancreas Disease, &c.*,	3	1	2	1	.	.	1	
	13. Hepatitis,	150	85	26	24	9	8	27	
	14. Jaundice,	71	93	14	24	5	6	14	
	15. *Liver Disease, &c.*,	514	431	110	83	45	30	114	
	16. *Spleen Disease, &c.*,	10	6	3	2	1	.	2	
	ORDER 5.								
	1. Nephritis,	51	31	15	11	6	5	7	
	2. Ischuria,	22	6	2	1	5	.	1	
	3. Bright's Disease (Nephria).	220	92	52	26	23	11	55	
	4. Diabetes,	76	36	16	9	20	7	7	
	5. Calculus (Stone),	15	1	2	.	2	.	4	
	6. Cystitis,	66	9	16	2	4	2	7	
	7. *Kidney Disease, &c.*,	523	125	143	30	40	10	104	
	ORDER 6.								
	1. Ovarian Dropsy,	.	66	.	20	.	5	.	
	2. *Uterus Disease, &c.*,	3	59	2	21	.	1	.	
	ORDER 7.								
	1. Synovitis (Arthritis),	16	11	6	1	1	.	1	
	2. *Joint Disease, &c.*,	83	62	26	15	6	6	14	

ND, and in each of the EIGHT DIVISIONS, in the Year 1875—*continued.*

IV. TH MIDLAND.		V. SOUTH MIDLAND.		VI. WESTERN.		VII. SOUTH-EASTERN.		VIII. SOUTH-WESTERN.		CAUSES OF DEATH.
s.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
										ORDER 1.
5	12	20	12	17	9	15	32	39	23	1. Cephalitis.
1	30	52	32	48	27	49	26	65	54	2. Apoplexy.
1	62	78	64	79	79	64	83	92	92	3. Paralysis.
3	7	14	3	12	7	12	15	18	23	4. Insanity.
										5. Chorea.
6	13	21	11	21	16	24	15	26	16	6. Epilepsy.
4	129	164	124	355	288	207	175	351	280	7. Convulsions.
5	28	38	30	52	34	51	22	53	34	8. *Brain Disease, &c.*
										ORDER 2.
4	7	4	1	2	3	5	3	2	3	1. Pericarditis.
0	1	5	3	4	2	7	6	6	7	2. Aneurism.
9	136	214	167	158	133	218	247	303	314	3. *Heart Disease, &c.*
										ORDER 3.
5	3	4	4	7	5	14	3	9	10	1. Laryngitis.
8	436	397	376	457	432	526	535	863	899	2. Bronchitis.
0	9	20	5	15	13	19	8	45	31	3. Pleurisy.
6	62	116	76	98	42	120	69	213	102	4. Pneumonia.
8	32	19	28	44	56	23	30	20	30	5. Asthma.
6	20	62	33	43	34	25	24	73	39	6. *Lung Disease, &c.*
										ORDER 4.
1	15	14	11	9	12	11	10	20	28	1. Gastritis.
3	31	22	19	24	9	22	16	37	26	2. Enteritis.
4	14	16	14	14	13	12	8	12	17	3. Peritonitis.
5	14	6	8	15	14	6	16	17	19	4. Ascites.
8	6	8	3	8	6	7	12	12	5	5. Ulceration of Intestines.
7	5	5	3	10	5	4	5	4	7	6. Hernia.
7	7	13	12	24	9	20	14	56	30	7. Ileus.
3	3	.	.	7	1	2	1	6	2	8. Intussusception.
1	.	.	2	1	4	1	.	3	2	9. Stricture of Intestines.
1	.	.	.	.	.	.	.	.	1	10. Fistula.
5	56	41	30	72	64	34	18	48	48	11. *Stomach Disease, &c.*
	.	.	.	.	.	.	.	.	.	12. *Pancreas Disease, &c.*
6	12	20	5	6	3	12	7	34	14	13. Hepatitis.
3	5	4	9	11	17	11	8	9	14	14. Jaundice.
3	31	55	27	50	46	38	35	59	68	15. *Liver Disease, &c.*
1	1	1	.	1	1	.	.	1	1	16. *Spleen Disease, &c.*
										ORDER 5.
5	3	2	2	8	.	6	2	2	2	1. Nephritis.
4	.	4	1	2	.	1	2	3	.	2. Ischuria.
7	5	11	3	17	4	12	6	33	9	3. Bright's Disease (Nephria).
7	4	3	2	3	2	9	2	11	7	4. Diabetes.
3	.	1	.	3	.	.	.	.	1	5. Calculus (Stone).
6	1	10	1	6	1	5	.	12	1	6. Cystitis.
3	6	44	8	51	14	28	7	80	14	7. *Kidney Disease, &c.*
										ORDER 6.
	4	.	1	.	4	.	7	.	9	1. Ovarian Dropsy.
	2	.	3	1	9	.	2	.	7	2. *Uterus Disease, &c.*
										ORDER 7.
1	2	2	1	2	1	.	2	3	1	1. Synovitis (Arthritis).
6	6	5	2	6	5	8	6	12	12	2. *Joint Disease, &c.*

DEATHS of Males and Females from different Causes registe

Class.	CAUSES OF DEATH.	IRELAND.		I. North-Eastern.		II. North-Western.		III. Eastern	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Fe
III.—*con.*	ORDER 8.								
	1. Phlegmon,	8	3	.	.	3	.	1	
	2. Ulcer,	61	34	5	3	2	2	8	
	3. *Skin Disease, &c.*,	51	43	9	5	17	9	3	
IV.	ORDER 1.								
	1. Premature Birth,	108	88	18	25	10	7	40	
	2. Cyanosis,	4	3	1	3	.	.	1	
	3. Spina Bifida,	7	5	5	2	.	.	.	
	4. Other Malformations,	8	4	3	1	.	1	1	
	5. Teething,	138	127	72	52	11	10	29	
	ORDER 2.								
	1. Paramenia,	.	15	.	3	.	4	.	
	2. Childbirth,	.	563	.	110	.	59	.	
	ORDER 3.								
	1. Old Age,	9,446	11,932	1,781	2,400	1,070	1,299	1,240	
	ORDER 4.								
	1. Atrophy and Debility,	2,501	2,391	561	532	255	201	327	
V.	ORDER 1.								
	(ACCIDENT or NEGLIGENCE.)								
	1. Fractures & Contusions,	552	157	120	34	43	11	123	
	2. Gunshot,	24	4	6	1	4	.	7	
	3. Cut, Stab,	21	3	1	1	1	.	2	
	4. Burns and Scalds,	215	276	51	62	11	30	26	
	5. Poison,	14	8	4	3	1	.	3	
	6. Drowning,	361	84	62	17	31	10	77	
	7. Suffocation,	58	15	9	5	.	.	17	
	8. Otherwise,	91	45	18	9	9	5	12	
	ORDER 3.	.	.	.	.	.	.	.	
	(HOMICIDE.)								
	1. Murder & Manslaughter,	56	20	12	7	2	.	7	
	ORDER 4.								
	(SUICIDE.)								
	1. Gunshot Wounds,	4	.	1	.	.	.	.	
	2. Cut, Stab,	13	4	5	1	.	.	1	
	3. Poison,	.	2	.	1	.	.	.	
	4. Drowning,	9	9	2	3	.	.	3	
	5. Hanging,	17	10	3	1	4	1	4	
	6. Otherwise,	5	2	.	2	2	.	2	
	ORDER 5.								
	(EXECUTION.)								
	1. Hanging,	3	.	.	.	1	.	.	
	Other Violent Deaths (not classed).	21	4	.	.	.	.	.	
	Sudden Deaths (Cause unascertained).	167	80	19	12	18	9	13	
	Causes not specified or ill-defined.	1,208	1,373	152	201	120	135	148	

ND, and in each of the EIGHT DIVISIONS, in the Year 1875—*continued*.

IV. H MIDLAND.		V. SOUTH MIDLAND.		VI. WESTERN.		VII. SOUTH-EASTERN.		VIII. SOUTH-WESTERN.		CAUSE OF DEATH.
.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
										ORDER 8.
	.	2	.	.	.	.	2	1	.	1. Phlegmon.
	2	3	2	8	6	9	4	19	11	2. Ulcer.
	7	2	1	8	10	1	2	.	3	3. *Skin Disease, &c.*
										ORDER 1.
	2	8	13	12	4	8	9	10	6	1. Premature Birth.
	.	.	.	.	.	2	.	.	.	2. Cyanosis.
	.	.	.	.	1	.	1	1	1	3. Spina Bifida.
	.	.	2	.	.	1	.	1	.	4. Other Malformations.
	10	4	1	4	4	.	2	15	11	5. Teething.
										ORDER 2.
	1	.	2	.	2	.	.	.	2	1. Paramenia.
	51	.	38	.	100	.	43	.	89	2. Childbirth.
										ORDER 3.
	1,202	833	1,084	1,274	1,534	881	1,154	1,317	1,749	1. Old Age.
										ORDER 4.
	170	159	205	296	321	265	257	421	413	1. Atrophy and Debility.
										ORDER 1.
										(ACCIDENT OR NEGLIGENCE.)
	9	46	1	34	17	53	24	105	28	1. Fractures & Contusions.
	.	.	.	.	.	2	.	1	2	2. Gunshot.
	.	4	1	7	1	2	.	2	.	3. Cut, Stab.
	24	11	21	50	34	10	29	47	41	4. Burns and Scalds.
	1	.	1	1	.	.	1	4	1	5. Poison.
	8	23	3	35	13	41	5	62	15	6. Drowning.
	1	3	1	6	.	4	2	12	3	7. Suffocation.
	6	6	6	13	8	8	.	6	4	8. Otherwise.
										ORDER 3.
										(HOMICIDE.)
	3	11	1	6	2	2	3	13	1	1. Murder & Manslaughter.
										ORDER 4.
										(SUICIDE.)
	.	1	.	.	.	1	.	1	.	1. Gunshot Wounds.
	.	1	.	1	1	3	1	.	1	2. Cut, Stab.
	.	.	.	.	.	.	.	.	1	3. Poison.
	1	.	.	.	1	1	.	2	4	4. Drowning.
	.	.	.	1	.	2	2	3	1	5. Hanging.
	.	.	.	.	.	1	.	.	.	6. Otherwise.
										ORDER 5.
										(EXECUTION.)
	.	.	.	.	.	1	.	1	.	1. Hanging.
	3	2	.	8	1	3	.	5	.	Other Violent Deaths (not classed).
	2	12	10	41	17	28	9	24	18	Sudden Deaths (Cause unascertained).
	134	85	121	188	183	109	166	290	281	Causes not specified or ill-defined.

POPULATION, 1871, TOTAL MORTALITY from ALL CAUSES, and DEATHS from SEVERAL CAUSES, in t
1875, in the DIVISIONS and DISTRICTS of IRELAND.

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Population, 1871.	Total Deaths.	DEATHS FROM SEVERAL CAUSES IN 1875.																
			Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric or Typhoid Fever.	Simple continued Fever.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respira-
IRELAND,	5,412,377	98,114	535	898	3845	443	1376	694	833	1327	392	442	563	124	231	1824	80	10240	14
No. DIVISIONS.																			
I. **North-Eastern,**	1,111,167	22,746	31	512	1620	129	344	161	266	188	76	117	110	45	33	474	16	3031	3
II. **North-Western,**	526,339	8,696	1	39	701	36	162	49	65	82	28	47	59	5	11	94	2	917	
III. **Eastern,**	787,416	17,030	5	166	613	102	173	96	212	156	109	76	78	31	36	380	21	1909	3
IV. **North Midland,**	511,940	8,141	8	37	367	23	195	45	32	103	25	34	51	8	27	69	6	728	1
V. **South Midland,**	448,840	7,693	1	9	89	33	79	35	54	141	21	33	38	5	31	174	3	787	1
VI. **Western,**	766,202	10,945	487	77	215	21	214	82	57	232	41	41	100	13	34	139	4	830	1
VII. **South-Eastern,**	451,483	8,582	.	11	45	35	48	71	42	157	34	39	43	8	13	167	4	808	1
VIII. **South-Western,**	808,990	14,281	2	47	195	64	161	155	105	268	58	55	89	9	46	327	24	1230	2
I.—NORTH-EASTERN.																			
1 ANTRIM,	35,928	723	1	1	53	6	25	.	9	6	3	2	2	3	1	6	.	87	
2 ARMAGH,	72,391	1,345	.	23	59	5	4	10	13	15	3	6	10	2	.	18	1	159	
3 BALLYCASTLE,	18,507	277	.	.	4	5	9	1	2	.	1	3	3	1	.	2	.	26	
4 BALLYMENA,	71,465	1,259	.	3	88	11	30	1	6	25	5	7	6	4	2	22	.	198	
5 BALLYMONEY,	38,505	616	.	1	61	12	5	1	9	9	1	4	7	1	.	9	.	54	
6 BANBRIDGE,	65,768	1,232	2	28	46	7	13	13	16	17	6	8	11	3	2	18	.	179	
7 BELFAST,	202,591	5,714	7	311	441	33	91	43	113	13	20	24	22	3	7	217	9	871	1
8 CASTLEBLAYNEY,	39,584	619	.	1	12	1	8	4	2	9	.	7	10	2	2	6	.	55	
9 COLERAINE,	38,773	748	.	.	38	4	12	3	2	4	2	4	3	.	1	12	.	82	
10 COOKSTOWN,	34,661	651	1	2	93	1	1	7	7	.	2	4	4	.	3	16	.	65	
11 DOWNPATRICK,	54,644	1,028	3	13	73	2	9	3	17	12	5	8	5	11	3	7	2	129	
12 DUNGANNON,	45,989	845	.	6	59	.	10	13	9	8	2	1	2	4	.	3	.	97	
13 KILKEEL,	21,426	405	.	10	34	5	3	.	.	4	.	1	.	.	1	2	.	50	
14 LARNE,	34,401	702	.	1	74	1	10	.	8	7	4	5	3	.	.	8	1	96	
15 LIMAVADY,	27,821	474	.	2	32	7	11	4	3	7	1	3	1	.	.	5	.	50	
16 LISBURN,	59,714	1,253	5	13	72	6	35	3	8	12	4	2	4	3	1	31	.	190	
17 LURGAN,	69,516	1,467	1	71	144	4	23	38	14	10	6	11	4	1	2	31	3	205	
18 MAGHERAFELT,	58,747	980	1	.	66	7	16	6	3	6	3	5	3	2	2	17	.	100	
19 NEWRY,	72,105	1,300	10	23	63	2	6	9	11	16	2	5	8	1	4	12	.	173	
20 NEWTOWNARDS,	48,231	1,108	.	3	108	10	23	2	14	8	6	7	2	4	2	32	.	165	
II.—NORTH-WESTERN.																			
21 BALLYSHANNON,	28,308	451	.	3	52	.	4	4	.	7	1	4	2	.	.	2	.	63	
22 CASTLEDERG,	16,311	232	.	.	23	1	.	1	.	1	1	1	2	1	.	.	.	19	
23 DONEGAL,	29,393	418	.	.	9	5	25	.	2	2	2	.	1	.	.	3	.	52	
24 DUNFANAGHY,	16,477	196	.	1	9	.	.	2	1	3	.	1	4	.	1	1	.	16	
25 ENNISKILLEN,	43,599	726	.	1	33	2	19	1	5	11	2	8	5	.	1	11	.	64	
26 GLENTIES,	37,930	512	.	12	1	.	39	1	4	11	.	3	10	.	2	2	.	46	
27 GORTIN,	15,546	231	.	.	25	.	1	5	.	.	.	1	2	1	.	.	.	19	
28 INISHOWEN,	33,697	654	.	.	111	.	1	3	5	4	.	5	3	.	1	3	.	51	
29 IRVINESTOWN,	19,713	231	.	.	2	2	3	3	2	2	4	1	3	.	.	5	.	25	
30 LETTERKENNY,	17,113	303	.	6	16	.	.	2	6	2	.	1	1	.	1	2	.	35	
31 LONDONDERRY,	58,758	1,292	.	5	166	12	26	8	5	10	3	3	3	1	3	19	1	150	
32 MANORHAMILTON,	30,667	462	.	1	29	.	23	1	2	.	.	7	6	.	1	2	.	65	
33 MILLFORD,	25,819	355	.	4	11	12	.	3	9	2	2	1	2	.	1	2	.	19	
34 OMAGH,	47,139	849	.	3	81	1	.	3	4	3	4	6	1	.	.	17	.	85	
35 SLIGO,	47,750	761	.	1	63	1	13	6	12	10	3	3	3	2	.	11	.	82	
36 STRABANE,	39,510	740	.	.	62	.	8	1	6	11	6	1	8	.	.	12	1	83	
37 STRANORLAR,	18,609	283	1	2	8	.	.	5	2	3	.	1	3	.	.	2	.	33	
III.—EASTERN.																			
38 ARDEE,	22,282	410	.	.	33	.	.	10	3	3	4	2	3	.	3	.	.	38	
39 BAILIEBOROUGH,	22,062	382	.	3	60	.	1	.	1	.	2	4	2	2	.	2	.	16	
40 BALROTHERY,	20,066	475	.	11	16	3	.	3	6	5	4	.	1	.	3	15	.	49	
41 BALTINGLASS,	20,403	335	.	.	4	.	1	.	3	4	4	3	1	.	.	4	.	27	
42 CARRICKMACROSS,	20,650	367	.	2	78	1	.	.	4	1	.	2	4	.	1	3	.	27	
43 CELBRIDGE,	18,062	330	.	1	5	3	1	1	7	4	1	2	.	5	.	5	.	42	
44 DROGHEDA,	34,726	659	1	1	15	6	2	1	5	15	4	3	2	.	2	4	.	82	
45 DUBLIN, NORTH,	134,091	3,648	2	57	99	16	43	20	52	21	29	35	16	3	7	99	8	478	

NOTE.—For Tables showing the number of Deaths of Males a

ATION, 1871, TOTAL MORTALITY from ALL CAUSES, and DEATHS from SEVERAL CAUSES, in the Year 1875, in the DIVISIONS and DISTRICTS of IRELAND—*continued*.

DIVISIONS AND ERINTENDENT REGISTRARS' DISTRICTS.	Population, 1871.	Total Deaths.	DEATHS FROM SEVERAL CAUSES IN 1875.																	
			Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric or Typhoid Fever.	Simple continued Fever.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
EASTERN—*con.*																				
DUBLIN, SOUTH,	199,512	5,228	.	69	117	35	95	31	90	32	34	10	19	15	12	159	7	565	1,136	126
DUNDALK,	43,401	866	.	2	52	6	4	2	5	8	4	3	8	.	.	25	2	55	143	20
DUNSHAUGHLIN,	11,647	232	.	1	7	.	.	1	7	.	2	1	.	1	.	4	.	20	45	5
GOREY,	23,209	420	.	4	11	13	.	.	5	7	2	.	.	.	.	6	.	54	56	9
KELLS,	21,895	357	.	.	17	7	2	8	2	5	2	1	5	3	.	3	.	17	59	12
NAAS,	44,197	685	.	4	11	1	.	3	5	14	2	2	2	1	4	15	.	87	106	16
NAVAN,	19,311	396	.	.	36	.	4	1	3	8	3	1	1	.	1	1	1	74	55	8
RATHDOWN,	54,697	1,027	1	4	20	4	13	7	7	13	8	4	3	1	2	21	3	111	178	28
RATHDRUM,	37,807	618	.	4	22	5	2	4	4	4	2	1	2	.	.	7	.	85	86	15
SHILLELAGH,	17,857	261	1	2	3	2	5	3	2	8	1	1	2	.	.	7	.	28	36	6
TRIM,	19,541	334	.	1	7	.	.	1	1	4	1	1	2	.	1	.	.	54	42	4
ORTH MIDLAND.																				
ATHLONE,	33,612	447	.	.	4	.	.	6	2	5	.	.	4	.	.	7	.	47	58	20
BALLYMAHON,	18,788	330	.	.	18	.	3	1	3	5	.	2	1	.	1	2	.	25	47	2
BAWNBOY,	24,006	420	.	.	43	5	16	.	2	8	.	5	4	.	3	.	.	33	66	7
CARRICK-ON-SHAN.	28,115	409	3	.	18	3	5	2	2	4	2	3	3	.	.	4	1	28	83	8
CAVAN,	53,562	929	.	4	70	3	22	10	5	13	2	3	8	1	5	5	1	84	114	23
CLOGHER,	25,199	425	.	2	20	.	6	2	.	7	2	.	1	2	2	4	.	45	53	6
CLONES,	23,207	273	.	1	3	1	4	1	1	5	.	.	4	.	3	3	.	28	52	6
COOTEHILL,	34,831	529	.	1	9	4	2	7	2	5	5	.	4	2	1	.	.	50	106	7
DELVIN,	11,847	206	.	.	4	1	2	.	1	.	.	.	1	.	1	3	.	22	31	3
GRANARD,	33,633	548	.	.	40	.	33	3	1	7	.	3	2	.	.	1	.	28	65	4
LISNASKEA,	22,946	284	.	.	5	1	6	.	.	6	2	1	1	2	.	2	1	24	50	4
LONGFORD,	29,530	413	.	.	40	.	7	1	1	11	.	2	6	.	.	7	2	47	25	11
MOHILL,	27,714	401	.	.	16	.	29	.	.	5	.	7	4	1	1	4	.	25	65	12
MONAGHAN,	40,829	742	.	6	40	2	6	2	2	3	3	1	1	.	3	5	.	73	113	14
MULLINGAR,	36,837	676	5	2	19	2	1	4	2	6	1	3	2	.	1	11	1	79	87	12
OLDCASTLE,	21,471	356	.	.	1	1	19	2	3	10	.	.	3	.	2	3	.	21	34	6
ROSCOMMON,	22,468	387	.	.	5	.	16	2	1	.	4	.	1	.	4	4	.	30	63	14
STROKESTOWN,	23,345	366	.	21	12	.	18	2	4	3	4	4	1	.	.	4	.	39	33	6
OUTH MIDLAND.																				
ABBEYLEIX,	19,949	383	.	.	10	6	7	2	2	3	.	.	2	.	.	2	.	46	36	7
ATHY,	30,025	516	.	.	7	2	.	3	4	10	.	1	2	.	3	11	.	46	88	11
BORRISOKANE,	11,510	161	.	.	4	2	4	.	.	1	1	.	1	.	3	4	.	20	23	1
CARLOW,	45,835	932	1	1	25	8	21	6	7	23	2	1	2	.	1	17	.	120	122	10
CASHEL,	29,392	558	.	.	.	1	.	3	6	18	2	8	5	.	.	14	.	48	129	6
CASTLECOMER,	14,302	262	.	.	.	2	.	3	2	13	2	1	.	.	.	11	.	19	41	7
DONAGHMORE,	8,359	95	.	.	.	.	.	.	2	4	.	.	.	1	.	3	.	6	10	4
EDENDERRY,	20,160	390	.	1	8	.	.	.	2	7	1	2	2	.	1	6	.	54	37	9
KILKENNY,	31,193	519	.	3	6	3	5	3	.	11	5	2	5	.	.	28	1	43	99	11
MOUNTMELLICK,	37,165	655	.	.	4	3	.	1	4	14	1	2	1	2	2	11	.	82	116	13
NENAGH,	33,206	519	.	.	1	2	10	.	4	7	.	3	3	.	1	11	.	38	99	10
PARSONSTOWN,	32,261	506	.	3	6	.	9	5	3	9	.	4	2	.	.	8	.	60	38	11
ROSCREA,	20,034	312	.	.	2	1	12	1	1	2	1	2	.	.	2	1	1	31	38	7
THURLES,	31,475	494	.	.	4	.	2	.	3	6	2	1	3	1	1	22	.	41	86	6
TIPPERARY,	42,931	755	.	.	5	1	6	5	14	9	3	5	4	1	17	20	.	83	110	13
TULLAMORE,	28,420	441	.	1	4	2	1	.	.	4	1	.	5	.	.	4	1	42	48	14
URLINGFORD,	12,623	195	.	.	3	.	2	3	.	.	.	1	1	.	.	1	.	8	20	3
I.—WESTERN.																				
BALLINA,	30,911	467	54	1	30	1	4	1	2	12	2	.	4	3	.	7	.	37	47	11
BALLINASLOE,	24,291	318	.	.	1	.	1	5	3	1	3	2	4	.	.	8	1	44	26	15
BALLINROBE,	29,276	416	21	14	1	.	2	.	2	11	1	.	2	1	2	4	.	35	39	8
BALLYVAGHAN,	5,712	102	.	.	1	.	.	5	.	2	.	.	.	.	1	.	.	8	16	4
BELMULLET,	15,758	175	4	1	.	.	2	.	.	3	.	2	.	.	.	.	.	8	21	7
BOYLE,	44,240	491	1	2	28	.	24	1	2	6	.	.	6	.	1	1	.	40	53	7
CASTLEBAR,	32,174	455	114	2	.	.	1	2	4	4	4	.	3	2	1	4	.	41	52	11
CASTLEREAGH,	44,238	607	5	.	71	.	12	1	1	11	1	3	6	.	.	3	.	47	76	10
CLAREMORRIS,	31,300	518	70	13	2	.	12	1	1	26	.	.	8	.	.	6	.	27	45	9
CLIFDEN,	25,231	232	.	.	.	.	1	1	1	3	.	1	1	.	2	4	.	25	28	11
CORROFIN,	7,095	89	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	10	16	3
DROMORE, WEST,	17,742	200	2	.	5	.	1	.	5	1	.	1	2	.	.	1	.	20	15	7

each cause in the Divisions of Ireland, see pages 114–121.

POPULATION, 1871, TOTAL MORTALITY from ALL CAUSES, and DEATHS from SEVERAL CAUSES, in 1875, in the DIVISIONS and DISTRICTS of IRELAND—*continued.*

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Population, 1871.	Total Deaths.	DEATHS FROM SEVERAL CAUSES IN 1875.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric or Typhoid Fever.	Simple continued Fever.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.
	VI.—WESTERN—*con.*																		
104	ENNIS,	26,530	478	.	.	1	4	20	1	3	6	5	2	2	.	11	12	1	37
105	ENNISTIMON,	23,355	350	.	.	2	.	.	5	8	8	3	2	3	.	1	11	.	32
106	GALWAY,	44,022	811	1	7	.	2	44	12	2	22	6	1	3	.	2	10	.	65
107	GLENNAMADDY,	20,274	271	1	4	3	1	13	.	1	5	1	2	1	.	.	1	.	14
108	GORT,	17,973	274	.	.	.	4	2	.	5	6	.	.	3	.	.	4	.	19
109	KILLADYSERT,	12,211	161	.	.	.	.	1	2	.	7	1	.	1	.	.	2	.	13
110	KILLALA,	10,242	155	.	1	5	.	.	11	.	3	2	2	1	.	.	1	.	7
111	KILRUSH,	35,978	589	.	.	2	.	.	2	3	17	1	4	9	2	.	13	.	37
112	LOUGHREA,	26,402	401	48	4	4	.	.	4	.	18	1	.	1	.	7	1	1	26
113	MOUNTBELLEW,	18,423	282	1	12	3	1	6	2	3	3	.	1	4	.	1	4	.	23
114	NEWPORT,	16,061	165	1	.	.	.	.	1	2	2	.	.	2	.	.	2	.	5
115	OUGHTERARD,	19,591	246	2	2	.	1	17	5	1	4	.	1	3	.	.	4	.	24
116	PORTUMNA,	12,906	228	.	.	14	.	1	.	.	4	.	1	4	.	.	4	.	19
117	SCARRIFF,	13,953	182	.	.	.	.	6	4	.	1	.	.	.	4	1	4	.	19
118	SWINEFORD,	53,540	742	63	1	10	1	9	7	.	6	4	6	11	.	1	5	.	51
119	TOBERCURRY,	26,724	395	60	.	26	.	17	2	1	4	1	3	5	.	.	.	.	39
120	TUAM,	41,323	557	36	13	3	3	10	4	1	7	.	4	7	1	1	11	1	14
121	TULLA,	13,961	205	.	.	.	2	8	.	2	7	2	3	1	.	2	3	.	15
122	WESTPORT,	24,765	353	3	.	3	1	.	3	4	16	3	.	3	.	.	7	.	29
	VII.—SOUTH-EASTERN.																		
123	CALLAN,	20,764	414	.	.	6	7	1	9	.	1	.	1	3	.	2	3	.	32
124	CARRICK-ON-SUIR,	28,113	505	.	.	4	5	.	7	1	10	2	4	2	.	3	4	1	54
125	CLOGHEEN,	22,247	360	.	.	.	.	3	1	1	6	.	.	6	3	1	13	1	24
126	CLONMEL,	24,089	501	.	.	1	2	3	.	3	15	5	5	4	.	.	7	.	44
127	DUNGARVAN,	21,869	452	.	.	.	.	.	2	8	11	1	.	2	.	.	17	.	24
128	ENNISCORTHY,	39,557	765	.	8	10	3	1	4	3	9	4	2	1	2	.	15	1	77
129	FERMOY,	32,784	534	.	.	.	.	3	1	2	14	.	3	2	.	1	10	.	58
130	KILMACTHOMAS,	13,399	258	.	.	.	.	.	2	1	5	.	.	.	.	.	3	.	13
131	LISMORE,	18,834	349	.	.	.	.	2	.	2	3	1	3	3	.	.	2	.	25
132	MIDDLETON,	30,404	497	.	.	4	10	1	.	3	9	3	2	4	.	.	9	.	50
133	MITCHELSTOWN,	20,745	308	.	.	.	.	.	6	4	9	1	1	.	.	1	13	.	21
134	NEW ROSS,	39,946	721	.	.	10	2	2	5	1	9	2	5	3	.	.	4	.	76
135	THOMASTOWN,	18,817	380	.	.	2	1	8	8	1	9	1	1	.	2	1	15	.	32
136	WATERFORD,	57,316	1,266	.	3	6	.	9	16	5	25	5	5	2	.	1	34	1	134
137	WEXFORD,	40,640	931	.	.	2	4	15	3	4	21	7	7	5	.	3	7	.	114
138	YOUGHAL,	21,959	341	.	.	.	1	.	7	3	1	2	.	6	1	.	11	.	30
	VIII.—SOUTH-WESTERN																		
139	BANDON,	25,740	432	.	.	9	9	5	2	7	5	3	2	2	.	1	7	.	38
140	BANTRY,	16,330	182	.	.	7	3	1	1	2	2	2	.	2	.	.	1	.	17
141	CAHERSIVEEN,	25,148	401	.	.	1	.	9	2	.	33	5	.	2	.	2	3	.	22
142	CASTLETOWN,	14,326	238	.	.	28	1	.	.	1	2	1	.	.	.	.	1	.	17
143	CLONAKILTY,	26,849	332	1	.	2	2	4	3	3	2	2	.	2	.	.	1	.	32
144	CORK,	143,377	3,488	.	37	115	9	41	65	23	23	7	16	14	.	3	92	4	410
145	CROOM,	17,061	272	.	.	.	1	.	.	.	6	.	.	.	1	1	10	.	21
146	DINGLE,	20,245	276	.	.	.	.	.	1	2	12	2	2	5	.	1	8	.	23
147	DUNMANWAY,	17,666	254	.	.	7	2	9	.	1	5	1	3	.	.	.	5	.	10
148	GLIN,	14,899	236	.	.	.	1	3	1	3	3	1	.	3	.	1	7	.	16
149	KANTURK,	32,796	520	.	.	.	.	2	8	6	5	.	2	6	.	2	17	1	30
150	KENMARE,	18,348	252	.	.	.	.	.	2	3	5	.	.	3	.	.	4	.	13
151	KILLARNEY,	44,443	711	.	.	1	2	9	20	2	23	3	7	3	.	2	15	4	65
152	KILMALLOCK,	35,471	663	.	.	3	.	1	9	3	9	1	.	3	7	8	18	4	41
153	KINSALE,	24,594	466	.	9	4	4	.	2	13	15	3	1	1	.	1	3	1	31
154	LIMERICK,	79,248	1,687	.	1	.	10	20	15	20	22	7	9	11	.	5	53	2	159
155	LISTOWEL,	34,283	535	.	.	.	4	19	5	.	7	4	2	5	.	.	9	.	44
156	MACROOM,	30,544	410	.	.	16	1	2	1	5	16	1	3	9	.	4	8	.	19
157	MALLOW,	30,595	491	.	.	.	4	1	.	1	4	14	2	2	4	1	3	10	1	45
158	MILLSTREET,	14,592	200	.	.	.	2	.	.	1	8	.	1	2	.	.	3	.	17
159	NEWCASTLE,	30,196	500	.	.	.	.	19	4	3	19	.	.	4	.	.	21	.	26
160	RATHKEALE,	17,884	328	1	.	.	2	.	.	1	7	1	1	.	.	3	9	1	23
161	SKIBBEREEN,	31,385	428	.	.	1	4	.	2	.	11	.	1	3	.	3	5	4	36
162	SKULL,	13,139	157	.	.	1	.	3	.	.	4	.	.	1	.	4	3	.	15
163	TRALEE,	49,831	822	.	.	.	3	13	12	2	10	12	3	4	.	2	14	2	60

TION, 1871, TOTAL MORTALITY from ALL CAUSES, and DEATHS from SEVERAL CAUSES, in the Year 1875, in the REGISTRATION PROVINCES and COUNTIES* of IRELAND.

ISTRATION ROVINCES AND OUNTIES.*	Population, 1871.	Total Deaths.	DEATHS FROM SEVERAL CAUSES IN 1875.																	
			Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric or Typhoid Fever.	Simple continued Fever.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
REELAND,	5,412,377	98,114	535	898	3845	443	1376	694	833	1327	392	442	563	124	231	1824	80	10240	14568	2107
PROVINCES.																				
EINSTER,	1,315,355	26,559	11	180	699	147	290	160	250	331	134	110	113	36	51	545	27	2924	4418	571
UNSTER,	1,408,092	24,607	2	50	232	95	251	225	182	468	99	108	152	21	93	569	29	2139	4078	601
LSTER,	1,847,852	34,926	32	568	2558	182	552	227	337	318	117	170	192	57	63	582	20	4202	4691	661
ONNAUGHT,	841,078	12,022	490	100	356	19	283	82	64	210	42	54	106	10	24	128	4	975	1381	274
I.—PROVINCE OF LEINSTER.—REGISTRATION COUNTIES.																				
ARLOW,	45,835	932	1	1	25	8	21	6	7	23	2	1	2	.	1	47	.	120	122	10
UBLIN,	408,366	10,378	3	141	252	58	151	61	155	71	75	49	39	19	24	294	18	1203	2133	254
ILDARE,	92,284	1,531	.	5	23	6	1	7	16	28	3	5	4	6	7	31	.	175	274	29
ILKENNY,	97,699	1,770	.	3	17	13	16	26	3	34	8	6	9	2	3	58	1	134	285	39
ING'S,	80,841	1,337	.	5	18	2	10	5	5	20	2	6	9	.	1	18	1	156	123	34
ONGFORD,	81,951	1,291	.	.	98	.	43	5	5	23	.	7	9	.	1	10	2	100	137	17
OUTH,	102,409	1,935	1	3	100	12	6	13	13	26	12	8	13	.	5	29	2	175	314	38
EATH,	72,394	1,319	.	2	67	7	6	11	13	17	8	4	8	4	2	8	1	165	201	29
UEEN'S,	65,473	1,133	.	.	14	9	7	3	8	21	1	2	3	3	2	16	.	134	162	24
VESTMEATH,	48,684	882	5	2	23	3	3	4	3	6	1	3	3	.	2	14	1	101	118	15
EXFORD,	143,352	2,837	.	12	33	22	18	12	13	46	15	14	9	2	3	32	1	321	379	53
ICKLOW,	76,067	1,214	1	6	29	7	8	7	9	16	7	5	5	.	.	18	.	140	170	29
II.—PORVINCE OF MUNSTER.—REGISTRATION COUNTIES.																				
LARE,	138,795	2,156	.	.	6	6	35	19	16	49	12	11	16	6	16	47	1	171	311	53
ORK,	527,825	9,278	1	46	194	52	72	98	78	145	28	37	58	2	23	199	11	876	1587	261
ERRY,	192,298	2,997	.	.	2	9	50	42	9	90	26	14	22	.	7	53	6	227	386	66
IMERICK,	194,759	3,686	1	1	3	14	43	29	30	66	10	10	21	8	18	118	7	286	672	85
IPPERARY,	214,884	3,660	.	.	17	9	40	10	32	64	14	24	26	5	25	92	2	329	672	64
VATERFORD,	139,531	2,830	.	3	10	5	11	27	17	54	9	12	9	.	4	60	2	250	450	72
III.—PROVINCE OF ULSTER.—REGISTRATION COUNTIES.																				
ANTRIM,	401,285	9,291	8	317	721	68	170	46	147	60	34	45	43	12	10	264	10	1332	1531	175
RMAGH,	214,412	4,112	11	117	266	11	33	57	38	41	11	22	22	4	6	61	4	537	564	64
AVAN,	155,932	2,616	.	8	183	13	60	19	13	36	9	12	21	5	11	10	1	204	380	47
ONEGAL,	207,346	3,172	1	28	217	17	69	20	29	34	5	16	26	.	6	17	.	325	319	61
OWN,	249,895	5,026	10	67	333	30	83	21	55	53	21	26	22	21	9	90	2	713	606	103
ERMANAGH,	86,258	1,241	.	1	40	5	28	4	7	19	8	10	9	2	1	18	1	113	161	21
ONDONDERRY,	184,099	3,494	1	7	302	30	65	21	13	27	9	15	10	3	6	53	1	382	382	72
ONAGHAN,	124,270	2,001	.	10	133	5	18	7	9	18	3	10	19	2	9	17	.	183	282	45
YRONE,	224,355	3,973	1	13	363	3	26	32	26	30	17	14	20	8	5	52	1	413	466	73
IV.—PROVINCE OF CONNAUGHT.—REGISTRATION COUNTIES.																				
GALWAY,	250,436	3,650	89	42	28	12	95	33	17	73	11	13	31	1	13	51	3	273	413	87
EITRIM,	86,496	1,272	3	1	63	3	57	3	4	9	2	17	13	1	2	10	1	118	198	25
AYO,	244,027	3,446	330	33	51	3	30	26	15	88	16	10	34	6	4	36	.	240	346	72
OSCOMMON,	167,903	2,298	6	23	120	.	70	12	10	25	9	7	18	.	5	19	.	203	283	57
LIGO,	92,216	1,356	62	1	94	1	31	8	18	15	4	7	10	2	.	12	.	141	141	33

* See note (*), page 44.

INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the *Number* of each Superintendent Registrar's Distri in the Topographical Arrangement adopted in the Tables of Abstracts contained in the Repor in which the numbers run consecutively from 1 to 163.*]

A.

Abbeyleix, ... 75
Antrim, ... 1
Ardee, ... 38
Armagh, ... 2
Athlone, ... 57
Athy, ... 76

B.

Bailieborough, . . . 39
Ballina, ... 92
Ballinasloe, . . . 93
Ballinrobe, . . . 94
Ballycastle, . . . 3
Ballymahon, . . . 58
Ballymena, ... 4
Ballymoney, . . . 5
Ballyshannon, . . . 21
Ballyvaghan, . . . 95
Balrothery, . . . 40
Baltinglass, . . . 41
Banbridge, ... 6
Bandon, ... 139
Bantry, ... 140
Bawnboy, ... 59
Belfast, ... 7
Belmullet, ... 96
Borrisokane, . . . 77
Boyle, ... 97

C.

Cahersiveen, . . . 141
Callan, ... 123
Carlow, ... 78
Carrickmacross, . . . 42
Carrick-on-Shannon, . . 60
Carrick-on-Suir, . . . 124
Cashel, ... 79
Castlebar, ... 98
Castleblayney, . . . 8
Castlecomer, . . . 80
Castlederg, ... 22
Castlereagh, . . . 99
Castletown, . . . 142
Cavan, ... 61
Celbridge, ... 43
Claremorris, . . . 100
Clifden, ... 101
Clogheen, ... 125
Clogher, ... 62
Clonakilty, ... 143
Clones, ... 63
Clonmel, ... 126
Coleraine, ... 9
Cookstown, ... 10
Cootehill, ... 64
Cork, ... 144
Corrofin, ... 102
Croom, ... 145

D.

Delvin, ... 65
Dingle, ... 146
Donaghmore, . . . 81
Donegal, ... 23
Downpatrick, . . . 11
Drogheda, ... 44
Dromore West, . . . 103
Dublin North, . . . 45
Dublin South, . . . 46
Dundalk, ... 47
Dunfanaghy, . . . 24
Dungannon, . . . 12
Dungarvan, . . . 127
Dunmanway, . . . 147
Dunshaughlin, . . . 48

E.

Edenderry, ... 82
Ennis, ... 104
Enniscorthy, . . . 128
Enniskillen, . . . 25
Ennistimon, . . . 105

F.

Fermoy, ... 129

G.

Galway, ... 106
Glennamaddy, . . . 107
Glenties, ... 26
Glin, ... 148
Gorey, ... 49
Gort, ... 108
Gortin, ... 27
Granard, ... 66

I.

Inishowen, ... 28
Irvinestown, . . . 29

K.

Kanturk, ... 149
Kells, ... 50
Kenmare, ... 150
Kilkeel, ... 13
Kilkenny, ... 83
Killadysert, . . . 109
Killala, ... 110
Killarney, ... 151
Kilmacthomas, . . . 130
Kilmallock, . . . 152
Kilrush, ... 111
Kinsale, ... 153

L.

Larne, ... 14
Letterkenny, . . . 30
Limavady, ... 15
Limerick, ... 154
Lisburn, ... 16
Lismore, ... 131
Lisnaskea, ... 67
Listowel, ... 155
Londonderry, . . . 31
Longford, ... 68
Loughrea, ... 112
Lurgan, ... 17

M.

Macroom, ... 156
Magherafelt, . . . 18
Mallow, ... 157
Manorhamilton, . . . 32
Middleton, ... 132
Millford, ... 33
Millstreet, ... 15
Mitchelstown, . . . 13
Mohill, ... 6
Monaghan, ... 7
Mountbellew, . . . 11
Mountmellick, . . . 8
Mullingar, ... 7

N.

Naas, ... 8
Navan, ... 8
Nenagh, ... 8
Newcastle, ... 14
Newport, ... 11
New Ross, ... 13
Newry, ... 1
Newtownards, . . . 2

O.

Oldcastle, ... 7
Omagh, ... 8
Oughterard, . . . 11

P.

Parsonstown, . . . 8
Portumna, ... 11

R.

Rathdown, ... 5
Rathdrum, ... 5
Rathkeale, ... 16
Roscommon, . . . 7
Roscrea, ... 8

S.

Scarriff, ... 11
Shillelagh, ... 5
Skibbereen, . . . 16
Skull, ... 16
Sligo, ... 8
Strabane, ... 3
Stranorlar, ... 3
Strokestown, . . . 7
Swineford, ... 11

T.

Thomastown, . . . 13
Thurles, ... 8
Tipperary, ... 8
Tobercurry, . . . 11
Tralee, ... 16
Trim, ... 5
Tuam, ... 12
Tulla, ... 12
Tullamore, ... 9

U.

Urlingford, ... 9

W.

Waterford, ... 18
Westport, ... 12
Wexford, ... 13

Y.

Youghal, ... 18

* Thus, the number of Marriages in the Abbeyleix Superintendent Registrar's District may at once b ascertained by referring in the "*Abstract of Marriages*" to the Superintendent Registrar's Distric numbered 75 (*see* page 38), and in like manner the number of Births and Deaths, of Deaths at differer ages, &c., will be found by referring to the same Superintendent Registrar's District Number in th appropriate Tables.

INDEX TO REGISTRARS' DISTRICTS.

[The Number against each Registrar's District in the Third Column refers to the page in which the Total Births, Illegitimate Births, Deaths, &c., in the District during the year are given.]

Registrars' Districts.	Superintendent Registrars' Districts.	Page
A.		
Abbey,	Tuam,	67
Abbeyfeale,	Newcastle,	72
Abbeyleix,	Abbeyleix,	62
Abbeyshrule,	Ballymahon,	60
Achill,	Newport,	67
Aclare,	Tobercurry,	67
Adare,	Croom,	70
Aghada,	Middleton,	69
Aghadowey,	Coleraine,	54
Aghalee,	Lurgan,	55
Ahascragh,	Ballinasloe,	64
Ahoghill,	Ballymena,	53
Anascaul,	Dingle,	70
Annacarriga,	Scarriff,	67
Annacotty,	Limerick,	71
Annahilt,	Lisburn,	55
Annamoe,	Rathdrum,	60
Antrim,	Antrim,	53
Ardagh,	Newcastle,	72
Ardara,	Glenties,	56
Ardee,	Ardee,	57
Ardfert,	Tralee,	72
Ardfinnan,	Clogheen,	68
Ardmore,	Youghal,	69
Ardrahan,	Gort,	66
Arklow,	Rathdrum,	60
Armagh,	Armagh,	53
Arran,	Galway,	66
Articlave,	Coleraine,	54
Arvagh,	Cavan,	61
Ashford,	Rathdrum,	60
Askeaton,	Rathkeale,	72
Athboy,	Trim,	60
Athenry,	Loughrea,	66
Athleague,	Roscommon,	62
Athlone, No. 1,	Athlone,	60
„ No. 2,		
Athy,	Athy,	62
Aughnacloy,	Clogher,	61
Aughrim,	Carrick-on-Shannon	60
Aughrim,	Rathdrum,	60
B.		
Bagenalstown,	Carlow,	63
Bailieborough,	Bailieborough,	57
Balbriggan,	Balrothery,	58
Balla,	Castlebar,	65
Ballaghaderreen,	Castlereagh,	65
Balleen,	Urlingford,	64
Ballickmoyler and Newtown,	Carlow,	63
Ballina,	Ballina,	64
Ballinakill,	Abbeyleix,	62
Ballinalee,	Granard,	61
Ballinameen,	Boyle,	65
Ballinamore,	Bawnboy,	60
Ballinasloe,	Ballinasloe,	64
Ballincollig,	Cork,	70
Ballindine,	Claremorris,	65
Ballineen,	Dunmanway,	71
Ballingarry,	Callan,	68
Ballinrobe,	Ballinrobe,	65
Ballintra,	Ballyshannon,	55
Ballybay,	Castleblayney,	54
Ballyboggan,	Edenderry,	63
Ballycarry,	Larne,	54
Ballycastle,	Ballycastle,	53
Ballycastle,	Killala,	66
Ballyclogh,	Mallow,	72
Ballyconnell,	Bawnboy,	60
Ballycroy,	Newport,	67
Ballyduff,	Lismore,	69
Ballyduff,	Listowel,	72
Ballyfarnan,	Boyle,	65
Ballyfeard,	Kinsale,	71
Ballygarvan,	Cork,	70
Ballygawley,	Clogher,	61
Ballyhaise,	Cavan,	61
Ballyhaunis,	Claremorris,	65
Ballyhooly,	Fermoy,	68
Ballyhorgan,	Listowel,	72
Ballyjamesduff,	Oldcastle,	62
Ballykelly,	Limavady,	54
Ballyleague,	Roscommon,	62
Ballylesson,	Lisburn,	55
Ballylongford,	Listowel,	72
Ballylynan,	Athy,	62
Ballymacarbry,	Clonmel,	68
Ballymagran,	Dungannon,	54
Ballymahon,	Ballymahon,	60
Ballymartle,	Kinsale,	71
Ballymena,	Ballymena,	53
Ballymoney,	Ballymoney,	53
Ballymore,	Ballymahon,	60
Ballymore (*see* "Bles	sington and Ballym	ore.'
Ballymote,	Sligo,	57
Ballynacally,	Killadysert,	66
Ballynacarrigy,	Mullingar,	62
Ballynahinch,	Downpatrick,	54
Ballynoe,	Fermoy,	68
Ballynure,	Larne,	54
Ballyragget,	Castlecomer,	63
Ballyroan,	Abbeyleix,	62
Ballyshannon,	Ballyshannon,	55
Ballyvaghan,	Ballyvaghan,	65
Ballyward,	Banbridge,	53
Baltinglass,	Baltinglass,	58
Banagher,	Parsonstown,	64
Banbridge,	Banbridge,	53
Bandon,	Bandon,	70
Bangor,	Belmullet,	65
Bangor,	Newtownards,	55
Bannow,	Wexford,	69
Bansha,	Tipperary,	64
Bantry,	Bantry,	70
Barronstown,	Dundalk,	59
Belfast, No. 1, „ No. 2, „ No. 3, „ No. 4, „ No. 5, „ No. 6, „ No. 7, „ No. 8, „ No. 9, „ No. 10,	Belfast,	53
Bellaghy,	Magherafelt,	55

Registrars' Districts.	Superintendent Registrars' Districts.	Page
Bellananagh,	Cavan,	61
Bellarena,	Limavady,	54
Belleek,	Ballyshannon,	55
Belturbet,	Cavan,	61
Benburb,	Dungannon,	54
Binghamstown,	Belmullet,	65
Blackrock & Stillorgan, No. 1,	Rathdown,	59
" No. 2,		
Blackwatertown,	Armagh,	53
Blanchardstown & Castleknock,	Dublin North,	58
Blarney,	Cork,	70
Blaskets, The,	Dingle,	70
Blessington & Ballymore,	Naas,	59
Boherboy,	Kanturk,	71
Borris,	Carlow,	63
Borris-in-Ossory,	Donaghmore,	63
Borrisokane,	Borrisokane,	62
Borrisoleigh,	Thurles,	64
Bourney,	Roscrea,	64
Boyle, No. 1,	Boyle,	65
" No. 2,		
Bray and Rathmichael, No. 1,	Rathdown,	59
" No. 2,		
Brideswell,	Athlone,	60
Bridgetown,	Limerick,	71
Bridgetown,	Wexford,	69
Broadford,	Newcastle,	72
Broadway,	Wexford,	69
Brookeborough,	Lisnaskea,	61
Brosna,	Tralee,	72
Broughshane,	Ballymena,	53
Bruff,	Kilmallock,	71
Bruree,	Kilmallock,	71
Bryansford,	Kilkeel,	54
Bullaun,	Loughrea,	66
Buncrana,	Inishowen,	56
Bunmahon,	Kilmacthomas,	68
Burt,	Londonderry,	56
Bushmills,	Coleraine,	54
Buttevant,	Mallow,	72
C.		
Caher,	Cahersiveen,	70
Caher,	Clogheen,	68
Caherconlish,	Limerick,	71
Caledon,	Armagh,	53
Callan,	Callan,	68
Camolin,	Gorey,	59
Cannaway,	Macroom,	72
Cappagh,	Tipperary,	64
Cappaghduff,	Ballinrobe,	65
Cappoquin,	Lismore,	69
Carbury,	Edenderry,	63
Carlingford,	Dundalk,	59
Carlow,	Carlow,	63
Carndonagh,	Inishowen,	56
Carney, No. 1,	Sligo,	57
" No. 2,		
Carragh (*see* "Naas and Carragh.")		
Carrick,	Glenties,	56
Carrickbyrne,	New Ross,	69
Carrickfergus,	Larne,	54
Carrickmacross,	Carrickmacross,	58
Carrick-on-Suir,	Carrick-on-Suir,	68
Carrigaholt,	Kilrush,	66
Carrigaline,	Cork,	70
Carrigaline,	Kinsale,	71
Carrigallen,	Mohill,	61

Registrars' Districts.	Superintendent Registrars' Districts.	Page
Carrignavar, No. 1,	Cork,	70
" No. 2,		
Cashel,	Cashel,	63
Castlebar, No. 1,	Castlebar,	65
Do. No. 2,		
Castlebellingham,	Ardee,	57
Castleblayney,	Castleblayney,	54
Castlecomer,	Castlecomer,	63
Castleconor,	Dromore West,	65
Castlederg,	Castlederg,	55
Castledermot,	Athy,	62
Castlefinn,	Strabane,	57
Castlegregory,	Dingle,	70
Castleisland,	Tralee,	72
Castleknock (*see* "Blanchardstown and Castleknock.")		
Castlemaine,	Tralee,	72
Castlemartyr,	Middleton,	69
Castleplunket,	Castlereagh,	65
Castlepollard,	Delvin,	61
Castlequarter,	Ballymoney,	53
Castlereagh, No. 1,	Belfast,	54
" No. 2,		
" No. 3,		
Castlereagh,	Castlereagh,	65
Castleshane,	Monaghan,	62
Castletown,	Abbeyleix,	62
Castletown,	Castletown,	70
Castletown,	Croom,	70
Castletown,	Navan,	59
Castletown Geoghegan,	Mullingar,	62
Cavan,	Cavan,	61
Celbridge,	Celbridge,	58
Charleville,	Kilmallock,	71
Church Hill,	Ballyshannon,	55
Church Hill,	Letterkenny,	56
Clady,	Londonderry,	56
Clane & Timahoe Nth	Naas,	59
Clara,	Tullamore,	64
Claremorris,	Claremorris,	65
Clarina,	Limerick,	71
Clashmore,	Youghal,	69
Clifden,	Clifden,	65
Clogh,	Ballymena,	53
Cloghan,	Stranorlar,	57
Clogheen,	Clogheen,	68
Clogher,	Clogher,	61
Cloghjordan,	Borrisokane,	62
Clonakilty,	Clonakilty,	70
Clonaslee,	Mountmellick,	63
Clonavaddy,	Dungannon,	54
Clonbrock,	Mountbellew,	66
Clondalkin,	Dublin South,	58
Clonegall (*see* "Coolattin and Clonegall.")		
Clonelly,	Irvinestown,	56
Clones,	Clones,	61
Clonmany,	Inishowen,	56
Clonmel,	Clonmel,	68
Clonmellon,	Delvin,	61
Clonmoyle,	Macroom,	72
Clonroche,	Enniscorthy,	68
Clontarf and Howth, No. 1,	Dublin North,	58
" No. 2,		
Clonygowan,	Mountmellick,	63
Cloonbur, No. 1,	Oughterard,	67
" No. 2,		
Clough,	Downpatrick,	54
Cloyne,	Middleton,	69
Coagh,	Cookstown,	54
Coal Island,	Dungannon,	54
Coleraine,	Coleraine,	54

Registrars' Districts.	Superintendent Registrars' Districts.	Page.
Collon,	Ardee,	57
Collooney,	Sligo,	57
Comber,	Newtownards,	55
Cong,	Ballinrobe,	65
Connor,	Antrim,	53
Cookstown,	Cookstown,	54
Coolacasey,	Limerick,	71
Coolaney,	Tobercurry,	67
Coolattin and Clonegall,	Shillelagh,	60
Coole,	Granard,	61
Coolgreany,	Gorey,	59
Coolkenna & Hacketstown,	Shillelagh,	60
Coolmountain,	Dunmanway,	71
Coolock & Drumcondra, No. 1, / „ No. 2,	Dublin North,	58
Coolrain,	Mountmellick,	63
Coom,	Killarney,	71
Cootehill,	Cootehill,	61
Cork, No. 1, / „ No. 2, / „ No. 3, / „ No. 4, / „ No. 5, / „ No. 6, / „ No. 7, / „ No. 8, / „ No. 9,	Cork,	70
Corrofin,	Corrofin,	65
Courceys,	Kinsale,	71
Craggaknock,	Kilrush,	66
Creagh,	Ballinasloe,	64
Croagh,	Ballycastle,	53
Croom,	Croom,	70
Crossabeg,	Wexford,	69
Crossakeel,	Oldcastle,	62
Crossbane,	Ballieborough,	57
Crossgar,	Banbridge,	53
Crossmaglen,	Castleblayney,	54
Crossmolina,	Ballina,	64
Crossroads,	Dunfanaghy,	56
Crumlin,	Antrim,	53
Crusheen,	Ennis,	66
Cullen,	Millstreet,	72
Cushendall,	Ballycastle,	53

D.

Darrynane,	Cahersiveen,	70
Dawson Grove,	Cootehill,	61
Delgany,	Rathdown,	59
Delvin,	Delvin,	61
Derrylin,	Lisnaskea,	61
Dervock,	Ballymoney,	53
Dingle,	Dingle,	70
Dirraw,	Ballymoney,	53
Doagh,	Antrim,	53
Donaghadee,	Newtownards,	55
Donaghmore,	Newry,	55
Donaghmoyne,	Carrickmacross,	58
Donegal,	Donegal,	56
Doneraile,	Mallow,	72
Donnybrook,	Dublin South,	58
Doochary	Glenties,	56
Douglas,	Cork,	70
Downpatrick,	Downpatrick,	54
Draperstown,	Magherafelt,	55
Dripsey,	Cork,	70
Drogheda, No. 1, (East Ward), / No. 2, (West Ward),	Drogheda,	58
Dromdaleague,	Skibbereen,	72
Dromiskin,	Dundalk,	59
Dromore,	Banbridge,	53
Dromore,	Omagh,	57
Drum	Cootehill,	61
Drumahaire,	Manorhamilton,	57
Drumcondra (*see* "Coolock & Drumcondra.")		
Drumconrath,	Ardee,	57
Drumkeeran,	Manorhamilton,	57
Drumlish,	Longford,	61
Drumquin,	Castlederg,	55
Drumquin,	Omagh,	57
Drumshambo,	Carrick-on-Shannon,	60
Dublin: — North City, No. 1, / „ No. 2, / „ No. 3,	Dublin North,	58
Dublin: — South City, No. 1, / „ No. 2, / „ No. 3, / „ No. 4,	Dublin South	58
Duleek,	Drogheda,	58
Dunboyne,	Dunshaughlin,	59
Dundalk,	Dundalk,	59
Dundrum & Glencullen, No. 1, / „ No. 2,	Rathdown,	59
Dunfanaghy,	Dunfanaghy,	56
Dungannon,	Dungannon,	54
Dunganstown,	Rathdrum,	60
Dungarvan,	Dungarvan,	68
Dungiven,	Limavady,	54
Dungloe,	Glenties,	56
Dunkineely,	Donegal,	56
Dunlavin,	Baltinglass,	58
Dunleer,	Ardee,	57
Dunmanway,	Dunmanway,	71
Dunmore,	Glennamaddy,	66
Dunmore,	Tuam,	67
Dunmurry,	Lisburn,	55
Dunnamanagh,	Strabane,	57
Durrow,	Abbeyleix,	62
Durrus & Kilcrohane,	Bantry,	70
Dysartmoon,	New Ross,	69

E.

Easky,	Dromore West,	65
Edenderry,	Edenderry,	63
Ederney,	Irvinestown,	56
Eglinton,	Londonderry,	56
Elphin,	Strokestown,	62
Ely,	Enniskillen,	56
Emlagh,	Cahersiveen,	70
Emly,	Tipperary,	64
Emo,	Mountmellick,	63
Ennis, No. 1, / „ No. 2,	Ennis,	66
Enniscorthy, No. 1, / „ No. 2,	Enniscorthy,	68
Enniskillen,	Enniskillen,	56
Ennistimon,	Ennistimon,	66
Eyrecourt,	Portumna,	67

F.

Fanad,	Millford,	57
Feakle,	Scarriff,	67
Feenagh,	Newcastle,	72
Feeny,	Limavady,	54
Fennagh & Myshall,	Carlow,	63

Registrars' Districts.	Superintendent Registrars' Districts.	Page.
Ferbane,	Parsonstown,	64
Fermoy,	Fermoy,	68
Ferns,	Enniscorthy,	68
Fethard,	Cashel,	63
Fethard, No. 1, / No. 2,	New Ross,	69
Finglas & Glasnevin,	Dublin North,	58
Finnea,	Granard,	61
Fintona,	Omagh,	57
Fivemiletown,	Clogher,	61
Florencecourt,	Enniskillen,	56
Fontstown,	Athy,	62
Forkill,	Newry,	55
Foxford,	Swineford,	67
Frankford,	Parsonstown,	64
Frenchpark,	Castlereagh,	65
Freshford,	Kilkenny,	63
G.		
Galbally,	Mitchelstown,	69
Galgorm,	Ballymena,	53
Galway, No. 1, / No. 2,	Galway,	66
Garrangibbon,	Carrick-on-Suir,	68
Garristown,	Dunshaughlin,	59
Garvagh,	Coleraine,	54
Glanbehy,	Cahersiveen,	70
Glaslough,	Monaghan,	62
Glasnevin (*see* "Finglas and Glasnevin.")		
Glassan,	Athlone,	60
Glenarm,	Larne,	54
Glenavy,	Lisburn,	55
Glencullen (*see* "Dundrum&Glencullen.")		
Glendermot,	Londonderry,	56
Glengarriff,	Bantry,	70
Glennamaddy,	Glennamaddy,	66
Glenties,	Glenties,	56
Glenwhirry,	Ballymena,	53
Glynn (*see* "Tagh mon and Glynn.")		
Golden,	Tipperary,	64
Goleen,	Skull,	72
Gorey,	Gorey,	59
Gort,	Gort,	66
Gortin,	Gortin,	56
Gowran,	Kilkenny,	63
Graigue,	Thomastown,	69
Granard,	Granard,	61
Grean,	Tipperary,	64
Grey Abbey,	Newtownards,	55
Gurteen,	Boyle,	65
Gweedore,	Dunfanaghy,	56
H.		
Hacketstown (*see* "Coolkenna and Hackets town.")		
Headford,	Tuam,	67
Hillsborough,	Lisburn,	55
Hollymount,	Ballinrobe,	65
Holmpatrick,	Balrothery,	58
Holycross,	Thurles,	64
Holywell,	Enniskillen,	56
Hospital,	Kilmallock,	71
Howth (*see* "Clontarf and Howth.")		
I.		
Inchigeelagh,	Macroom,	72
Inishannon,	Bandon,	70
Inishbofin,	Clifden,	65
Inistioge,	Thomastown,	69
Innfield,	Trim,	60
Irvinestown, No.1, / No.2,	Irvinestown,	56
Islandeady,	Westport,	67
J.		
Jamestown,	Carrick-on-Shannon,	60
Johnstown,	Edenderry,	63
Johnstown,	Urlingford,	64
K.		
Kanturk,	Kanturk,	71
Keadue,	Boyle,	65
Keady,	Armagh,	53
Kells,	Kells,	59
Kenmare,	Kenmare,	71
Kilbeggan,	Tullamore,	64
Kilbrittain,	Bandon,	70
Kilcatherine,	Castletown,	70
Kilcock,	Celbridge,	58
Kilcooly,	Urlingford,	64
Kilcrohane (*see* "Durrus & Kilcrohane.")		
Kilcullen,	Naas,	59
Kildare,	Naas,	59
Kilderry,	Londonderry,	56
Kildorrery,	Mitchelstown,	69
Kilfinnane,	Kilmallock,	71
Kilgarvan,	Kenmare,	71
Kilgobban,	Tralee,	72
Kilkee,	Kilrush,	66
Kilkeel, No. 1, / „ No. 2,	Kilkeel,	54 / 54
Kilkelly,	Swineford,	67
Kilkenny, No. 1, / „ No. 2,	Kilkenny,	63
Kilkishen,	Tulla,	67
Killaan,	Ballinasloe,	64
Killala,	Killala,	66
Killann,	Enniscorthy,	68
Killanniv,	Ennis,	66
Killarney, No. 1, / „ No. 2,	Killarney,	71
Killashee,	Longford,	61
Killea,	Londonderry,	56
Killeagh,	Youghal,	69
Killeen,	Dunshaughlin,	59
Killenagh & Wells,	Gorey,	59
Killenaule,	Cashel,	63
Killeroran,	Mountbellew,	66
Killeshandra,	Cavan,	61
Killeter,	Castlederg,	55
Killiney,	Rathdown,	59
Killorglin,	Killarney,	71
Killough,	Downpatrick,	54
Killoughy,	Tullamore,	64
Killucan,	Mullingar,	62
Killybegs,	Glenties,	56
Killygordon,	Stranorlar,	57
Killyleagh,	Downpatrick,	54
Killyon,	Parsonstown,	64
Kilmacrenan and Millford,	Millford,	57
Kilmacthomas,	Kilmacthomas,	68
Kilmaganny,	Callan,	68
Kilmakevoge,	Waterford,	69
Kilmallock,	Kilmallock,	71
Kilmeadan,	Waterford,	69
Kilmeage (*see* "Robertstown and Kilmeage")		
Kilmihil,	Kilrush,	66
Kilmood,	Newtownards,	55
Kilmore,	Monaghan,	62

Registrars' Districts.	Superintendent Registrars' Districts.	Page.
Kilnaleck,	Cavan,	61
Kilpatrick,	Cashel	63
Kilrea,	Ballymoney,	53
Kilrush,	Kilrush,	66
Kilsallaghan,	Balrothery,	58
Kilshannig,	Mallow,	72
Kilsheelan,	Clonmel,	68
Kilskeer,	Kells,	59
Kiltamagh,	Swineford,	67
Kiltegan,	Baltinglass,	58
Kiltinan,	Clonmel,	68
Kiltoom,	Athlone,	60
Kiltormer,	Ballinasloe,	64
Kilworth,	Fermoy,	68
Kingscourt,	Bailieborough,	57
Kingstown, No. 1, / „ No. 2,	Rathdown,	59
Kinlough,	Ballyshannon,	55
Kinnitty,	Parsonstown,	64
Kinsale,	Kinsale,	71
Kinvarra,	Gort,	66
Knocknadona,	Lisburn,	55
Knocktopher,	Thomastown,	69
L.		
Labasheeda,	Killadysert,	66
Laghy,	Donegal,	56
Larne,	Larne,	54
Laurencetown,	Ballinasloe,	64
Leighlinbridge,	Carlow,	63
Leitrim,	Carrick-on-Shannon,	60
Letterkenny,	Letterkenny,	56
Lettermore,	Oughterard,	67
Limavady,	Limavady,	54
Limerick: / No. 1 (St. Mary's) / No. 2 (St. Munchin's) / No. 3 (St. John's) / No. 4 (St. Michael's)	Limerick,	71
Lisbellaw,	Enniskillen,	56
Lisburn,	Lisburn,	55
Lismore,	Lismore,	69
Lisnaskea,	Lisnaskea,	61
Listowel,	Listowel,	72
Littleton,	Thurles,	64
L'Derry, No. 1, / „ No. 2,	Londonderry,	56
Longford,	Longford,	61
Loughbrickland,	Banbridge,	53
Loughgall,	Armagh,	53
Loughrea,	Loughrea,	66
Louisburgh, No. 1, / „ No. 2,	Westport,	67
Louth,	Dundalk,	59
Lowpark,	Swineford,	67
Lucan,	Celbridge,	58
Lurgan, No. 1, / „ No. 2,	Lurgan,	55
Lurganboy,	Manorhamilton,	57
Lusk,	Balrothery,	58
M.		
Macroom,	Macroom,	72
Maghera,	Magherafelt,	55
Magherafelt,	Magherafelt,	55
Maguiresbridge,	Lisnaskea,	61
Malahide,	Balrothery,	58

Registrars' Districts.	Superintendent Registrars' Districts.	Page
Malin,	Inishowen,	56
Mallow,	Mallow,	72
Manorcunningham,	Letterkenny,	56
Manorhamilton,	Manorhamilton,	57
Markethill,	Armagh,	53
Marlfield,	Clonmel,	68
Maryborough,	Mountmellick,	63
Maynooth,	Celbridge,	58
Meigh,	Newry,	55
Middleton, No. 1, / „ No. 2,	Middleton,	69
Milford,	Kanturk,	71
Millford (*see* "Kilmacrenan and Millford.")		
Millstreet,	Millstreet,	72
Milltown,	Killarney,	71
Milltown,	Mullingar,	62
Milltown Malbay,	Ennistimon,	66
Mitchelstown,	Mitchelstown,	69
Moate,	Athlone,	60
Mohill,	Mohill,	61
Moira,	Lurgan,	55
Molahiffe,	Killarney,	71
Monaghan,	Monaghan,	62
Monasterboice,	Drogheda,	58
Monasterevin,	Athy,	62
Moneymore,	Magherafelt,	55
Moroe,	Limerick,	71
Mountbellew,	Mountbellew,	66
Mountcharles,	Donegal,	56
Mountmellick,	Mountmellick,	63
Mountnorris,	Newry,	55
Mountrath,	Mountmellick,	63
Mountshannon,	Scarriff,	67
Moville,	Inishowen,	56
Moyculien,	Galway,	66
Moynalty,	Kells,	59
Moyne,	Thurles,	64
Mullaghglass,	Newry,	55
Mullinahone,	Callan,	68
Mullingar,	Mullingar,	62
Multyfarnham,	Mullingar,	62
Murragh,	Bandon,	70
Myshall (*see* "Fenagh and Myshall.")		
N.		
Naas and Carragh,	Naas,	59
Navan,	Navan,	59
Nenagh,	Nenagh,	63
Newbridge,	Naas,	59
Newbridge,	Rathdrum,	60
Newcastle,	Newcastle,	72
Newcastle,	Rathdrum,	60
Newmarket,	Ennis,	66
Newmarket,	Kanturk,	71
Newport,	Nenagh,	63
Newport,	Newport,	67
New Ross,	New Ross,	69
Newry, No. 1, / „ No. 2,	Newry,	55
Newtown (*see* "Ballickmoyler and Newtown.")		
Newtownards,	Newtownards,	55
Newtownbarry,	Enniscorthy,	68
Newtownbutler,	Clones,	61
Newtowngore,	Bawnboy,	60
Newtownhamilton,	Castleblayney,	54
Newtownstewart,	Strabane,	57
Nobber,	Kells,	59
O.		
Oldcastle,	Oldcastle	62
Old Ross,	New Ross	69

Registrars' Districts.	Superintendent Registrars' Districts.	Page.
Omagh, No. 1, }	Omagh,	57
" No. 2, }		
Oranmore,	Galway,	66
Oughterard,	Oughterard,	67
Oulart,	Enniscorthy,	68
P.		
Painestown,	Navan,	59
Pallaskenry,	Rathkeale,	72
Palmerston,	Dublin South,	58
Parsonstown,	Parsonstown,	64
Pettigoe,	Donegal,	56
Philipstown,	Tullamore,	64
Pilltown,	Carrick-on-Suir,	68
Plumb Bridge,	Gortin,	56
Pointzpass,	Newry,	55
Pomeroy,	Cookstown,	54
Portadown,	Lurgan,	55
Portaferry,	Downpatrick,	54
Portglenone,	Ballymena,	53
Portlaw,	Carrick-on-Suir,	68
Portroe,	Nenagh,	63
Portrush,	Coleraine,	54
Portumna, No. 1, }	Portumna,	67
" No. 2, }		
Powerscourt,	Rathdown,	59
Q.		
Queenstown,	Cork,	70
Quin,	Tulla,	67
R.		
Raferagh,	Carrickmacross,	58
Rahan,	Mallow,	72
Randalstown,	Antrim,	53
Raphoe,	Strabane,	57
Rathangan,	Edenderry,	63
Rathcoole,	Celbridge,	58
Rathcormack,	Fermoy,	68
Rathdowney,	Donaghmore,	63
Rathdrum,	Rathdrum,	60
Rathfarnham,	Dublin South,	58
Rathfriland,	Newry,	55
Rathgormuck,	Carrick-on-Suir,	68
Rathkeale, No. 1, }	Rathkeale,	72
" No. 2, }		
Rathmelton,	Millford,	57
Rathmichael (*see* "Bray & Rathmichael.")		
Rathmines,	Dublin South,	58
Rathmore,	Naas,	59
Rathmullan,	Millford,	57
Rathvilly,	Baltinglass,	58
Ratoath,	Dunshaughlin,	59
Ravensdale,	Dundalk,	59
Rhode,	Edenderry,	63
Rich Hill,	Armagh,	53
Ringville,	Dungarvan,	68
Rinn,	Mohill,	61
Rinvyle,	Clifden,	65
Riverstown,	Parsonstown,	64
Riverstown,	Sligo,	57
Roadford,	Ennistimon,	66
Robertstown and Kilmeage,	Naas,	59
Roosky,	Strokestown,	62
Roscommon,	Roscommon,	62
Roscrea, No. 1, }	Roscrea,	64
" No. 2, }		

Registrars' Districts.	Superintendent Registrars' Districts.	Page.
Rosguill,	Millford,	57
Rosscarbery,	Clonakilty,	70
Rosslea,	Clones,	61
Rostrevor,	Kilkeel,	54
Roundstone, No. 1, }	Clifden,	65
" No. 2, }		
Rowan,	Mohill,	61
S.		
Saintfield,	Lisburn,	55
St. Mary's,	Clonmel,	68
St. Mary's,	Drogheda,	58
St. Mullin's,	New Ross,	69
Scotstown,	Monaghan,	62
Scrabby,	Granard,	61
Seskinan,	Dungarvan,	68
Shanagolden,	Glin,	71
Shercock,	Bailieborough,	57
Shinrone,	Roscrea,	64
Silvermines,	Nenagh,	63
Six Mile Cross,	Omagh,	57
Skibbereen,	Skibbereen,	72
Skreen,	Dromore West,	65
Skull,	Skull,	72
Slievereagh,	Macroom,	72
Sligo, No. 1, }	Sligo,	57
" No. 2. }		
Sneem,	Kenmare,	71
Spiddle,	Galway,	66
Stamullen,	Drogheda,	58
Stewartstown,	Cookstown.	54
Stillorgan (*see* "Blackrock & Stillorgan.")		
Strabane,	Strabane,	57
Stradbally,	Athy,	62
Stradone,	Cavan,	61
Strangford,	Downpatrick,	54
Stranorlar,	Stranorlar,	57
Street,	Granard,	61
Strokestown,	Strokestown,	62
Summerhill,	Trim,	60
Swanlinbar,	Bawnboy,	60
Swineford,	Swineford,	67
Swords,	Balrothery,	58
T.		
Taghmon and Glynn,	Wexford,	69
Tallaght,	Dublin South,	58
Tallow,	Lismore,	69
Tanderagee,	Banbridge,	53
Tarbert, No. 1, }	Glin,	71
" No. 2, }		
Tartaraghan,	Lurgan,	55
Templeludigan,	New Ross,	69
Templemartin,	Bandon,	70
Templemichael,	Youghal,	69
Templemore,	Thurles,	64
Templepatrick,	Antrim,	53
Tempo,	Enniskillen,	56
Termon,	Bailieborough,	57
Termonfeckin,	Drogheda,	58
Terryglass,	Borrisokane,	62
The Blaskets,	Dingle,	70
Thomastown,	Thomastown,	69
Thurles,	Thurles,	64
Timahoe North (*see* "Clane and Timahoe Nth.")		
Timoleague,	Clonakilty,	70
Tinahely,	Shillelagh,	60
Tipperary,	Tipperary,	64
Tiscoffin,	Kilkenny,	63

Registrars' Districts.	Superintendent Registrars' Districts.	Page.
Tobercurry,	Tobercurry,	67
Toome,	Ballymena,	53
Toomyvara,	Nenagh,	63
Tralee, No. 1,	Tralee,	72
" No. 2,		
Tramore,	Waterford,	69
Trim,	Trim,	60
Tuam, No. 1,	Tuam,	67
" No. 2,		
Tulla,	Tulla,	67
Tullagh,	Skibbereen,	72
Tullamain,	Cashel,	63
Tullamore,	Tullamore,	64
Tullaroan,	Kilkenny,	63
Tullow,	Carlow,	63
Tullyvin,	Cootehill,	61
Tuosist,	Kenmare,	71
Turloughmore,	Galway,	66
Tynan,	Armagh,	53
Tyrrellspass,	Mullingar,	62
U.		
Ullid,	Waterford,	69
Union Hall,	Skibbereen,	72
Urlingford,	Urlingford,	64
V.		
Valencia,	Cahersiveen.	70
Ventry,	Dingle,	70
Virginia,	Oldcastle,	62
W.		
Walshtownmore E.,	Middleton,	69
Waringstown,	Lurgan,	55
Warrenspoint,	Newry,	55
Waterfoot,	Larne,	54
Waterford,	Waterford,	69
Wells (*see* "Killenagh and Wells.")		
Westport, No. 1,	Westport,	67
" No. 2,		
Wexford,	Wexford,	69
Whitechurch,	Cork,	70
Whitechurch,	Dungarvan,	68
Williamstown,	Glennamaddy,	66
Woodford,	Loughrea,	66
Woodstown,	Waterford,	69
Y.		
Youghal,	Youghal,	69

Dublin: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

EIGHTEENTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

[ABSTRACTS OF 1872.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1876.

[C.—1578. *Price* 1*s.* 8*d.*]

REPORT.

TO THE

RIGHT HON^BLE. R. ASSHETON CROSS, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *7th August* 1876.

SIR,

ON the 16th May 1873, I had the honour, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80, to submit to the Secretary of State for the Home Department the usual General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1872, along with some brief explanatory remarks.

On the same date, my Eighth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with all the usual relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1872).

It will be observed that the Marriage-rate during 1872 was the highest hitherto recorded in Scotland, and that the Birth-rate of the country has been well maintained.

The Death-rate has been somewhat higher than usual, a circumstance obviously due to the continued prevalence of an epidemic of Small-pox in some of the principal Town Districts.

The Vaccination Act continues to work very efficiently in Scotland. Those entrusted with its administration do not find their efforts for the public good thwarted by any popular prejudice; on the contrary, the people seem to have an intelligent appreciation of the benefits which the practice of Vaccination secures for them. Were four months after birth, instead of six months, fixed as the statutory limit beyond which a child cannot be suffered to continue unvaccinated without subjecting its parents or guardians to penalty, there is reason to believe that much good would result.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,
Registrar-General.

CONTENTS.

Page

Report of Registrar-General to the Secretary of State, ... iii
Report by Dr Robertson to the Registrar-General, ... ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1872 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, . . . ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1872, ... x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1872, ... xii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1872, ... xii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1872, . . . xiii

Births.

Births in 1872, and their Proportion to the Population, with relative Tables, . . xi
Tables showing particulars relative to the Births during each of the years 1855 to 1872 inclusive, ... xiv
Number and Proportion of Twins and Triplets, ... xiv

Marriages.

Number of Marriages in 1872, and their Proportion to the Population, . . . xv
Influence of Density of Population on the Marriages, ... xv
Proportion of Legitimate Children to the Marriages in Scotland and England, . . xviii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1872, and 1855–1872, with relative Tables, . xvii & xix
Number and Proportion of Persons marrying at different Ages, with relative Tables, . xviii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, ... xxi
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, xx & xxi

Page

DEATHS.

Number of Deaths in Scotland in 1872, and their Proportion to the Population, . . xxii
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1872, with relative Tables, ... xxii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1861–1872, ... xxiii
Series of Tables of the Deaths at different Ages in Scotland, its Five Great Groups of Districts, during the year 1872, ... xxiv
Mortality of Female lower than that of the Male at about every period of life, . . xxvi
High Mortality in Towns at every period of life, as compared with that of the Rural Districts, xxvii
Causes of Death in 1872, with relative Tables, ... xxix
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxix
Small-pox Deaths in Scotland for eighteen years, ... xxxvii
Particulars relative to Vaccination in Scotland, with relative Tables, . . . xxxvi
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . xxxix
The Nineteen most fatal Diseases in England and Scotland in 1872, ... xli

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1872.

Weather, Weekly and Monthly, and its Influence on the Mortality, ... xlvi
Table showing the Meteorology of Scotland during each month of the year 1872, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . xlviii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1872, . . xlix
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1872, ... 1
Influence of Season, etc., on the Mortality at different Ages liv
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1872, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland, ... lv

APPENDIX TABLE.

Vaccinations in the several Counties of Scotland during 1872, ... lvi

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1872, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1872, also of the Illegitimate Births, in every Registration District, . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1872; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

Page

Table of the Civil Condition of the Parties who married in 1872; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1872, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1872, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1872, together with the Populations in 1861 and 1871, ... 30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1872, together with the Male Populations in 1861 and 1871, ... 32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1872, together with the Female Populations in 1861 and 1871, ... 34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1872, ... 36
Do. Males, ... 38
Do. Females, ... 40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular Districts of Scotland in 1872, ... 42
Do. Males, ... 44
Do. Females, ... 46
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1872, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1872, ... 60
Do. Males, ... 62
Do. Females, ... 64
Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1872, ... 66
Do. Males, ... 68
Do. Females, ... 70
Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland in 1872, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland in 1872, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland in 1872, ... 96
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 98–101
Do. Males, ... 102–105
Do. Females, ... 106–109
Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland at different Periods of Life, ... 110–113
Do. Males, ... 114–117
Do. Females, ... 118–121
Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life, ... 122–125
Do. Males, ... 126–129
Do. Females, ... 130–133

Page

Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life, ... 134–137
Do. Males, ... 138–141
Do. Females, ... 142–145
Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life, ... 146–149
Do. Males, ... 150–153
Do. Females, ... 154–157
Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life, ... 158–161
Do. Males, ... 162–165
Do. Females, ... 166–169
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 170–173
Do. Males, ... 174–177
Do. Females, ... 178–181
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 182–185
Do. Males, ... 186–189
Do. Females, ... 190–193
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 194–197
Do. Males, ... 198–201
Do. Females, ... 202–205
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 206–209
Do. Males, ... 210–213
Do. Females, ... 214–217
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 218–221
Do. Males, ... 222–225
Do. Females, ... 226–229
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 230–233
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 234–237
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 238–241
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 242–245
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1872, in each of the Groups of Districts, Divisions, and Counties of Scotland, ... 246

Constitution of the Compound Districts, ... 247
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ... 248
Index to Districts, ... 249

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

THE condition of the population of Scotland was, during 1872, considerably influenced by a sudden and great rise in the wages of labour, and in the prices of coal and iron, accompanied with or followed by corresponding increase in the cost of bread, as well as in the market value of many less necessary articles in constant demand. There was an excessive rainfall, and the harvest was a poor one. The demand for labour was, especially towards the close of the year, materially interfered with by the reciprocal processes of strikes and lock-outs, by which capital and labour occasionally seek to adjust their equilibrium. On the whole, the year cannot be held to have been by any means a prosperous one for those connected with the mining, manufacturing, or agricultural industries. Notwithstanding the unfavourable influences above alluded to, the Marriage-rate of the population was very high; indeed, so high a rate has not been

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1872, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0 6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4939	2·2298	0·7543	9·2

observed in Scotland during the last eighteen years. The continued prevalence of an epidemic of Small-pox caused great destruction of human life, especially in some of the Principal Towns on the east coast; and hence the Death-rate of the whole country was unusually large, considerably exceeding the average rate of the ten years immediately preceding.

POPULATION.

In the estimates of the population presented in this Report, it is assumed that the enumeration of the males and females in the various districts of the country at the Census Periods of 1861 and 1871 were correct; and that the rate of increase or decrease in each district since last Census has been the average rate which prevailed in it between 1861 and 1871. From an examination of Table II. it may be seen that the population of the

TABLE II.—POPULATION of SCOTLAND in its FIVE new GROUPS of DISTRICTS, by the Censuses of 1861 and 1871, and estimated to the middle of 1872.

FIVE NEW GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1872.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns .	407,839	477,116	884,955	502,021	566,535	1,068,556	515,230	578,831	1,094,061
Large Towns	129,933	144,448	274,381	160,176	174,081	334,257	164,422	178,189	342,611
Small Towns	335,356	369,024	704,380	371,118	404,969	776,087	374,786	408,813	783,599
Mainland-Rural .	513,554	548,239	1,061,793	508,787	540,327	1,049,114	508,192	539,344	1,047,536
Insular-Rural	63,166	73,619	136,785	61,041	70,963	132,004	60,780	70,638	131,418
SCOTLAND .	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,623,410	1,775,815	3,399,225

TABLE III.—BIRTHS, DEATHS, and MARRIAGES in the FIVE new GROUPS of DISTRICTS in SCOTLAND, 1855–1872.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39166	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18583	10015	3613	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	719
1863	35888	27045	8514	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12291	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38511	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10,000 of population.

Mainland-Rural and Insular-Rural Districts is supposed to be annually slowly decreasing, while that of the Towns, and especially of the Principal and Large Towns, is certainly increasing at a great rate. The constitution of the Groups of Registration Districts, into which it has for statistical purposes been found convenient to divide Scotland, was fully explained in our last Detailed Annual Report. Reference to these Groups is very instructive when it is desired to trace the influence which aggregation has upon the growth and health of a community.

According to our estimate, the population of Scotland at the middle of 1872 consisted of 1,623,410 .males, 1,775,815 females, or, in all, of 3,399,225 persons.

BIRTHS.

The Births registered in Scotland during 1872 were 118,765, which was, as might have been expected, the largest number hitherto recorded in these Reports. The births were at the rate of 349 for every ten thousand of population, or, in other words, the birth-rate was 3·49 per cent. This may be regarded as a very high birth-rate. It considerably exceeds the average rate observed during the last ten years, and has not been surpassed since the year 1868.

On examining how the births were distributed through the different groups of Registration Districts, it may be seen that the highest rate has prevailed in the Large Towns, where the births were 13,318, being at the rate of 3·887 per cent. In the Principal Towns the 41,673 births were at the rate of 3·809 per cent. Although, for the preceding twelve years the birth-rate in the Principal Towns has been higher than in the Large Towns of Scotland, it may be noticed on consulting Table IV. that, in 1855, 1856, 1857, and 1859, the birth-rate in the Large Towns preponderated just as it did in 1872. In the Small Towns the births were 28,059, and the birth-rate 3·581 per cent. In the Mainland-Rural Districts the births

Table IV.—Percentage of Births, Deaths, and Marriages in the Five new Groups of Districts of Scotland, to the Population during each of the years 1855–1872.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·883	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·418	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·351	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·105	0·708	3·070	1·727	0·579	2·707	1·586	0·486

were 32,157, the rate 3·07 per cent.; and in the Insular-Rural Distric there were only 3558 births, being at the rate of 2·707 per cent. It w be observed that both in actual numbers, and in the decreasing rate births, we have evidence that the decrease in the population of our Rur Districts, which the Census of 1871 demonstrated, has not yet reache its limit.

Of the 118,765 births, 10,927 were illegitimate. These numbers ind cate 9·2 out of every hundred births as the rate of illegitimacy throughou the whole of Scotland. It is satisfactory to notice that the proportion of ill gitimate births has not been lower since the year 1859. Tables V. and V present many details as to the proportions of illegitimacy in various localitie It seems to be sometimes assumed by newspaper correspondents, who bus themselves with the statistics of bastardy, that the proportion of illegitima births to total births furnishes an infallible indication of the state morality in a town or district. But it seems only fair to point out that th

TABLE V*a*.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOW of SCOTLAND during 1872, and their Proportion to the estimated Population; also t Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Estimated Population, 1872.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cen to Pop.
Glasgow .	489,421	20158	4·119	1840	9·1	14053	2·871	5121	1·046
Edinburgh .	205,009	6650	3·244	557	8·4	5484	2·675	1776	0·866
Dundee . .	124,817	4644	3·721	510	11·0	3491	2·797	1141	0·914
Aberdeen .	90,057	3080	3·420	361	11·7	2119	2·353	732	0·813
Greenock .	62,097	2726	4·390	158	5·8	1697	2·733	540	0·870
Paisley . .	48,355	1813	3·749	139	7·7	1430	2·957	477	0·986
Leith . .	47,888	1818	3·796	114	6·3	1338	2·794	445	0·929
Perth . .	26,417	784	2·968	63	8·0	587	2·222	195	0·738

OCCASIONAL TABLE V*b*.—Showing the state of Illegitimacy in ALL SCOTLAND: in the Five Ne Groups of Registration Districts, in each of the Principal Towns, and in Two Counties during 1872.

LOCALITIES.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1872.	Number of Illegitimate Children born during 1872.	Percentage of Illegitimate Children to the Unmarried and Widowed Women, aged 15–45.	Percentage of Illegitimates in Total Births.
All Scotland . . .	456,230	10,927	2·40	9·2
Principal Towns . . .	158,639	3,742	2·36	9·0
Large Towns . . .	45,016	979	2·17	7·3
Small Towns . . .	98,616	2,437	2·47	8·7
Mainland-Rural . . .	134,451	3,585	2·66	11·1
Insular-Rural . . .	19,488	184	0·94	5·2
Glasgow	65,992	1,840	2·79	9·1
Edinburgh . . .	34,808	557	1·60	8·4
Dundee	21,688	510	2·35	11·0
Aberdeen . . .	13,252	361	2·72	11·7
Greenock	6,643	158	2·38	5·8
Paisley	7,174	139	1·94	7·7
Leith	5,271	114	2·16	6·3
Perth	3,811	63	1·65	8·0
County Wigtown . . .	5,631	185	3·28	16·8
County Banff . . .	7,719	317	4·10	16·5

proportion which the unmarried and widowed women, living at ages between 15 and 45, bear to the whole population varies exceedingly in different localities, and that it is with this fraction of the female population that the illegitimate births should be contrasted in order to derive a fair idea regarding the morality of females in different districts. In the little Occasional Table, which is here subjoined, an attempt is made to present

---

TABLE VI.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1872, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.	Population Estimated to middle of year 1872.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
		No.	Per-cent. to Pop.	No.	Per-cent. to Births.	No.	Per-cent. to Pop.	No.	Per-cent. to Pop.
SCOTLAND	3,399,225	118765	3·4939	10927	9·2	75794	2·2297	25641	0·7543
1. PRINCIPAL TOWN DISTS. .	1,094,061	41673	3·809	3742	9·0	30199	2·760	10427	0·953
2. LARGE TOWN DISTRICTS .	342,611	13318	3·887	979	7·3	8940	2·609	2967	0·866
3. SMALL TOWN DISTRICTS .	783,599	28059	3·581	2437	8·7	16178	2·103	5545	0·708
4. MAINLAND-RURAL DISTS.	1,047,536	32157	3·070	3585	11·1	18093	1·727	6063	0·579
5. INSULAR-RURAL DISTS. .	131,418	3558	2·707	184	5·2	2084	1·586	639	0·486
DIVISIONS.									
I. NORTHERN	126,795	3268	2·577	203	6·2	1916	1·511	604	0·476
II. NORTH-WESTERN . .	166,240	4331	2·605	255	5·7	2767	1·664	812	0·488
III. NORTH-EASTERN . .	396,442	12887	3·251	1900	14·7	7079	1·786	2474	0·624
IV. EAST-MIDLAND . . .	564,308	18214	3·228	1796	9·9	11835	2·097	4013	0·711
V. WEST-MIDLAND . .	252,109	8227	3·263	591	7·2	5613	2·226	1548	0·614
VI. SOUTH-WESTERN . .	1,206,559	49315	4·087	3889	7·9	31334	2·597	11255	0·933
VII. SOUTH-EASTERN . .	483,763	16275	3·364	1378	8·5	11488	2·375	3700	0·765
VIII. SOUTHERN	203,009	6248	3·078	915	14·6	3762	1·853	1235	0·608
COUNTIES.									
1 Shetland	31,600	826	2·613	36	4·4	477	1·509	125	0·396
2 Orkney	31,187	818	2·627	37	4·5	434	1·394	178	0·572
3 Caithness	40,865	1137	2·782	102	9·0	634	1·551	184	0·450
4 Sutherland	23,193	487	2·100	28	5·7	371	1·600	117	0·404
5 Ross and Cromarty .	82,051	2081	2·536	98	4·7	1238	1·509	353	0·430
6 Inverness	84,189	2250	2·673	157	7·0	1529	1·816	459	0·545
7 Nairn	8,375	230	2·746	23	10·0	136	1·624	54	0·645
8 Elgin	44,579	1325	2·972	212	16·0	746	1·673	232	0·520
9 Banff	59,215	1917	3·237	317	16·5	1011	1·707	344	0·581
10 Aberdeen	249,137	8297	3·330	1201	14·5	4606	1·849	1638	0·657
11 Kincardine	35,136	1118	3·182	147	13·1	580	1·651	206	0·586
12 Forfar	244,425	8480	3·469	921	10·9	5685	2·326	1961	0·802
13 Perth	127,981	3516	2·747	362	10·3	2461	1·923	702	0·548
14 Fife	161,580	5227	3·235	406	7·8	3089	1·812	1176	0·628
15 Kinross	7,822	226	2·889	33	14·6	137	1·751	37	0·473
16 Clackmannan . . .	22,500	765	3·400	74	9·7	463	2·058	137	0·609
17 Stirling	93,960	3517	3·743	262	7·4	2249	2·394	690	0·734
18 Dumbarton	62,006	2229	3·595	127	5·7	1460	2·355	423	0·682
19 Argyll	79,103	2057	2·600	166	8·1	1505	1·903	334	0·422
20 Bute	17,040	424	2·488	36	8·5	399	2·341	101	0·593
21 Renfrew	198,787	7795	3·921	516	6·6	5061	2·546	1721	0·866
22 Ayr	201,016	7522	3·742	649	8·6	4346	2·162	1661	0·826
23 Lanark	806,756	33998	4·214	2724	8·0	21927	2·718	7873	0·976
24 Linlithgow	41,655	1688	4·052	155	9·2	871	2·091	299	0·718
25 Edinburgh	335,325	11273	3·362	903	8·0	8714	2·599	2761	0·823
26 Haddington	37,748	1120	2·967	107	9·5	717	1·899	238	0·630
27 Berwick	36,368	1044	2·891	108	10·3	558	1·545	178	0·493
28 Peebles	12,336	412	3·340	36	8·7	224	1·816	62	0·503
29 Selkirk	20,331	738	3·630	69	9·3	404	1·987	162	0·797
30 Roxburgh	48,078	1562	3·280	179	11·4	815	1·711	300	0·630
31 Dumfries	74,711	2307	3·088	367	15·9	1470	1·968	483	0·646
32 Kirkcudbright . . .	42,013	1222	2·909	184	15·1	778	1·852	241	0·574
33 Wigtown	38,207	1157	3·028	185	16·8	699	1·829	211	0·552

such a view of the illegitimate births of 1872 as will include the relative frequency of such events among possible mothers, and this view will, in not a few localities (Greenock and Edinburgh for instance), be found to contrast rather strikingly with such deductions as might have been incautiously

TABLE VII.—BIRTHS IN SCOTLAND, 1855–1872; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLET BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85

TABLE VIII.—BIRTHS, 1872. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the Number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	21376	20297	41673	19413	18518	37931	1963	1779	3742	482	6
Large Towns . .	6933	6385	13318	6427	5912	12339	506	473	979	144	1
Small Towns . .	14623	13436	28059	13385	12237	25622	1238	1199	2437	369	4
Mainland-Rural .	16520	15637	32157	14667	13905	28572	1853	1732	3585	335	–
Insular-Rural .	1841	1717	3558	1749	1625	3374	92	92	184	53	–
SCOTLAND . . .	61293	57472	118765	55641	52197	107838	5652	5275	10927	1383	11

TABLE IX.—PROPORTION OF BIRTHS in 1872. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportions of Mothers who bare.

FIVE GROUPS OF DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·809	9·0	105·3	104·8	110·3	86	6945
Large Towns .	3·887	7·3	108·7	108·7	107·0	92	13318
Small Towns .	3·581	8·7	108·8	109·0	103·3	76	7015
Mainland-Rural	3·070	11·1	105·6	105·4	107·0	96	–
Insular-Rural .	2·707	5·2	107·2	107·6	100·0	67	–
SCOTLAND . . .	3·4939	9·2	106·6	106·6	107·1	86	10797

derived from merely examining the percentages of illegitimate to total births. While introducing the table, it is right to explain that the experience of the Insular-Rural Districts may be held as applicable to the whole of Shetland and Orkney, and that, on this account, we have deemed it unnecessary to swell the table by including for these Counties such details as we have computed for Banff and Wigtown.

Of the 118,765 registered births, 61,293 were males and 57,472 females; that is to say, for every hundred female births there were very nearly 106·7 male births. As is usual in Scotland, this preponderance of male births was most conspicuous among the illegitimate. While for every hundred legitimate live female births there were 106·6 males born, for every hundred illegitimate female births there were 107·1 males born.

During 1872 the preponderance of male births in England was not so well marked as in Scotland. For every hundred female births there occurred 104·09 male births among the legitimate, and 104·78 male births among the illegitimate.

In Holland, for every hundred legitimate female births there were 104·9 males born, while, for every hundred illegitimate female births, there were only 102·6 males.

In Sweden, for every hundred legitimate female births, there were 105·65 male births, and 110·1 illegitimate males for every hundred illegitimate female births.

In Austria the male births were to the females, in the case both of the legitimate and illegitimate, nearly as 106·6 to 100.

Twin births occurred, during 1872, 1383 times; triplet births, 11 times. Hence it appears that one mother in 86 gave birth to twins, and that only one in 10,797 bore triplets.

MARRIAGES.

There were 25,641 Marriages registered in Scotland during 1872, being 1622 more than took place during 1871. This is by far the largest number of marriages hitherto recorded during any one year in Scotland, and corresponds to a rate of 75·43 marriages to every ten thousand of estimated population. It is generally considered a well-established fact in our

Table X.—MARRIAGES, 1872. Number of Marriages contracted in Scotland and in its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

	Religious Denominations.	Number of Marriages.						Proportion in every 100 Marriages.					
		Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.	Established Church.	11794	3829	1277	2756	3630	302	46·00	36·72	43·04	49·70	59·87	47·26
	Free Church . .	5661	2273	601	1019	1529	239	22·08	21·80	20·26	18·38	25·22	37·41
	United Presb. Church	3312	1401	419	893	557	42	12·92	13·44	14·12	16·11	9·19	6·57
	Roman Catholic Ch.	2461	1427	381	451	162	40	9·60	13·69	12·84	8·13	2·66	6·26
	Episcopal Church .	579	379	61	81	58	–	2·26	3·63	2·06	1·46	0·96	0·00
	Other Denominations	1681	982	222	338	123	16	6·55	9·42	7·48	6·10	2·03	2·50
	Denomin. not stated	5	–	1	3	1	–	0·02	0·00	0·03	0·05	0·02	0·00
	Irregular Marriages.	118	136	5	4	3	–	0·57	1·30	0·17	0·07	0·05	0·00
	Total Marriages .	25611	10437	2967	5545	6063	639	100·00	100·00	100·00	100·00	100·00	100·00

national statistics that the frequency of marriages is greatly influenced by the causes which affect national prosperity. Although the year 1872 can hardly be considered as having been one of unmixed prosperity, it may be remarked that, during a great part of it, the rate of wages was high, and the material condition of the labouring classes very satisfactory. This is the only explanation that we can suggest for the unprecedented number of marriages. An increase in the marriage-rate was observed in every division of the country; it was comparatively slight in the Rural, and especially in

TABLE XI.—MARRIAGES, 1855–1872. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1872.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Percentage to Population.	Established Church of Scotland.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148

TABLE XII.—Proportion of MARRIAGES, 1855–1872. Percetnage of Marriages contracted in Scotland, according to the Rites of the several Religious Denominations during each of the Years 1855–1872.

YEARS.	PERCENTAGE of REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0 31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57

he Mainland-Rural Districts, but very great in all the Town Districts, and especially in the Large Towns. The relative frequency of marriage is in Scotland, beyond all question, connected with the density of population in its various districts. In examining the returns from the various Groups of Districts into which for statistical purpose the whole country is held to be divided, it is obvious that the marriages become less and less frequent as we pass from the more densely-peopled towns to the more sparse population of our Rural Districts. In the Eight Principal Towns the marriage-rate

TABLE XIII.—MARRIAGES, 1872. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	–	–	–	–	–	–	–	–	–	–	–	–
15—16	–	6	–	3	–	2	–	–	–	1	–	–
16—17	–	88	–	32	–	9	–	28	–	18	–	1
17—18	28	379	12	155	7	52	5	96	3	74	1	2
18—19	183	1035	90	444	26	146	39	256	26	182	2	7
19—20	598	1859	277	826	81	226	139	420	95	365	6	22
20—21	1169	2299	482	955	154	284	299	522	228	507	6	31
21—25	8736	9287	3510	3736	1075	1049	2034	2063	2010	2237	107	202
25—30	7656	6110	3078	2345	878	690	1595	1258	1893	1596	212	221
30—35	3233	2259	1334	953	322	229	646	429	789	565	142	83
35—40	1601	1105	647	474	161	123	294	207	421	259	78	42
40—45	1001	674	409	282	98	77	213	155	248	143	33	17
45—50	600	308	247	131	65	40	124	62	139	71	25	4
50—55	386	137	165	58	43	23	68	27	97	26	13	3
55—60	213	48	90	22	28	8	46	11	43	7	6	–
60—65	130	20	54	8	18	2	26	7	31	2	1	1
65—70	55	4	21	2	5	–	7	–	19	2	3	–
70—75	24	1	9	–	1	–	4	–	9	1	1	–
75—80	6	–	2	–	–	–	–	–	3	–	1	–
80—85	2	–	–	–	1	–	–	–	1	–	–	–
Not stated	20	22	–	1	4	7	6	4	8	7	2	3
TOTAL	25641	25641	10427	10427	2967	2967	5545	5545	6063	6063	639	639

TABLE XIV.—MARRIAGES, 1872. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1872.

AGES.	MEN.						WOMEN.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15—20 years	3·15	3·63	3·84	3·30	2·04	1·41	13·13	14·00	14·66	14·43	10·56	5·01
20—25	38·63	38·28	41·42	42·07	36·92	17·68	45·18	44·99	44·93	46·62	45·26	36·46
25—30	29·86	29·52	29·59	28·77	31·22	33·18	23·83	22·49	23·26	22·69	26·32	34·58
30—35	12·61	12·79	10·86	11·65	13·02	22·22	8·81	9·14	7·72	7·74	9·32	12·99
35—40	6·24	6·22	5·43	5·30	6·94	12·22	4·32	4·55	4·15	3·73	4·27	6·57
40—45	3·91	3·92	3·30	3·84	4·09	5·16	2·63	2·70	2·59	2·79	2·36	2·66
45—50	2·34	2·37	2·19	2·24	2·29	3·91	1·20	1·26	1·35	1·12	1·17	0·63
50 and above	3·18	3·27	3·24	2·72	3·35	3·91	0·82	0·86	1·11	0·81	0·63	0·63
Not stated	0·08	0·00	0·13	0·11	0·13	0·31	0·09	0·01	0·23	0·07	0·11	0·47
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

for every ten thousand inhabitants was 95; in the Large Towns it was 8
in the Small Towns, 71; in the Mainland-Rural Districts, 58; and in t
Insular-Rural Districts hardly 49. We do not assert that the mere circu
stance of dense aggregation of human beings is necessarily *the* cause of
high marriage-rate. It seems more rational to infer that some of the pri
cipal causes that lead to the formation of cities and of great centres
industry are the presence of natural advantages, the facilities for trade, t
prospect of continued and well-remunerated occupation, and that su
causes have likewise a most powerful influence in determining the frequen
of marriages. Hence it may be readily understood why the marriage-ra
should be very different in the thriving and rapidly-increasing city
Glasgow, from that which prevails in the sterile Hebrides with the
dwindling population.

The number of marriages that took place during the year being 25,64
and the number of live legitimate births being 107,838, the births may

TABLE XV.—MARRIAGES, 1855–1872. Number and Proportion of Men and Women in Scotla
at each quinquennial period of age, who contracted Marriage during the Years 1855–1872.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages
15—20 years	11534	2·91	50205	12·65
20—25	151660	38·20	180930	45·58
25—30	118680	29·90	96059	24·20
30—35	49707	12·52	34740	8·75
35—40	26145	6·59	17661	4·45
40—45	15757	3·97	9100	2·29
45—50	9898	2·49	4477	1·13
50 and above	13010	3·28	2750	0·69
Age not stated	580	0·14	1049	0·26
TOTAL	396971	100·00	396971	100·00

TABLE XVI.—MARRIAGES in SCOTLAND, 1855–1872. Numbers.

YEARS.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	61
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	60
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	60
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	53
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	60
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	55
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	51
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	50
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	58
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	63
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	64
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	71
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	68
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	67
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	65
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	75
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	77
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	88

ted as in the proportion 4·21 live legitimate children for each marriage. his number is a little lower than that deduced from the experience of 1871 the extraordinary number of marriages in 1872 naturally affecting the mputation. In England, during 1872, the marriages amounted to 1,267, and the number of live legitimate children registered was 781,141. here were, consequently, 3·88 live legitimate births for each marriage, or 8 for every hundred marriages. As there is reason to believe, according the Registrar-General, that some thousands of legitimate births annually cape registration in England, we shall make no comment upon these mbers. In Sweden, a country in which the Life Statistics are kept with eat accuracy, the marriages during 1872 were 29,470, and the live legiti-ate births 112,989. There were, consequently, 3·83 live legitimate births each marriage, a proportion considerably lower than that observed in otland.

In Table X. are given details as to the number of marriages celebrated the different divisions of the country by clergymen of different denomina-ns, and as to the comparatively very small number of what are termed egular marriages, *i.e.* marriages without previous publication of banns.

Of 25,641 recorded marriages, 11,794 were celebrated by ministers of e Established Church of Scotland, 5661 by ministers of the Free Church, 12 by United Presbyterian clergymen, 2461 by Roman Catholic priests, 9 according to the forms of the Church of England, 1681 according to e forms of other Denominations, 5 according to the forms of some nspecified Denomination, and 148 in an Irregular manner.

It is customary to refer to these numbers as affording some indication garding the proportion of the people of Scotland that belong to each of the incipal religious denominations. It should, however, be understood that e indication thus obtained must needs be a mere approximation; for the ct that a minister of a particular religious persuasion performs the cere-ony of marriage may often be determined by reference to the convenience the parties whom he unites in wedlock, and cannot be held as anything

TABLE XVII.—MARRIAGES in SCOTLAND, 1855–1872. Proportions.

EARS.	Percentage who Married under 21 years.		Percentage who Married				Percentage who Signed				Proportion in every 100 Marriages between			
			Under 25 years		Above 25 years		By Writing.		By Mark.					
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22 05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39 70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·85	3·47

more than a sort of indirect acknowledgment that the contracting par
appeared to profess the faith of Christians. 46·00 per cent. of the marria

TABLE XVIII.—MARRIAGES, 1872. Percentage of Men and Women who signed by Wri
or by Mark, of Persons under 21 years of age, and of Marriages between Persons in diffe
conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the
centage of the same in Edinburgh and Glasgow.

1871.	Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marria between			
	Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters	Widowers
SCOTLAND	89·56	79·48	10·44	20·52	7·71	22·10	84·38	3·11	8·85	
GROUPS.										
PRINCIPAL TOWNS . .	88·11	75·67	11·89	24·33	8·26	23·16	81·82	4·18	9·33	
LARGE TOWNS . . .	87·67	76·31	12·33	23·69	9·03	24·23	83·65	3·47	8·80	
SMALL TOWNS . . .	89·31	79·78	10·69	20·22	8·69	23·84	85·57	2·81	8·51	
MAINLAND-RURAL . .	95·17	89·33	4·83	10·67	5·81	17·27	87·76	1·60	8·33	
INSULAR-RURAL . . .	71·20	60·41	28·80	39·59	2·35	9·86	87·17	0·94	9·08	
DIVISIONS.										
I. NORTHERN . . .	93·88	88·25	6·12	11·75	4·14	12·42	88·91	1·16	7·78	
II. NORTH-WESTERN	72·17	53·33	27·83	46·67	1·11	11·33	89·04	1·23	8·50	
III. NORTH-EASTERN	97·53	92·36	2·47	7·64	6·43	19·97	87·91	2·10	8·00	
IV. EAST-MIDLAND .	94·50	86·25	5·50	13·75	8·10	18·49	84·85	2·22	9·72	
V. WEST-MIDLAND .	90·57	81·01	9·43	18·99	6·07	21·38	83·59	1·84	9·56	
VI. SOUTH-WESTERN	84·77	70·39	15·23	29·61	9·51	26·45	82·82	3·40	8·79	
VII. SOUTH-EASTERN .	94·14	90·03	5·86	9·97	6·11	20·24	84·65	3·19	8·46	
VIII. SOUTHERN . . .	95·63	94·01	4·37	5·99	5·58	16·68	84·86	2·27	9·23	
COUNTIES.										
1 Shetland . . .	92·80	80·80	7·20	19·20	3·20	7·20	84·80	0·80	8·80	
2 Orkney	97·75	97·75	2·25	2·25	8·43	17·98	92·70	0·56	4·49	
3 Caithness . . .	91·85	91·30	8·15	8·70	3·26	12·50	85·87	1·63	11·41	
4 Sutherland . . .	92·31	76·92	7·69	23·08	0·00	9·40	92·31	1·71	5·98	
5 Ross & Cromarty	73·94	50·99	26·06	49·01	1·42	8·50	88·67	0·85	9·06	
6 Inverness . . .	70·81	55·12	29·19	44·88	0·87	13·51	89·32	1·52	8·06	
7 Nairn	92·59	85·19	7·41	14·81	1·85	5·56	81·48	3·70	11·11	
8 Elgin	97·41	88·79	2·59	11·21	4·74	16·38	84·91	0·86	11·21	
9 Banff	91·77	88·37	5·23	11·63	6·39	19·77	89·53	0·29	9·01	
10 Aberdeen . . .	98·17	94·02	1·83	5·98	7·14	21·12	88·16	2·75	7·08	
11 Kincardine . . .	98·54	91·75	1·46	8·25	3·88	18·45	88·83	0·97	9·22	
12 Forfar	91·48	79·04	8·52	20·96	8·57	19·94	83·83	2·40	9·84	
13 Perth	98·15	95·16	1·85	4·84	5·27	14·24	86·04	1·71	9·69	
14 Fife	97·28	92·60	2·72	7·40	8·84	18·45	85·54	2·21	9·86	
15 Kinross	100·00	97·30	0·00	2·70	10·81	10·81	86·49	0·00	13·51	
16 Clackmannan . .	93·43	86·13	6·57	13·87	8·76	21·89	87·59	2·92	5·84	
17 Stirling . . .	92·90	83·77	7·10	16·23	8·70	26·67	84·93	1·88	8·84	
18 Dumbarton . .	87·71	76·83	12·29	23·17	5·67	11·04	83·92	3·78	9·22	
19 Argyll	88·32	81·14	11·68	18·86	2·39	14·67	83·83	2·69	10·18	
20 Bute	94·06	79·21	5·94	20·79	1·98	8·91	72·28	5·94	13·86	
21 Renfrew . . .	84·72	71·41	15·28	28·59	9·12	24·69	82·80	4·82	8·37	
22 Ayr	88·56	74·59	11·44	25·41	11·44	28·66	84·83	3·07	8·61	
23 Lanark	83·98	69·28	16·02	30·72	9·20	26·37	82·41	4·01	8·93	
24 Linlithgow . . .	82·27	79·93	17·73	20·07	10·03	31·10	87·29	3·34	4·68	
25 Edinburgh . . .	95·11	90·84	4·89	9·16	5·58	19·77	88·09	3·55	9·34	
26 Haddington . .	89·50	82·77	10·50	17·23	5·46	14·71	89·50	2·10	6·72	
27 Berwick	100·00	96·63	0·00	3·37	4·49	14·61	91·57	0·00	6·18	
28 Peebles	98·39	93·55	1·61	6·45	4·84	24·19	82·26	6·45	8·06	
29 Selkirk	98·15	96·91	1·85	3·09	11·11	20·99	92·59	0·62	5·56	
30 Roxburgh . . .	95·67	97·00	4·33	3·00	5·67	18·33	88·67	1·00	8·67	
31 Dumfries . . .	96·69	95·45	3·31	4·55	4·97	17·18	84·26	2·48	9·32	
32 Kirkcudbright .	97·52	93·36	2·48	6·64	5·81	14·94	88·40	2·90	8·71	
33 Wigtown . . .	91·00	87·20	9·00	12·80	6·63	15·17	82·46	2·84	10·43	
EDINBURGH .	95·89	91·72	4·11	8·28	5·40	18·41	82·21	3·77	9·68	
GLASGOW . .	84·12	68·00	15·88	32·00	8·96	24·80	81·06	4·26	9·55	

re celebrated by clergy of the Church of Scotland, 22·08 per cent. by ose of the Free Church, 12·92 per cent. by those of the United Presby- ian Church, 9·60 per cent. by those of the Roman Catholic Church, 6 per cent. by those of the Episcopal Church, 6·55 according to the rites various minor Denominations, 0·02 per cent. according to the forms of ne Unspecified Denomination, and 0·57 in an Irregular Manner, or thout religious ceremony.

The ages of the 25,641 men who contracted marriage in 1872 were ertained in all but 20 instances. In 1978 instances, or in 7·71 per cent. all marriages recorded, the husband had not attained the age of 21 years. the females married during the year, 22 did not communicate their ages the Registrar; 25 were aged 60 and upwards; and 5666, or 22·1 per nt. of all who married, were under the age of 21 years.

In 21,637, or 84·38 per cent. of all the marriages, bachelors became ited to spinsters; in 2269 instances, or in 8·85 per cent. of all marriages, dowers espoused spinsters; in 889 cases, or in 3·47 per cent. of the rriages, widowers and widows were the contracting parties; while 798 chelors married a like number of widows, thus constituting 3·11 per cent. the whole registered marriages of 1872.

In Table XVIII. will be found the percentage of males and of females the different Groups, Divisions, and Counties of Scotland, who at the ne of their marriage signed the Register in writing, or merely made a nark." This table furnishes a sort of rough index to the state of elementary ucation in various parts of the country. If it may be assumed that every n that can use a pen writes his name in the Register, we may gather m the table that education is most defective among men in the County Inverness, where 29·19 per cent. of those that married preferred to sign means of a mark. It is well known that many females who are conscious at their education has not been perfect, but who are nevertheless quite pable of signing their names, would feel considerable delicacy about empting to sign the register in the presence of witnesses, and on so tical an occasion as a marriage. And although there cannot be a doubt at the education of females is apt to be less attended to than that of males, is questionable whether 20·52 per cent. of the females of Scotland are at e time of their marriage unable to sign their names in writing. However at may be, it is pretty plain from Table XVIII. that in the Counties of verness, and still more in Ross and Cromarty, the custom of using marks, stead of writing a signature, is far more frequent than elsewhere among th males and females. In the last-named Counties, 49·01 per cent. of nales signed the marriage register with a "mark" in 1872.

Of 25,641 men married in Scotland during the year, 22,965, or 89·56 r cent. signed the register by ordinary writing, while 2676, or 10·44 per nt. adhibited a mark. Of 25,641 females, 20,380, or 79·48 per cent. ote their signatures at the time of marriage, while 5261, or 20·52 per it., for various reasons resorted to the custom of making a mark. ppended to Table XVIII. will be found, as usual, particulars relative to e state of education in Edinburgh and in Glasgow.

It may be remarked that the relative numbers of those who sign the arriage Register in these two cities has not materially varied of late years, d that writing appears to be a far rarer accomplishment among the nabitants of the Western than among those of the Eastern Metropolis. course the reason is very obvious. Glasgow contains an enormous poor sh population, among whom marriages are very frequent and penman- p little cultivated. In the course of a few years it may be expected that

the laws of the country respecting the education of children will cause education of the lower classes in Edinburgh and in Glasgow to differ in essential feature, and that the percentage of marks in the Marriage Regist of the latter city will undergo a rapid diminution.

DEATHS.

The number of registered Deaths in Scotland during 1872 was 75,7 which is very nearly in the proportion of 223 deaths for every ten thous of estimated population. During the ten years terminating with 1871, average death-rate of Scotland was 222·39 for every ten thousand inh tants; so that the mortality during 1872 has been slightly in excess recent experience.

TABLE XIX.—DEATHS of MALES and FEMALES in SCOTLAND, and its Five Grou of Districts, during each of the Years 1855–1872.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULA RURAL	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	F
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1
1859	30588	31126	11075	11277	2946	2829	4975	5070	10118	10672	1174	1
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1
1867	34863	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	
1872	37939	37855	15192	15007	4363	4240	8500	8315	8876	9217	1008	1

TABLE XX.—Percentage of MALE and FEMALE DEATHS to the Population in SCOTLA and its Five Groups of Districts, during each of the Years 1855–1872.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULA RURAL	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	F
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085			See	Note
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114			on	p. 28.
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1

The death-rate in England during 1872 was 223 per ten thousand, or the very same as that observed in Scotland. The average death-rate of the decennial period terminating with 1871 was in England 226 per ten thousand, consequently the mortality of 1872 did not quite reach the rate observed of late years.

As regards the Five Groups of Districts into which for Registration purposes it has been found convenient to divide Scotland, the deaths were,—in the Principal Towns, 30,199; in the Large Towns, 8603; in the Small Towns, 16,815; in the Mainland-Rural Group, 18,093; and in the Insular-Rural Districts, 2084.

The proportion of deaths to estimated population was in the Principal Towns, 27·6 per thousand; in the Large Towns, 26·52; in the Small Towns, 21·46; in the Mainland-Rural Districts, 17·27; and in the Insular-Rural Group, 15·86 per thousand.

These numbers are very instructive, illustrating in a sufficiently clear way the effects of dense aggregation upon the health of communities. There can be no doubt of the truth of the general proposition that the death-rate is highest where the population is most densely crowded together; but it would be an error to suppose that what we term the "death-rate" is an infallible index to the health of the population where it is observed. The death-rate which the numbers in this and similar reports express is the number of deaths that occur during a year divided by the estimated number of persons alive at the middle of the year—this ratio being usually multiplied by a 100, 1000, etc., according as we wish to indicate the death-rate per cent. per thousand, etc. But a most important circumstance in determining the number of deaths in a given population is the age of its members, or rather the relative proportions of infants, children, adolescents, adults, and aged persons that exist in it. Where marriages are very frequent, the number of infants will, of course, be large; and wherever the proportion of infants in a community is large, the influence of the large

TABLE XXI.—TOWN DEATHS, 1862–1872. Annual Number of Deaths in the Eight Principal Towns of Scotland.

Towns.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.
Glasgow . . .	11565	13329	13674	13914	12829	12578	13832	15648	13955	15790	14053
Edinburgh . . .	4760	4593	4678	4858	4813	4765	4781	5406	4715	5447	5484
Dundee	2599	2714	3105	3000	3130	2952	2917	3564	3185	3336	3491
Aberdeen . . .	1923	1750	2189	1981	2324	1824	2029	1787	1927	1997	2119
Greenock . . .	1370	1876	1929	1675	1488	1433	1658	1750	1674	1772	1697
Paisley	1253	1218	1521	1410	1345	1335	1221	1449	1352	1453	1430
Leith	872	913	928	948	924	1064	973	1169	1059	1081	1338
Perth	618	652	871	729	613	569	626	694	641	550	587

TABLE XXII.—Proportion of TOWN DEATHS, 1862–1872. Annual Percentage of Deaths to the Population in each of the Principal Towns of Scotland.

Towns.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	Mean Annual Mortality.	1872.
Glasgow .	2·85	3·22	3·25	3·25	2·93	2·82	3·04	3·37	2·96	3·29	3·098	2·871
Edinburgh	2·73	2·59	2·60	2·65	2·58	2·52	2·48	2·77	2·38	2·70	2·600	2·675
Dundee .	2·74	2·78	3·09	2·91	2·95	2·71	2·60	3·09	2·69	2·75	2·829	2·797
Aberdeen	2·54	2·27	2·73	2·48	2·86	2·20	2·41	2·09	2·21	2·26	2·405	2·353
Greenock	3·00	3·99	3·97	3·34	2·88	2·69	3·01	3·09	2·87	2·94	3·178	2·733
Paisley .	2·63	2·55	3·19	2·95	2·81	2·78	2·54	3·01	2·80	3·01	2·827	2·957
Leith .	2·34	2·39	2·37	2·36	2·24	2·51	2·24	2·63	2·32	2·31	2·371	2·794
Perth . .	2·36	2·49	2·94	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·456	2·222

mortality due to infantile diseases will be felt in the general death-rate o the whole community. A single example will show how very differently various Registration Districts may be constituted as regards the proportion of children living in each. At the Census, 1871, the population of the Eight Principal Towns was 1,068,556, and the number of infants living in these towns, and under one year old, was 33,889, or 317 for every ten thousand of the population. In the Insular-Rural Districts, the population was 132,004, and the number of infants 3060, or 232 for every ten thousand o population. The great mortality of infants during the first year of life is

TABLE XXIII.—AGES of MALES and FEMALES who died in SCOTLAND, and in each of its GROUPS of DISTRICTS, during the year 1872.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8180	6540	3526	2956	1062	781	1907	1413	1539	1254	146	136
— 2	3073	2924	1490	1403	400	383	707	687	446	423	30	28
— 3	1468	1417	719	696	172	187	323	304	233	202	21	28
— 4	975	941	461	443	126	102	217	217	156	169	15	10
— 5	677	767	335	372	74	87	153	170	108	127	7	11
0– 5 Years	14373	12589	6531	5870	1834	1540	3307	2791	2482	2175	219	213
5–10	1983	1789	822	798	246	206	476	383	407	366	32	36
10–15	1081	1060	458	403	113	109	254	249	236	278	20	21
15–20	1331	1298	531	527	152	128	305	298	303	315	40	30
20–30	3014	2836	1296	1223	294	319	601	616	723	602	100	76
30–40	2322	2587	1071	1111	265	300	460	539	469	543	57	64
40–50	2487	2343	1141	1041	275	288	511	498	512	466	48	50
50–60	2795	2755	1147	1153	326	301	592	531	665	699	65	71
60–70	3329	3481	1163	1207	373	378	741	777	950	984	102	135
70–80	3279	4150	758	1145	320	423	818	981	1221	1412	162	189
80–90	1668	2446	253	438	155	203	374	547	756	1105	130	153
90–100	288	480	15	59	6	39	58	103	132	243	27	36
100 and above	10	17	1	1	–	3	1	2	6	10	2	1
Not stated	29	24	5	1	4	3	2	–	14	19	4	1
ALL AGES	37939	37855	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076

TABLE XXIV.—PERCENTAGE of DEATHS to the POPULATION at each AGE, 1872.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	15·820	12·963	20·057	17·264	19·344	14·455	15·405	11·776	10·414	8·688	9·618	8·900
— 2	6·848	6·715	10·215	9·901	8·449	8·341	6·698	6 616	3·288	3·233	2·120	2·147
— 3	3·145	3·130	4·945	4·808	3·564	3·906	2·820	2·793	1·626	1·481	1·369	1·877
— 4	2·126	2·102	3·241	3·169	2·672	2·231	1·951	1·972	1·103	1·238	0·917	1·640
— 5	1·517	1·774	2·471	2·821	1·636	1·949	1·415	1·625	0·770	0·938	0·409	0·710
0– 5 Years	6·149	5·539	8·768	8·048	7·551	6·466	5·872	5·100	3·502	3·182	2·803	2·864
5–10	0·957	0·884	1·350	1·318	1·164	0·999	0·944	0·781	0·609	0·567	0·406	0·489
10–15	0·562	0·575	0·826	0·736	0·583	0·585	0·544	0·557	0·376	0·475	0·256	0·285
15–20	0·785	0·763	1·000	0·906	0·889	0·687	0·772	0·773	0·566	0·637	0·644	0·460
20–30	1·170	0·958	1·316	1·102	1·078	1·046	1·100	0·957	1·027	0·751	1·357	0·739
30–40	1·241	1·139	1·584	1·413	1·368	1·289	1·116	1·064	0·891	0·852	0·879	0·715
40–50	1·668	1·319	2·363	1·751	1·792	1·641	1·495	1·240	1·113	0·876	0·896	0·679
50–60	2·546	2·076	3·633	2·819	3·038	2·409	2·363	1·754	1·772	1·637	1·359	1·133
60–70	4·552	3·675	6·507	4·571	5·752	4·436	4·434	3·560	3·375	2·979	2·704	2·815
70–80	9·359	8·437	11·931	10·025	11·684	10·180	9·994	8·573	8·063	7·487	6·596	6·199
80–90	20·265	18·439	23·823	18·726	28·758	20·280	21·782	19·315	18·345	18·691	17·105	13·552
90–100	40·746	38·616	49·480	29·950	48·750	41·935	46·774	46·606	46·479	40·635	37·500	32·432
100 and above	62·500	32·075	20·000	9·091	100·000	60·000	28·572	0·000	100·000	59·375	100·000	50·000
Not stated	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523

of course, quite well known; and a little consideration will show that even were infants to die in the same proportion in the Principal Towns and in the Rural Districts of the Islands of Scotland, the far greater number of infants in our town population would have a decided effect in raising the general death-rate of the Eight Towns.

If, instead of the first year of life, we had selected any other year, and had studied the composition of the population in two places very dissimilar —say in Glasgow and in Stornoway—we should have found like reason to distrust the figures of the general death-rate as a direct index to the relative salubrity of the two places. But, in several of the tables which illustrate the mortality recorded in this and similar reports, an attempt is made to exhibit for each Group of Districts, and for each of the Principal Towns, the annual mortality experienced by a hundred persons, within certain stated limits of age; and it is to such tables, and especially to those numbered XXIV. and XXVII. that the reader must be referred for more precise information than a mere glance at the general death-rates can afford him. Now, whether we look at the general death-rates of the several groups of Districts into which Scotland is in our tabular statements supposed to be divided, or whether we consider the percentage of mortality at ages under one year, or at ages under five years—in short, whatever be the test applied to the materials contained in our tables—the result obtained is always to the same general effect. Just in proportion as there is reason to consider the population densely aggregated, public health seems to become impaired, and the effect is visible in all our comparative statements of infantile mortality, of mortality during the early years of life, and even in the numbers representing general death-rates.

The annual mortality in the Principal Towns of Scotland was, in 1872, 27·60 for every thousand inhabitants (Table XXVIII.). The highest death-rate—that recorded in Paisley—was 29·57 per thousand. The rate in Glasgow was 28·71; that in Dundee, 27·97; that in Leith, 27·94; that in Greenock, 27·33; that in Edinburgh, 26·75; that in Aberdeen, 23·53; and that in Perth, 22·22. (Table XXII.)

Table XXV.—Percentage of Deaths at each Age to the Total Deaths, 1872.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	21·56	17·28	23·21	19·70	24·34	18·42	22·44	16·99	17·34	13·60	14·48	12·64
— 2	8·10	7·72	9·81	9·35	9·17	9·03	8·32	8·27	5·02	4·59	2·98	2·60
— 3	3·87	3·74	4·73	4·64	3·94	4·41	3·80	3·66	2·63	2·19	2·09	2·60
— 4	2·57	2·49	3·03	2·95	2·89	2·41	2·55	2·61	1·76	1·84	1·49	0·93
— 5	1·78	2·03	2·21	2·48	1·70	2·05	1·80	2·04	1·22	1·38	0·69	1·02
0– 5	37·88	33·26	42·99	39·12	42·04	36·32	38·91	33·57	27·97	23·60	21·73	19·79
5–10	5·23	4·73	5·41	5·32	5·64	4·86	5·60	4·61	4·58	3·97	3·17	3·35
10–15	2·85	2·80	3·01	2·69	2·59	2·57	2·99	2·99	2·66	3·02	1·98	1·95
15–20	3·51	3·43	3·50	3·51	3·48	3·02	3·59	3·58	3·41	3·42	3·97	2·79
20–30	7·94	7·49	8·53	8·15	6·74	7·52	7·07	7·41	8·15	6·53	9·92	7·06
30–40	6·12	6·83	7·05	7·60	6·07	7·08	5·41	6·48	5·28	5 89	5·65	5·95
40–50	6·55	6·19	7·51	6·94	6·30	6·79	6·01	5·99	5·77	5·06	4·76	4·65
50–60	7·37	7·28	7·55	7·68	7·47	7·10	6·96	6·39	7·49	7·58	6·45	6·60
60–70	8·77	9·20	7·66	8·04	8·55	8·91	8·72	9·34	10·70	10·68	10·12	12·55
70–80	8·64	10·96	4·99	7·63	7·34	9·98	9·63	11·80	13·75	15·32	16·07	17·56
80–90	4·40	6·46	1·66	2·92	3·55	4·79	4·40	6·58	8·52	11·99	12·90	14·22
90–100	0·63	1·27	0·10	0·39	0·14	0·92	0·68	1·24	1·49	2·64	2·68	3·35
100 and above	0·03	0·04	0·01	0·00	0·00	0 07	0·01	0·02	0·07	0·10	0·20	0·09
Not stated	0·08	0·06	0·03	0·01	0·09	0·07	0·02	0·00	0·16	0·20	0·40	0·09
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

In Tables XIX to XXV. are contained the usual details regarding the relative frequency of death at various ages, as affected by the circumstance of sex. The total deaths in all Scotland were 75,794, namely, 37,939 males and 37,855 females. With the aid of the estimated population-numbers, which may be found in Table II., it is computed that for every thousand males the deaths were 23·37; for every thousand females, 21·32; and for every thousand persons, 22·30. When it is borne in mind that repeated Census enumerations have demonstrated that of the whole population of Scotland about 52·2 per cent. is female, and only 47·7 per cent. male, and yet, that for every 100 female live births at least 105 live male births are recorded, it becomes obvious that the deaths of males must be more frequent than those of females. Reference to our Tables, and especially to XXIV., will show that this is true not merely for Scotland considered as a whole, but likewise for each of the divisions under which its Registration Districts are ranged. At almost every period of life this preponderance of male mortality may be traced by means of our Table XXIV. Brief allusion may be made to the exceptional cases in which the mortality of females has, during 1872, exceeded that of males. In the Insular-Rural Districts this was the case at all ages after the first year of life up to the age of fifteen. It must, however, be remarked that the total deaths in the whole Insular-Rural Districts amounted to only 2084, a number far too small to justify us in claiming any particular attention to the above apparent exceptions. During the fourth year of life, females succumbed more frequently than males in the Small Towns, and likewise in both the Rural Districts. The fifth year of life was, as in former years, more fatal to females than to males in every division of the country.

Between the tenth and fifteenth years female deaths were, as usual, the more frequent in all Scotland, and in all its divisions except the Principal Towns, where there was a considerable preponderance in favour of female life. Between the ages of 15 and 20, females died in the larger proportion in the Mainland-Rural Districts.

The subject of infant mortality is well illustrated by Tables XXIII.,

---

TABLE XXVI.—DEATHS at different Ages in each of the Eight Principal Towns of Scotland during the Year 1872.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3198	980	820	393	425	292	286	88
— 2	1565	365	358	144	186	158	94	23
— 3	736	178	186	93	95	51	63	13
— 4	475	141	101	63	44	32	39	9
— 5	349	106	101	38	39	25	43	6
0– 5 Years	6323	1770	1566	731	789	558	525	139
5-10	734	342	176	124	87	57	88	12
10-15	385	188	83	68	47	33	45	12
15-20	516	199	99	72	53	52	44	23
20-30	1183	535	249	172	97	111	111	61
30-40	998	458	244	137	119	98	121	37
40-50	1047	404	267	125	121	96	80	42
50-60	1019	450	265	164	134	111	100	57
60-70	939	508	277	211	122	144	93	76
70-80	675	434	197	201	90	121	95	90
80-90	213	177	62	100	28	43	33	35
90-100	20	18	6	14	4	6	3	3
100 and above	1	1	–	–	–	–	–	–
Not stated	–	–	–	–	6	–	–	–
ALL AGES	14053	5484	3491	2119	1697	1430	1338	587

XXIV., and XXV. If attention be directed exclusively to the mortality of infants during the first year of life, it cannot escape notice that this mortality varies most remarkably in the various Registration Districts. In the Principal Towns the mortality of male infants exceeded 20 per cent.; in the Large Towns it was 19·3 per cent.; in the Small Towns, 15·4 per cent.; in the Mainland-Rural Districts, 10·4 per cent.; and in the Insular-Rural Districts only 9·6 per cent.

It is impossible to resist the impression that there must be something in modern civilization, something connected with the tendency of masses of our population to congregate towards great centres, something connected with the habits or occupations of the dwellers in our large cities which is peculiarly detrimental to infant life. It cannot be mere poverty, and the absence of those comforts which riches can command, that confer upon a newly-born child in our Highlands or Islands a far better chance of arriving at mature age than is possessed by the average number of children born and reared in Edinburgh or in Glasgow. It cannot be that medical care is more readily available in the country than in our great towns; and attention to cleanliness and to ordinary sanitary arrangements is not more common among the poor of the Scottish Highlands and Islands than in the streets of the Old Town of Edinburgh. It may, however, be that the amount of intemperance and vice of all kinds in the inhabitants of our great cities, their crowded dwellings, their unwholesome occupations, often pursued in the midst of a dull smoky filthy atmosphere, degrade their offspring both morally and physically, and favour the development among them of those diseases of the Zymotic and Tubercular class which are the most frequent causes of death during the earlier years of life.

It is not, however, merely during the periods of infancy and childhood that the density of aggregation seems to be commensurate with the death-rates of the population in the various Registration Districts. In Table XXIV. the same fact may be clearly traced at every period of life up to the eightieth year. One apparent exception may, however, be here explained. It will be observed that, between the ages of 20 and 30, the percentage of deaths of males was in the Insular-Rural Districts 1·357,

---

TABLE XXVII.—PERCENTAGE of DEATHS to the POPULATION at each AGE in each of the PRINCIPAL TOWNS of SCOTLAND, in 1872.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	19·61	16·68	21·69	13·72	19·75	20·19	17·65	13·23
— 2	11·92	7·43	11·33	5·84	10·15	12·82	6·77	3·62
— 3	5·65	3·53	5·38	3·95	5·33	4·04	4·32	2·05
— 4	3·80	2·93	3·01	2·54	2·47	2·54	2·82	1·40
— 5	2·94	2·27	3·12	1·67	2·30	2·06	3·45	1·02
0- 5 Years	9·46	7·00	9·21	5·88	8·53	8·70	7·40	4·39
5-10	1·36	1·63	1·22	1·18	1·19	1·00	1·54	0·41
10-15	0·78	0·97	0·63	0·73	0·77	0·61	0·91	0·44
15-20	1·04	0·93	0·74	0·80	0·94	0·98	1·02	0·91
20-30	1·20	1·33	1·10	1·15	0·81	1·40	1·26	1·45
30-40	1·49	1·62	1·47	1·18	1·31	1·66	1·78	1·07
40-50	2·17	1·99	2·10	1·46	2·09	2·07	1·73	1·45
50-60	3·30	3·07	3·29	2·48	3·59	3·25	3·28	2·72
60-70	5·42	5·35	5·70	4·44	5·56	6·09	5·24	5·09
70-80	10·93	10·32	10·89	9·14	10·86	11·46	13·44	11·64
80-90	19·61	22·01	22·00	18·80	17·61	20·98	25·98	20·96
90-100	21·50	29·51	20·69	34·15	36·36	31·58	42·86	18·75
100 and above	10·00	25·00	–	–	–	–	–	–

while in the Principal Towns it was only 1·316. This apparent anomaly may be disposed of by referring to Table XXVIII., where, under the head of Drowning, we find a mortality of only 31 per ten thousand recorded in the Principal Towns, but a mortality of 51 per ten thousand in the Insular-Rural Districts. Next, turning to Table XXIII., we find that of the whole male deaths in the Principal Towns only 8·53 per cent. took place between the ages of 20 and 30; but that among our Island population very nearly 10 per cent. of male deaths took place between these limits of age. Now, it must be further remarked that this apparent inversion of the order of mortality does not exist in the case of females at all; but the examination of several previous Detailed Annual Reports convinces us that, as regards the males, the observation is not new. Next, we have to point out that of those who are exposed to the risks of drowning—our young fishermen and seamen, between the ages of 20 and 30—constitute the great majority among the inhabitants of our islands. Then it must be further noted that, when a wreck takes place, or when bodies are washed ashore upon the long and dangerous coasts of our Northern and Western Islands, the deaths of all who appear to have lost their lives by drowning are recorded in the books of the district where they find a grave, although when in life they may never have trod its soil. The estimated number of males living, between 20 and 30, in the Insular Group of Districts at the middle of 1872, were 7371; and if, in the course of 1872, we may suppose only twelve male strangers between the ages of 20 and 30 to have been brought ashore drowned on the coasts of our islands, we may deduct at least ·162 from the percentage of 1·357 shown in Table XXIV., and thus leave 1·195 as the percentage of male deaths to the male population of our Islands at the above ages.

Up to this point our remarks upon the mortality recorded in various districts have had reference either to the absolute number of deaths observed, or to the ratio between the numbers of those who have died during the course of 1872, and of those estimated as living at the middle of that year.

Another view of the mortality may be obtained from Table XXV., where the number of deaths at each age is contrasted with the deaths at All Ages. This view is separately given for the males and for the females in each Registration Group of Districts. To illustrate the use that may be made of such a table, we may confine our attention to the interval between birth and the completion of the fifth year of life—the period denoted in the Table by Age, 0–5. It may be seen that in the Principal Towns 42·99 per cent. of the deaths of males in 1872 occurred at this period of life, while the rate for females was 39·12 per cent. In the Large Towns the rates were 42·04 for males and 36·32 for females; in the Small Towns, 38·91 for males and 33·57 for females; in the whole of Scotland, 37·88 for males and 33·26 for females; in the Mainland-Rural Districts, 27·97 for males and 23·60 for females; and, finally, in the Insular-Rural Districts, it is seen that, of a hundred deaths of males, 21·73 took place during the first five years of life, but of a hundred deaths of females only 19·79 occurred at that early age.

The Table affords likewise an instructive view of the longevity experienced in the various Registration Divisions of the country. As an example of the information which it is meant to convey, we may, as in 1871, consider the numbers of females who have in each District at the time of their death attained the age of seventy years or more. Of such long-lived females there were, in 1872, for every 100 deaths very nearly 10 in the Principal Towns; about 15¾ in the Large Towns; about 18¾ in all Scot-

land; about 19½ in the Small Towns; about 30 in the Mainland-Rural; and about 35¼ in the Insular-Rural Districts.

NOTE.—In reference to Table XX., the last four columns of which are left blank, except for the years 1871 and 1872, it seems right to explain that the alterations upon the constitution of the Mainland and Insular-Rural Districts have been such that we do not feel justified in attempting to adjust the numbers of males and females in these Districts between 1855 and 1870.

CAUSES OF DEATH.

Of the 75,794 Deaths which were recorded in all Scotland during 1872, 73,681 were in the certificates referred to Specified Causes, and, consequently, 2113, or nearly 2·8 per cent. must be regarded as due to Causes Unknown. Even among the deaths which in the tables of this and similar reports are referred to certain diseases, there are many in which no medical certificate was forthcoming, or in which the medical certificates were not so framed as to be available for statistical purposes. A certain number of deaths are referred to their causes on the authority of ordinary or non-medical informants, after due inquiry by the Registrars; and the numbers of unspecified deaths which we record are to be regarded as the numbers of deaths which it has been found impossible, with the aid either of medical or ordinary testimony, to refer with fair degree of probability to any of the Specific Causes recognised in our Nosology. The proportion of deaths from Unknown Causes varies very much in different localities. Thus, in Edinburgh, the proportion of deaths from Cause Unknown was, during 1872, about 0·72 out of every hundred deaths from All Causes, while in Shetland the rate was fully 11·5 per cent.

The Class of Zymotic Diseases, which includes all those affections commonly termed Epidemic and Contagious, caused in Scotland, during 1872, no less than 15,861 of the deaths from Specified Causes. Table XXIX., to which we shall now have frequent occasion to refer, informs us that the deaths from Zymotics constituted 21·53 per cent. of All Deaths that occurred. From the companion Table XXVIII. it may be seen that out of a hundred thousand males there died of zymotic disorders 493, while out of the same number of females the deaths were 468. Thus, for every hundred thousand persons living at the middle of 1872, it is computed that there occurred 480 deaths from zymotic diseases.

In Table XXXII. may be found the actual numbers of those who perished during each of five periods of life from each of the most common of the zymotic diseases; and, by means of the second part of the table, it can be ascertained almost at a glance, as regards each disease, at what period of life its lethal influence was most felt during 1872. It is during the early period of life, the period between birth and the fifteenth year, that deaths from zymotic disorders are most frequent. To this rule, however, there are certain exceptions. Of the deaths from Small-pox, during 1872, only 41·2 per cent. occurred during the first fifteen years of life, and only 22·5 per cent. at ages below five years. Of the deaths from all Fevers, only 39·3 per cent. occurred at ages below fifteen, and only 17·4 per cent. during the first five years of life. But it was very different in the case of most of the other zymotic diseases. Taking account of the first five years of life only, we may learn from Table XXXII. that 94·6 per cent. of the deaths from Hooping-cough, 88·2 per cent. of those from Croup, 89·8 per

cent. of those from Measles, 14·7 per cent. of those from Diphtheria, and 57·7 per cent. of those from Scarlatina took place before the age of five. It may be noted, too, that of 193 deaths referred to Syphilis, 158 appear to have

---

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2230	2337	2132	2760	2949	2593	2511	2652	2379
1. Zymotic Class . . .	480	493	468	685	726	649	517	525	509
2. Uncertain Seat . .	77	62	91	79	65	90	67	55	77
3. Tubercular Class .	381	392	371	490	504	478	464	474	454
4. Nervous System . .	201	223	180	238	270	209	252	295	212
5. Organs of Circulation	119	126	113	132	141	126	131	132	129
6. Respiratory Organs	349	383	318	502	545	463	416	474	363
7. Organs of Digestion	146	167	139	164	172	157	161	164	159
8. Urinary Organs . .	38	52	25	47	62	33	34	47	22
9. Generative Organs .	17	–	33	18	–	34	16	–	30
10. Locomotive Organs .	14	16	13	17	20	14	15	16	15
11. Skin, etc.	3	3	3	3	3	3	3	2	3
12. Malformation . . .	8	10	6	10	12	8	7	11	5
13. Premature Debility .	109	131	90	134	159	112	131	157	108
14. Atrophy	16	15	18	21	20	22	22	18	26
15. Age	188	149	223	112	82	139	181	135	222
16. Sudden Deaths . .	5	6	5	8	10	7	6	6	6
17. Violent Deaths . .	78	123	37	100	158	49	88	141	39
Small-pox	74	88	66	143	162	127	35	42	27
Measles	28	29	27	31	35	28	38	36	41
Scarlatina	64	68	59	86	92	80	73	86	61
Diphtheria	32	32	31	38	41	35	31	32	30
Hooping-cough . .	86	80	92	145	139	150	108	99	117
Croup	35	40	30	42	49	35	41	47	35
DIARRHŒA . .	47	50	45	64	71	57	62	66	59
Dysentery	6	6	7	5	4	5	6	5	7
Cholera	2	3	2	2	4	2	2	2	2
Influenza	3	3	3	2	2	2	2	2	1
ALL FEVERS, viz.	71	73	70	88	95	81	75	76	75
Typhus . .	24	25	23	38	42	34	26	26	26
Enteric . .	37	37	37	37	40	34	39	41	37
Relapsing . .	3	4	3	6	6	6	6	5	7
Continued . .	3	3	3	2	2	2	1	1	2
Infantile . .	4	4	4	5	5	5	3	3	3
Metria	7	–	13	8	–	16	9	–	18
Erysipelas	9	10	9	11	11	11	11	11	11
Dropsy	17	15	19	17	14	20	18	14	22
Cancer	47	33	60	45	32	56	38	28	48
Scrofula	25	30	20	30	35	25	26	33	19
Tabes Mesenterica .	32	36	28	44	50	39	45	54	36
PHTHISIS . . .	264	256	270	331	322	340	294	281	305
Hydrocephalus . .	61	70	53	84	97	73	99	105	93
Apoplexy	47	51	44	52	55	48	56	62	49
Paralysis	61	61	61	63	62	63	73	75	71
Epilepsy	8	9	7	8	10	7	10	11	9
Convulsions . . .	31	39	24	45	59	37	43	57	30
BRONCHITIS . .	239	251	228	357	377	340	291	321	263
Pneumonia . . .	78	93	64	106	124	89	92	113	72
Teething	23	24	22	34	35	33	23	22	23
Enteritis	26	31	23	28	31	25	27	31	22
All Liver Diseases .	33	35	31	36	37	35	37	42	33
CHILDBIRTH . .	12	–	23	12	–	23	11	–	21
Burns and Scalds .	8	9	7	10	12	9	7	8	6
Drowning	17	32	4	16	31	4	20	39	2
Fracture & Contusion	33	56	12	42	73	15	39	64	17

been cases of Congenital Syphilis, fatal before the age of five. Thus, of all deaths from Syphilis, nearly 82 per cent. appear to have occurred during early childhood. Of every hundred deaths from All Diseases, 35·5 took

---

Hundred Thousand Persons of the Population in 1872, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS to every 100,000 Persons living.								
	SMALL TOWN DISTRICTS.			MAINLAND-RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2146	2268	2033	1727	1747	1709	1586	1658	1523
1. Zymotic Class. . .	456	464	448	298	293	304	224	238	213
2. Uncertain Seat . .	79	64	92	78	59	96	82	74	88
3. Tubercular Class .	393	403	383	252	259	244	203	246	167
4. Nervous System . .	196	216	178	162	171	153	88	111	68
5. Organs of Circulation	121	127	114	109	115	103	52	72	34
6. Respiratory Organs	300	335	267	224	245	205	167	172	164
7. Organs of Digestion	141	151	133	132	142	124	93	103	83
8. Urinary Organs . .	32	48	18	35	47	23	26	35	19
9. Generative Organs .	17	–	32	15	–	29	32	–	59
10. Locomotive Organs .	12	10	14	11	13	9	31	35	27
11. Skin, etc.	4	4	4	3	3	3	1	2	–
12. Malformation . . .	10	13	7	6	8	5	1	2	–
13. Premature Debility .	121	152	93	74	87	63	53	55	51
14. Atrophy	15	15	14	12	9	14	7	6	8
15. Age	175	152	198	255	200	306	461	404	510
16. Sudden Deaths . .	4	5	3	2	2	2	8	8	8
17. Violent Deaths . .	70	109	35	59	94	26	57	95	24
Small-pox	48	56	41	39	42	37	17	21	14
Measles	35	34	36	17	17	17	15	18	14
Scarlatina	63	66	60	41	42	41	31	43	20
Diphtheria	34	32	35	26	25	27	9	14	5
Hooping-cough . .	70	64	76	35	31	39	31	27	34
Croup	42	46	38	21	26	17	24	23	24
DIARRHŒA . .	46	51	41	30	26	33	18	14	22
Dysentery	8	9	7	7	6	7	4	6	2
Cholera	3	3	3	2	2	2	2	–	3
Influenza	3	4	2	3	3	3	7	6	8
ALL FEVERS, viz.	74	72	75	53	52	55	45	45	46
Typhus. . .	21	21	22	11	11	10	24	25	22
Enteric . . .	43	42	44	35	34	36	16	12	20
Relapsing . .	2	2	2	1	2	1	1	2	–
Continued . .	4	3	4	4	4	5	3	4	2
Infantile . .	4	4	3	2	1	3	1	2	2
Metria	7	–	13	4	–	8	1	–	2
Erysipelas	7	8	5	9	7	9	10	12	8
Dropsy	18	18	18	15	12	16	34	25	42
Cancer	47	32	61	54	35	70	38	39	37
Scrofula	25	31	19	19	22	16	12	14	10
Tabes Mesenterica .	32	39	26	16	15	15	7	4	10
PHTHISIS . . .	275	259	290	185	184	185	177	218	141
Hydrocephalus . .	60	73	49	31	35	28	7	10	5
Apoplexy	51	54	49	41	44	38	9	12	7
Paralysis	64	65	63	57	55	59	42	58	27
Epilepsy	6	8	5	8	8	7	10	10	10
Convulsions . . .	26	35	18	17	20	14	5	6	5
BRONCHITIS . .	205	215	195	140	143	137	82	74	88
Pneumonia	69	84	55	55	67	44	34	43	25
Teething	23	25	22	13	15	12	6	6	7
Enteritis	31	38	25	24	27	20	6	10	3
All Liver Diseases .	31	31	31	32	36	28	26	29	24
CHILDBIRTH . .	12	–	24	10	–	19	26	–	49
Burns and Scalds .	8	10	7	5	5	6	8	8	8
Drowning	16	28	5	18	32	5	26	51	5
Fracture & Contusion	31	53	10	23	41	7	16	25	8

place during the first five years of life, while of every hundred deaths from zymotic diseases only, no less than 56·3 per cent. were deaths of children of this tender age.

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2153	2110	2195	2483	2462	2504	2059	1980	2139
2. Uncertain Seat	346	265	426	285	221	349	266	209	323
3. Tubercular Class	1709	1677	1742	1776	1711	1842	1847	1787	1907
4. Nervous System	900	955	844	862	915	808	1002	1112	890
5. Organs of Circulation	534	537	530	479	475	483	520	496	545
6. Respiratory Organs	1565	1637	1494	1816	1848	1783	1656	1786	1521
7. Organs of Digestion	651	659	650	595	584	606	643	618	668
8. Urinary Organs	169	221	117	169	212	127	184	176	92
9. Generative Organs	76	–	153	65	–	130	63	–	128
10. Locomotive Organs	64	67	60	62	69	54	61	59	63
11. Skin, etc.	14	13	14	11	9	13	11	9	12
12. Malformation	36	44	28	35	40	30	30	40	19
13. Premature Debility	491	561	422	486	539	433	524	594	453
14. Atrophy	74	64	83	76	68	85	89	68	111
15. Age	843	639	1046	407	277	538	720	510	936
16. Sudden Deaths	23	25	22	30	33	27	24	24	24
17. Violent Deaths	349	525	173	363	537	188	351	532	166
Small-pox	332	356	308	520	550	488	138	160	116
Measles	125	123	128	114	118	109	152	134	171
Scarlatina	285	292	279	310	311	309	290	325	256
Diphtheria	142	137	146	138	139	136	125	122	128
Hooping-cough	387	343	430	524	471	577	431	372	492
Croup	155	171	140	151	165	136	162	176	147
DIARRHŒA	212	213	212	231	239	222	249	249	248
Dysentery	28	26	31	17	13	20	25	19	31
Cholera	11	11	11	11	14	9	7	7	7
Influenza	13	13	12	7	7	7	9	9	9
ALL FEVERS, viz.	320	312	327	320	325	313	300	287	313
Typhus	108	108	107	138	144	132	104	96	111
Enteric	166	160	172	134	135	132	155	156	154
Relapsing	16	16	16	22	21	22	24	19	29
Continued	14	12	15	8	8	8	4	2	7
Infantile	16	16	17	18	17	19	13	14	12
Metria	30	–	59	30	–	60	37	–	75
Erysipelas	42	42	42	40	39	42	43	40	46
Dropsy	78	65	91	62	48	76	71	52	92
Cancer	212	143	280	162	110	215	154	106	203
Scrofula	110	127	93	109	121	97	104	125	82
Tabes Mesenterica	142	154	130	160	168	152	179	205	152
PHTHISIS	1183	1097	1269	1201	1091	1311	1169	1061	1280
Hydrocephalus	275	300	250	306	330	281	395	397	393
Apoplexy	211	217	205	187	188	186	221	235	207
Paralysis	276	263	288	228	211	245	290	282	299
Epilepsy	36	38	33	30	33	27	40	42	39
Convulsions	140	167	113	172	199	144	170	214	125
BRONCHITIS	1072	1073	1071	1294	1278	1311	1160	1211	1107
Pneumonia	349	399	299	384	422	345	365	426	304
Teething	103	103	102	122	119	126	90	85	96
Enteritis	119	131	106	102	106	98	106	118	94
All Liver Diseases	149	152	146	130	126	134	148	158	137
CHILDBIRTH	53	–	106	44	–	89	43	–	87
Burns and Scalds	36	37	34	37	40	35	29	31	26
Drowning	78	136	20	60	105	14	80	148	10
Fracture & Contusion	146	239	54	154	248	58	157	242	70

Between the ages of fifteen and sixty 56·5 per cent. of the deaths from Small-pox, 51 per cent. of those from Fevers, and, in particular, 63 per cent. of those from Typhus, and 47·8 per cent. of those from Enteric Fever,

---

Diseases to the Total Deaths from Specified Causes in 1872.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWN DISTRICTS.			MAINLAND-RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class. . .	2124	2047	2201	1728	1676	1777	1415	1435	1395
2. Uncertain Seat . .	367	281	455	453	338	563	515	447	580
3. Tubercular Class .	1831	1777	1885	1456	1485	1429	1283	1482	1094
4. Nervous System . .	915	954	875	936	977	897	556	671	446
5. Organs of Circulation	562	562	563	629	656	604	326	435	223
6. Respiratory Organs	1397	1477	1315	1300	1404	1201	1054	1036	1071
7. Organs of Digestion	658	666	651	767	811	725	584	623	547
8. Urinary Organs . .	151	210	91	201	271	136	166	212	123
9. Generative Organs .	79	–	159	88	–	171	200	–	391
10. Locomotive Organs .	56	45	68	62	74	51	195	212	179
11. Skin, etc.	18	18	18	16	17	16	6	12	–
12. Malformations . .	46	57	34	36	45	28	6	12	–
13. Premature Debility .	564	672	456	432	500	366	332	329	335
14. Atrophy	68	66	71	68	55	81	46	35	56
15. Age	816	664	969	1474	1142	1789	2904	2436	3348
16. Sudden Deaths . .	20	23	16	12	10	12	51	47	56
17. Violent Deaths . .	328	481	173	342	539	154	361	576	156
Small-pox	223	247	200	228	239	217	109	129	89
Measles	165	152	179	98	98	98	97	106	89
Scarlatina	294	293	296	240	242	237	195	259	134
Diphtheria	158	143	174	150	141	158	57	82	33
Hooping-cough . .	328	284	372	203	176	228	195	165	223
Croup	195	202	187	124	151	98	149	141	156
DIARRHŒA . .	214	225	203	172	150	193	114	82	145
Dysentery	39	41	37	40	37	44	23	35	11
Cholera	15	12	17	10	9	10	11	–	22
Influenza	14	18	10	18	19	18	46	35	56
ALL FEVERS, viz.	345	320	371	309	297	320	286	271	301
Typhus. . .	98	91	106	62	64	61	148	153	145
Enteric. . .	201	185	218	200	194	207	103	71	134
Relapsing . .	9	8	9	9	9	8	6	12	–
Continued. .	18	13	22	26	23	27	17	23	11
Infantile . .	19	23	16	12	7	17	12	12	11
Metria	32	–	65	25	–	50	6	–	11
Erysipelas	31	36	26	52	51	52	63	71	56
Dropsy	85	79	91	87	78	95	218	153	279
Cancer	220	141	301	314	214	410	240	235	245
Scrofula	116	139	92	112	132	94	74	82	67
Tabes Mesenterica .	149	173	126	94	97	90	46	23	67
PHTHISIS. . . .	1283	1144	1424	1070	1056	1083	1117	1318	926
Hydrocephalus . .	282	321	243	180	199	162	46	59	33
Apoplexy	239	237	241	236	253	220	57	71	45
Paralysis	299	287	310	331	313	347	263	353	179
Epilepsy	30	34	26	46	47	44	63	59	67
Convulsions . . .	122	153	91	98	114	82	84	35	33
BRONCHITIS . .	954	950	959	811	819	803	515	447	580
Pneumonia	320	371	269	321	386	259	212	259	167
Teething	109	111	107	76	85	79	40	35	45
Enteritis.	145	168	122	137	154	120	40	59	22
All Liver Diseases .	145	139	152	185	205	165	166	176	156
CHILDBIRTH . .	57	–	116	57	–	112	166	–	324
Burns and Scalds .	39	43	34	32	28	33	51	47	56
Drowning	75	123	27	103	182	28	166	306	33
Fracture & Contusion	144	235	52	135	233	42	103	153	56

took place. At ages from sixty upwards 44·5 per cent. of all the deaths from Dysentery, 31·2 per cent. of those from Erysipelas, 20·7 of those from Diarrhœa, and 9·6 per cent. of those from All Fevers occurred. The Class of Zymotic Diseases caused 685 deaths for every ten thousand persons living in the Principal Towns; in the Large Towns, 517; in the Small Towns, 456; in the Mainland-Rural Districts, 298; and in the Insular-Rural Districts, 224 out of like numbers of inhabitants. Thus we again observe, in a special Class of Diseases, a descending scale of mortality decreasing with the density of the population.

We proceed, with the help of Tables XXX. and XXXI., to illustrate the condition of each of the Eight Principal Towns during 1872, as regards the prevalence of zymotic disease. As in the Report for 1871 we shall arrange the towns in the order suggested by the number of deaths due to epidemic disorders that occurred in each.

(1.) In Leith these zymotic deaths amounted to 1041 for every hundred thousand inhabitants, and constituted 37·26 per cent. of the deaths from All Causes. This extraordinary mortality was chiefly due to the prevalence of Small-pox, which caused 16·71, and of Scarlatina, which caused 6·51 per cent. of the total deaths. The deaths from Fevers and from

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the year 1872, allowing for causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS . . .	2871	2675	2794	2353	2733	2957	2794	2222
Zymotic Class . . .	612	844	777	592	583	631	1041	367
Tubercular Class . .	594	365	445	368	486	541	340	367
Brain, etc., ...	231	269	217	225	237	277	235	210
Heart, etc., ...	105	178	155	138	149	96	134	180
Respiratory Organs .	612	366	549	358	419	444	360	306
Organs of Digestion .	186	135	126	142	175	230	126	161
Premature Debility . .	142	102	147	101	172	155	155	122
Old Age	85	111	120	127	132	245	115	252
Violent Deaths . . .	116	78	75	67	165	77	105	96
Small-pox	31	353	242	145	15	19	467	65
Measles	22	3	100	57	10	65	25	–
Scarlatina	74	168	6	75	72	25	182	23
Diphtheria	29	26	85	74	35	27	19	23
Hooping-cough . . .	211	93	68	35	184	201	63	4
Croup	38	14	70	47	73	54	65	31
Diarrhœa	69	43	88	49	62	65	54	76
Dysentery	3	4	10	1	12	4	4	11
Cholera	3	4	2	3	8	–	–	4
Fevers, viz.	93	89	70	64	73	130	100	96
Typhus	37	50	15	18	38	78	40	61
Enteric	41	31	39	31	32	27	50	27
Relapsing . . .	7	2	10	6	–	6	8	4
Continued . . .	3	2	2	1	3	–	2	–
Infantile	5	4	4	8	–	19	–	4
Dropsy	16	5	23	13	23	52	8	8
Cancer	35	67	48	55	38	57	27	38
Phthisis	493	246	310	248	322	352	199	275
Apoplexy	47	66	51	37	55	69	42	53
Paralysis	52	75	60	56	62	119	73	88
Bronchitis	440	240	407	259	302	337	249	203
Pneumonia	129	86	118	57	92	77	82	65
Teething	40	17	25	33	57	54	17	34

Croup appear likewise to have slightly exceeded their usual numbers. Other epidemics were comparatively in abeyance.

(2.) In Edinburgh the deaths from zymotic diseases removed 844 out of every hundred thousand of the estimated population, and constituted 31·55 per cent. of the deaths from All Causes. Of the total mortality, 13·20 per cent. was due to Small-pox, 6·28 per cent. to Scarlatina, 3·48 per cent. to Hooping-cough, and 3·32 per cent. to Fevers. The influence of all other epidemic disorders, and especially of Measles, was far less marked than usual.

(3.) In Dundee the deaths from zymotics were 777 out of every hundred thousand inhabitants, or 27·81 per cent. of the deaths from All Causes. Of the total mortality 8·66 per cent. was due to Small-pox, 3·58 per cent. to Measles, 3·15 per cent. to Diarrhœa, and 3·04 per cent. to Diphtheria. The deaths from other epidemic disorders were by no means numerous, and to Scarlatina very few indeed were attributed.

(4.) In Paisley the deaths from zymotics were 631 to every hundred thousand inhabitants, or 21·34 of the deaths from All Causes. The ruling epidemic was Hooping-cough, which accounted for 6·8 per cent. of the whole mortality. Next in order of fatality was the class of Fevers, causing 4·4 per cent. of the deaths. It may be noted in passing that the deaths from Typhus were nearly three times as numerous as those from Typhoid

---

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the year 1872.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2132	3155	2781	2516	2133	2134	3726	1652
Tubercular Class	2069	1864	1593	1564	1778	1830	1217	1652
Brain, etc.	805	1006	777	956	867	987	841	945
Heart, etc.	366	665	555	586	545	325	480	810
Respiratory Organs	2132	1368	1965	1521	1533	1501	1288	1377
Organs of Digestion	648	505	451	603	640	778	451	725
Premature Debility	495	381	526	429	629	524	555	549
Old Age	296	415	429	540	483	828	412	1134
Violent Deaths	404	292	268	285	604	260	376	432
Small-pox	108	1320	866	616	55	64	1671	292
Measles	77	11	358	242	37	220	89	–
Scarlatina	258	628	21	319	263	84	651	103
Diphtheria	101	97	304	314	128	91	68	103
Hooping-cough	735	348	243	149	673	680	225	18
Croup	132	52	250	200	267	183	233	139
Diarrhœa	240	161	315	208	227	220	193	342
Dysentery	10	15	36	4	44	18	14	49
Cholera	10	15	7	13	29	–	–	18
Fevers, viz.	323	332	250	271	267	440	358	432
Typhus	129	187	54	76	139	264	143	274
Enteric	143	116	140	132	117	92	179	122
Relapsing	24	7	35	25	–	20	29	18
Continued	10	7	7	4	11	–	7	–
Infantile	17	15	14	34	–	64	–	18
Dropsy	56	19	82	55	84	176	29	36
Cancer	122	250	172	234	139	193	97	171
Phthisis	1404	920	1109	1054	1178	1190	712	1238
Apoplexy	164	247	182	157	201	233	150	238
Paralysis	181	280	215	238	227	402	261	396
Bronchitis	1533	897	1457	1101	1105	1140	891	914
Pneumonia	449	321	422	242	337	260	293	292
Teething	139	63	89	140	209	183	61	153

Fever. Diarrhœa and Measles each caused 2·2 per cent. of the deaths from All Causes. The remaining epidemics were, during 1872, by no means destructive.

(5.) In Glasgow 612 out of every hundred thousand of population fell victims to epidemics. Such deaths constituted 21·32 per cent. of the mortality from All Causes. Hooping-cough was very prevalent, accounting for 7·35 per cent. of All Deaths. The mortality from Small-pox and from all other zymotic diseases was low.

(6.) In Aberdeen the zymotic diseases proved fatal to 592 out of every hundred thousand of population, causing 25·16 per cent. of All Deaths. Small-pox caused 6·16 per cent. of the general mortality, Scarlatina and Diphtheria respectively contributed 3·19 and 3·14 per cent. Fevers, Measles, Diarrhœa, and Croup prevailed rather extensively, and indeed Hooping-cough seems to have been the only one of the more common epidemics which did not, during 1872, exhibit destructive activity.

(7.) In Greenock, out of every hundred thousand inhabitants, zymotics carried off 583, constituting 21·33 per cent. of the total mortality; Hooping-cough occasioned 6·73 per cent. of the general mortality; Fevers and Croup each 2·67 per cent.; Scarlatina, 2·63 per cent. The deaths attributed to other zymotic diseases were not so numerous as to require mention here.

(8.) In Perth, which of the Eight Principal Towns is by far the smallest, and that in which the habits of the population are most akin to those of country people, zymotic disease proved fatal to only 367 out of every hundred thousand of estimated population. Deaths from epidemic diseases consequently constituted only 16·52 per cent. of deaths from All Causes. Fever was the most active agent in producing these deaths, accounting for 4·32 per cent. of the general mortality, while Diarrhœa and Small-pox respectively accounted for 3·42 and 2·92 per cent. of such deaths.

TABLE XXXII.—NUMBER and PROPORTION of DEATHS at different Ages from the Zymotic and Ordinary Diseases in SCOTLAND in 1872.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PERCENTAGE AT EACH AGE.					
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5—10	10—15	15—60	Above 60	Total.
Small-pox . . .	552	228	231	1384	53	2448	22·6	9·3	9·4	56·5	2·2	100
Measles . . .	831	72	9	12	1	925	89·8	7·8	1·0	1·3	0·1	100
Scarlatina . . .	1210	625	135	125	6	2101	57·7	29·7	6·4	5·9	0·3	100
Diphtheria . . .	676	247	44	69	9	1045	64·7	23·6	4·2	6·6	0·9	100
Hooping-cough .	2695	150	5	–	–	2850	94·6	5·3	0·1	–	–	100
Croup	1010	132	3	–	–	1145	88·2	11·5	0·3	–	–	100
Diarrhœa . . .	1059	27	11	144	325	1566	67·7	1·7	0·7	9·2	20·7	100
Dysentery . . .	66	4	–	46	93	209	31·6	1·9	–	22·0	44·5	100
Cholera	47	6	1	21	8	83	56·7	0·7	0·1	2·5	1·0	100
All Fevers, viz. .	410	288	228	1201	227	2354	17·4	12·3	9·7	51·0	9·6	100
Typhus . . .	78	58	66	501	92	795	9·8	7·3	8·3	63·0	11·6	100
Enteric . . .	202	186	141	584	110	1223	16·5	15·2	11·5	47·8	9·0	100
*Relapsing. . .	14	10	13	71	7	115	12·2	8·7	11·3	61·7	6·1	100
Simple Contd. .	21	11	8	45	18	103	20·4	10·7	7·8	43·7	17·4	100
Infantile . . .	95	23	–	–	–	118	80·5	19·5	–	–	–	100
Syphilis	158	1	–	24	10	193	81·9	0·5	–	12·4	5·2	100
Erysipelas . . .	115	6	2	89	96	308	37·3	1·9	0·7	28·9	31·2	100
All Zymotics . .	8930	1818	710	3502	901	15861	56·3	11·5	4·5	22·0	5·7	100
All other Diseases, excl'd'g Zymotics	18032	1954	1431	20266	18250	59933	30·1	3·3	2·4	33·8	30·4	100
Total Deaths . .	26962	3772	2141	23768	19151	75794	35·5	5·0	2·8	31·4	25·3	100

Small-pox is, of all the diseases belonging to the zymotic class, that on which our information is most precise. It has now been ascertained that, during the year 1872, no less than 2448 lives were lost in Scotland by this loathsome pestilence. The disease, it will be remembered, had gained footing in some of the Principal Towns, and even in some of the adjoining parts of the country in 1871. In 1872 its ravages were continued in the Principal Towns, in which no less than 1555 deaths took place. The towns which suffered most severely were Leith, Edinburgh, and Dundee. Aberdeen and Perth were also visited, but less seriously; and it is remarkable that Glasgow, Paisley, and Greenock may be said to have almost escaped the epidemic. In the Large Towns the Small-pox deaths were 116; in the Small Towns, 365; in the Mainland-Rural Districts, 393; and in the Islands only 19. On examining Table XXVIII. it may be seen that the percentage of Small-pox deaths to population was in the Principal Towns about three times as great as that recorded in the Small Towns, that the inhabitants of the Large Towns and of Mainland-Rural Districts suffered about equally, but in lower proportion than the population of the Small Towns; and, finally, that the dwellers in the Insular-Rural Districts were, as regards Small-pox, nine times more fortunate than the inhabitants of the Eight Principal Towns.

During 1872 there died of Small-pox 552 children who had not completed the fifth year of life. In all probability by far the greater number

TABLE XXXIII.—Percentage of Deaths from the ZYMOTIC and ORDINARY Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PERCENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotics.	All other Diseases.
0— 5	26,962	8,930	18,032	33·1	66·9
5—10	3,772	1,818	1,954	48·2	51·8
10—15	2,141	710	1,431	33·2	66·8
15—60	23,768	3,502	20,266	14·7	85·3
Above 60	19,151	901	18,250	4·7	95·3
0—15	32,875	11,458	21,417	34·9	65·1
15 and upwards	42,919	4,403	38,516	10·3	89·7

TABLE XXXIV.—SMALL-POX DEATHS in SCOTLAND.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1864	1,741
1856	1,306	1865	383
1857	845	1866	200
1858	332	1867	100
1859	682	1868	15
1860	1,495	1869	64
1861	766	1870	114
1862	426	1871	1,442
1863	1,648	1872	2,448

of these lives might have been spared but for the carelessness or procrastination of parents or guardians who had neglected to secure for the children under their charge, within the usual period, the immunity from Small-pox which vaccination confers. It seems necessary to repeat here an opinion often expressed in former Reports of this nature, viz. that the period of six months, during which the existing Vaccination Act permits a child to remain unvaccinated without rendering its parents or guardians liable to penalty, should be reduced to four months. The most obvious benefit which this abridgment of the statutory period would secure is, that the number of unvaccinated children would be immediately and greatly reduced; and as during an epidemic of Small-pox every unvaccinated child must, in a certain sense, be regarded as dangerous to the community, regard for the

TABLE XXXV.—VACCINATIONS in SCOTLAND, 1861–1872, and proportion to the Births each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise not accounted for.	Total Births.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2582	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1864	Percentage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Percentage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000

TABLE XXXVI.—VACCINATIONS in SCOTLAND, 1864–1872, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	Total Living.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2582	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1864	Percentage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Percentage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Percentage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000

public health seems to call for alteration of the existing law. Then, a very large number of children who are at present believed to escape the provisions of the Act, in consequence of the migratory habits of their natural protectors —children that are lost sight of by the Registrars before the expiry of the period of six months after birth—would undoubtedly be duly vaccinated before the fourth month had expired. Finally, the number of cases in which postponements are authorized would be sensibly diminished; for the existence of a teething-rash, or of some such ailment connected with dentition, is at present by far the most common excuse for postponement. But were the vaccination made obligatory before the usual period of dentition is close at hand, it of course follows that these postponements would no more occur at the rate of nearly 0·75 per cent.—the proportion attributed to them in Table XXXVI. It may be stated, in explanation of Tables XXXV. and XXXVI., that, of 118,959 children born, 108,634 had completed the sixth month of life in 1872; that of these survivors 104,902, or 96·565 per cent. had been successfully vaccinated as the Act directs; that 386, or 0·355 per cent. had either had Small-pox, or been vaccinated without obtaining certificates; that 2535, or 2·333 per cent. remained unprotected either from having removed from the district where their births were registered, or from having received certificates that they were constitutionally insusceptible of vaccination. This last term must be held to convey no further meaning than that more than one vain attempt to vaccinate them had been made. Besides these, there was the very heavy list of postponements to which we have above alluded—811 children, or 0·747 per cent. of those that survived their birth for six months. Adding together the numbers of those who, from various causes, are presumably unprotected against

---

TABLE XXXVII.—DEATHS from FEVER in 1872.

FEVERS.	RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage of Total Fever Deaths.
Typhus . . .	134	23·0	661	37·3
Enteric . . .	364	62·4	859	48·5
Relapsing . . .	16	2·7	99	5·6
Simple Continued . .	46	7·9	57	3·2
Infantile . . .	23	4·0	95	5·4
ALL FEVERS . .	583	100·0	1771	100·0

TABLE XXXVIII.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Seven Years 1865–1872; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January .	1328	903	285	July . .	928	627	221
February .	1190	806	258	August .	809	504	234
March .	1279	882	284	September .	786	477	246
April . .	1130	804	235	October .	950	538	316
May . .	1085	740	253	November .	1119	688	293
June . .	982	685	229	December .	1134	666	328

Small-pox, we compute that they amounted in 1872 to 3346, or to fully 3·08 per cent. of all who, during that year, attained the age of six months. There seems good reason for believing that, in 1872, fully one hundred thousand of the population were unvaccinated. It is hardly to be wondered at that the deaths from Small-pox should, in such circumstances, have reached the highest number recorded since the Vaccination Act came into operation in this country.

Fevers were the causes of 2354 deaths, or of 74 deaths out of every hundred thousand of our population, thus constituting 3·20 per cent. of All Deaths that occurred during the year. Fevers cannot be said to have been unusually prevalent; on the contrary, the deaths from these diseases were far less numerous than those recorded in 1870 and 1871. It would seem, indeed, that, in accordance with the general laws that govern epidemics, the extraordinary prevalence of Small-pox had for a time disarmed Fevers of their virulence. The diminution in the frequency of deaths from Typhus was especially remarkable; as regards Enteric Fever, the deaths were quite as numerous as usual. Till of late years Typhus was incomparably a more frequent cause of death in Scotland than Typhoid Fever; such was at least the case in Edinburgh, and probably in most of the other Principal Towns. But how different the experience of 1872 has been, the following figures will suffice to prove. The frequency of death by Typhus has been to that of death by Typhoid Fever as 24 to 37 in All Scotland; as 38 to 37 in the Principal Towns; as 26 to 39 in the Large Towns; as 21 to 43 in the Small Towns; as 11 to 35 in the Mainland-Rural; and as 24 to 16 in the Insular-Rural-Districts. In Glasgow the deaths from Typhus have been to those from Enteric Fever as 37 to 41; in Edinburgh as 50 to 31; in Dundee as 15 to 39; in Aberdeen as 18 to 31; in Greenock as 38 to 32; in Paisley as 78 to 27; in Leith as 40 to 50; and in Perth as 61 to 27. These figures, while they illustrate the relative frequency of these two forms of Fever, likewise show what number of deaths have occurred from each of them out of an estimated population of one hundred thousand in each Group of Districts, and in each of the Eight Towns. It will be observed that, in the Small Towns, and in the Mainland-Rural District, as well as in Leith, and in other three of the Principal Towns, the mortality from Enteric Fever greatly preponderated. It is generally admitted that it is the faulty arrangements of our dwellings, and more especially the contamination of the supply of drinking water that chiefly favour the development and spread of Typhoid Fever; and if this popular belief be really well founded, it is hardly creditable to modern civilization that so insidious a pestilence should be year after year acquiring fresh force from the absence or imperfection of sanitary appliances.

In Table XXXVIII. will be found an account of the number of deaths from Fevers of all sorts, and likewise from each of the two most common forms of Fever which have occurred in the Eight Principal Towns of Scotland during each month of the last eight years. It will be seen that the mortality from Fever is at a maximum in January, falls a little in February, again rises in March to nearly the same point which it had attained in January, then falls steadily till September, when it is at its minimum, and, during the last three months of the year, rises steadily towards the annual maximum.

Hooping-Cough was a more frequent cause of death than either Small-pox or Fever. It proved fatal to 86 out of every hundred thousand of the population of Scotland in General, and in the Principal and Large Towns its ravages were unusually extensive. In Glasgow, Paisley, and Greenock the

leaths from Hooping-cough were 211, 201, and 189 for every hundred thousand inhabitants, while in Perth only one death was ascribed to this disease. As usual, females suffered more than males from Hooping-cough, n the proportion of 115 to 100 deaths.

Scarlatina caused deaths in the proportion of 64 to every hundred thousand of the population. This rate was, however, largely exceeded in Leith and in Edinburgh. In the former of these towns the deaths from Scarlatina were 182 for every hundred thousand inhabitants, and constituted 3½ per cent. of the mortality from All Causes, while in Edinburgh the rate was 168 per hundred thousand, which is equivalent to fully 6¼ per cent. of the total mortality from All Causes.

Diarrhœa proved fatal to 47 out of every hundred thousand inhabitants of Scotland, and was far more frequent in the Principal and Large Towns than in other divisions of the country. From Table XXX. it may be readily seen that it was far more destructive in Dundee and in Perth than elsewhere.

Croup was the cause of 35 deaths in every hundred thousand of our population, and, as usual, was more fatal to males than to females in the proportion of 4 to 3. It occurred most frequently in Greenock, Dundee, and Leith.

Diphtheria was the registered cause of 32 deaths out of every hundred thousand. It was far more frequent in Dundee and in Aberdeen than elsewhere. That no necessary connection can be traced between the prevalence of Scarlatina and of Diphtheria the following facts tend to prove:—During 1872, for every death by Scarlatina, there were registered in Dundee fully 14 deaths by Diphtheria; in Aberdeen the number of deaths by the two diseases were about equal; while in Leith the deaths by Scarlatina were fully 9½ times as numerous as those by Diphtheria.

Measles seems to have been, comparatively speaking, in abeyance during 1872. It was not specially frequent in the Principal Towns, except in

---

TABLE. XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1872, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Phthisis	264	Phthisis	230
Bronchitis	239	Bronchitis	187
Old Age	188	Atrophy, Debility, and Premature Birth	176
Atrophy, Debility, Premature Birth	125	Old Age	118
Heart, etc., Diseases of	119	Heart, etc., Diseases of	118
Hooping-cough	86	Convulsions	111
Pneumonia	78	Diarrhœa	97
Small-pox	74	Pneumonia	88
All Fevers	71	Small-pox	83
Scarlatina	64	All Fevers	61
Hydrocephalus	61	Hooping-cough	60
Paralysis	61	Scarlatina	52
Diarrhœa	47	Apoplexy	52
Cancer	47	Paralysis	51
Apoplexy	47	Cancer	44
Croup	35	All Liver Diseases	39
Liver Diseases	33	Measles	37
Fractures and Contusions	33	Fractures and Contusions	31
Diphtheria and Tabes (each)	32	Tabes Mesenterica	30

Dundee, where it was fatal to 1 per thousand of the inhabitants, and cause about 3½ per cent. of the mortality from All Causes.

The deaths from other diseases of the Zymotic Class were quite triflin in number, and require no comment here.

To Diseases of Uncertain Seat 2548 deaths were attributed. Th mortality from such causes amounted to 77 deaths out of every hundre thousand of population, or to 3·46 per cent. of all recorded deaths. I every division of the country females suffer more from this class of disease than males. This is probably explicable by reference to two circumstances *first*, to the frequency of Cancer in women, and, *secondly*, to the death from Ovarian Disease, which are often returned to the Registrars as case of Dropsy. Of every hundred thousand males there died of Cancer 3 while a like number of females furnished 60 deaths. Of the total deaths males 1·43 per cent. were due to Cancer, but among females the proportio was 2·8 per cent.

To Dropsy 573 deaths were attributed, and no information was ob tained as to the pathological cause of the dropsical symptoms. It is pe fectly certain that well-informed medical men could have referred almo all these cases to Disease of the Heart, of the Kidneys, of the Liver, of th Lungs, of the Peritoneum, or of the Ovaries. But it must be recollecte that very many of these deaths were not certified on medical authority, an are perforce referred to the ambiguous heading Dropsy, in terms of certif cates furnished by credible but unprofessional informants. It will be note that such is the frequency of this alleged cause of death in the Insular Rural Districts, that it has the effect of making diseases of Uncertain Sea appear far more lethal in our Island Districts than in any other parts of th country. Were the dropsies distributed among the true causes of deat with equal accuracy in our Islands and Principal Towns, there can be litt doubt that the above anomaly would disappear. The extraordinary frequenc with which, during the last three years, Dropsy has been returned as th cause of deaths in Paisley seems to demand some notice in this place. Tha Dropsy should appear to be in Paisley three times as frequent as it is i Glasgow, more than twice as frequent as in Greenock, and ten times a frequent as in Edinburgh, seems to indicate some want of care in ascertain ing the true cause of death, or in filling up certificates of death in Paisley.

The deaths from Hæmorrhage of unspecified seat were 66; fro Abscess, 161; from Ulcer, 38; from Fistula, 14; from Mortification, 11 and from Gout, 22. Of these deaths from Gout, 19 occurred in perso above 60 years of age. To the Class of Tubercular Diseases, 12,596 death were ascribed. Of these 6171 occurred among males, and 6425 amon females. For every hundred thousand living there consequently were 38 deaths, and 17·09 per cent. of the total mortality of the year was due t Tubercular disorders. These diseases were most rife in the Large Town where they proved fatal to 1847 out of every hundred thousand inhabitant In a like number of population the deaths were 1831 in the Small Town 1776 in the Principal Towns, 1456 in the Mainland-Rural, and 1283 i the Insular-Rural Districts. The rate of mortality from Tubercular disease per hundred thousand inhabitants, was 594 in Glasgow, 541 in Paisley 486 in Greenock, 445 in Dundee, 368 in Aberdeen, 367 in Perth, 365 i Edinburgh, and 340 in Leith.

To Pulmonary Consumption 8715 deaths were in 1872 ascribed This number is equivalent to a mortality of 264 out of every hundred thou sand of population, and to 11·83 per cent. of deaths from All Causes. A a general rule, it would appear that this disease is more fatal to women tha

to men. Our tables show that this has been the case during 1872 in all the Town Districts of Scotland. In the Midland-Rural Districts, neither sex seem to have suffered more than the other; but, in the Insular-Rural Districts, the male deaths from Consumption exceeded the female deaths in equal numbers of population in the proportion of 3 to 2.

That residence in our Large Cities increases the liability to Pulmonary Consumption is so generally admitted as hardly to require illustration from our Tables. It is, therefore, not surprising to find that while the death-rate from Consumption was in the Principal Towns 331, and in Glasgow 403 to every hundred thousand inhabitants, it was in the Mainland-Rural 185, and in the Insular-Rural only 177.

It is a generally acknowledged fact that, in the early stages of adult life, the deaths from Consumption are more numerous than in the later stages. It may be ascertained from the figures of the Census of Scotland for 1871, and from those of our Detailed Annual Report for that year, that of the whole population, aged 15 years and upwards,

61 per cent. are aged between 15 and 40, and
39 per cent. are aged 40 and upwards.

Of the deaths by Consumption which occur in such a population,

72 per cent. occur in persons between 15 and 40, and
28 per cent. occur in persons of 40 and upwards.

In a large and long-established Life Assurance Company it was ascertained, in 1866, that its Lives at Risk had been

35 per cent. aged between 15 and 40,
65 per cent. aged 40 and upwards.

Of the deaths by Consumption which had occurred among its members,

41·6 per cent. occurred among those aged 15 and 40,
58·4 per cent. occurred among those 40 and upwards.

Persons little accustomed to deal with statistics might from such figures infer that the large relative proportion of deaths at the more advanced ages in the Assurance Society showed that the benefit of selection did not protect the Society in any degree against the occurrence of Consumption among its members who had passed the age of 40, and that, in fact, Consumption is a disease quite as likely to manifest itself after 40 as before that age. But such gross errors may be easily disposed of.

In All Scotland, during 1871, the deaths by Consumption were at the following rates:—

Out of 100,000 persons aged 15 and under 40 . . 421
Out of 100,000 persons aged 40 and upwards . . 250

In the Assurance Society the corresponding numbers were

Out of 100,000 persons aged 15 and under 40 . . 160
Out of 100,000 persons aged 40 and upwards . . 115

It is now plain enough that, both in All Scotland and among the assured lives, the fatality of Consumption was far greater between the ages of 15 and 40 than at the ages of 40 and upwards.

And a very simple computation suffices to show that, between the ages of 15 and 40, the deaths by Consumption among the assured were only 38 per cent. of those that might have been anticipated had no selection been made; while, at the ages of 40 and upwards, 46 per cent. of the deaths from this cause that might have been anticipated among unselected lives were experienced.

The above details have been introduced in this place, as they illustrate the principles on which the mortality from a special disease must be

calculated. Strictly speaking, the numbers of those alive at the Census, a ages from 15 upwards, are not the same as the Years of Life at these ages but, for our present purpose, the difference may be disregarded.

Of the other diseases regarded as Tubercular, Hydrocephalus caused 2027 deaths; and, as usual, the majority of these occurred in male children The deaths from Tabes Mesenterica were 1044; those from Scrofula, 810.

Diseases of the Nervous System caused 6630 deaths—an unusually large number, representing 9·0 per cent. of the total mortality from Al Causes, and equivalent to the removal of 201 out of every hundred thousand of the population. This Class of Diseases was more frequent among men than among women in all the Groups of Registration Districts. Its fatality was greatest in the Principal Towns, and especially in Edinburgh.

Diseases of the Heart and Blood Vessels accounted for 3933 deaths *i.e.* for 5·34 per cent. of the general mortality. They were fatal to 119 out of every hundred thousand of our population. They were more destructive in Perth and in Edinburgh than in any other of the Principal Towns. We attribute little consequence to the circumstance of deaths from these causes being comparatively seldom returned from the Rural, and especially from the Insular-Rural Districts. There can be little doubt that many of the deaths vaguely attributed to Old Age, in these Groups of Districts, were deaths from diseases of the Circulatory System.

To Diseases of the Organs of Respiration 11,535 deaths were ascribed This indicates a share in the total mortality amounting to 15·65 per cent. and is equivalent to the deaths of 349 out of every hundred thousand persons living. These deaths, everywhere more numerous among men than among women, were especially frequent in the Town Districts. For every hundred thousand of population there were attributed to these diseases 502 deaths in the Principal Towns, 416 in the Large Towns, 300 in the Small Towns, 224 in the Mainland-Rural, and only 167 in the Insular-Rural Districts; while in Glasgow the rate was 612; in Dundee 549; in Paisley, 444; in Greenock, 419; in Edinburgh, 366; in Leith 360; in Aberdeen, 358; and in Perth, 306. As of late years, no disease of this class caused so many deaths as Bronchitis. No less than 7897 persons succumbed to this one cause, to which, accordingly, there falls to be ascribed 10·72 per cent. of the total mortality of Scotland, and the deaths of 239 out of every hundred thousand of our population. In the Insular-Rural Districts only 82 deaths to every hundred thousand living were ascribed to this cause. This statement will, however, be received with fitting reserve by any physician who knows that the deaths attributed to Old Age in these districts were actually 461 to every hundred thousand living. In the Principal Towns the death-rate from Bronchitis was 357, and in Glasgow 440, for a like number of inhabitants.

The registered deaths attributed to Pneumonia were 2570; those from Asthma, 480; from Unspecified Lung Diseases, 266; from Pleurisy, 231; and from Laryngitis, 163.

To Diseases of the Organs of Digestion 4822 deaths were ascribed, being 146 deaths to every hundred thousand persons, and 6·54 per cent. of the mortality from All Causes. Males suffered from these diseases more frequently than females, and the Town Districts more severely than the country.

The deaths from the very numerous diseases which are combined into this Class were: from Enteritis, 874; from Teething, 759; from Liver Disease, 741; from Stomach Disease, 702; from Peritonitis, 319; from Ileus, 281; from Ulceration of the Intestines, 227; from Jaundice, 217;

from Gastritis, 215; from Hepatitis, 140; from Ascites, 81; from Quinsey, 54; from Intussusception, 38; from Spleen Disease, 34; from Stricture of the Intestines, 31; and from Disease of the Pancreas, 2.

Diseases of the Urinary Organs caused 1244 deaths, being in the proportion of 38 to every hundred thousand of the population, and constituting 6·54 per cent. of the whole mortality recorded. The deaths from these causes were far more frequent among males than among females. Of the former there died 812; of the latter, 432. From Nephria there were 353 deaths, and a like number from Unspecified Diseases of the Urinary Organs; from Cystitis, 192; from Diabetes, 95; from Ischuria, 62; from Stone, 58; from Stricture of the Urethra, 14; and from Disease of the Suprarenal Capsules, 9.

From Diseases of the Generative Organs there died 563. Of these, 391 were registered as deaths in childbirth, and, if to this number there be added 219 deaths from Metria, we obtain 610 as the number of deaths referrible to puerperal causes. The number of live children born in 1872 was 118,765; and, after making the necessary correction for cases of twin and triplet births, we find the number of mothers of live children to have been 117,360. It would appear, therefore, that one mother in 192 died in childbed. But, as has been formerly explained in similar Reports, the means of accurately estimating the number of mothers do not exist in Scotland. This is due to the circumstance that there is no record kept of the still-births; and yet it is from these that a great many lives of mothers are lost. There are cases in which it is the duty of the medical attendant to induce premature labour in order to save the life of a child, or that of a mother who may have some pelvic deformity. In such cases the child is often born dead. There are cases in which, during the course of such diseases as Small-pox or Scarlatina, a female dies after giving birth to a dead child. There are cases of placenta prævia, of hæmorrhage from various causes, of malposition, of necessary operative interference, which need only be alluded to in order to prove that still-births are more likely than live-births to lead to the death of mothers. In the experience of other countries (and we select Holland as one inhabited by a race akin to the Scottish) there commonly occur five still-births for every hundred live-births. This renders it probable that there occurred 5868 still-births in Scotland during 1872, and that the total number of mothers was not less than 123,228. If this be so, the mortality experienced in childbed should be stated as 1 out of every 202 mothers. But it must not be lost sight of that, mainly in consequence of the absence of any register of still-births, we have no trustworthy information as to the true cause of death of any woman that has borne a dead child. That there have been many such deaths, and that they figure in our tables as deaths from Peritonitis, Inflammation, Disease of the Heart, and Consumption can hardly admit of doubt.

The deaths from Ovarian Dropsy or Tumours were 96; from Diseases of the Uterus, 66; and from the various disorders peculiar to females grouped under the heading Paramenia, 30.

From Diseases of the Organs of Locomotion the deaths were 469. Of these, 168 were attributed to Rheumatism, 156 to Diseases of the Joints, and 145 to Diseases of the Bones.

There were 101 deaths from Affections of the Skin. Of these, 58 were from various unspecified disorders, 23 from Carbuncle, and 20 from Phlegmon.

From Malformations there were 268 deaths, whereof 162 occurred in males; from Infantile Debility, 3619 deaths, whereof 2064 incurred in males; from Atrophy, 542; and from Old Age no less than 6208, of which

3857 occurred in females. It is quite plain that the term Old Age, when used as denoting a cause of death, is little better than a confession of ignorance, and greatly vitiates our statistics, especially in reference to the Insular-Rural Districts, where Old Age is actually the only cause assigned for about 25 per cent. of the deaths from All Causes. In the Principal Towns it is given as the cause of only 4 per cent. of All Deaths.

From Sudden Deaths, not otherwise defined, there were 171 deaths.

There were 2571 Violent Deaths, of which 1933 occurred in males. Of these deaths 1058 were due to Fractures and Contusions, 576 to Drowning, 263 to Burns and Scalds, 151 to Drunkenness, 137 to Suffocation, 125 to various unspecified causes of a violent nature, 78 to Want of Breast-milk, 49 to Poison, 38 to Hanging, 32 to Cuts and Stabs, 19 to Wounds with Firearms, 19 to Exposure to Cold, 3 to Privation, 2 to Neglect, and 1 to a Poisoned Wound.

Eleven males and three females lost their lives in a Railway Accident at Kirtlebridge on 2d October. Eleven males and four females were killed by the explosion at Tradeston Flour Mills on the 9th July.

Suicide was the registered cause of 106 deaths. Of these, 71 occurred in males and 35 in females. The means of self-destruction resorted to were in 34 cases Hanging, in 25 Drowning, in 25 Throat Cutting, in 8 Fire-arms, in 1 Precipitation, and in 9 Poison. The poison selected was in five cases Laudanum, in one case Opium, in one Salt of Sorrel, and in one Arsenic. In one case the nature of the poison used was not communicated to the Registrar. In four of the 71 Cases of Suicide, the mode in which death was effected was not clearly specified.

No less than twenty-six deaths of persons aged 100 years and upwards were registered. It must, however, be distinctly understood that we do not vouch for the accuracy of such entries. The wildest statements pass current, especially in remote parts of the country, as to the age of some of the inhabitants. In the absence of a birth certificate, a most rapid promotion in age is apt to be attributed by gossip and popular rumour to any man or woman who has passed the age of 90 years.

Of the ten males who are stated to have died at very advanced ages, five were aged 100 years, one was 101 years old, three were 102, and one was 103.

Of the 16 females who died at great ages, six had reached 100, three were aged 101, three were 102, one was 103, and three were 105.

Weather and its Influence on the Mortality.

It is a matter of popular observation that there exists a certain connection between the weather and the fatality of certain diseases. This connection has never been more strikingly illustrated in Scotland than in those sudden and general outbursts of Influenza or Epidemic Catarrh which occur occasionally under the ungenial influences of cold east winds. The very term 'a cold,' which is commonly applied to every slight case of Catarrh, Bronchitis, or Febricula, is a virtual acknowledgment that a diminution of atmospheric temperature is pernicious to human life, or at least trying to human health. Since attempts have been made scientifically to investigate this subject in Scotland, and to trace the connection between the prevalence of inclement weather and the spread of various epidemic disorders, the conclusion has been arrived at that cold is the agent which has the most powerful effect in increasing the mortality of the great majority of the known causes of death. No doubt there are some few diseases, such

as the Diarrhœas and Bowel Complaints of children, which seem to be generated or fostered by heat, and to such diseases we have had frequent occasion to allude in the course of this and of similar reports. But the geographical portion of Scotland, and the conformation of the country, are such as to secure it most effectually from any long-continued prevalence of excessive heat; and consequently such diseases as Ague and the pernicious Remittent Fevers met with in more southern latitudes, as the products of telluric miasmata, are in Scotland all but unknown.

Under the influence of excessive cold, and especially of cold at an unusual season, the mortality from almost all Causes of Death increases; and this increase is not less strongly marked in the epidemic than in the sporadic diseases.

In reading Tables drawn up with the view of showing the influence of season or weather on the mortality, it is very necessary to bear in mind that if the extreme cold weather should occur at the end of a month, the great majority of the diseases induced and aggravated by the cold would not prove fatal till the beginning of the next month, so that the deaths truly caused by the cold weather would be registered in a month to which they properly did not belong, and would make its mortality, though a milder month, to appear greater than that of the colder month. A notable instance of this happened in 1872. (Table XL.) After a comparatively open winter, the last ten days of March proved truly wintry; hard frosts, with heavy falls of snow, and bitterly keen north-west, north-east, and north winds prevailed, and the health of the population suffered a rude trial. But a very large number of the persons whose diseases were induced or aggravated by this severe wintry weather did not die till April, and these deaths so raised the mortality of this month that it far exceeded that of March, though it was a month not particularly differing from the average Aprils of former years.

It is this circumstance which makes it so necessary in an annual Report where an attempt is made to trace the influence of weather, to go year after year over the same ground; because, when a ten-yearly average is shown, all these minute and really important particulars are lost.

One other general law deducible from the observations of former years seems tolerably well established, and that is, that when the cold first sets in it does not prove so fatal to the general population as it does later in the winter, when the constitutions of the people are somewhat weakened by the previous cold. This is noticed every year, and 1872 was no exception

---

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during the year 1872, compared with the Mean of the Ten Years 1855–1864.

	Year 1872.				1855–1864.	
Months.	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Proportion.	Mean Temperature.
	°					°
January	39·0	7700	7700	1200	1134	37·2
February	41·2	6774	7240	1129	1193	37·4
March	41·8	6771	6771	1055	1145	39·8
April	45·2	7062	7264	1132	1083	44·1
May	47·4	6385	6385	995	1010	49·5
June	55·1	5598	5797	904	956	55·6
July	59·3	5951	5951	928	895	57·6
August	56·5	5572	5572	869	856	57·3
September	51·5	5169	5341	833	843	52·8
October	45·8	5909	5909	921	858	47·2
November	41·3	5944	6142	957	954	40·2
December	38·3	6906	6906	1077	1073	38·6
Year	46·9	75,741	76,978	12,000	12,000	46·7

to the general law. December had a lower temperature than either January or February, but both these latter months had a higher mortality.

Table XL. affords the means of comparing the monthly mean temperatures and proportion of deaths in 1872 with those of the ten years 1855 to 1864. During these ten years, January and February were the coldest months, their mean temperatures averaging respectively 37°·2 and 37°·4; after which follows December, with a mean temperature of 38°·6; then March, with a mean temperature of 39°·8. During these ten years, July was the warmest month; but its mean temperature differed so little from that of August that there was only a difference of three-tenths of a degree in favour of July. It will be seen that the year 1872 differed considerably from the average; for December was its coldest month, and in July, its warmest month, the mean temperature was nearly two degrees higher than the average of the ten years, and nearly three degrees higher than during August of its own year. The characteristics of the weather during the several months of 1872 may be summarized as follows:—

The year 1871 had closed with a cold December, whose mean temperature was below the mean, viz. 38°, and with the high mortality of 236 deaths daily.

January 1872 opened with comparatively mild weather, and had a mean temperature nearly two degrees higher than the ten years' average, viz. 39° and a degree higher than that of the previous month; yet its deaths were higher, for they averaged 249 daily. A heavy snow-storm occurred on the 6th, under the influence of a north-west wind, and it was not till the 9th

---

TABLE XLI.—Meteorology of Scotland for the Year 1872, deduced from Observations made at 5 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1872; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1872, as stated in the Quarterly Reports.

1872.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEA
Highest Temp. in shade	56°·0	56°·0	63°·9	68°·5	76°·2	82°·0	85°·3	82°·3	73°·0	69°·0	68°·6	59°·0	85
Lowest Temp. in do	18°·2	22°·0	16°·8	23°·0	25°·0	32°·0	35°·0	33°·6	30°·0	20°·0	21°·0	10°·0	10
Mean Day Temp. . .	43°·3	45°·6	47°·3	51°·5	54°·2	62°·0	66°·6	63°·5	57°·2	51°·4	46°·1	42°·5	52
Mean Night Temp. .	34°·8	36°·8	36°·4	38°·9	40°·7	48°·1	51°·9	49°·8	45°·9	40°·1	36°·5	34°·1	41
Daily Range	8°·5	8°·9	10°·9	12°·6	13°·5	13°·8	14°·8	13°·9	11°·3	11°·3	9°·6	8°·4	11
Mean Temperature .	39°·0	41°·2	41°·8	45°·2	47°·4	55°·1	59°·3	56°·5	51°·5	45°·8	41°·3	38°·3	46
Highest Temperature in sun	85°·0	104°·0	105°·9	120°·0	136°·0	142°·4	147°·2	139°·0	128°·0	109°·0	98°·0	80°·0	147
Lowest on grass at night	8°·0	17°·0	12°·4	18°·0	13°·5	21°·0	23°·0	22°·0	15°·0	12°·0	12°·0	5°·0	5
Wet-bulb Temperature	37°·9	39°·3	39°·4	42°·3	44°·8	52°·5	56°·3	54°·1	49°·3	43°·6	39°·7	37°·1	44
Dew-point Temperature	36°·3	37°·7	37°·4	39°·5	42°·3	50°·2	54°·1	52°·2	47°·4	41°·8	37°·9	35°·4	42
Humidity of Air . .	90	90	87	83	84	85	84	86	87	88	90	90	87
Elastic force of Vapour (inches)	·215	·226	·224	·243	·271	·365	·419	·391	·328	·265	·229	·208	·28
Number of Rainy Days	20	18	17	14	19	20	13	16	22	19	21	18	21
Amount of Rain (inch.)	6·48	4·28	3·26	2·14	3·32	5·16	3·59	3·89	5·94	4·75	6·01	5·33	54·1
Amount of Cloud . .	7·1	7·2	7·0	6·7	6·9	7·2	6·5	6·8	7·1	6·2	6·7	7·2	6·9
Hours of Sunshine .	61	78	108	151	169	175	229	161	110	127	75	56	150
Mean Barometer (in.)	29·365	29·664	29·715	29·874	29·848	29·781	29·927	29·944	29·682	29·587	29·530	29·464	29·6
Easterly Winds (number of days) . . .	8	11	11	9	9	6	12	14	5	7	9	11	11
Westerly Winds (do.)	14	9	10	12	14	14	10	8	17	16	13	10	14
Births	10258	9382	9866	10595	10443	9688	10436	9675	9070	10056	9432	9972	1188
Deaths	7700	6774	6771	7062	6385	5598	5951	5572	5169	5909	5944	6906	757
Marriages	2983	1481	1356	1670	1150	3578	2784	1588	1519	1662	2595	3254	256
Daily Births	331	323	318	353	337	323	337	312	302	324	314	323	3
Daily Deaths	249	234	218	235	206	187	192	180	172	191	198	223	2

when the wind changed to the south-west and west, that the snow melted. No truly wintry weather occurred during the remainder of the month, but the rainfall was very great.

February was a mild month, with the high mean temperature for the season of 41°·2; and under the influence of such weather the deaths fell to 234 daily. There was no wintry weather during the month, but a full rainfall.

March entered with mild weather and balmy south-westerly breezes, which continued till the 19th, when the wind changed to north-east, and snow began to fall; and under the influence of keen north, north-west, and north-east winds, snow fell heavily from the 21st to the 26th, and more lightly till the 28th, accompanied by keen frosts at night. After this the weather and winds became variable, and the snow melted. As above explained, the effect of the cold weather on the deaths was not observed during the month, for they fell below those of February and those of April, and only averaged 218 deaths daily; but the baneful influence of the cold was very observable among the population in the increase of bronchitic and other affections of the lungs, which greatly increased the mortality of April.

April had its usual kind of weather—very changeable, with mild, sunny periods, attended by west or south-west winds, suddenly followed by changes to cold periods, accompanied by northerly or easterly winds, often associated with slight hail or snow showers. In consequence of the majority of the diseases which were induced by the cold weather during the last week of March proving fatal in April, the mortality of April exceeded that of March, the deaths averaging 235 per day.

May had more than its usual share of cold weather, and its mean temperature was consequently only 47°·4, or more than two degrees lower than the average during the ten years 1855–64. Snow fell on the 11th, 17th, and 19th, under the influence of north-west and north-east winds; indeed, all the higher parts of the country were white on the 19th. The daily deaths therefore only fell to 206.

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and Classes of Disease in the Eight Principal Towns of Scotland, during each Month of the Year 1872.

1872.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	39°·8	41°·5	42°·1	45°·5	47°·8	56°·1	59°·7	56°·8	52°·0	46°·3	41°·8	38°·8
Highest Temperature	53°·2	54°·5	61°·8	68°·5	67°·3	80°·8	79°·7	76°·0	73°·0	69°·0	62°·3	57°·0
Lowest Temperature	24°·0	28°·0	22°·0	29°·0	30°·0	38°·7	41°·7	41°·0	34°·0	25°·0	26°·0	18°·0
Rainfall in inches	5·95	3·75	2·87	1·61	3·35	5·41	4·20	3·83	6·85	4·25	6·15	5·02
Easterly Winds (days)	8	11	11	9	10	7	14	17	7	7	11	12
Westerly Winds (days)	16	10	11	14	16	17	12	11	20	20	14	13
Total Deaths	3174	2780	2662	2774	2609	2209	2301	2236	2107	2391	2322	2613
Daily Deaths	102	96	86	92	84	74	74	72	70	77	77	84
Zymotic Diseases	1039	862	735	694	595	471	475	548	568	528	456	478
Small-pox	461	319	244	186	149	64	35	23	8	16	12	20
Measles	50	25	15	31	28	31	38	30	27	15	28	38
Scarlatina	94	80	72	65	58	60	51	77	88	113	93	83
Diphtheria	45	27	26	18	23	22	20	19	38	65	57	52
Hooping-Cough	160	198	191	182	185	139	124	106	87	86	60	72
Croup	35	28	31	31	28	17	25	37	47	55	56	66
All Fevers	119	94	81	99	66	59	59	70	73	84	78	69
Diarrhœa	25	44	30	35	26	47	83	138	147	58	31	41
Dysentery	3	1	2	5	3	–	7	7	8	7	5	2
Cholera	2	–	–	–	1	1	7	8	13	1	–	–
Consumption	300	299	323	340	366	312	338	290	244	236	263	259
Diseases Respiratory Organs	600	474	476	513	469	390	338	273	295	503	497	661
Heart, etc., Diseases	114	112	119	133	117	118	93	105	100	118	130	130
Brain, etc., Diseases	241	222	193	272	229	177	210	190	192	228	199	230
Debility and Fremat. Birth	126	109	107	123	146	88	119	120	108	110	110	141
Age	112	99	101	108	93	88	88	91	69	103	108	151

December did not differ greatly from ordinary seasons, either in its mortality or in its weather. The mean temperature was very slightly lower, and the rainfall greater, than usual; the amount of sunshine less, and that of cloud more. Its mean temperature was 38°·3, and the mean daily deaths 223.

At present we have it not in our power to show, in a tabular form, the influence of season on the different diseases which cut off the inhabitants of Scotland. But the abstract of our Monthly Reports, summarized in Table XLII. shows the facts for the Eight Principal Towns of Scotland. Small limited tables like these never can show, with any absolute accuracy, the real influence of season on the different epidemic diseases, because it happens that it is not the same epidemic which is prevailing in all the towns at the same moment; and it may and does occasionally happen, that while an epidemic is dying out of the towns on the western side of the island, it is only beginning to assume the epidemic type in the towns situated on the eastern side. In a table, therefore, such as this, the decaying epidemic in the one set of towns balances the increasing epidemic in the other, and the tables are apt to give an erroneous idea regarding the influence of season on it.

We have had no such epidemic of Small-pox, within the memory of the present generation, as that recent one which simultaneously appeared in the four Principal Towns, Edinburgh, Dundee, Aberdeen, and Leith, all situated on the eastern side of Scotland. Let us extract the deaths from Small-pox which occurred during each month in these towns from the month of August 1871, when that disease first assumed the epidemic type, till July 1872, when it disappeared as an epidemic, and ascertain how far it conformed to the law as to the influence of season which has been already traced with regard to epidemics of Fever.

In these four towns, though Small-pox very slightly increased in August, it was not till September 1871 that it fairly assumed the epidemic type. During August 1871, only 24 persons died from Small-pox in these towns; 38 died in September, 80 in October, 141 in November, 328 in December, and 423 in January 1872, when the highest mortality from that epidemic was reached. It will be seen, by reference to the last column of Table XLV., that in all this Small-pox followed the usual law which appears to regulate the increase of mortality in Scotland, viz. increased with the depression of temperature, till it attained its highest mortality during the very month when the mortality from all diseases is highest. From this period the epidemic of Small-pox slowly but steadily declined in all the

TABLE XLVII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January . . .	11066	2305	7033	4337	24711	1164
February . . .	11165	2348	6833	4165	24511	1155
March	10359	2271	6809	3865	23304	1098
April	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August	8889	1929	4988	2698	18504	872
September . . .	8649	1932	4724	2536	17841	841
October	9078	2120	4936	2679	18813	886
November . . .	10458	2220	5879	3668	22225	1047
December . . .	10590	2258	6344	3893	23085	1088
TEN YEARS . .	116,968	26,075	70,744	40,868	254,655	12,000

towns; for 300 deaths occurred in February 1872, 226 deaths in March, 164 in April, 135 in May, 49 in June, and only 27 in July, when the epidemic constitution ceased.

The influence of season on epidemics, however, is not in all respects the same as its influence on the ordinary diseases. Little as we know positively about epidemics, this may be assumed from what we do know regarding a few, that their origin has some connection with telluric, or with conjoined telluric and atmospheric, miasmata. The origin of ague, of yellow fever, and of dysentery, in warm countries, shows sufficiently that some such connection does exist; and one of the strongest points which demonstrates the powerful influence of weather on these diseases, is the ascertained fact that heavy falls of rain, which purify the atmosphere, and carry down, as it were, the miasmatous exhalations, have the effect of temporarily arresting the progress of Yellow Fever, even after it has made its appearance as an epidemic. This has been more than once strikingly noticed at New Orleans.

Now, it is a remarkable fact that during the latter months of the past year, at the very time when our usual epidemics begin to increase, the fall of rain was about double its usual amount, and continued so till the year closed. It must, therefore, be something more than a mere coincidence, when Table XLII. shows it is a fact that instead of the deaths from epidemics increasing with the fall of the season, as they notably did the previous year, and on the average of years, their mortality absolutely declined, so that in the Eight Towns the zymotic diseases, which caused 568 deaths in September, only caused 528 in October, 456 in November (the rainiest month), and 478 in December.

Diseases of the Respiratory Organs show the influence of weather more than, perhaps, any other class. During the year 1872, December was the month of lowest temperature, and it was also the month of greatest mortality for that class of diseases; and the deaths increased during the several months just in proportion to the decrease of temperature. Thus, during August, only 273 deaths from the Inflammatory Affections of the Respiratory Organs occurred in the Eight Towns, and 295 in September; but during the cold month of October they rose to 503, remained much at the same

---

TABLE XLVIII.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Eighteen Years 1855-1872.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	s. *d.*		*s.* *d.*
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6
1867	64 5	69,068	138 0
1868	63 9	69,416	137 6
1869	48 2	75,875	99 6
1870	46 10	74,165	104 6
1871	56 10	74,712	77 3
1872	57 0	75,794	132 0

mortality, viz. 497 deaths, during the rainy and comparatively mild month of November, but rose to 661 deaths during the stormy, cold month of December. January, which was the next coldest month, had the next highest mortality, for 600 deaths from this class of diseases were registered that month; and the months of February and March, which had very nearly the same temperature, had respectively 474 and 476 deaths. The last week of March, however, as above noticed, was a stormy, cold wintry month, with keen northerly breezes, and so increased the cases of Inflammatory Affections of the Respiratory Organs which proved fatal in April that the mortality of these diseases in April rose to 513 deaths. The sudden changes to cold, frosty weather in May kept up the fatality of these complaints, so that 469 died from them in May; after which their mortality declined, till it attained its minimum in August of 273 deaths.

It is interesting to trace the influence of season and atmospheric vicissitudes on the mortality at different ages. To aid in this inquiry, we have for several years past given in these Reports Tables similar to those of XLIV. and XLV., in which the deaths in the Eight Principal Towns of Scotland, at four periods of life, are shown during each month, and in such a form that correct conclusions may be drawn regarding the influence of season at each age of life. To render a comparison of the mortality at each age during the several months possible or accurate, it is necessary that the deaths at each age should be corrected for the inequality of the length of the several months. When this is done, as in Table XLV., the figures in each column express the relative mortality of the persons at the named ages due to season; and it is instructive to note that it is not the same month which proves equally fatal to persons at different ages. These Tables having reference alone to the year 1872, when we speak of the relative mortality of the different months, the peculiarities in the meteorological conditions of these months must be allowed for or kept in remembrance, because 1872, being an exceptional year in many particulars, exhibited that difference on its deaths.

By Table XLV., then, it appears that in 1872, for children under five years of age, February was the most unhealthy month, and produced the greatest number of deaths; June the most healthy, producing the fewest deaths. Thus, in February there were 1190 deaths; then followed January, with 1178 deaths; April, with 1139 deaths; May, with 1085 deaths; March, with 1036 deaths; October, with 1026 deaths. These were the six most unhealthy months for children under five years of age. The most healthy were June, with 953 deaths; July, with 987 deaths; August, with 990 deaths; November, with 999 deaths; December, with 1006 deaths; and September, with 1013 deaths. From this it will be seen that the influence of season on the deaths of children under five years of age was very different indeed from that of season on the deaths of the whole population.

The second column of Table XLV. shows that the relative deaths of persons from five to twenty years of age was highest in January, and that the deaths steadily and regularly decreased till they attained their lowest number in September. This regular progressive decrease in the mortality of persons at these ages may render it liable to question whether that decrease can be fairly attributed to season, or whether it is not rather due to the fact that the whole epidemic class of diseases followed this same progressive decrease, and that, therefore, the progressive decrease was owing more to the dying out of the epidemic with the advance of the season than to the influence of season itself. No year was better fitted for throwing light on such an inquiry. It has been again and again shown in these Reports, and elsewhere, that epidemics usually appeared in

Scotland about September, and increased in virulence with the decline of the season till they attained their maximum mortality in January or February, depending on which turned out the most inclement month; and that from that period the mortality decreased with the advance of the season, till the epidemic itself died out before the summer heats commenced. It was, moreover, above demonstrated that the recent epidemic of Small-pox followed exactly that course. If such be not the influence of season on epidemics, what is it to be called? The exact same course is seen to be followed by the Inflammatory Affections of the Respiratory Organs, which cut off as high a proportion of the people as epidemics themselves. If epidemics themselves, therefore, and the leading diseases to which our race is liable, are so strongly influenced by season, how unwise it would be to conclude that the second column of Table XLV. did not show the influence of season on the mortality, but only how the seasonal mortality of persons between five and twenty years of age was affected by the proportion of epidemics which prevailed during the several months of the year.

The influence of season on persons from twenty to sixty years of age was considerably different from that on children. To persons of that age January proved the most fatal month, causing 1032 deaths in the Eight Towns; next followed February, with 971 deaths; April, with 913 deaths; March, with 847 deaths; May, with 812 deaths; and December, with 790 deaths. The month of least mortality was September, with 600 deaths; then August, with 642 deaths; then July, with 677 deaths; October, with 683 deaths; November, with 691 deaths; and June, with 692 deaths.

The influence of season on persons above sixty years of age was different still. For them the most fatal month in 1872 was December, with 576 deaths; then January, with 492 deaths; then April, with 490 deaths; then November, with 457 deaths; February, with 453 deaths; and March, with 449 deaths. For those above sixty years of age, the month of least mortality was September, with 324 deaths; then August, with 334 deaths; then June, with 344 deaths; July, with 365 deaths; May, with 412 deaths; and October, with 428 deaths.

Tables XLVI. and XLVII., which have appeared in former Reports, furnish a *resumé* of ten years' observations, and thus constitute a sort of standard with which it may be interesting and useful to compare the observations made in any single year.

In compliance with old custom, we close this Report with Table XLVIII., in which the number of deaths during each of the last eighteen years is contrasted with the average prices of wheat and of potatoes. Between these prices and the recorded mortality, no distinct connection can be traced.

I have the honour to be,

Sir,

Your most obedient Servant,

WILLIAM ROBERTSON.

General Registry Office of Births, etc.,
Edinburgh, 29*th July* 1876.

VACCINATIONS IN SCOTLAND—1872.

		Sucessfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1872.
				On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
	SCOTLAND, -	104902	811	184	64	322	10325	2351	118959
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWNS, . .	36014	94	66	49	177	4284	983	41667
2	LARGE TOWNS, . .	11765	53	12	5	19	1262	221	13337
3	SMALL TOWNS, . .	24761	223	21	7	32	2427	422	27898
4	MAINLAND-RURAL, .	29381	215	72	3	17	2082	415	32185
5	INSULAR-RURAL, .	2981	221	13	0	77	270	310	3872
	DIVISIONS.								
1	NORTHERN, . .	2774	143	6	0	5	178	173	3279
2	NORTH-WESTERN, .	3417	198	18	0	78	349	288	4348
3	NORTH-EASTERN, .	11888	50	21	3	4	877	51	12894
4	EAST-MIDLAND, .	16232	68	36	28	98	1638	143	18243
5	WEST-MIDLAND, .	7228	125	12	1	1	698	179	8244
6	SOUTH-WESTERN, .	43508	70	31	14	114	4614	1052	49403
7	SOUTH-EASTERN, .	14235	92	46	18	2	1596	387	16286
8	SOUTHERN, . .	5620	65	14	0	20	465	78	6262
	COUNTIES.								
	I. NORTHERN.								
1	Shetland, . . .	636	35	2	0	5	43	103	824
2	Orkney, . . .	764	27	1	0	0	30	6	828
3	Caithness, . .	941	79	1	0	0	72	44	1137
4	Sutherland, . . .	433	2	2	0	0	33	20	490
	II. NORTH-WESTERN.								
5	Ross and Cromarty, .	1753	116	9	0	4	130	78	2090
6	Inverness, . . .	1664	82	9	0	74	219	210	2258
	III. NORTH-EASTERN.								
7	Nairn, . . .	208	2	1	0	0	19	0	230
8	Elgin or Moray, . .	1205	6	5	0	0	99	11	1326
9	Banff, . . .	1775	17	7	0	0	115	5	1919
10	Aberdeen, . . .	7654	18	7	3	4	581	33	8300
11	Kincardine, . . .	1046	7	1	0	0	63	2	1119
	IV. EAST-MIDLAND.								
12	Forfar, . . .	7347	28	21	26	96	897	67	8482
13	Perth, . . .	3217	12	7	0	0	251	36	3523
14	Fife, ...	4771	21	7	2	2	415	25	5243
15	Kinross, . . .	200	2	0	0	0	22	4	228
16	Clackmannan, . .	697	5	1	0	0	53	11	767
	V. WEST-MIDLAND.								
17	Stirling, . . .	3157	14	4	1	0	312	33	3521
18	Dumbarton, . .	1942	17	1	0	0	211	58	2229
19	Argyll, . . .	1770	87	6	0	1	138	64	2066
20	Bute, . . .	359	7	1	0	0	37	24	428
	VI. SOUTH-WESTERN.								
21	Renfrew, . . .	6818	16	5	1	30	746	190	7806
22	Ayr, . . .	6844	14	3	1	13	647	72	7594
23	Lanark . . .	29846	40	23	12	71	3221	790	34003
	VII. SOUTH-EASTERN.								
24	Linlithgow, . . .	1503	5	0	0	0	155	27	1690
25	Edinburgh, . . .	9739	56	43	18	1	1097	324	11278
26	Haddington, . .	1015	16	0	0	1	76	16	1124
27	Berwick, . . .	966	3	2	0	0	65	7	1043
28	Peebles, . . .	374	3	1	0	0	30	6	414
29	Selkirk, . . .	638	9	0	0	0	83	7	737
	VIII. SOUTHERN.								
30	Roxburgh, . . .	1408	13	3	0	0	131	9	1564
31	Dumfries, . . .	2041	30	3	0	19	179	46	2318
32	Kirkcudbright, . .	1098	16	8	0	0	88	14	1224
33	Wigtown, . . .	1073	6	0	0	1	67	9	1156

Births, Deaths, and Marriages registered in Scotland during the Year 1872

	1872.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres *
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Males.	Fem.	Total.			
	SCOTLAND, - -	3,062,294	3,360,018	61293	57472	118765	5652	5275	10927	37939	37855	75794	25641	42971	19,639,37
	GROUPS OF DISTRICTS.														
1	PRINCIPAL TOWNS .	884,955	1,068,556	21376	20297	41673	1963	1779	3742	15192	15007	30199	10427	11474	
2	LARGE TOWNS . .	274,381	334,257	6933	6385	13318	506	473	979	4523	4417	8940	2967	4378	
3	SMALL TOWNS . .	704,380	776,087	14623	13436	28059	1238	1199	2437	8340	8138	16478	5545	11581	
4	MAINLAND-RURAL .	1,061,793	1,049,114	16520	15637	32157	1853	1732	3585	8876	9217	18093	6063	14064	
5	INSULAR-RURAL .	136,785	132,004	1841	1717	3558	92	92	184	1008	1076	2084	639	1474	
	DIVISIONS.														
1	NORTHERN, . . .	130,422	127,191	1669	1599	3268	102	101	203	897	1019	1916	604	1352	2,387,22
2	NORTH-WESTERN, .	167,242	166,351	2278	2053	4331	133	122	255	1359	1408	2767	812	1564	4,739,87
3	NORTH-EASTERN, .	366,870	393,199	6705	6182	12887	989	911	1900	3453	3626	7079	2474	5808	2,364,42
4	EAST-MIDLAND, .	523,822	559,676	9351	8863	18214	880	916	1796	5702	6133	11835	4013	6379	2,644,64
5	WEST-MIDLAND, .	242,487	251,088	4314	3913	8227	297	294	591	2833	2780	5613	1548	2614	2,698,37
6	SOUTH-WESTERN, .	1,008,273	1,183,218	25324	23991	49315	2042	1847	3889	16059	15275	31334	11255	17981	1,466,55
7	SOUTH-EASTERN, .	413,116	475,525	8415	7860	16275	718	660	1378	5805	5683	11488	3700	4787	1,186,73
8	SOUTHERN, . . .	210,062	203,772	3237	3011	6248	491	424	915	1831	1931	3762	1235	2486	2,072,68
	COUNTIES.														
	I. Northern.														
1	Shetland, . . .	31,670	31,608	418	408	826	13	23	36	205	272	477	125	349	598,72
2	Orkney, . . .	32,395	31,274	412	406	818	21	16	37	203	231	434	178	384	
3	Caithness,* . .	42,200	41,011	592	545	1137	56	46	102	332	302	634	184	503	448,86
4	Sutherland,* . .	24,157	23,298	247	240	487	12	16	28	157	214	371	117	116	1,339,62
	II. North-Western.														
5	Ross and Cromarty, .	82,427	82,093	1095	986	2081	48	50	98	635	603	1238	359	843	2,016,37
6	Inverness, . .	84,815	84,258	1183	1067	2250	85	72	157	724	805	1529	459	721	2,723,50
	III. North-Eastern.														
7	Nairn,* . . .	8,347	8,372	134	96	230	14	9	23	68	68	136	54	94	127,90
8	Elgin (or Moray),* .	44,305	44,549	697	628	1325	112	100	212	349	397	746	232	579	312,34
9	Banff,* . . .	56,020	58,883	992	925	1917	167	150	317	483	528	1011	344	906	413,78
10	Aberdeen,* . . .	223,417	246,298	4303	3994	8297	623	578	1201	2283	2323	4606	1638	3691	1,262,08
11	Kincardine,* . .	34,781	35,097	579	539	1118	73	74	147	270	310	580	206	538	248,28
	IV. East-Midland.														
12	Forfar,* . . .	206,750	240,049	4371	4109	8480	464	457	921	2750	2935	5685	1961	2795	569,84
13	Perth,* . . .	133,198	128,550	1827	1689	3516	174	188	362	1194	1267	2461	702	1055	1,644,68
14	Fife,* . . .	155,021	160,924	2660	2567	5227	192	214	406	1473	1616	3089	1176	2138	328,42
15	Kinross,* . .	8,731	7,918	128	98	226	14	19	33	67	70	137	37	89	49,81
16	Clackmannan,* . .	20,122	22,235	365	400	765	36	38	74	218	245	463	137	302	31,87
	V. West-Midland.														
17	Stirling,* . . .	88,138	93,345	1885	1632	3517	142	120	262	1120	1129	2249	690	1268	298,57
18	Dumbarton,* . .	54,179	61,116	1178	1051	2229	63	64	127	775	685	1460	423	769	172,67
19	Argyll, . . .	83,859	79,661	1042	1015	2057	78	88	166	738	767	1505	334	552	2,083,15
20	Bute,* . . .	16,311	16,966	209	215	424	14	22	36	200	199	399	101	25	143,99
	VI. South-Western.														
21	Renfrew,* . . .	168,746	195,305	3971	3824	7795	264	252	516	2558	2503	5061	1721	2734	162,42
22	Ayr,* . . .	199,083	200,908	3908	3614	7522	340	309	649	2230	2116	4346	1661	3176	735,20
23	Lanark,* . . .	640,444	787,005	17445	16553	33998	1438	1286	2724	11271	10656	21927	7873	12071	568,80
	VII. South-Eastern.														
24	Linlithgow,* . .	39,045	41,379	870	818	1688	71	84	155	487	384	871	299	817	81,11
25	Edinburgh,* . .	273,792	328,138	5838	5435	11273	475	428	903	4381	4333	8714	2761	2559	234,95
26	Haddington,* . .	37,626	37,755	585	535	1120	53	54	107	340	377	717	238	403	179,14
27	Berwick,* . .	36,488	36,382	533	511	1044	62	46	108	287	271	558	178	486	297,10
28	Peebles,* . . .	11,264	12,218	193	219	412	15	21	36	102	122	224	62	188	227,80
29	Selkirk,* . . .	14,901	19,651	396	342	738	42	27	69	208	196	404	162	334	166,53
	VIII. Southern.														
30	Roxburgh,* . . .	49,568	48,241	804	758	1562	95	84	179	382	433	815	300	747	428,49
31	Dumfries,* . . .	75,904	74,842	1205	1102	2307	205	162	367	734	736	1470	483	837	705,99
32	Kirkcudbright,* . .	42,680	42,087	612	610	1222	91	93	184	370	408	778	241	444	610,34
33	Wigtown,* . . .	41,910	38,602	616	541	1157	100	85	185	345	354	699	211	458	327,90

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	915	902	6	20	26	–	1	1	3	16	19	1
	(2) Burra and Quarff,	890	952	12	15	27	–	–	–	7	4	11	4
2	Delting, . . .	1975	1862	26	22	48	2	1	3	23	17	40	8
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	2113	1970	33	21	54	–	1	1	10	8	18	8
	(2) Sandwick and Cunningsburgh, . .	2337	2326	41	31	72	–	1	1	14	19	33	13
	(3) Fair Isle, . .	380	226	5	7	12	1	–	1	1	5	6	2
4	Fetlar, etc.—												
	(1) Fetlar, . . .	548	517	5	2	7	–	–	–	4	9	13	–
	(2) North Yell, . .	932	893	14	12	26	2	3	5	2	6	8	1
5	Lerwick, . . .	3631	4180	49	59	108	2	4	6	33	41	74	31
6	Mid and South Yell, .	1784	1843	23	18	41	3	–	3	9	28	37	7
7	Nesting, etc.—												
	(1) Nesting, . .	855	868	11	11	22	–	2	2	6	7	13	11
	(2) Lunnasting, . .	880	822	12	10	22	–	1	1	5	9	14	1
	(3) Whalsay and Skerries	848	989	16	14	30	–	1	1	5	3	8	1
8	Northmavine, . .	2585	2602	26	31	57	–	2	2	14	24	38	6
9	Sandsting and Aithsting,	2670	2806	35	43	78	–	2	2	18	23	41	11
10	Tingwall, etc.—												
	(1) Tingwall, . .	1554	1442	15	21	36	2	–	2	11	14	25	2
	(2) Whiteness & Weisdale	1143	1049	16	14	30	–	1	1	7	10	17	4
11	Unst, ...	3060	2780	30	27	57	–	1	1	16	13	29	7
12	Walls, etc.—(1) Walls, .	1365	1325	20	12	32	1	1	2	8	8	16	6
	(2) Sandness, .	606	646	12	9	21	–	1	1	7	3	10	1
	(3) Papa-Stour, .	366	351	6	6	12	–	–	–	1	4	5	–
	(4) Foula, . .	233	257	5	3	8	–	–	–	1	1	2	–
	Total,	31670	31608	418	408	826	13	23	36	205	272	477	123
	2. Orkney.												
13	Birsay, ...	1774	1597	16	15	31	1	–	1	8	11	19	13
14	Deerness, . . .	813	863	17	13	30	1	–	1	9	6	15	3
15	Eday and Pharay, . .	979	905	13	10	23	1	–	1	5	7	12	3
16	Evie and Rendall, . .	1408	1340	17	11	28	1	–	1	7	8	15	9
17	Firth and Stennes, . .	1493	1434	17	17	34	–	–	–	9	13	22	9
18	Harray, . . .	819	727	4	6	10	1	–	1	3	5	8	7
19	Holm and Paplay, . .	834	935	12	18	30	–	1	1	1	4	5	9
20	Hoy and Græmsay, .	556	581	11	10	21	–	1	1	5	4	9	4
21	KIRKWALL & St Ola .	4422	4261	52	50	102	1	1	2	36	29	65	36
22	North Ronaldshay, .	532	539	11	9	20	2	–	2	–	4	4	4
23	Orphir, . . .	1133	1040	12	5	17	1	1	2	8	10	18	6
24	Rousay and Egilsay, .	1152	1101	11	14	25	2	–	2	9	7	16	6
25	St Andrews, . . .	868	870	10	8	18	–	–	–	4	4	8	–
26	Sanday, . . .	2145	2053	23	31	54	1	1	2	11	12	23	8
27	Sandwick, . . .	1225	1153	13	18	31	–	3	3	4	6	10	6
28	Shapinshay, . . .	973	949	9	14	23	1	–	1	7	4	11	3
29	South Ronaldshay and Burray, . . .	3282	3228	59	59	118	3	5	8	14	18	32	20
30	Stromness, . . .	2540	2403	25	32	57	–	–	–	26	34	60	9
31	Stronsay, . . .	1228	1305	17	17	34	1	–	1	7	10	17	8
32	Walls, etc.—(1) Walls, .	1254	1107	21	16	37	1	1	2	9	11	20	9
	(2) Flotta, .	420	423	6	7	13	–	–	–	3	4	7	3
33	Westray, etc.—(1) Westray	2153	2090	34	20	54	3	2	5	14	20	34	6
	(2) Papa-Westray,	392	370	2	6	8	–	–	–	4	–	4	4
	Total,	32395	31274	412	406	818	21	16	37	203	231	434	173

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: Thurso.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1746	1700	25	17	42	2	3	5	10	9	19	6
35	Canisbay,	2730	2729	38	36	74	2	3	5	13	20	33	14
36	Dunnet,	1861	1661	13	14	27	1	2	3	7	12	19	6
37	Halkirk,	2864	2664	31	34	65	1	2	3	17	14	31	10
38	Latheron,	8571	7400	103	101	204	15	7	22	43	46	89	38
39	Olrig,	2059	2028	25	25	50	–	1	1	16	13	29	2
40	Reay,	2476	2331	28	29	57	2	1	3	20	17	37	5
41	Thurso	5561	5754	96	67	163	10	6	16	53	43	96	32
42	Watten,	1491	1453	20	27	47	–	4	4	10	10	20	4
43	WICK,	12841	13291	213	195	408	23	17	40	143	118	261	67
	Total,	42200	41011	592	545	1137	56	46	102	332	302	634	184
	4. Sutherland.												
44	Assynt—(1) Kirkton,	553	487	6	9	15	–	1	1	3	5	8	2
	(2) Stoer,	2625	2519	21	14	35	1	–	1	18	17	35	12
45	Clyne,	1886	1733	15	16	31	–	–	–	13	22	35	4
46	Criech—(1) Bonar,	1982	1854	24	14	38	2	–	2	14	16	30	12
	(2) Rosehall,	539	670	8	13	21	1	2	3	2	8	10	4
47	DORNOCH,	2885	2764	25	31	56	3	2	5	16	29	45	13
48	Durness,	1109	1049	15	10	25	1	1	2	5	11	16	6
49	Eddrachillis—(1) Scourie,	727	648	3	5	8	–	–	–	2	3	5	1
	(2) Kinlochbervie,	914	882	14	10	24	–	1	1	5	8	13	7
50	Farr—(1) Kirkton,	1251	1190	12	9	21	–	..	–	6	13	19	6
	(2) Strathy,	852	829	9	8	17	3	2	5	3	7	10	5
51	Golspie,	1615	1804	20	20	40	1	–	1	16	17	33	8
52	Kildonan,	2132	1916	16	29	45	–	3	3	16	21	37	14
53	Lairg,	961	978	15	18	33	–	1	1	8	5	13	9
54	Loth,	610	583	5	4	9	–	–	–	5	4	9	4
55	Rogart,	1439	1341	15	13	28	–	2	2	11	6	17	1
56	Tongue,	2077	2051	24	17	41	–	1	1	14	22	36	9
	Total,	24157	23298	247	240	487	12	16	28	157	214	371	117
	II. NORTH-WESTERN.												
	5. Ross and Cromarty. *Mainland.*												
57	Alness,	1178	1053	13	11	24	1	1	2	7	8	15	5
58	Applecross—												
	(1) Applecross,	1064	1129	12	15	27	–	3	3	11	10	21	3
	(2) Shieldaig,	1480	1341	14	15	29	2	1	3	11	9	20	7
59	Avoch,	1788	1828	31	19	50	1	1	2	18	7	25	11
60	Contin,	1509	1550	18	15	33	–	–	–	10	5	15	4
61	CROMARTY,	2300	2180	39	28	67	2	3	5	22	11	33	9
62	DINGWALL,	2412	2443	34	29	63	1	4	5	28	26	54	11
63	Edderton,	836	860	11	9	20	–	–	–	6	11	17	1
64	Fearn,	2083	2135	32	21	53	–	–	–	14	13	27	10
65	Fodderty,	2247	2121	25	15	40	1	–	1	11	10	21	10
66	Gairloch—												
	(1) Northern District,	1927	1669	29	19	48	2	1	3	13	16	29	8
	(2) Southern District,	3522	3379	40	35	75	2	3	5	29	21	50	15
67	Glenshiel,	485	463	7	3	10	2	1	3	4	6	10	1
68	Killearnan,	1494	1272	13	9	22	1	–	1	9	10	19	2
69	Kilmuir-Easter,	1295	1281	18	17	35	2	2	4	10	6	16	8
70	Kiltearn,	1634	1496	15	22	37	–	3	3	12	17	29	5
71	Kincardine—												
	(1) Kincardine,	1346	1299	17	15	32	1	2	3	11	8	19	3
	(2) Strathoykel,	400	386	6	8	14	–	1	1	4	1	5	–
72	Kintail,	890	753	5	4	9	2	–	2	5	1	6	2
73	Knockbain,	2485	2155	22	20	42	2	2	4	16	15	31	14

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
74	Lochalsh,	2413	2319	26	22	48	2	2	4	22	24	46	10
75	Lochbroom—												
	(1) Lochbroom,	3577	3167	37	29	66	3	–	3	28	22	50	16
	(2) Coigach,	1285	1239	12	13	25	–	1	1	6	7	13	1
76	Lochcarron,	1592	1629	13	19	32	1		1	11	11	22	3
77	Logie-Easter,	932	912	13	8	21	3	–	3	6	6	12	1
78	Nigg,	1253	1201	14	13	27	1	1	2	7	14	21	5
79	Resolis,	1568	1527	17	20	37	–	3	3	5	6	11	7
80	ROSEMARKIE,	1545	1441	18	16	34	–	–	–	18	16	34	5
81	Rosskeen,	3766	3808	33	38	71	–	2	2	30	18	48	18
82	TAIN	3294	3221	36	41	77	2	2	4	25	45	70	10
83	Tarbat,	2269	2182	34	25	59	1	1	2	15	11	26	9
84	Urquhart & Logie Wester,	3147	2863	27	29	56	1	3	4	15	22	37	7
85	Urray,	2355	2308	29	19	48	1	1	2	17	16	33	12
	Insular.												
a86	Barvas,	4609	4950	85	81	166	2	2	4	33	38	71	33
b86	Carloway,	2204	2702	51	43	94	–	–	–	25	10	35	3
87	Lochs,	3568	4162	81	63	144	3	1	4	29	32	61	24
88	Stornoway,	8668	9510	146	147	293	6	3	9	75	80	155	38
89	Uig,	2007	2159	22	31	53	–	–	–	17	14	31	22
	Total,	82427	82093	1095	986	2081	48	50	98	635	603	1238	353
	6. Inverness. *Mainland.*												
a90	Abernethy & Kincardine,	1928	1752	17	9	26	6	5	11	11	13	24	4
b90	Alvie,	833	882	12	10	22	4	–	4	3	8	11	8
91	Ardersier,	1239	1284	30	35	65	1	1	2	17	16	33	10
92	Boleskine etc.—												
	(1) Boleskine,	813	681	7	8	15	–	2	2	5	4	9	1
	(2) Fort-Augustus	930	897	7	3	10	2	–	2	7	11	18	1
93	Cromdale & Inverallan, (Now 128*b infra.*)												
94	Croy and Dalcross,	1873	1841	31	18	49	2	2	4	5	10	15	11
95	Daviot and Dunlichty,	1741	1598	15	20	35	–	2	2	11	17	28	6
a96	Dores,	1506	1401	12	10	22	2	1	3	10	10	20	1
b96	Duthil, etc.—(1) Duthil,	1609	1530	18	15	33	2	2	4	11	10	21	6
	(2) Rothiemurchus,	319	342	4	3	7	–	–	–	3	1	4	2
97	Glenelg—(1) Glenelg,	800	714	5	5	10	1	–	1	3	8	11	3
	(2) Knoydart,	574	499	7	6	13	1	1	2	3	4	7	2
	(3) North Morar,	469	440	6	6	12	-	–	–	2	2	4	9
98	INVERNESS,	16162	18552	289	244	533	23	14	37	227	238	465	110
99	Kilmonivaig—												
	(1) Glengarry,	625	550	7	5	12	–	–	–	1	1	2	1
	(2) Lochaber,	1651	1417	17	15	32	3	1	4	12	18	30	5
100	Kilmorack,	2852	2728	34	33	67	1	1	2	19	27	46	12
101	Kiltarlity,	2839	2537	24	32	56	1	2	3	17	20	37	9
102	Kingussie and Insh,	2033	2101	21	28	49	4	6	10	10	15	25	10
103	Kirkhill,	1757	1582	15	12	27	1	1	2	13	14	27	8
104	Laggan,	986	950	11	13	24	–	1	1	5	8	13	4
105	Moy and Dalarossie,	1026	1005	6	7	13	–	–	–	6	7	13	4
106	Petty,	1671	1549	21	20	41	–	–	–	13	16	29	8
107	Urquhart, etc.—												
	(1) Urquhart,	2294	2215	31	23	54	1	2	3	11	15	26	5
	(2) Glenmoriston,	617	565	8	3	11	1	1	2	4	7	11	2
	Insular.												
108	Barra,	1853	1997	37	29	66	2	2	4	19	16	35	8
109	Bracadale,	1335	1113	12	11	23	1	1	2	13	14	27	2
110	Duirinish,	4775	4422	65	53	118	3	2	5	37	55	92	24
111	Harris—(1) Harris,	3769	3668	69	58	127	6	2	8	27	21	48	32
	(2) Bernera,	336	381	7	9	16	–	–	–	4	3	7	2
	(3) St Kilda,	78	71	1	1	2	-	–	–	1	–	1	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
112	Kilmuir—(1) Kilmuir, .	1561	1362	23	22	45	1	2	3	14	15	29	8
	(2) Stenscholl,	1311	1228	18	24	42	1	–	1	5	17	22	14
113	North Uist, . . .	3959	4107	71	72	143	4	4	8	35	32	67	31
114	Portree—(1) Portree, .	2579	2328	31	21	52	2	1	3	26	30	56	8
	(2) Raasay, .	580	600	10	10	20	1	–	1	6	1	7	4
115	Sleat, ...	2330	2233	30	20	50	–	2	2	16	14	30	8
116	Small Isles, . . .	567	522	5	7	12	–	–	–	6	5	11	4
117	Snizort—(1) North, .	961	803	9	13	22	–	–	–	3	8	11	1
	(2) South, .	1652	1500	24	24	48	3	1	4	11	15	26	16
118	South Uist—												
	(1) Benbecula, . .	1544	1651	26	23	49	1	4	5	9	11	20	4
	(2) Howmore, . .	1763	1818	28	29	57	1	2	3	14	11	25	25
	(3) Boisdale, . .	2051	2280	30	24	54	–	1	1	28	27	55	8
119	Strath, ...	2664	2562	32	34	66	3	3	6	21	10	31	18
	—— Total,	84815	84258	1183	1067	2250	85	72	157	724	805	1529	459
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach, . . .	1330	1197	14	17	31	3	2	5	11	7	18	12
121	Auldearn, . . .	1328	1279	21	14	35	2	2	4	9	13	22	5
122	Cawdor, ...	1203	1027	17	10	27	1	–	1	7	7	14	5
123	NAIRN, . . .	4486	4869	82	55	137	8	5	13	41	41	82	32
	Total,	8347	8372	134	96	230	14	9	23	68	68	136	54
	8. Elgin (or Moray).												
124	Abernethy, etc.—(Now 90*a supra.*)												
125	Alves, ...	1010	1018	20	15	35	2	1	3	3	7	10	4
126	Bellie, ...	1967	2013	25	21	46	4	3	7	20	23	43	9
127	Birnie, ...	411	375	5	6	11	–	1	1	4	3	7	2
*a*128	Boharm, ...	1412	1337	21	13	34	4	5	9	16	9	25	7
*b*128	Cromdale—												
	(1) Cromdale & Advie.	1308	1295	12	20	32	2	2	4	3	5	8	7
	(2) Inverallan .	2635	2522	45	36	81	15	8	23	16	26	42	11
129	Dallas, ...	1102	1060	23	20	43	4	4	8	4	6	10	6
130	Drainy, . . .	3028	3293	64	62	126	6	5	11	18	24	42	34
131	Duffus, ...	3308	3716	54	56	110	7	5	12	36	22	58	29
132	Duthil, etc.–(Now 96*b sup.*)												
133	Dyke, ...	1247	1238	14	14	28	3	2	5	9	15	24	9
134	Edinkillie, . . .	1303	1286	8	18	26	1	3	4	5	10	15	3
135	ELGIN (incl. Burgh), .	9866	9703	151	129	280	24	26	50	91	108	199	26
136	New Spynie, . . .	518	573	7	13	20	3	4	7	14	5	19	3
137	FORRES (incl. Burgh), .	4112	4562	69	59	128	8	8	16	41	55	96	28
138	Kinloss, ...	1315	1112	21	11	32	2	1	3	8	12	20	3
139	Knockando, . . .	1736	1909	39	23	62	7	3	10	11	13	24	9
140	Rafford, ...	1055	1101	13	15	28	–	1	1	5	9	14	5
141	Rothes, ...	2407	2148	41	29	70	7	3	10	20	11	31	15
142	St Andrews-Lhanbryde, .	1344	1286	25	21	46	4	5	9	8	9	17	10
143	Speymouth, . . .	689	634	10	13	23	4	3	7	6	6	12	2
144	Urquhart, . . .	2532	2368	30	34	64	5	7	12	11	19	30	10
	Total,	44305	44549	697	628	1325	112	100	212	349	397	746	232
	9. Banff.												
145	Aberlour, . . .	1520	1632	26	26	52	5	5	10	10	21	31	11
146	Alvah, ...	1467	1436	22	29	51	7	6	13	6	7	13	14
147	BANFF (incl. Burgh),	7740	8425	141	144	285	24	13	37	68	70	138	37
148	Botriphnie, . . .	867	785	15	9	24	–	2	2	4	3	7	5
149	Boyndie, ...	1711	1854	29	30	59	2	4	6	24	19	43	14
150	CULLEN (pt. of Burgh),	1821	2056	46	28	74	4	3	7	15	17	32	6
151	Deskford, . . .	1031	972	15	9	24	2	–	2	9	9	18	2
152	Enzie, ...	2072	2251	43	31	74	4	7	11	22	20	42	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
153	Fordyce,	4145	4150	58	72	130	15	8	23	32	30	62	24
154	Forglen,	783	845	9	16	25	1	–	1	9	11	20	6
a155	Gamrie,	3019	3151	44	59	103	4	5	9	25	32	57	18
b155	Glenrinnes,	439	466	4	5	9	1	–	1	9	4	13	4
156	Grange,	1909	1876	34	29	63	8	6	14	21	18	39	9
157	Inveravon—(1) Inveravon,	868	890	15	10	25	4	2	6	9	5	14	4
	(2) Glenlivat,	1771	1718	24	16	40	5	7	12	8	15	23	6
158	Inverkeithny,	880	1000	20	7	27	2	–	2	8	7	15	6
159	Keith,	5943	5891	68	102	170	15	24	39	54	79	133	33
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	4	2	6	2	–	2	4	4	8	2
	(2) Tomintoul,	960	799	13	7	20	4	2	6	7	7	14	6
161	Marnoch,	3289	3294	67	60	127	19	21	40	24	26	50	17
162	Mortlach,	2801	2737	41	43	84	6	10	16	16	23	39	18
163	Ordiquhill,	764	761	14	11	25	2	1	3	5	5	10	5
164	Rathven,	4922	6659	138	118	256	12	16	28	55	63	118	50
165	Rothiemay,	1414	1370	26	18	44	8	4	12	11	3	14	4
166	St Fergus,	1608	1633	33	22	55	7	2	9	15	15	30	8
167	SEAFIELD,	1725	1755	43	22	65	4	2	6	13	15	28	20
	Total,	56020	58883	992	925	1917	167	150	317	483	528	1011	344
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41962	47077	909	810	1719	129	108	237	635	612	1247	384
	(2) Old Machar (Burgh),	31938	41104	705	656	1361	56	68	124	405	457	872	348
	(3) Do. (Landward),	1298	1373	24	22	46	2	3	5	5	5	10	15
169	Aberdour,	1837	1945	33	33	66	6	7	13	12	9	21	10
170	Aboyne,	1160	1351	19	20	39	1	1	2	6	6	12	4
171	Alford,	1264	1396	22	21	43	3	5	8	4	7	11	5
172	Auchindoir,	1593	1545	21	30	51	6	6	12	18	18	36	5
173	Auchterless,	1782	1971	35	36	71	4	3	7	7	11	18	7
174	Belhelvie,	1807	1833	33	26	59	6	1	7	15	8	23	19
175	Birse,	1284	1198	13	24	37	2	4	6	10	8	18	7
176	Bourtie,	547	499	7	11	18	1	2	3	2	2	4	1
177	Cabrach,	794	775	9	14	23	1	4	5	2	1	3	4
178	Cairney,	1490	1525	19	25	44	5	7	12	12	9	21	5
179	Chapel of Garioch,	2023	1928	30	32	62	3	5	8	16	18	34	11
180	Clatt,	511	483	2	3	5	–	–	–	4	6	10	2
181	Cluny,	1254	1366	25	18	43	5	2	7	8	4	12	5
182	Coull,	792	824	12	16	28	2	3	5	8	6	14	5
183	Crathie and Braemar,	1574	1566	18	19	37	3	–	3	12	13	25	7
184	Crimond,	892	887	14	13	27	1	2	3	2	5	7	4
185	Cruden,	2743	3124	45	50	95	11	10	21	23	21	44	18
186	Culsamond,	1165	896	18	14	32	1	3	4	1	4	5	7
187	Daviot,	614	597	12	10	22	–	1	1	3	5	8	1
188	Drumblade,	926	931	7	10	17	3	–	3	6	10	16	2
189	Drumoak,	996	1032	8	17	25	1	1	2	8	10	18	5
190	Dyce,	585	945	15	10	25	–	3	3	10	5	15	4
191	Echt,	1287	1259	18	11	29	3	3	6	7	8	15	9
192	Ellon,	3239	3036	66	48	114	9	8	17	13	18	31	18
193	Fintray,	1003	1108	16	16	32	–	2	2	5	3	8	4
194	Forgue,	1397	1332	26	20	46	4	1	5	6	11	17	3
195	Foveran,	1891	1859	32	36	68	4	8	12	12	9	21	13
196	Fraserburgh	4511	5301	139	106	245	15	12	27	71	75	146	51
197	Fyvie,	3264	3306	53	47	100	11	6	17	23	23	46	17
198	Gartly,	1029	972	12	11	23	5	1	6	9	5	14	4
199	Glass,	1049	1061	23	16	39	8	2	10	9	5	14	5
200	Glenbucket,	552	570	9	13	22	2	–	2	3	2	5	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
201	Glenmuick, Tullich, and Glengairn,	1668	2160	39	33	72	8	5	13	21	17	38	9
202	Huntly	4329	4374	60	67	127	7	17	24	42	46	88	22
203	Insch,	1565	1596	35	30	65	11	11	22	11	17	28	9
204	INVERURIE,	2668	2970	54	39	93	13	6	19	29	24	53	23
205	Keig,	811	886	8	16	24	1	5	6	3	9	12	3
206	Keithhall,	933	874	12	13	25	3	4	7	7	7	14	3
207	Kemnay,	832	1300	18	19	37	1	1	2	13	2	15	6
208	Kildrummy,	590	660	12	6	18	2	1	3	2	11	13	
209	Kincardine O'Neil,	2186	2000	24	18	42	6	1	7	17	13	30	2
210	King-Edward—												
	(1) King-Edward,	1050	1058	20	14	34	3	4	7	7	10	17	8
	(2) New Byth,	1793	2053	45	25	70	13	4	17	17	15	32	14
211	KINNELLAR,	691	601	7	8	15	2	–	2	2	2	4	3
212	Kinnethmont,	1187	1062	13	7	20	4	2	6	11	6	17	5
213	KINTORE,	1895	2158	38	34	72	5	7	12	19	22	41	9
214	Leochel-Cushnie,	1173	1232	18	21	39	2	3	5	10	6	16	10
215	Leslie,	577	532	8	6	14	1	2	3	4	5	9	2
216	Logie-Buchan,	762	808	9	16	25	1	3	4	6	10	16	3
217	Logie-Coldstone,	932	900	15	14	29	2	4	6	11	11	22	3
218	Longside,	3008	3321	65	63	128	10	6	16	35	19	54	16
219	Lonmay,	2142	2245	34	44	78	3	5	8	21	21	42	18
220	Lumphanan,	1251	1239	19	17	36	2	5	7	7	5	12	1
221	Methlic,	2157	2084	32	29	61	8	8	16	12	16	28	10
a222	Midmar,	1091	1127	13	13	26	3	1	4	9	6	15	6
b222	Millbrex,	1357	1484	21	23	44	5	5	10	9	6	15	12
223	Monquhitter,	2303	2670	44	44	88	13	10	23	12	15	27	23
224	Monymusk,	988	996	19	15	34	–	1	1	7	6	13	6
225	New Deer,	3736	4147	61	75	136	12	14	26	37	43	80	19
226	Newhills,	3463	4210	70	64	134	5	7	12	29	30	59	23
a227	New Machar,	1556	1520	13	19	32	3	–	3	6	14	20	11
b227	New Pitsligo,	2609	3090	63	58	121	18	15	33	28	36	64	9
228	Old Deer,	4392	4434	72	75	147	16	9	25	44	44	88	25
229	Old Meldrum,	2343	2330	46	38	84	9	10	19	18	16	34	18
230	Oyne,	1127	1050	16	17	33	4	3	7	5	4	9	13
231	Peterculter,	1483	1668	23	14	37	2	1	3	5	16	21	11
232	PETERHEAD	9796	11506	274	256	530	32	24	56	121	127	248	89
233	Pitsligo,	1890	2218	54	49	103	7	6	13	18	24	42	16
234	Premnay,	916	997	16	18	34	6	4	10	4	12	16	3
235	Rathen,	2554	2850	52	39	91	6	5	11	26	30	56	21
236	Rayne,	1514	1409	18	26	44	4	5	9	10	9	19	7
a237	Rhynie,	1061	1195	21	13	34	–	–	–	16	17	33	5
b237	Savoch,	2061	1961	33	32	65	7	8	15	16	14	30	7
238	Skene,	1831	1842	17	25	42	1	4	5	12	14	26	7
239	Slains,	1266	1355	22	10	32	4	2	6	12	6	18	5
240	Strathdon,	1735	1761	33	24	57	3	7	10	20	10	30	7
241	Strichen,	2409	2254	29	40	69	4	3	7	22	18	40	16
242	Tarland,	970	983	16	11	27	4	–	4	7	5	12	7
243	Tarves,	2377	2288	29	33	62	5	8	13	17	13	30	13
244	Tough,	874	760	11	6	17	3	2	5	3	–	3	4
245	Towie,	839	798	9	12	21	2	1	3	5	1	6	8
246	Tullynessle and Forbes,	957	970	13	17	30	3	2	5	5	4	9	6
247	Turriff,	3693	4348	78	59	137	9	8	17	27	36	63	17
248	Tyrie,	833	869	15	8	23	3	2	5	3	6	9	7
a249	Udny,	1623	1626	37	28	65	2	9	11	16	8	24	10
b249	Ythan Wells,	1517	1494	31	30	61	7	6	13	15	10	25	16
	Total,	223417	246298	4303	3994	8297	623	578	1201	2283	2323	4606	1638

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. Kincardine.												
250	Arbuthnot,	932	924	12	14	26	2	3	5	2	6	8	5
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	23	29	52	4	4	8	13	9	22	8
	(2) Portlethen,	1687	1789	28	29	57	3	3	6	11	15	26	10
252	Banchory-Ternan,	2947	2875	44	38	82	6	4	10	15	17	32	17
253	BENHOLM,	1574	1569	32	31	63	3	2	5	10	15	25	9
254	BERVIE,	1561	1843	44	33	77	6	–	6	8	10	18	6
255	Dunnottar,	1828	2102	30	39	69	8	10	18	17	21	38	12
256	Durris,	1109	1021	16	25	41	3	2	5	5	3	8	5
257	Fettercairn,	1700	1539	28	20	48	2	2	4	7	11	18	4
258	Fetteresso—												
	(1) Fetteresso,	3575	3585	58	51	109	10	9	19	41	40	81	25
	(2) Cookney,	1952	2080	31	31	62	3	5	8	17	22	39	11
259	Fordoun,	2297	2113	33	21	54	3	4	7	17	25	42	9
260	Garvock,	458	476	4	8	12	–	1	1	2	6	8	2
261	Glenbervie,	1219	1073	13	12	25	2	2	4	9	8	17	8
262	Kinneff and Catterline,	1054	1062	27	10	37	5	1	6	8	7	15	6
263	Laurencekirk,	2110	2174	42	30	72	4	7	11	27	30	57	23
264	Maryculter,	1055	1110	14	14	28	1	–	1	6	8	14	7
265	Marykirk,	2068	1771	19	33	52	2	7	9	14	14	28	10
266	Nigg,	2074	2348	46	38	84	4	2	6	20	20	40	19
267	St Cyrus,	1552	1585	26	24	50	2	6	8	16	15	31	7
268	Strachan,	870	795	9	9	18	–	–	–	5	8	13	3
	Total,	34781	35097	579	539	1118	73	74	147	270	310	580	206
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno,	1054	1007	17	10	27	1	2	3	11	10	21	5
270	Airlie,	845	778	18	16	34	3	–	3	5	9	14	–
271	Arbirlot,	960	919	14	19	33	1	3	4	6	6	12	1
272	ARBROATH,	17831	20169	360	326	686	33	31	64	203	225	428	141
273	Auchterhouse,	706	721	16	11	27	2	1	3	5	5	10	4
274	Barry,	2465	3008	54	33	87	3	3	6	17	24	41	13
275	BRECHIN,	8810	9514	157	144	301	25	25	50	112	118	230	84
276	Carmylie,	1286	1309	19	17	36	3	2	5	4	8	12	6
277	Careston,	225	209	3	4	7	–	–	–	1	1	2	2
278	Cortachy and Clova,	653	554	8	9	17	1	1	2	4	3	7	1
279	Coupar-Angus,	2642	2797	35	50	85	4	5	9	39	35	74	21
280	CRAIG,	2177	2402	60	33	93	6	2	8	20	22	42	17
281	Dun,	552	565	12	6	18	–	2	2	3	3	6	4
282	DUNDEE—												
	(1) St Peter,		22894	400	432	832	39	32	71	273	319	592	234
	(2) St Mary,		23582	474	470	944	66	79	145	408	413	821	225
	(3) St Clement,	91664	25090	459	498	957	61	67	128	297	345	642	264
	(4) St Andrew,		38082	766	738	1504	58	55	113	500	523	1023	328
	(5) Lochee,		11076	216	191	407	25	28	53	182	231	413	90
283	Dunnichen,	1932	1536	18	31	49	3	10	13	15	12	27	10
284	Eassie and Nevay,	748	586	18	7	25	1	–	1	2	5	7	2
285	Edzell,	1025	976	11	10	21	2	–	2	7	7	14	4
286	Farnell,	703	580	10	8	18	–	2	2	6	1	7	4
287	Fearn,	439	348	4	5	9	1	–	1	2	5	7	2
288	FORFAR,	10838	12585	245	209	454	42	34	76	127	127	254	128
289	Glammis,	1980	1813	27	32	59	1	3	4	14	11	25	9
290	Glenisla,	1008	925	18	6	24	1	–	1	7	4	11	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	476	404	7	5	12	1	1	2	2	–	2	3
292	Inverarity,	961	888	11	14	25	–	1	1	6	6	12	7
293	Inverkeillor,	1792	1521	34	29	63	4	4	8	15	15	30	8
294	Kettins,	962	855	13	6	19	–	–	–	4	8	12	5
295	Kingoldrum,	473	409	1	6	7	–	–	–	3	1	4	2
296	Kinnell,	816	766	13	9	22	1	2	3	6	3	9	9
297	Kinnettles,	447	405	11	1	12	–	–	–	3	1	4	2
298	Kirkden,	1862	1623	33	34	67	–	2	2	12	15	27	10
299	Kirriemuir,	7359	6420	107	83	190	30	14	44	81	81	162	39
300	Lethnott and Navar,	446	318	5	8	13	–	–	–	3	2	5	2
301	Liff, Benvie, and Invergowrie,	1430	1357	13	18	31	1	1	2	9	7	16	14
302	Lintrathen,	898	756	5	10	15	–	–	–	8	2	10	11
303	Loonlee,	495	424	7	3	10	1	–	1	1	3	4	1
304	Logie-Pert,	1483	1251	13	26	39	–	4	4	10	9	19	3
305	Lunan,	259	248	4	2	6	1	–	1	–	1	1	–
306	Lundie,	442	400	9	5	14	2	–	2	2	2	4	1
307	Mains, etc.—(1) Mains,	1392	1927	41	38	79	1	5	6	17	17	34	9
	(2) Strathmartine,	789	822	12	13	25	1	1	2	5	3	8	4
308	Marytown,	417	396	5	1	6	2	1	3	3	1	4	2
309	Menmuir,	796	761	17	10	27	–	–	–	3	8	11	5
310	Monifieth,	5052	7252	152	107	259	5	4	9	71	48	119	48
311	Monikie,	1460	1397	22	33	55	4	5	9	7	8	15	7
312	MONTROSE,	15668	15783	245	209	454	14	13	27	143	161	304	116
313	Murroes,	763	751	14	14	28	–	1	1	6	9	15	4
314	Newtyle,	1139	931	18	14	32	1	4	5	5	6	11	5
315	Oathlaw,	399	452	6	5	11	–	1	1	2	2	4	–
316	Panbride,	1299	1331	20	12	32	4	–	4	8	10	18	11
317	Rescobie,	747	748	17	15	32	4	2	6	2	2	4	5
318	Ruthven,	265	247	5	2	7	1	–	1	1	3	4	–
319	St Vigeans,	2553	2513	30	39	69	2	3	5	17	20	37	14
320	Stracathro,	546	503	5	6	11	–	–	–	1	–	1	3
321	Tannadice,	1438	1286	16	9	25	2	1	3	14	6	20	6
322	Tealing,	883	879	21	8	29	–	–	–	10	3	13	3
	Total,	206750	240049	4371	4109	8480	464	457	921	2750	2935	5685	1961
	13. Perth.												
323	Aberdalgie,	295	342	4	8	12	2	–	2	–	4	4	–
324	Aberfeldy,	2402	2286	35	27	62	–	4	4	20	23	43	18
325	Aberfoyle,	565	432	3	3	6	–	1	1	9	6	15	1
326	Abernethy,	1960	1744	21	23	44	3	2	5	12	15	27	10
327	Abernyte,	310	253	7	3	10	–	–	–	1	1	2	–
328	Alyth,	3198	3151	35	35	70	6	5	11	36	37	73	20
328b	Ardoch,	1418	1316	22	12	34	1	–	1	13	10	23	8
329	Auchterarder,	4208	3795	51	48	99	5	11	16	46	50	96	12
330	Auchtergaven,	2562	2141	31	24	55	2	3	5	21	23	44	14
331	Balquhidder,	746	743	11	10	21	–	–	–	7	4	11	2
332	Bendochy,	549	474	8	3	11	–	–	–	1	3	4	1
333	Blackford,	2041	1836	25	30	55	2	2	4	12	9	21	12
334	Blair-Athol,	1553	1718	32	25	57	7	2	9	9	14	23	5
335	Blairgowrie,	4423	4832	72	66	138	8	14	22	32	37	69	24
336	Callander,	1676	1870	21	19	40	2	1	3	18	22	40	10
337	Caputh,	1728	1571	22	20	42	–	1	1	14	19	33	5
338	Cargill,	1647	1411	18	15	33	3	3	6	24	17	41	6
339	Clunie,	699	603	14	10	24	2	1	3	6	4	10	4
340	Collace,	534	456	7	5	12	–	1	1	1	4	5	6
341	Comrie,	2226	1911	22	21	43	4	2	6	17	20	37	10
342	Crieff,	4490	4598	72	60	132	11	11	22	41	37	78	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.		
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.
	11. Kincardine.											
250	Arbuthnot,	932	924	12	14	26	[illegible]	3	5	2	6	8
251	Banchory-Devenick—											
	(1) Banchory-Devenick,	1159	1263	23	29	52	4	4	8	13	9	22
	(2) Portlethen,	1687	1789	28	29	57	3	3	6	11	15	26
252	Banchory-Ternan,	2947	2875	44	38	82	6	4	10	15	17	32
253	BENHOLM,	1574	1569	32	31	63	3	2	5	10	15	25
254	BERVIE,	1561	1843	44	33	77	6	–	6	8	10	18
255	Dunnottar,	1828	2102	30	39	69	8	10	18	17	21	38
256	Durris,	1109	1021	16	25	41	3	2	5	5	3	8
257	Fettercairn,	1700	1539	28	20	48	2	2	4	7	11	18
258	Fetteresso—											
	(1) Fetteresso,	3575	3585	58	51	109	10	9	19	41	40	81
	(2) Cookney,	1952	2080	31	31	62	3	5	8	17	22	39
259	Fordoun,	2297	2113	33	21	54	3	4	7	17	25	42
260	Garvock,	458	476	4	8	12	–	1	1	2	6	8
261	Glenbervie,	1219	1073	13	12	25	2	2	4	9	8	17
262	Kinneff and Catterline,	1054	1062	27	10	37	5	1	6	8	7	15
263	Laurencekirk,	2110	2174	42	30	72	4	7	11	27	30	57
264	Maryculter,	1055	1110	14	14	28	1	–	1	6	8	14
265	Marykirk,	2068	1771	19	33	52	2	7	9	14	14	28
266	Nigg,	2074	2348	46	38	84	4	2	6	20	20	40
267	St Cyrus,	1552	1585	26	24	50	2	6	8	16	15	31
268	Strachan,	870	795	9	9	18	–	–	–	5	8	13
	Total,	34781	35097	579	539	1118	73	74	147	270	310	580
	IV. EAST-MIDLAND.											
	12. Forfar.											
269	Aberlemno,	1054	1007	17	10	27	1	2	3	11	10	21
270	Airlie,	845	778	18	16	34	3	–	3	5	9	14
271	Arbirlot,	960	919	14	19	33	1	3	4	6	6	12
272	ARBROATH,	17831	20169	360	326	686	33	31	64	203	225	428
273	Auchterhouse,	706	721	16	11	27	2	1	3	5	5	10
274	Barry,	2465	3008	54	33	87	3	3	6	17	24	41
275	BRECHIN,	8810	9514	157	144	301	25	25	50	112	118	230
276	Carmylie,	1286	1309	19	17	36	3	2	5	4	8	12
277	Careston,	225	209	3	4	7	–	–	–	1	1	2
278	Cortachy and Clova,	653	554	8	9	17	1	1	2	4	3	7
279	Coupar-Angus,	2642	2797	35	50	85	4	5	9	39	35	74
280	CRAIG,	2177	2402	60	33	93	6	2	8	20	22	42
281	Dun,	552	565	12	6	18	–	2	2	3	3	6
282	DUNDEE—											
	(1) St Peter,		22894	400	432	832	39	32	71	273	319	592
	(2) St Mary,		23582	474	470	944	66	79	145	408	413	821
	(3) St Clement,	91664	25090	459	498	957	61	67	128	297	345	642
	(4) St Andrew,		38082	766	738	1504	58	55	113	500	523	1023
	(5) Lochee,		11076	216	191	407	25	28	53	182	231	413
283	Dunnichen,	1932	1536	18	31	49	3	10	13	15	12	27
284	Eassie and Nevay,	748	586	18	7	25	1	–	1	2	5	7
285	Edzell,	1025	976	11	10	21	2	–	2	7	7	14
286	Farnell,	703	580	10	8	18	–	2	2	6	1	7
287	Fearn,	439	348	4	5	9	1	–	1	2	5	7
288	FORFAR,	10838	12585	245	209	454	42	34	76	127	127	254
289	Glammis,	1980	1813	27	32	59	1	3	4	14	11	25
290	Glenisla,	1008	925	18	6	24	1	–	1	7	4	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	476	404	7	5	12	1	1	2	2	–	2	3
292	Inverarity,	961	888	11	14	25	–	1	1	6	6	12	7
293	Inverkeillor,	1792	1521	34	29	63	4	4	8	15	15	30	8
294	Kettins,	962	855	13	6	19	–	–	–	4	8	12	5
295	Kingoldrum,	473	409	1	6	7	–	–	–	3	1	4	2
296	Kinnell,	816	766	13	9	22	1	2	3	6	3	9	9
297	Kinnettles,	447	405	11	1	12	–	–	–	3	1	4	2
298	Kirkden,	1862	1623	33	34	67	–	2	2	12	15	27	10
299	Kirriemuir,	7359	6420	107	83	190	30	14	44	81	81	162	39
300	Lethnott and Navar,	446	318	5	8	13	–	–	–	3	2	5	2
301	Liff, Benvie, and Invergowrie,	1430	1357	13	18	31	1	1	2	9	7	16	14
302	Lintrathen,	898	756	5	10	15	–	–	–	8	2	10	11
303	Lochlee,	495	424	7	3	10	1	–	1	1	3	4	1
304	Logie-Pert,	1483	1251	13	26	39	–	4	4	10	9	19	3
305	Lunan,	259	248	4	2	6	1	–	1	–	1	1	–
306	Lundie,	442	400	9	5	14	2	–	2	2	2	4	1
307	Mains, etc.—(1) Mains,	1392	1927	41	38	79	1	5	6	17	17	34	9
	(2) Strathmartine,	789	822	12	13	25	1	1	2	5	3	8	4
308	Marytown,	417	396	5	1	6	2	1	3	3	1	4	2
309	Menmuir,	796	761	17	10	27	–	–	–	3	8	11	5
310	Monifieth,	5052	7252	152	107	259	5	4	9	71	48	119	48
311	Monikie,	1460	1397	22	33	55	4	5	9	7	8	15	7
312	MONTROSE,	15668	15783	245	209	454	14	13	27	143	161	304	116
313	Murroes,	763	751	14	14	28	–	1	1	6	9	15	4
314	Newtyle,	1139	931	18	14	32	1	4	5	5	6	11	5
315	Oathlaw,	399	452	6	5	11	–	1	1	2	2	4	–
316	Panbride,	1299	1331	20	12	32	4	–	4	8	10	18	11
317	Rescobie,	747	748	17	15	32	4	2	6	2	2	4	5
318	Ruthven,	265	247	5	2	7	1	–	1	1	3	4	–
319	St Vigeans,	2553	2513	30	39	69	2	3	5	17	20	37	14
320	Stracathro,	546	503	5	6	11	–	–	–	1	–	1	3
321	Tannadice,	1438	1286	16	9	25	2	1	3	14	6	20	6
322	Tealing,	883	879	21	8	29	–	–	–	10	3	13	3
	Total,	206750	240049	4371	4109	8480	464	457	921	2750	2935	5685	1961
	13. Perth.												
323	Aberdalgie,	295	342	4	8	12	2	–	2	–	4	4	–
324	Aberfeldy,	2402	2286	35	27	62	–	4	4	20	23	43	18
325	Aberfoyle,	565	432	3	3	6	–	1	1	9	6	15	1
326	Abernethy,	1960	1744	21	23	44	3	2	5	12	15	27	10
327	Abernyte,	310	253	7	3	10	–	–	–	1	1	2	–
328	Alyth,	3198	3151	35	35	70	6	5	11	36	37	73	20
328b	Ardoch,	1418	1316	22	12	34	1	–	1	13	10	23	8
329	Auchterarder,	4208	3795	51	48	99	5	11	16	46	50	96	12
330	Auchtergaven,	2562	2141	31	24	55	2	3	5	21	23	44	14
331	Balquhidder,	746	743	11	10	21	–	–	–	7	4	11	2
332	Bendochy,	549	474	8	3	11	–	–	–	1	3	4	1
333	Blackford,	2041	1836	25	30	55	2	2	4	12	9	21	12
334	Blair-Athol,	1553	1718	32	25	57	7	2	9	9	14	23	5
335	Blairgowrie,	4423	4832	72	66	138	8	14	22	32	37	69	24
336	Callander,	1676	1870	21	19	40	2	1	3	18	22	40	10
337	Caputh,	1728	1571	22	20	42	–	1	1	14	19	33	5
338	Cargill,	1647	1411	18	15	33	3	3	6	24	17	41	6
339	Clunie,	699	603	14	10	24	2	1	3	6	4	10	4
340	Collace,	534	456	7	5	12	–	1	1	1	4	5	6
341	Comrie,	2226	1911	22	21	43	4	2	6	17	20	37	10
342	Crieff,	4490	4598	72	60	132	11	11	22	41	37	78	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
343	CULROSS,	1423	1354	17	23	40	2	3	5	13	12	25	5
344	Dowally,	486	461	11	7	18	2	–	2	4	8	12	–
345	Dron,	376	343	5	2	7	–	–	–	2	–	2	1
346	Dull,	753	677	11	6	17	–	–	–	11	4	15	2
347	Dunbarney,	1035	913	11	9	20	1	1	2	11	5	16	3
348	Dunblane,	2528	2765	40	43	83	4	6	10	34	31	65	20
349	Dunkeld,	1086	881	9	13	22	–	–	–	3	14	17	4
350	Dunning,	2084	1832	27	27	54	5	5	10	15	18	33	9
351	Errol,	2759	2504	41	37	78	3	5	8	20	19	39	14
352	Findo-Gask,	399	369	6	7	13	2	2	4	4	2	6	1
353	Forgandenny,	739	632	6	10	16	–	3	3	1	6	7	6
354	Forteviot,	595	567	11	9	20	–	–	–	4	6	10	4
a355	Fortingall,	1244	1014	8	15	23	1	1	2	2	7	9	7
b355	Foss,	381	270	2	2	4	–	–	–	3	2	5	4
356	Fowlis-Easter,	317	291	3	6	9	–	–	–	1	2	3	1
357	Fowlis-Wester,	1276	1028	14	11	25	1	3	4	8	7	15	6
358	Glendevon,	138	105	–	2	2	–	–	–	1	1	2	1
359	Inchture,	659	659	7	17	24	1	1	2	4	6	10	3
360	Kenmore,	1515	1215	17	11	28	1	–	1	15	15	30	6
361	Killin,	1681	1977	19	15	34	3	1	4	15	20	35	4
362	Kilmadock,	3312	3170	33	33	66	4	2	6	20	45	65	8
363	Kilspindie,	665	679	10	10	20	2	1	3	4	8	12	2
364	Kincardine,	1778	1484	26	13	39	4	2	6	17	18	35	10
365	Kinclaven,	758	607	10	6	16	–	3	3	6	4	10	2
366	Kinfauns,	657	578	4	14	18	–	1	1	3	5	8	9
367	Kinloch-Rannoch,	1147	921	13	6	19	1	1	2	5	9	14	6
368	Kinnaird,	318	299	6	5	11	–	–	–	3	4	7	–
369	Kinnoull,	796	723	8	12	20	1	2	3	5	6	11	5
370	Kirkmichael—												
	(1) Kirkmichael,	812	657	8	4	12	1	–	1	4	11	15	..
	(2) Glenshee,	334	241	1	2	3	–	1	1	2	–	2	–
371	Lecropt,	538	535	11	11	22	1	–	1	7	6	13	3
372	Lethendy, etc.—												
	(1) Lethendy,	235	179	2	2	4	.	1	1	1	–	1	1
	(2) Kinloch,	295	251	3	1	4	–	–	–	1	2	3	–
373	Little Dunkeld,	2089	2352	39	31	70	–	4	4	26	29	55	9
374	LOGIE,	3483	4553	60	44	104	5	7	12	49	44	93	26
375	Logiealmond,	815	646	4	9	13	–	1	1	5	2	7	3
376	Logierait,	1902	1739	28	17	45	3	2	5	11	25	36	5
377	Longforgan,	1823	1753	30	34	64	1	3	4	12	10	22	8
378	Madderty,	536	523	7	5	12	1	–	1	4	3	7	4
379	Meigle,	1122	1003	23	18	41	2	1	3	9	8	17	4
380	Methven,	2290	2073	32	36	68	1	4	5	14	16	30	13
381	Moneydie,	252	244	5	3	8	–	–	–	1	2	3	1
382	Monzie,	461	413	5	2	7	1	–	1	3	3	6	1
383	Monzievaird and Strowan,	782	744	8	15	23	–	1	1	7	6	13	2
384	Moulin,	1605	1561	17	22	39	4	1	5	11	12	23	4
385	Muckhart,	615	612	4	5	9	–	1	1	2	5	7	3
a386	Muthill,	2001	1916	18	24	42	4	3	7	14	15	29	8
b386	Persie,	839	820	13	12	25	3	3	6	4	6	10	4
387	PERTH,	26094	26382	409	375	784	34	29	63	307	280	587	195
388	Port of Menteith,	1375	1243	17	11	28	5	3	8	6	3	9	10
389	Rattray,	2234	2586	34	32	66	3	4	7	32	36	68	12
390	Redgorton,	1596	1401	12	16	28	1	3	4	6	12	18	9
391	Rhynd,	297	327	6	5	11	–	–	–	6	2	8	2
392	St Madoes,	280	290	4	2	6	–	–	–	2	3	5	2
393	St Martins,	904	735	12	12	24	2	3	5	8	6	14	4
a394	Scone,	2153	2185	30	34	64		–	–	20	20	40	17
b394	Strathfillan,	411	342	6	2	8	–	1	1	7	6	13	–
c394	Tenandry,	595	530	5	9	14	1	1	2	4	3	7	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
395	Tibbermore,	1182	1128	21	17	38	3	2	5	8	14	22	6
396	Trinity-Gask,	488	415	5	5	10	1	–	1	1	1	2	3
397	Tullialan,	2410	2184	34	31	65	1	2	3	25	32	57	8
398	Weem,	215	186	6	3	9	–	–	–	1	1	2	1
	Total,	133198	128550	1827	1689	3516	174	188	362	1194	1267	2461	702
	14. Fife.												
399	Abbotshall,	808	674	7	7	14	–	–	–	4	9	13	4
400	Abdie,	1257	1057	17	8	25	2	1	3	17	10	27	11
401	Aberdour,	1874	1697	31	26	57	3	6	9	12	15	27	16
402	Anstruther-Easter,	1155	1239	19	18	37	1	–	1	6	8	14	10
403	Anstruther-Wester,	421	545	10	10	20	–	–	–	6	1	7	3
404	Arngask,	705	565	4	18	22	–	2	2	5	7	12	2
405	Auchterderran,	3457	4017	82	82	164	4	4	8	44	33	77	23
406	Auchtermuchty,	3285	2958	44	41	85	4	6	10	29	42	71	11
407	Auchtertool,	609	529	9	13	22	–	4	4	4	6	10	5
408	Ballingry,	736	982	23	21	44	1	2	3	17	17	34	5
409	Balmerino,	815	717	9	9	18	–	–	–	8	6	14	6
410	Beath,	2390	3534	93	90	183	2	4	6	48	38	86	23
411	Burntisland,	3670	3872	67	57	124	8	6	14	42	36	78	32
412	Cameron,	1362	1158	13	17	30	2	3	5	5	3	8	3
413	Carnbee,	1157	1088	17	22	39	1	4	5	3	5	8	13
414	Carnock,	2925	1764	20	32	52	1	2	3	18	15	33	12
415	Ceres,	2723	2381	36	29	65	6	3	9	16	16	32	18
416	Collessie,	1530	1703	34	38	72	3	3	6	12	12	24	10
417	Crail,	1948	1864	21	27	48	2	3	5	10	13	23	11
418	Creich,	377	387	8	5	13	2	1	3	3	6	9	4
419	Cults,	800	767	14	15	29	1	1	2	5	9	14	4
420	Cupar,	6750	7102	114	96	210	12	12	24	66	85	151	47
421	Dairsie,	638	687	8	10	18	1	1	2	2	6	8	6
422	Dalgetty,	1569	1310	23	18	41	2	1	3	12	12	24	7
423	Dunbog,	414	395	3	9	12	–	–	–	2	1	3	2
424	Dunfermline—												
	(1) Burgh,	13506	14963	252	233	485	18	9	27	158	153	311	168
	(2) Landward,	7609	8293	164	180	344	10	12	22	92	103	195	65
425	Dunino,	370	325	2	7	9	1	–	1	5	2	7	1
426	Dysart,	8842	9682	194	170	364	6	11	17	120	117	237	100
427	Elie,	826	775	11	9	20	–	1	1	9	7	16	3
428	Falkland,	2937	3069	42	43	85	2	4	6	19	23	42	22
429	Ferry-Port-on-Craig,	2013	2674	39	49	88	1	6	7	18	23	41	12
430	Flisk,	230	212	2	6	8	–	1	1	–	2	2	–
431	Forgan,	1326	2243	29	26	55	2	2	4	21	13	34	8
432	Inverkeithing,	3196	3131	46	44	90	1	7	8	23	26	49	16
433	Kemback,	896	1056	6	16	22	–	1	1	8	8	16	10
434	Kennoway,	2012	1703	25	18	43	3	1	4	8	19	27	8
435	Kettle,	2474	2323	39	27	66	3	1	4	9	26	35	11
436	Kilconquhar,	2431	2018	27	21	48	1	–	1	15	17	32	9
437	Kilmany,	656	651	5	11	16	1	–	1	2	5	7	3
438	Kilrenny,	2534	2945	51	56	107	–	1	1	20	20	40	19
439	Kinghorn,	2349	2602	50	39	89	3	2	5	31	40	71	19
440	Kinglassie,	1266	1082	18	24	42	2	3	5	11	7	18	9
441	Kingsbarns,	937	922	8	6	14	–	1	1	3	8	11	2
442	Kirkcaldy,	11117	12835	231	208	439	18	15	33	156	154	310	124
443	Largo,	2626	2318	35	49	84	6	5	11	19	26	45	15
444	Leslie,	4332	4294	73	57	130	9	18	27	24	39	63	25
445	Leuchars,	1903	1727	26	18	44	2	3	5	15	18	33	12

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
446	Logie,	410	402	3	10	13	–	1	1	4	2	6	1
447	Markinch,	5375	5413	75	77	152	10	8	18	54	73	127	34
448	Monimail,	1054	918	15	11	26	1	–	1	6	6	12	3
449	Moonzie,	179	154	3	2	5	–	–	–	1	–	1	2
450	NEWBURGH,	2693	2529	45	28	73	2	4	6	33	34	67	15
451	Newburn,	374	362	4	9	13	–	2	2	1	5	6	3
452	PITTENWEEM,	1710	1803	42	21	63	3	2	5	15	17	32	13
453	ST ANDREWS and St Leonards,	7605	8592	95	99	194	8	13	21	63	63	126	52
454	St Monance (or Abercromby),	1498	1761	41	30	71	5	–	5	6	8	14	18
455	Saline,	1610	1259	14	20	34	1	3	4	8	11	19	9
456	Scoonie,	3257	3178	48	42	90	4	–	4	23	20	43	15
457	Strathmiglo,	2261	2267	24	32	56	7	3	10	14	28	42	9
458	Torryburn,	1229	1051	17	21	38	–	2	2	8	12	20	9
459	Wemyss,	6003	6400	133	130	263	4	3	7	55	70	125	44
	Total,	155021	160924	2660	2567	5227	192	214	406	1473	1616	3089	1176
	15. Kinross.												
460	Cleish,	649	539	10	5	15	1	2	3	4	2	6	8
461	Fossoway and Tulliebole,	1584	1461	29	25	54	5	6	11	6	11	17	6
462	Kinross,	2649	2477	34	25	59	4	5	9	23	20	43	11
463	Orwell,	2399	2248	36	26	62	4	4	8	21	26	47	5
464	Portmoak,	1450	1193	19	17	36	–	2	2	13	11	24	7
	Total,	8731	7918	128	98	226	14	19	33	67	70	137	37
	16. Clackmannan.												
465	Alloa,	8867	9940	172	191	363	14	11	25	104	118	222	61
466	Clackmannan,	4425	4653	79	100	179	9	12	21	37	43	80	36
467	Dollar,	1776	2524	31	24	55	1	2	3	21	25	46	13
468	Tillicoultry,	5054	5118	83	85	168	12	13	25	56	59	115	27
	Total,	20122	22235	365	400	765	36	38	74	218	245	463	137
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1194	1396	27	33	60	–	3	3	10	20	30	12
470	Alva,	3283	4296	101	79	180	7	6	13	67	64	131	24
471	Baldernock,	718	616	10	11	21	–	1	1	6	5	11	1
472	Balfron,	1517	1502	25	17	42	5	2	7	13	22	35	4
473	Bothkennar,	1722	2455	77	45	122	7	3	10	41	28	69	31
474	Buchanan,	705	591	5	5	10	–	–	–	2	1	3	2
475	Campsie,	6483	6739	105	116	221	6	8	14	55	81	136	43
476	Denny,	4988	4993	116	80	196	7	5	12	73	56	129	37
477	Drymen,	1619	1405	17	15	32	1	–	1	8	12	20	5
478	Dunipace,	1731	1733	28	35	63	3	2	5	11	15	26	11
479	FALKIRK—(1) Burgh,	9030	9547	194	146	340	20	17	37	146	139	285	67
	(2) Landward,	7996	8504	181	155	336	8	16	24	91	90	181	104
480	Fintry,	685	499	4	8	12	–	1	1	3	7	10	3
481	Gargunnock,	728	675	7	14	21	–	2	2	6	5	11	1
482	Killearn,	1171	1111	13	13	26	1	–	1	13	8	21	4
483	Kilsyth,	6112	6313	142	151	293	5	14	19	76	73	149	45
484	Kippen,	1722	1568	19	20	39	2	2	4	14	21	35	8
485	Larbert,	4999	5280	120	99	219	7	3	10	87	103	190	31

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
486	Muiravonside, . .	2660	2653	71	59	130	9	4	13	34	24	58	20
487	Polmont, . . .	4111	3910	83	69	152	8	6	14	41	43	84	30
488	St Ninians—												
	(1.) St Ninians, .	4693	5289	99	87	186	7	4	11	47	71	118	18
	(2.) Bannockburn,	3796	4358	78	70	148	6	3	9	48	46	94	35
489	Slamannan, . . .	2916	4164	122	87	209	14	7	21	63	39	102	40
490	STIRLING, . . .	14012	14590	223	199	422	18	11	29	151	146	297	104
491	Strathblane, . . .	1388	1235	18	19	37	1	–	1	14	10	24	10
	Total,	88138	93345	1885	1632	3517	142	120	262	1120	1129	2249	690
	18. Dumbarton.												
492	Arrochar, . .	629	525	7	4	11	–	–	–	4	3	7	2
493	Bonhill, . . .	9059	9593	170	141	311	7	8	15	103	95	198	78
494	Cardross, . . .	4168	4405	78	66	144	5	5	10	44	52	96	31
495	Cumbernauld, . .	3513	3602	61	67	128	5	8	13	29	45	74	24
496	DUMBARTON, . .	8268	11423	298	218	516	4	6	10	188	144	332	87
497	Kilmaronock, . .	1085	978	9	10	19	2	2	4	19	6	25	5
498	Kirkintilloch, . .	8179	8257	181	167	348	16	13	29	135	95	230	64
499	Luss, ...	831	730	7	13	20	1	1	2	7	10	17	2
500	New or East Kilpatrick, . . .	4910	6038	122	120	242	13	9	22	65	68	133	34
501	Old or West Kilpatrick .	5577	5346	111	128	239	6	8	14	78	61	139	44
502	Roseneath, . . .	1626	1780	21	18	39	–	–	–	15	13	28	7
503	Row, ...	6334	8439	113	99	212	4	4	8	88	93	181	45
	Total,	54179	61116	1178	1051	2229	63	64	127	775	685	1460	423
	19. Argyll.												
	Mainland.												
504	Ardchattan, . . .	1381	1172	10	7	17	–	1	1	8	8	16	3
505	Ardnamurchan—												
	(1) Aharacle, . .	1544	1414	15	20	35	1	1	2	13	18	31	3
	(2) Arisaig, . .	1343	1131	14	10	24	1	1	2	5	9	14	6
	(3) Sunart (or Strontian)	759	760	8	12	20	1	1	2	11	11	22	1
	(4) Western District, .	1054	954	11	13	24		–	–	9	9	18	2
506	Ballachulish and Corran of Ardgour, . .	919	849	6	9	15	–	–	–	12	11	23	4
507	CAMPBELTOWN, .	8149	8580	121	142	263	13	14	27	79	87	166	65
508	Craignish, . . .	618	481	6	9	15	–	–	–	3	2	5	–
509	Cumlodden, . . .	1033	826	12	15	27	2	1	3	4	7	11	3
510	Dunoon and Kilmun, .	5461	6871	93	85	178	3	6	9	66	63	129	36
511	Glassary, . . .	1769	1535	23	24	47	1	1	2	8	10	18	10
512	Glenorchy and Inishail, .	1307	1054	13	13	26	3	2	5	8	9	17	2
513	INVERARAY, . .	1650	1503	19	12	31	–	1	1	18	21	39	9
514	Inverchaolain, . .	424	443	4	6	10	1	–	1	3	2	5	1
515	Kilbrandon & Kilchattan,	2053	2107	27	26	53	3	–	3	23	21	44	6
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell, . .	742	684	12	8	20	1	1	2	7	3	10	4
	(2) Kilberry, . .	583	485	12	4	16	2	1	3	6	4	10	2
517	Kilchrenan, etc.—												
	(1) Kilchrenan, . .	385	267	4	3	7	–	–	–	2	4	6	1
	(2) Dalavich, . .	230	217	2	2	4	–	–	–	–	1	1	2
518	Kilfinan, . . .	1891	2228	38	30	68	2	1	3	17	19	36	11
519	Killean and Kilchenzie, .	1890	1614	15	30	45	2	1	3	12	20	32	5
520	Kilmalie, . . .	3353	3217	40	43	83	3	7	10	29	34	63	8
521	Kilmartin, . . .	949	869	12	4	16	1	1	2	7	9	16	4
522	Kilmodan, . . .	433	358	6	9	15	–	–	–	1	–	1	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
523	KILMORE AND KILBRIDE,	2962	3402	42	43	85	1	5	6	33	42	75	17
524	Kilninver, etc.—												
	(1) Kilninver,	314	253	4		4	1	–	1	3	1	4	1
	(2) Kilmelford,	486	506	3	6	9	–	–	–	3	4	7	–
525	Lismore, etc.—												
	(1) Lismore,	1023	908	10	6	16	2	1	3	14	7	21	4
	(2) Appin,	825	728	5	12	17	–	2	2	7	5	12	4
	(3) Glencoe & Ballachulish,	1324	1529	20	19	39	3	2	5	21	18	39	5
	(4) Duror,	423	370	5	3	8	–	–	–	–	5	5	–
526	Lochgilphead,	3312	3680	54	57	111	–	7	7	42	53	95	15
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	418	436	8	6	14	–	1	1	7	7	14	3
	(2) Kilmorich,	284	330	3	9	12	–	1	1	4	2	6	2
528	Morvern,	1226	973	10	9	19	–	–	–	8	11	19	2
529	Muckairn,	729	620	11	9	20	2	1	3	5	6	11	–
530	North Knapdale,	1327	1059	12	11	23	–	–	–	13	9	22	4
531	Saddell, etc.—												
	(1) Saddell,	739	645	8	12	20	–	1	1	7	4	11	–
	(2) Skipness.	533	500	9	2	11	–	–	–	2	4	6	3
532	Southend,	1214	1044	16	13	29	1	2	3	9	1	10	11
533	South Knapdale,	654	548	2	6	8	–	1	1	6	2	8	2
534	Stralachlan, etc.—												
	(1) Stralachlan,	309	340	8	7	15	2	–	2	2	3	5	2
	(2) Strachur,	563	527	3	9	12	–	1	1	4	10	14	4
535	Tarbert,	1661	1866	38	35	73	4	–	4	21	26	47	10
	Insular.												
536	Bowmore (or Kilarrow),	2701	2088	30	22	52	4	4	8	27	22	49	9
537	Gigha,	467	390	6	5	11	–	–	–	5	5	10	–
538	Iona (merged in 542),												
539	Jura, etc.—(1) Jura,	858	775	2	5	7	–	1	1	7	3	10	1
	(2) Colonsay,	598	456	5	6	11	–	2	2	3	7	10	1
540	Kilchoman,	2377	1882	22	18	40	3	1	4	15	15	30	7
541	Kildalton,	2187	1916	29	19	48	2	3	5	14	22	36	5
542	Kilfinichen & Kilvickeon,	2535	2461	32	25	57	3	2	5	28	17	45	9
543	Kilmeny,	1268	924	20	10	30	2	2	4	4	7	11	3
544	Kilninian and Kilmore,	1641	1189	9	14	23	1	–	1	4	9	13	2
545	Kinlochspelvie,	428	388	6	4	10	–	1	1	–	4	4	–
546	Oa,	769	367	3	2	5	–	1	1	–	–	–	–
547	Portnahaven,	1059	979	21	12	33	2	1	3	6	16	22	2
548	Salen,	604	605	4	5	9	–	–	–	5	–	5	–
549	Tobermory,	1566	1344	17	10	27	1	1	2	18	14	32	5
550	Torosay,	557	454	4	5	9	–	1	1	3	3	6	1
551	Tyree, etc.—(1) Tyree,	3217	2837	32	36	68	3	2	5	26	15	41	9
	(2) Coll,	781	723	6	7	13	1	–	1	11	6	17	–
	Total,	83859	79661	1042	1015	2057	78	88	166	738	767	1505	334
	20. Bute.												
552	Cumbrae,	1236	1613	19	28	47	–	–	–	7	20	27	10
553	Kilbride—												
	(1) Brodick,	902	928	10	10	20	–	2	2	8	6	14	2
	(2) Kilbride,	1351	1276	14	12	26	2	1	3	19	13	32	3
554	Kilmory,	2515	2278	15	14	29	1	–	1	23	17	40	16
555	Kingarth,	905	901	11	18	29	–	2	2	6	9	15	8
556	Lochranza,	824	777	9	8	17	–	1	1	17	3	20	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
557	North Bute,	1351	1393	19	15	34	2	–	2	14	11	25	5
558	ROTHESAY,	7227	7800	112	110	222	9	16	25	106	120	226	57
	Total,	16311	16966	209	215	424	14	22	36	200	199	399	101
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	310	322	632	28	25	53	231	227	458	156
	(2) Landward,	5670	5679	108	106	214	11	5	16	59	50	109	40
	(3) Johnstone,	8142	8590	186	176	362	14	10	24	92	102	194	96
560	Cathcart,	3782	7231	140	141	281	4	4	8	62	78	140	57
561	Eaglesham,	2328	1714	28	27	55	3	2	5	19	17	36	20
562	Eastwood,	11314	13098	240	259	499	20	18	38	147	135	282	118
563	Erskine,	1457	1565	23	21	44	2	2	4	16	12	28	7
564	GREENOCK—												
	(1) New, or Middle,	9446	9592	217	200	417	24	23	47	125	146	271	41
	(2) East,	12135	17061	407	386	793	15	19	34	216	225	441	132
	(3) Old, or West,	22313	33141	811	705	1516	45	32	77	521	464	985	367
565	Houstoun and Killellan,	2490	2167	36	32	68	3	2	5	15	22	37	17
566	Inchinnan,	619	584	9	11	20	–	1	1	4	8	12	6
567	INNERKIP—												
	(1) Innerkip,	1188	1393	23	21	44	2	–	2	10	10	20	7
	(2) Gourock,	2307	3109	48	50	98	2	3	5	40	37	77	18
568	Kilbarchan,	6348	6093	117	105	222	6	4	10	79	66	145	60
569	Kilmalcolm,	1455	1716	25	27	52	3	2	5	16	11	27	13
570	Lochwinnoch,	3821	3816	57	63	120	5	6	11	33	40	73	23
571	Mearns,	3547	3543	49	45	94	–	3	3	32	33	65	26
572	NEILSTON—												
	(1) Neilston,	4577	4633	72	73	145	12	7	19	42	44	86	29
	(2) Barrhead,	6436	6503	116	105	221	11	15	26	62	74	136	32
573	PAISLEY,	31538	31910	560	621	1181	36	50	86	496	476	972	321
574	PORT-GLASGOW,	7294	9912	254	218	472	15	15	30	152	147	299	106
575	RENFREW,	4650	5908	135	110	245	3	4	7	89	79	168	29
	Total,	168746	195305	3971	3824	7795	264	252	516	2558	2503	5061	1721
	22. Ayr.												
576	ARDROSSAN—												
	(1) Old Ardrossan,	3530	3336	57	52	109	5	4	9	41	54	95	42
	(2) New Ardrossan,	3246	3929	80	64	144	2	1	3	48	31	79	22
577	Auchinleck,	4213	6174	125	104	229	12	6	18	63	42	105	31
578	AYR,	19659	19172	326	326	652	40	39	79	276	256	532	160
579	Ballantrae,	1483	1277	19	16	35	2	2	4	15	11	26	3
580	Barr,	910	672	7	7	14	–	–	–	4	2	6	6
581	Beith,	5775	6233	111	100	211	6	10	16	63	60	123	42
582	Colmonell,	2588	2293	40	24	64	10	–	10	23	20	43	12
583	Coylton,	1604	1440	41	19	60	2	1	3	11	10	21	9
584	Craigie,	730	618	7	6	13	–	–	–	2	4	6	3
585	Dailly,	2050	1932	40	39	79	6	8	14	18	15	33	16
586	Dalmellington,	4194	6165	150	134	284	6	8	14	53	59	112	53
587	Dalry,	11156	10885	212	198	410	12	12	24	100	73	173	79
588	Dalrymple,	1325	1412	31	26	57	2	1	3	11	15	26	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
589	Dreghorn,	3283	3241	78	77	155	7	4	11	36	25	61	30
590	Dundonald—												
	(1) Dundonald,	2095	1507	24	20	44	4	–	4	12	10	22	9
	(2) Troon,	2599	2870	49	43	92	–	1	1	30	24	54	19
591	Dunlop,	1038	1160	11	14	25	–	2	2	6	13	19	8
592	Fenwick,	1532	1318	15	19	34	–	2	2	14	12	26	14
593	Galston,	5254	6331	142	151	293	9	16	25	66	74	140	54
594	Girvan,	7053	5685	119	83	202	22	17	39	74	62	136	45
595	IRVINE,	8607	8462	149	152	301	15	17	32	128	152	280	68
596	Kilbirnie,	5265	4953	97	104	201	3	8	11	59	42	101	54
597	KILMARNOCK,	23556	24072	523	468	991	37	43	80	291	280	571	235
598	Kilmaurs,	3526	3449	65	75	140	4	6	10	36	30	66	31
599	Kilwinning,	7717	7375	160	149	309	15	12	27	94	81	175	62
600	Kirkmichael,	2823	2254	36	39	75	9	5	14	20	26	46	17
601	Kirkoswald,	2060	1846	27	26	53	2	2	4	18	10	28	21
602	Largs,	3620	4087	70	43	113	5	–	5	49	47	96	26
603	Loudoun,	4840	5525	119	116	235	11	2	13	53	54	107	68
604	Mauchline,	2303	2435	37	39	76	3	3	6	32	25	57	24
605	Maybole,	6713	5900	115	91	206	21	13	34	60	60	120	45
606	Monkton and Prestwick,	1937	1744	31	35	66	5	4	9	15	20	35	14
607	Muirkirk,	3270	3253	54	60	114	1	2	3	32	22	54	29
608	New Cumnock,	2891	3434	75	77	152	12	11	23	35	46	81	30
609	Ochiltree,	1676	1656	24	19	43	–	1	1	13	9	22	11
610	Old Cumnock,	3721	4041	81	80	161	3	12	15	37	41	78	31
611	RICCARTON,	5629	5845	137	117	254	11	5	16	59	56	115	40
612	St Quivox and Newton-upon-Ayr,	1870	1363	27	13	40	1	3	4	7	8	15	7
613	Sorn,	4042	4032	75	80	155	10	5	15	28	34	62	37
614	Stair,	743	734	10	6	16	–	2	2	7	12	19	4
615	Stevenston,	5452	5019	102	101	203	9	7	16	69	53	122	45
616	Stewarton,	4449	4478	89	62	151	7	6	13	51	60	111	41
617	Straiton,	1544	1443	25	31	56	2	1	3	9	8	17	10
618	Symington,	855	792	8	9	17	–	–	–	7	7	14	6
619	Tarbolton,	2669	3219	64	76	140	5	3	8	26	38	64	27
620	West Kilbride,	1988	1847	24	24	48	2	2	4	29	23	52	11
	Total,	199083	200908	3908	3614	7522	340	309	649	2230	2116	4346	1661
	23. Lanark.												
621	Avondale,	6125	5460	86	101	187	6	10	16	52	53	105	38
622	BARONY—												
	(1) MARYHILL,	6734	10235	279	257	536	15	15	30	147	135	282	70
	(2) SPRINGBURN,	8911	13994	321	315	636	29	32	61	328	334	662	81
	(3) Shettlestone,	6914	7517	164	131	295	8	9	17	81	81	162	75
623	Biggar,	1999	2013	32	24	56	9	3	12	13	21	34	15
624	Blantyre,	3092	3472	60	64	124	4	3	7	33	54	87	19
625	Bothwell—												
	(1) Bothwell,	7059	9193	208	199	407	6	7	13	117	116	233	87
	(2) Holytown,	10844	10099	232	223	455	10	15	25	133	97	230	55
*a*626	Cadder—												
	(1) Western,	3023	3261	61	65	126	1	4	5	45	20	65	29
	(2) Eastern,	2925	3203	51	66	117	2	7	9	38	34	72	17
*b*626	Calderhead,	4034	4271	106	94	200	7	3	10	41	38	79	43
627	Cambuslang,	3647	3740	80	65	145	4	2	6	37	37	74	29
628	Cambusnethan,	13118	18709	489	450	939	23	24	47	280	206	486	190
629	Carluke,	6176	7066	144	124	268	17	7	24	90	60	150	57
630	Carmichael,	836	708	9	11	20	3	2	5	6	7	13	5
631	Carmunnock	734	702	7	12	19	–	–	–	5	2	7	0

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
632	Carnwath,	3584	5709	149	122	271	13	11	24	62	48	110	37
633	Carstairs,	1345	1718	33	25	58	3	3	6	18	15	33	6
634	Covington and Thankerton,	532	454	7	4	11	1	3	4	4	6	10	4
635	Crawford—												
	(1) Crawford,	694	727	21	11	32	1	1	2	2	5	7	9
	(2) Leadhills,	896	1102	21	21	42	2	–	2	18	16	34	13
636	Crawfordjohn,	980	853	6	17	23	1	1	2	10	8	18	10
637	Culter,	665	593	11	4	15	1	2	3	6	4	10	4
638	Dalserf—												
	(1) Larkhall,	3629	5332	130	141	271	9	8	17	80	66	146	47
	(2) Dalserf,	1247	2009	49	46	95	2	1	3	22	26	48	14
639	Dalziel,	5438	9175	268	226	494	16	15	31	132	122	254	58
640	Dolphinton,	260	231	2	9	11	–	–	–	–	2	2	1
641	Douglas,	2490	2624	42	30	72	5	2	7	29	24	53	16
642	Dunsyre,	312	302	4	3	7	–	–	–	1	3	4	2
643	East Kilbride,	4064	3861	54	56	110	4	10	14	39	29	68	35
644	GLASGOW—												
	(1) Central District,	49678	57279	1311	1202	2513	265	193	458	1075	997	2072	608
	(2) High,	48119	58466	1332	1269	2601	137	111	248	1262	992	2254	788
	(3) Bridgeton,	45485	60628	1416	1381	2797	113	97	210	895	939	1834	563
	(4) Calton,	36625	38177	774	779	1553	72	78	150	544	590	1134	331
	(5) Clyde,	29975	26044	484	451	935	66	63	129	393	354	747	213
	(6) Blythswood,	28697	33443	506	462	968	34	20	54	330	314	644	516
	(7) Milton,	33360	46393	1079	1037	2116	75	61	136	637	627	1264	471
	(8) Anderston,	40945	52504	1128	1026	2154	70	63	133	612	645	1257	534
	(9) Tradeston,	38600	49176	977	948	1925	72	57	129	676	643	1319	670
	(10) Hutchesontown,	44019	55622	1294	1302	2596	89	104	193	747	781	1528	427
645	Glassford,	1938	1430	23	18	41	1	–	1	10	8	18	16
646	Govan—												
	(1) Govan Church,	11297	27116	883	803	1686	49	42	91	473	446	919	317
	(2) Park,	2428	5720	144	135	279	2	3	5	61	54	115	69
	(2) Partick,	14859	23918	529	484	1013	15	22	37	296	311	607	256
647	HAMILTON,	14047	16803	318	377	695	25	30	55	234	230	464	154
648	LANARK,	7891	7841	126	109	235	23	18	41	105	89	194	70
649	Lesmahagow,	9266	8709	191	163	354	23	21	44	76	64	140	82
650	Libberton,	836	691	13	10	23	3	1	4	4	–	4	7
651	NEW MONKLAND—												
	(1) AIRDRIE,	12922	13488	301	271	572	24	18	42	175	173	348	154
	(2) Landward,	7632	9264	235	223	458	12	18	30	127	105	232	71
652	Old Monkland—												
	(1) Western,	6932	7873	188	180	368	15	9	24	88	74	162	44
	(2) Coatbridge,	15303	18410	429	419	848	15	23	38	253	217	470	177
	(3) Eastern,	7308	7790	195	167	362	7	10	17	94	91	185	45
653	Pettinain,	407	366	6	8	14	–	–	–	2	2	4	5
654	RUTHERGLEN,	9335	10766	199	196	395	8	9	17	126	130	256	131
655	Shotts,	4792	5699	150	130	280	10	9	19	59	73	132	36
656	Stonehouse,	3267	3177	59	64	123	6	2	8	37	22	59	31
657	Symington,	528	442	3	9	12	1	3	4	–	4	4	3
658	Walston,	480	425	5	9	14	–	1	1	4	4	8	2
659	Wandell and Lamington,	380	332	6	2	8	–	–	–	2	2	4	1
660	Wiston and Roberton,	786	680	15	3	18	4	–	4	5	6	11	5
	Total,	640444	787005	17445	16553	33998	1438	1286	2724	11271	10656	21927	7873

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	965	983	14	14	28	4	2	6	14	11	25	
662	Bathgate—												
	(1) Bathgate	6572	6942	148	151	299	9	16	25	81	72	153	6
	(2) Armadale,	3562	3187	61	66	127	5	10	15	47	31	78	1
663	Borrowstounness,	5698	4986	115	98	213	5	10	15	60	45	105	4
664	Carriden,	1821	1799	34	37	71	6	3	9	23	20	43	1
665	Dalmeny,	804	916	19	22	41	–	2	2	8	10	18	
666	Ecclesmachen,	309	329	2	6	8	–	2	2	3	2	5	
667	Kirkliston,	1907	2172	51	45	96	6	7	13	23	15	38	1
668	Linlithgow,	5784	5554	109	73	182	13	7	20	67	55	122	4
669	Livingstone,	1366	1727	45	42	87	2	1	3	19	12	31	
670	Queensferry,	1391	1521	42	31	73	2	2	4	22	12	34	
671	Torphichen,	1848	1630	29	28	57	2	1	3	17	11	28	1
672	Uphall,	1507	2772	48	65	113	3	7	10	29	25	54	2
673	Whitburn,	5511	6911	153	140	293	14	14	28	74	63	137	3
	Total,	39045	41379	870	818	1688	71	84	155	487	384	871	29
	25. Edinburgh.												
674	Borthwick,	1569	1494	17	28	45	1	1	2	16	12	28	
675	Carrington,	681	712	8	11	19	1	1	2	4	1	5	
676	Cockpen,	2113	2481	60	49	109	4	5	9	25	29	54	1
677	Colinton,	2656	3644	67	68	135	17	18	35	91	110	201	2
678	Corstorphine,	1579	1788	26	20	46	1	2	3	17	14	31	
679	Cramond,	2695	3020	35	37	72	2	3	5	33	29	62	1
680	Cranston,	1035	1036	11	13	24	–	1	1	4	9	13	
681	Crichton,	1304	1223	12	21	33	2	1	3	12	19	31	
682	Currie,	2248	2360	36	40	76	4	2	6	22	20	42	1
683	Dalkeith,	7114	7667	126	108	234	12	3	15	106	95	201	5
684	DUDDINGSTON—												
	(1) PORTOBELLO,	4366	5481	82	72	154	8	3	11	70	46	116	4
	(2) Landward,	857	970	10	14	24	2	1	3	8	9	17	
685	EDINBURGH—												
	(1) St George,	42068	55049	878	926	1804	46	52	98	616	710	1326	39
	(2) St Andrew,	38731	39781	550	525	1075	33	27	60	355	427	782	32
	(3) Canongate	30169	33183	654	551	1205	60	31	91	738	590	1328	27
	(4) St Giles,	29679	31960	642	547	1189	130	110	240	539	565	1104	30
	(5) Newington,	29797	41079	740	637	1377	32	36	68	462	482	944	47
686	Fala and Soutra,	382	364	9	5	14	3	1	4	1	2	3	
687	Glencross,	1217	1153	14	10	24	1	–	1	7	7	14	
688	Heriot,	407	414	14	9	23	2	1	3	1	2	3	
689	Inveresk,	9518	10068	199	163	362	17	15	32	129	118	247	5
690	Kirknewton and East-Calder,	1549	2213	46	38	84	5	3	8	24	32	56	2
691	Lasswade,	5688	7098	115	142	257	5	8	13	74	78	152	5
692	Leith—												
	(1) North Leith,	11562	16582	333	313	646	17	19	36	221	208	429	15
	(2) South Leith,	24467	29852	635	537	1172	36	42	78	494	415	909	29
693	Liberton,	3510	3791	53	54	107	5	7	12	62	58	120	2
694	Mid-Calder,	1389	1634	25	38	63	3	2	5	16	18	34	1
695	Newbattle,	2138	2424	38	51	89	5	4	9	20	19	39	1
696	Newton,	1553	1181	16	23	39	–	3	3	13	18	31	1
697	Penicuik,	3249	3765	69	58	127	7	7	14	40	51	91	2
a698	Ratho,	1659	1744	21	33	54	2	5	7	22	18	40	1
a698	Stobhill,	2364	2447	44	55	99	4	4	8	25	19	44	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
699	Stow,	1870	1957	31	22	53	3	1	4	9	13	22	15
700	Temple,	682	658	11	11	22	–	–	–	4	9	13	3
701	West-Calder,	1927	7865	211	206	417	5	9	14	101	81	182	46
	Total,	273792	328138	5838	5435	11273	475	428	903	4381	4333	8714	2761
	26. Haddington.												
702	Aberlady,	1019	1022	13	21	34	4	3	7	6	5	11	2
703	Athelstaneford,	902	844	14	11	25	1	2	3	7	7	14	3
704	Bolton,	332	364	6	5	11	–	1	1	1	–	1	2
705	Dirleton,	1540	1419	20	13	33	4	1	5	15	14	29	9
706	DUNBAR,	4944	4982	84	79	163	16	10	26	47	48	95	26
707	Garvald,	891	832	8	15	23	1	–	1	6	6	12	5
708	Gladsmuir,	1945	1863	20	27	47	2	2	4	10	16	26	13
709	HADDINGTON,	5548	5735	91	70	161	3	8	11	82	90	172	42
710	Humbie,	997	967	14	12	26	–	1	1	6	8	14	3
711	Innerwick,	937	892	14	11	25	–	–	–	2	4	6	3
712	Morham,	281	204	1	3	4	–	–	–	1	–	1	1
713	NORTH BERWICK,	2071	2373	39	36	75	5	2	7	8	17	25	15
714	Oldhamstocks,	615	592	9	6	15	1	1	2	4	7	11	7
715	Ormiston,	915	911	15	14	29	–	2	2	6	10	16	7
716	Pencaitland,	1187	1320	24	20	44	1	–	1	5	10	15	6
717	Prestonkirk,	1960	1931	26	33	59	5	5	10	20	24	44	12
718	Prestonpans,	2080	2069	31	24	55	–	1	1	22	22	44	19
719	Salton,	712	647	9	2	11	–	1	1	4	4	8	4
720	Spott,	555	560	9	7	16	–	–	–	3	4	7	7
721	Stenton,	692	612	8	6	14	–	–	–	6	6	12	4
722	Tranent,	4647	4852	91	85	176	8	7	15	62	56	118	30
723	Whitekirk and Tynninghame,	1113	1073	13	14	27	2	3	5	10	3	13	8
724	Whittinghame,	710	657	9	10	19	–	1	1	2	4	6	9
725	Yester,	1033	1034	17	11	28	–	3	3	5	12	17	1
	Total,	37626	37755	585	535	1120	53	54	107	340	377	717	238
	27. Berwick.												
726	Abbey St Bathans,	179	195	2	2	4	1	–	1	1	–	1	2
727	Ayton,	2014	1983	34	21	55	3	1	4	19	8	27	11
728	Bunkle and Preston,	756	764	9	9	18	–	1	1	7	3	10	3
729	Channelkirk,	671	705	9	19	28	2	3	5	10	2	12	3
730	Chirnside,	1502	1413	20	27	47	2	2	4	13	12	25	11
731	Cockburnspath,	1194	1133	18	14	32	3	1	4	7	9	16	6
732	Coldingham,	3241	3093	48	50	98	3	2	5	22	19	41	17
733	Coldstream,	2823	2619	33	37	70	7	–	7	12	28	40	10
734	Cranshaws,	134	142	–	3	3	–	–	–	1	–	1	1
735	Dunse,	3595	3602	50	41	91	3	5	8	33	24	57	16
736	Earlston,	1825	1977	32	24	56	5	3	8	13	16	29	7
737	Eccles,	1861	1780	21	22	43	3	5	8	8	11	19	10
738	Edrom,	1592	1513	22	14	36	2	3	5	10	12	22	9
739	Eyemouth,	1804	2372	54	50	104	5	–	5	29	24	53	5
740	Fogo,	559	502	4	5	9	2	–	2	1	1	2	7
741	Foulden,	431	425	4	5	9	2	–	2	2	2	4	2
742	Gordon,	931	876	21	15	36	3	1	4	5	7	12	6
743	Greenlaw,	1370	1381	14	23	37	1	2	3	10	23	33	4
744	Hume,	420	460	3	7	10	–	2	2	3	3	6	–
745	Hutton,	1067	1077	11	16	27	1	1	2	9	4	13	2
746	Ladykirk,	564	518	5	6	11	–	–	–	4	3	7	5
747	Langton,	502	548	4	11	15	1	1	2	6	3	9	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
748	LAUDER, . . .	2198	2120	32	34	66	2	4	6	24	22	46	14
749	Legerwood, . . .	599	525	9	7	16	2	1	3	4	3	7	5
750	Longformacus, . .	448	452	5	5	10	2	–	2	2	1	3	2
751	Merton, . . .	729	734	16	8	24	3	2	5	6	5	11	4
752	Mordington, . . .	377	402	4	6	10	–	1	1	5	2	7	3
753	Nenthorn, . . .	461	434	11	2	13	1	–	1	3	3	6	3
754	Polwarth, . . .	251	249	1	3	4	–	–	–	2	2	4	–
755	Swinton, . . .	964	996	14	11	25	1	2	3	6	11	17	5
756	Westruther, . . .	786	784	11	9	20	1	3	4	6	4	10	2
757	Whitsome, . . .	640	608	12	5	17	1	–	1	4	4	8	3
	Total,	36488	36382	533	511	1044	62	46	108	287	271	558	178
	28. Peebles.												
758	Broughton (merged in 763).												
759	Drumelzier, . . .	209	221	5	2	7	–	–	–	1	–	1	–
760	Eddlestone, . . .	753	700	12	17	29	1	1	2	6	3	9	2
761	Glenholm (merged in 763).												
762	Innerleithen, . . .	1787	2776	51	54	105	5	6	11	26	31	57	11
763	Kilbucho, Broughton, and Glenholm, . . .	723	729	11	15	26	1	2	3	8	8	16	1
764	Kirkurd, . . .	362	294	4	5	9	–	1	1	1	2	3	–
765	Lyne, etc.—												
	(1) Lyne, . . .	81	104	3	1	4	–	–	–	2	–	2	–
	(2) Megget, . . .	53	70	1	1	2	–	–	–	–	–	–	–
766	Manor, . . .	247	271	10	5	15	1	–	1	5	4	9	1
767	Newlands, . . .	987	851	14	16	30	1	–	1	8	13	21	3
768	PEEBLES, . . .	2850	3172	42	53	95	4	7	11	24	34	58	27
769	Skirling, . . .	317	325	2	4	6	–	1	1	–	5	5	2
770	Stobo, . . .	478	459	9	12	21	–	1	1	1	6	7	1
771	Traquair, . . .	687	669	11	5	16	1	–	1	4	2	6	4
772	Tweedsmuir, . . .	196	190	–	6	6	–	–	–	2	3	5	–
773	West Linton, . . .	1534	1387	18	23	41	1	2	3	14	11	25	10
	Total,	11264	12218	193	219	412	15	21	36	102	122	224	62
	29. Selkirk.												
*a*774	Caddonfoot, . . .	610	699	8	8	16	1	1	2	9	5	14	3
*b*774	Ettrick, . . .	454	434	8	2	10	–	–	–	1	2	3	–
775	GALASHIELS, . .	3268	5921	120	99	219	5	9	14	51	67	118	41
*a*776	Kirkhope, . . .	555	565	9	8	17	2	–	2	7	1	8	4
*b*776	LADHOPE, . . .	4154	5317	127	111	238	17	8	25	75	60	135	61
777	Roberton, . . .	640	593	12	8	20	1	–	1	5	3	8	3
778	SELKIRK, . . .	4646	5555	107	96	203	15	9	24	56	57	113	44
779	Yarrow, . . .	574	567	5	10	15	1	–	1	4	1	4	6
	Total,	14901	19651	396	342	738	42	27	69	208	196	404	162
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum, . . .	1511	1391	24	24	48	1	2	3	8	13	21	4
781	Ashkirk, . . .	578	550	7	12	19	–	–	–	2	1	3	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Tot	Mal.	Fem	Total.	
782	Bedrule,	222	292	4	2	6	2	–	2	–	–	–	2
783	Bowden,	864	842	17	7	24	3	–	3	2	9	11	7
784	Castleton,	3688	2202	40	32	72	8	8	16	21	11	32	14
785	Cavers,	1824	1443	24	26	50	–	1	1	12	14	26	7
786	Crailing,	673	657	9	10	19	2	–	2	2	6	8	2
a787	Eckford,	957	931	18	13	31	2	2	4	8	6	14	5
b787	Edgerston,	359	365	7	8	15	–	–	–	4	2	6	1
788	Ednam,	599	613	8	11	19	1	–	1	4	3	7	6
789	HAWICK,	8726	8733	182	178	360	16	17	33	87	89	176	77
790	Hobkirk,	771	718	11	4	15	–	1	1	2	2	4	2
791	Hownam,	289	238	3	4	7	–	1	1	2	1	3	1
792	JEDBURGH,	5011	4971	71	79	150	7	7	14	27	41	68	25
793	Kelso,	5192	5124	81	68	149	7	8	15	48	63	111	27
794	Kirktown,	421	320	4	7	11	–	1	1	2	–	2	1
795	Lilliesleaf,	772	788	10	11	21	2	3	5	12	9	21	2
796	Linton,	608	570	3	11	14	–	3	3	4	6	10	2
797	Makerston,	380	361	6	7	13	1	–	1	2	–	2	2
798	Maxton,	497	481	3	6	9	–	1	1	4	5	9	3
799	Melrose,	3500	4115	61	68	129	6	5	11	35	46	81	26
800	Minto,	430	431	6	4	10	2	2	4	1	3	4	5
801	Morebattle,	1031	986	18	13	31	5	3	8	7	11	18	4
802	Oxnam,	592	652	12	12	24	1	2	3	9	2	11	5
803	Roxburgh,	1178	1053	14	12	26	3	1	4	7	6	13	4
804	St Boswells,	922	973	15	11	26	–	2	2	5	6	11	2
805	Smailholm,	554	534	9	6	15	2	1	3	4	1	5	5
806	Southdean,	687	674	10	9	19	4	–	4	5	7	12	6
807	Sprouston,	1305	1294	14	12	26	3	3	6	6	5	11	9
808	Stitchel,	425	388	4	4	8	1	1	2	4	4	8	3
809	Teviothead,	438	515	12	7	19	1	1	2	1	4	5	3
810	WILTON,	3357	3936	80	63	143	9	6	15	35	41	76	32
811	Yetholm,	1207	1100	17	17	34	6	2	8	10	16	26	5
	Total,	49568	48241	804	758	1562	95	84	179	382	433	815	300
	31. Dumfries.												
812	ANNAN,	5113	4631	87	87	174	15	15	30	52	50	102	35
a813	Applegarth,	935	902	16	14	30	1	2	3	7	4	11	6
b813	BRYDEKIRK,	779	731	7	8	15	2	1	3	6	6	12	2
814	Canonbie,	3219	3055	58	45	103	12	4	16	17	20	37	17
815	Carlaverock,	1248	1151	10	10	20	4	4	8	10	13	23	6
816	Closeburn,	1651	1612	34	22	56	3	1	4	23	12	35	11
817	Cummertrees,	1184	1072	17	20	37	5	4	9	6	9	15	8
818	Dalton,	679	577	7	10	17	2	3	5	4	2	6	2
819	Dornock,	856	826	15	9	24	2	2	4	9	12	21	2
820	Dryfesdale,	2509	2825	51	43	94	4	6	10	22	29	51	12
821	DUMFRIES,	13523	14841	230	229	459	43	34	77	210	178	388	101
822	Dunscore,	1554	1504	28	21	49	3	–	3	7	5	12	8
823	Durrisdeer,	1320	1189	16	15	31	1	2	3	8	10	18	7
824	Eskdalemuir,	590	551	8	7	15	2	–	2	1	1	2	5
825	Ewes,	356	338	5	6	11	–	–	–	1	–	1	2
826	Glencairn,	1867	1749	20	23	43	4	3	7	13	26	39	16
827	Graitney (or Gretna),	1620	1395	19	22	41	3	4	7	13	7	20	7
828	Halfmorton,	713	611	10	6	16	1	1	2	4	5	9	7
829	Hoddom,	1568	1520	30	26	56	6	6	12	15	15	30	10
830	Holywood,	1115	1069	14	6	20	2	2	4	9	10	19	8
831	Hutton,	876	842	13	13	26	3	1	4	7	8	15	5
832	Johnstone,	1149	1089	12	13	25	2	1	3	10	10	20	7
833	Keir,	849	828	14	10	24	–	–	–	6	8	14	5
834	Kirkconnel,	996	952	13	17	30	1	1	2	8	12	20	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
835	Kirkmahoe,	1462	1332	17	16	33	3	4	7	12	13	25	1
836	Kirkmichael,	1026	903	18	14	32	3	–	3	4	3	7	1
837	Kirkpatrick-Fleming—												
	(1) Northern Dist.,	493	393	3	2	5	1	–	1	1	2	3	
	(2) Southern Dist.,	1432	1136	11	20	31	2	6	8	8	13	21	
838	Kirkpatrick-Juxta,	1025	1091	22	18	40	4	3	7	12	9	21	
839	Langholm,	2979	3735	85	75	160	8	6	14	42	42	84	2
840	LOCHMABEN,	3087	3085	50	41	91	12	5	17	31	27	58	2
841	Middlebie,	2004	2000	34	22	56	9	7	16	27	19	46	1
842	Moffat,	2232	2543	33	39	72	8	3	11	18	25	43	1
843	Morton,	2253	2099	40	29	69	6	6	12	26	19	45	1
844	Mousewald,	633	647	8	6	14	–	3	3	2	2	4	
845	Penpont,	1326	1323	18	24	42	4	1	5	7	18	25	
846	Ruthwell,	1046	972	17	13	30	6	1	7	13	11	24	
847	St Mungo,	686	658	7	6	13	3	–	3	2	3	5	
848	SANQUHAR,	2758	2201	37	25	62	2	4	6	18	30	48	1
849	Tinwald,	1079	993	16	15	31	2	4	6	7	9	16	
850	Torthorwald,	1254	1098	17	15	32	7	9	16	9	16	25	1
851	Tundergarth,	507	510	3	11	14	–	2	2	2	5	7	
852	Tynron,	446	381	3	7	10	1	–	1	4	–	4	
*a*853	Wamphray,	559	505	3	7	10	–	1	1	3	3	6	
*b*853	Wanlockhead,	811	837	22	11	33	3	–	3	14	12	26	
854	Westerkirk,	537	540	7	4	11	–	–	–	4	3	7	
	Total,	75904	74842	1205	1102	2307	205	162	367	734	736	1470	48
	32. Kirkcudbright.												
855	Anwoth,	899	827	6	7	13	–	3	3	7	11	18	
856	Balmaclellan,	890	861	15	17	32	3	2	5	4	6	10	
*a*857	Balmaghie,	1225	1085	21	13	34	5	4	9	2	10	12	
*b*857	Bargrennan,	471	428	3	4	7	–	–	–	1	–	1	
858	Borgue,	1162	1087	13	8	21	2	2	4	6	9	15	
859	Buittle,	1165	1026	9	14	23	–	1	1	6	6	12	
860	Carsphairn,	553	545	9	6	15	–	–	–	3	3	6	
861	Colvend,	1366	1318	22	28	50	3	3	6	14	10	24	1
862	Corsock-Bridge,	544	563	11	10	21	2	1	3	5	6	11	
863	Crossmichael,	1536	1492	27	20	47	3	4	7	13	11	24	1
864	Dalbeattie,	2054	3163	52	61	113	6	11	17	35	36	71	2
865	Dalry,	1149	1074	10	9	19	–	4	4	10	9	19	1
866	Girthon,	1702	1586	22	16	38	4	1	5	12	15	27	
867	Irongray,	913	815	12	17	29	3	4	7	7	5	12	
868	KELLS,	1170	1007	13	20	33	–	2	2	11	9	20	
869	Kelton,	3436	3222	47	45	92	8	5	13	23	31	54	1
870	Kirkbean,	942	825	8	10	18	–	1	1	10	3	13	
871	KIRKCUDBRIGHT,	3407	3346	45	46	91	5	7	12	24	36	60	1
872	Kirkgunzeon,	793	661	7	11	18	–	2	2	7	5	12	
873	Kirkmabreck,	1851	1568	39	18	57	7	2	9	15	23	38	1
874	Kirkpatrick-Durham,	1323	1218	13	19	32	1	2	3	8	11	19	
875	Lochrutton,	677	656	8	11	19	1	–	1	7	7	14	
876	Minnigaff,	1518	1329	24	14	38	5	1	6	17	16	33	
877	New Abbey,	1063	931	14	20	34	4	4	8	8	12	20	
878	Parton,	572	526	7	6	13	–	–	–	2	2	4	
879	Rerrick,	1738	1911	30	27	57	8	5	13	15	13	28	1
880	TERREGLES,	580	547	2	2	4	–	–	–	3	11	14	
881	Tongland,	892	908	12	10	22	3	2	5	8	2	10	
882	TROQUEER,	4743	5402	81	83	164	9	7	16	63	67	130	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
883	Twynholm,	815	717	6	12	18	1	4	5	13	6	19	4
884	Urr,	1531	1443	24	26	50	8	9	17	11	17	28	9
	Total,	42680	42087	612	610	1222	91	93	184	370	408	778	241
	33. Wigtown.												
885	Glasserton,	1472	1196	25	20	45	5	4	9	8	7	15	3
886	Inch,	2460	2189	28	29	57	3	3	6	14	17	31	11
887	Kirkcolm,	1860	1948	25	28	53	1	7	8	10	16	26	7
888	Kirkcowan,	1434	1352	27	15	42	6	2	8	14	7	21	5
889	Kirkinner,	1716	1548	20	18	38	3	2	5	14	9	23	9
890	Kirkmaiden,	2333	2507	40	37	77	3	7	10	23	20	43	11
891	Leswalt,	1417	1249	20	16	36	5	3	8	10	9	19	6
892	Mochrum,	2694	2450	34	29	63	4	4	8	16	23	39	20
893	New Luce,	731	661	11	12	23	1	2	3	7	7	14	9
894	Old Luce (or Glenluce),	2800	2449	45	45	90	12	7	19	19	19	38	13
895	Penninghame,	3876	3712	46	57	103	11	6	17	36	49	85	30
896	Portpatrick,	2189	1492	28	18	46	5	5	10	10	12	22	5
897	Sorbie,	1814	1667	25	16	41	2	2	4	15	14	29	10
898	Stoneykirk,	3228	2993	55	44	99	9	9	18	26	22	48	21
899	STRANRAER,	6315	5977	102	96	198	17	14	31	67	71	138	31
900	WHITHORN,	2934	2906	47	26	73	6	2	8	27	26	53	13
901	WIGTOWN,	2637	2306	38	35	73	7	6	13	29	26	55	7
	Total,	41910	38602	616	541	1157	100	85	185	345	354	699	211

MARRIAGES registered in SCOTLAND in 1872 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed Regi by Ma	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	
SCOTLAND	25641	11794	5661	3312	579	2461	1681	5	148	21637	798	2269	889	48	2676	
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS	10427	3829	2273	1401	379	1427	982	–	136	8532	436	973	481	5	1240	
LARGE TOWNS	2967	1277	601	419	61	381	222	1	5	2482	103	261	119	2	366	
SMALL TOWNS	5545	2756	1019	893	81	451	338	3	4	4745	156	472	170	2	593	
MAINLAND-RURAL	6063	3630	1529	557	58	162	123	1	3	5321	97	505	108	32	293	
INSULAR-RURAL	639	302	239	42	–	40	16	–	–	557	6	58	11	7	184	
DIVISIONS.																
I. NORTHERN	604	214	297	60	1	1	28	1	2	537	7	47	8	5	37	
II. NORTH-WESTERN	812	258	471	6	7	61	9	–	–	723	10	69	7	3	226	
III. NORTH-EASTERN	2474	1439	623	129	92	53	134	–	4	2175	52	198	49	–	61	
IV. EAST-MIDLAND	4013	1979	801	618	112	227	224	–	52	3406	89	390	123	5	221	
V. WEST-MIDLAND	1548	805	303	226	23	118	72	–	1	1294	44	148	56	6	146	
VI. SOUTH-EASTERN	11255	4726	2067	1501	208	1703	1006	4	40	9322	450	990	484	9	1714	
VII. SOUTH-WESTERN	3700	1613	885	604	128	261	160	–	49	3132	118	313	129	8	217	
VIII. SOUTHERN	1235	760	214	168	8	37	48	–	–	1048	28	114	33	12	54	
COUNTIES.																
1 Shetland	125	85	19	8	–	–	13	–	–	106	1	11	2	5	9	
2 Orkney	178	70	56	41	1	1	7	–	2	165	1	8	4	–	4	
3 Caithness	184	51	113	11	–	–	8	1	–	158	3	21	2	–	15	
4 Sutherland	117	8	109	–	–	–	–	–	–	108	2	7	–	–	9	
5 Ross & Cromarty	353	66	278	2	3	–	4	–	–	313	3	32	3	2	92	
6 Inverness	459	192	193	4	4	61	5	–	–	410	7	37	4	1	134	
7 Nairn	54	22	18	8	1	2	3	–	–	44	2	6	2	–	4	
8 Elgin	232	104	99	22	3	–	4	–	–	197	2	26	7	–	6	
9 Banff	344	198	81	26	7	20	11	–	1	308	1	31	4	–	18	
10 Aberdeen	1638	963	389	68	71	31	113	–	3	1443	45	116	34	–	30	
11 Kincardine	206	152	36	5	10	–	3	–	–	183	2	19	2	–	3	
12 Forfar	1961	811	380	289	94	188	150	–	49	1644	47	193	77	–	167	
13 Perth	702	365	210	83	11	17	16	–	–	604	12	68	16	2	13	
14 Fife	1176	706	175	217	4	19	52	–	3	1006	26	116	25	3	32	
15 Kinross	37	21	8	8	–	–	–	–	–	32	–	5	–	–	–	
16 Clackmannan	137	76	28	21	3	3	6	–	–	120	4	8	5	–	9	
17 Stirling	690	363	95	136	2	47	47	–	–	586	13	61	26	4	49	
18 Dumbarton	423	205	85	56	12	50	15	–	–	355	16	39	13	–	52	
19 Argyll	334	196	85	23	8	14	7	–	1	280	9	34	9	2	39	
20 Bute	101	41	38	11	1	7	3	–	–	73	6	14	8	–	6	
21 Renfrew	1721	707	319	205	53	321	111	1	4	1425	83	144	67	2	263	
22 Ayr	1661	929	317	179	14	120	102	–	–	1409	51	143	57	1	190	
23 Lanark	7873	3090	1431	1117	141	1262	793	3	36	6488	316	703	360	6	1261	2
24 Linlithgow	299	146	43	48	2	44	15	–	1	261	10	14	9	5	53	
25 Edinburgh	2761	1117	741	428	120	183	125	–	47	2294	98	258	110	1	135	
26 Haddington	238	154	36	31	2	11	4	–	–	218	5	16	3	1	25	
27 Berwick	178	88	33	48	2	1	5	–	1	163	–	11	3	1	–	
28 Peebles	62	36	8	10	1	4	3	–	–	51	4	5	2	–	1	
29 Selkirk	162	72	24	39	1	18	8	–	–	150	1	9	2	–	3	
30 Roxburgh	300	171	39	71	2	7	10	–	–	266	3	26	5	–	13	
31 Dumfries	483	273	96	65	5	16	28	–	–	407	12	45	18	1	16	
32 Kirkcudbright	241	179	37	16	1	4	4	–	–	201	7	21	7	5	6	
33 Wigtown	211	137	42	16	–	10	6	–	–	174	6	22	3	6	19	

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1872.

CONDITION.	Total.	AGES.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors with Spinsters.	21637	–	–	–	28	181	591	1165	8545	7020	2520	915	380	157	75	28	8	4	1	1	–	–	18
	21637	–	6	88	374	1013	1819	2237	8875	5204	1351	426	148	59	15	5	1	–	–	–	–	–	16
Bachelors with Widows.	798	–	–	–	–	–	5	4	123	243	171	120	73	33	13	8	4	1	–	–	–	–	–
	798	–	–	–	–	–	–	5	59	197	239	166	82	31	15	1	2	–	1	–	–	–	–
Widowers with Spinsters.	2269	–	–	–	–	2	1	–	59	335	452	431	363	258	171	97	61	19	15	3	–	–	2
	2269	–	–	–	5	22	38	52	332	601	492	332	245	91	36	13	4	1	–	–	–	–	5
Widowers with Widows.	889	–	–	–	–	–	–	–	4	48	80	128	181	148	124	79	55	30	8	2	2	–	–
	889	–	–	–	–	–	–	3	13	92	169	175	195	126	70	29	13	3	–	–	–	–	1
Condition not stated. Men.	48	–	–	–	–	–	1	–	5	10	10	7	4	4	3	1	2	1	–	–	–	–	–
Condition not stated. Women.	48	–	–	–	–	–	2	2	3	16	8	6	4	1	1	–	–	–	–	–	–	–	–
Total Men.....	25641	–	–	–	28	183	598	1169	8736	7656	3233	1601	1001	600	386	213	130	55	24	6	2	–	20
Total Women.....	25641	–	6	88	379	1035	1859	2299	9287	6110	2259	1105	674	308	137	48	20	4	1	–	–	–	22

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1872.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	25641	–	–	–	28	183	598	1169	8736	7656	3233	1601	1001	600	386	213	130	55	24	6	2	–	20
GROUPS OF DISTRICTS.																							
Principal Towns .	10427	–	–	–	12	90	277	482	3510	3078	1334	647	409	247	165	90	54	21	9	2	–	–	–
Large Towns . .	2967	–	–	–	7	26	81	154	1075	878	322	161	98	65	43	28	18	5	1	–	1	–	4
Small Towns . .	5545	–	–	–	5	39	139	299	2034	1595	646	294	213	124	68	46	26	7	4	–	–	–	6
Mainland-Rural .	6063	–	–	–	3	26	95	228	2010	1893	789	421	248	139	97	43	31	19	9	3	1	–	8
Insular-Rural .	639	–	–	–	1	2	6	6	107	212	142	78	33	25	13	6	1	3	1	1	–	–	2
DIVISIONS.																							
1. Northern . .	604	–	–	–	–	4	7	14	140	211	94	60	31	20	7	9	4	1	–	2	–	–	–
2. North-Western .	812	–	–	–	–	–	2	7	132	284	184	102	40	26	18	8	1	3	1	1	–	–	3
3. North-Eastern .	2474	–	–	–	1	10	40	108	794	741	337	177	118	60	40	16	18	5	6	–	1	–	2
4. East Midland .	4013	–	–	–	7	37	87	194	1467	1122	488	236	135	97	68	36	20	14	3	–	–	–	2
5. West Midland .	1548	–	–	–	2	6	16	70	496	466	215	107	73	44	24	15	8	2	2	–	–	–	2
6. South-Western .	11255	–	–	–	15	97	353	606	4082	3251	1255	639	483	238	138	69	47	17	5	1	1	–	8
7. South-Eastern .	3700	–	–	–	2	21	73	130	1219	1197	500	203	123	84	63	48	21	9	5	1	–	–	1
8. Southern . .	1235	–	–	–	1	8	20	40	406	384	160	77	48	31	28	12	11	4	2	1	–	–	2
COUNTIES.																							
Shetland . . .	125	–	–	–	–	–	1	3	31	45	18	12	6	4	1	4	–	–	–	–	–	–	–
Orkney	178	–	–	–	–	3	5	7	42	60	23	18	10	7	1	1	–	1	–	–	–	–	–
Caithness . .	184	–	–	–	–	1	1	4	53	60	30	13	8	3	4	2	4	–	–	1	–	–	–
Sutherland . .	117	–	–	–	–	–	–	–	14	46	23	17	7	6	1	2	–	–	–	1	–	–	–
Ross and Cromarty .	353	–	–	–	–	–	1	4	65	135	71	41	14	10	6	3	–	–	–	1	–	–	2
Inverness . .	459	–	–	–	–	–	1	3	67	149	113	61	26	16	12	5	1	3	1	–	–	–	1

AGES of MALES married in Scotland in 1872.

Nairn	54	–	–	–	–	–	1	–	16	13	6	7	5	1	4	–	1	–	–	–	–	–	–
Elgin	232	–	–	–	–	–	4	7	61	73	36	17	17	11	3	2	1	–	–	–	–	–	–
Banff	344	–	–	–	–	1	1	20	109	109	45	23	14	9	5	1	4	–	2	–	–	–	1
Aberdeen	1638	–	–	–	1	8	31	77	538	479	225	115	71	35	26	12	11	5	2	–	1	–	1
Kincardine	206	–	–	–	–	1	3	4	70	67	25	15	11	4	2	1	1	–	2	–	–	–	–
Forfar	1961	–	–	–	5	21	40	102	719	534	240	116	65	43	39	15	11	7	3	–	–	–	1
Perth	702	–	–	–	1	3	10	23	209	206	121	56	28	23	11	3	4	4	–	–	–	–	–
Fife	1176	–	–	–	1	11	32	60	472	342	101	54	34	28	17	15	5	3	–	–	–	–	1
Kinross	37	–	–	–	–	2	–	2	6	6	10	5	3	3	–	–	–	–	–	–	–	–	–
Clackmannan	137	–	–	–	–	–	5	7	61	34	16	5	5	–	1	3	–	–	–	–	–	–	–
Stirling	690	–	–	–	1	2	9	48	274	185	64	43	28	12	9	7	6	–	1	–	–	–	1
Dumbarton	423	–	–	–	–	2	7	15	133	150	57	22	16	10	5	3	1	1	1	–	–	–	–
Argyll	334	–	–	–	1	2	–	5	67	103	71	35	21	19	6	1	1	1	–	–	–	–	1
Bute	101	–	–	–	–	–	–	2	22	28	23	7	8	3	4	4	–	–	–	–	–	–	–
Renfrew	1721	–	–	–	1	14	44	98	597	511	220	95	65	31	25	7	6	6	1	–	–	–	–
Ayr	1661	–	–	–	3	17	65	105	618	467	164	81	64	34	19	11	7	1	2	–	1	–	2
Lanark	7873	–	–	–	11	66	244	403	2867	2273	871	463	304	173	94	51	34	10	2	1	–	–	6
Linlithgow	299	–	–	–	–	3	14	13	125	93	19	10	6	8	4	3	–	1	–	–	–	–	–
Edinburgh	2761	–	–	–	1	16	47	90	866	885	406	163	99	63	54	39	19	7	5	1	–	–	–
Haddington	238	–	–	–	–	–	4	9	99	75	20	14	5	7	2	2	1	–	–	–	–	–	–
Berwick	178	–	–	–	–	–	4	4	59	67	25	7	4	2	1	3	–	1	–	–	–	–	1
Peebles	62	–	–	–	–	–	–	3	17	19	14	4	3	1	–	1	–	–	–	–	–	–	–
Selkirk	162	–	–	–	1	2	4	11	53	58	16	5	6	3	2	–	1	–	–	–	–	–	–
Roxburgh	300	–	–	–	1	1	4	11	116	99	34	12	9	4	4	2	2	–	–	–	–	–	1
Dumfries	483	–	–	–	–	3	5	16	146	158	63	35	17	13	11	6	5	3	1	1	–	–	–
Kirkcudbright	241	–	–	–	–	1	3	10	74	73	32	19	11	6	4	4	1	1	1	–	–	–	1
Wigtown	211	–	–	–	–	3	8	3	70	54	31	11	11	8	9	–	3	–	–	–	–	–	–

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1872.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	25641	–	6	88	379	1035	1859	2299	9287	6110	2259	1105	674	308	137	48	20	4	1	–	–	–	22
GROUPS OF DISTRICTS.																							
Principal Towns	10427	–	3	32	155	444	826	955	3736	2345	953	474	282	131	58	22	8	2	–	–	–	–	1
Large Towns .	2967	–	2	9	52	146	226	284	1049	690	229	123	77	40	23	8	2	–	–	–	–	–	7
Small Towns .	5545	–	–	28	96	256	420	522	2063	1258	429	207	155	62	27	11	7	–	–	–	–	–	4
Mainland-Rural	6063	–	1	18	74	182	365	507	2237	1596	565	259	143	71	26	7	2	2	1	–	–	–	7
Insular-Rural .	639	–	–	1	2	7	22	31	202	221	83	42	17	4	3	–	1	–	–	–	–	–	3
DIVISIONS.																							
1. Northern . .	604	–	–	1	5	9	26	34	206	181	76	39	19	4	3	–	1	–	–	–	–	–	–
2. North-Western .	812	–	–	4	4	15	24	45	266	292	95	40	14	9	–	–	–	–	–	–	–	–	4
3. North-Eastern .	2474	–	–	5	29	82	156	222	924	635	206	107	62	28	9	6	–	2	–	–	–	–	1
4. East Midland .	4013	–	1	5	41	118	233	344	1520	993	378	180	116	54	22	5	2	–	–	–	–	–	1
5. West Midland .	1548	–	1	8	13	67	106	136	528	398	145	67	41	19	9	2	5	–	–	–	–	–	3
6. South-Western .	11255	–	2	43	218	588	994	1132	4066	2371	875	449	290	126	64	20	9	1	–	–	–	–	7
7 South-Eastern .	3700	–	2	16	56	128	247	300	1332	902	370	165	95	49	22	10	3	–	1	–	–	–	2
8. Southern . .	1235	–	–	6	13	28	73	86	445	338	114	58	37	19	8	5	–	1	–	–	–	–	4
COUNTIES.																							
Shetland . .	125	–	–	–	–	–	2	7	37	39	21	13	5	–	–	–	1	–	–	–	–	–	–
Orkney . . .	178	–	–	–	3	3	13	13	64	51	13	9	5	2	2	–	–	–	–	–	–	–	–
Caithness . .	184	–	–	1	1	6	5	10	66	59	22	5	8	1	–	–	–	–	–	–	–	–	–
Sutherland . .	117	–	–	–	1	–	6	4	39	32	20	12	1	1	1	–	–	–	–	–	–	–	–
Ross and Cromarty.	353	–	–	–	4	6	5	15	117	127	49	16	8	3	–	–	–	–	–	–	–	–	3
Inverness . .	459	–	–	4	–	9	19	30	149	165	46	24	6	6	–	–	–	–	–	–	–	–	1

AGES of FEMALES married in Scotland in 1872.

Nairn . . .	54	–	–	–	–	1	–	2	21	15	7	5	1	2	–	–	–	–	–	–	–	–	–
Elgin . . .	232	–	–	1	2	9	11	16	77	61	30	14	6	4	–	1	–	–	–	–	–	–	–
Banff . . .	344	–	–	–	6	9	21	32	131	96	22	17	6	3	–	1	–	–	–	–	–	–	–
Aberdeen . .	1638	–	–	3	19	55	114	155	615	409	128	62	46	17	8	4	–	2	–	–	–	–	1
Kincardine . .	206	–	–	1	2	8	10	17	80	54	19	9	3	2	1	–	–	–	–	–	–	–	–
Forfar . . .	1961	–	1	3	21	71	125	170	716	475	184	91	59	27	12	3	2	–	–	–	–	–	1
Perth . . .	702	–	–	1	5	16	29	49	260	202	75	39	14	9	3	–	–	–	–	–	–	–	–
Fife . . .	1176	–	–	1	14	26	69	107	481	270	103	44	37	17	5	2	–	–	–	–	–	–	–
Kinross . . .	37	–	–	–	1	–	2	1	9	10	10	–	3	1	–	–	–	–	–	–	–	–	–
Clackmannan .	137	–	–	–	–	5	8	17	54	36	6	6	3	–	2	–	–	–	–	–	–	–	–
Stirling . . .	690	–	1	7	8	43	52	73	234	167	52	21	12	9	6	–	4	–	–	–	–	–	1
Dumbarton . .	423	–	–	1	5	14	37	32	157	109	31	20	11	4	1	1	–	–	–	–	–	–	–
Argyll . . .	334	–	–	–	–	9	15	25	107	93	46	19	13	4	1	–	–	–	–	–	–	–	2
Bute . . .	101	–	–	–	–	1	2	6	30	29	16	7	5	2	1	1	1	–	–	–	–	–	–
Renfrew . . .	1721	–	–	8	23	83	145	166	621	386	136	78	35	20	11	3	3	1	–	–	–	–	2
Ayr . . .	1661	–	–	8	35	81	146	206	589	348	108	64	39	17	14	5	1	–	–	–	–	–	–
Lanark . . .	7873	–	2	27	160	424	703	760	2856	1637	631	307	216	89	39	12	5	–	–	–	–	–	5
Linlithgow .	299	–	–	1	14	27	17	34	120	43	23	5	7	5	2	1	–	–	–	–	–	–	–
Edinburgh . .	2761	–	2	14	38	86	181	225	951	700	289	136	73	35	18	8	3	–	1	–	–	–	1
Haddington . .	238	–	–	–	1	3	11	20	110	52	18	14	4	4	–	1	–	–	–	–	–	–	–
Berwick . . .	178	–	–	1	2	3	12	8	71	46	22	3	3	4	2	–	–	–	–	–	–	–	1
Peebles . . .	62	–	–	–	1	1	10	3	18	20	3	2	3	1	–	–	–	–	–	–	–	–	–
Selkirk . . .	162	–	–	–	–	8	16	10	62	41	15	5	5	–	–	–	–	–	–	–	–	–	–
Roxburgh . .	300	–	–	1	3	8	20	23	119	85	22	10	7	1	–	–	–	–	–	–	–	–	1
Dumfries . .	483	–	–	4	6	8	30	35	163	138	42	28	9	11	5	3	–	–	–	–	–	–	1
Kirkcudbright .	241	–	–	–	3	6	13	14	87	59	31	12	8	1	2	2	–	1	–	–	–	–	2
Wigtown . .	211	–	–	1	1	6	10	14	76	56	19	8	13	6	1	–	–	–	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
				AGE UNDER											
			ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	3062294	3360018	75794	7284	2688	4748	5997	2885	1916	1444	3772	2141	2629	3075	2775
Principal Towns	884955	1068556	30199	2941	1249	2292	2893	1415	904	707	1620	861	1058	1325	1194
Large Towns .	274381	334257	8603	888	335	620	783	359	228	161	452	222	280	289	324
Small Towns .	704380	776087	16815	1706	580	1034	1394	627	434	323	859	503	603	650	567
Mainland-Rural	1061793	1049114	18093	1565	497	731	869	435	325	235	773	514	618	711	614
Insular-Rural .	136785	132004	2084	184	27	71	58	49	25	18	68	41	70	100	76
Shetland . .	31670	31608	477	40	8	15	12	9	9	1	12	5	12	15	27
Orkney . .	32395	31274	434	19	7	8	8	8	8	5	12	7	15	16	10
Caithness .	42200	41011	634	43	17	27	23	18	15	10	31	20	26	27	28
Sutherland .	24157	23298	371	20	8	3	8	8	4	4	17	9	10	12	7
Ross & Cromarty	82427	82093	1238	88	24	44	55	16	12	10	42	28	37	55	54
Inverness .	84815	84258	1529	142	40	53	56	42	26	20	68	39	47	76	54
Nairn . .	8347	8372	136	16	1	4	4	6	2	4	4	2	5	4	4
Elgin . .	44305	44549	746	63	25	35	33	11	18	10	35	12	25	28	14
Banff . .	56020	58883	1011	89	27	49	66	26	12	14	52	31	37	29	31
Aberdeen .	223417	246298	4606	420	174	237	285	163	111	74	247	129	134	159	164
Kincardine .	34781	35097	580	49	12	29	30	23	15	5	27	12	16	21	18
Forfar . .	206750	240049	5685	635	230	380	473	247	138	123	248	132	170	223	176
Perth . .	133198	128550	2461	181	64	79	84	53	35	31	77	54	79	88	105
Fife . . .	155021	160924	3089	288	93	134	173	99	63	40	135	77	99	135	107
Kinross . .	8731	7918	137	13	2	3	3	2	1	1	3	–	4	6	4
Clackmannan .	20122	22235	463	40	12	36	38	12	9	6	17	13	19	28	23
Stirling . .	88138	93345	2249	213	86	138	217	74	59	43	125	85	85	85	70
Dumbarton .	54179	61116	1460	162	39	90	144	56	62	37	96	44	46	49	48
Argyll . .	83859	79661	1505	95	26	40	61	43	25	10	58	33	48	81	60
Bute . .	16311	16966	399	18	12	11	19	6	7	5	15	15	17	14	15
Renfrew . .	168746	195305	5061	500	193	396	533	231	136	113	247	142	186	178	164
Ayr . .	199083	200908	4346	451	156	272	354	165	104	75	213	163	175	161	128
Lanark . .	640444	787005	21927	2201	921	1894	2417	1100	704	514	1202	614	782	921	833
Linlithgow .	39045	41379	871	115	36	70	64	33	34	16	59	20	30	18	27
Edinburgh .	273792	328138	8714	854	324	466	573	311	228	190	513	290	307	419	380
Haddington .	37626	37755	717	58	16	27	32	20	15	12	24	35	19	29	29
Berwick . .	36488	36382	558	51	14	14	19	15	14	7	31	17	18	22	21
Peebles . .	11264	12218	224	28	7	12	10	4	4	1	8	7	11	12	12
Selkirk . .	14901	19651	404	46	25	25	29	18	3	8	20	12	11	25	14
Roxburgh .	49568	48241	815	90	20	36	31	18	10	11	33	11	26	25	34
Dumfries . .	75904	74842	1470	134	37	62	74	31	18	22	41	42	50	55	61
Kirkcudbright	42680	42087	778	71	21	36	37	14	8	11	29	21	39	27	28
Wigtown . .	41910	38602	699	51	21	23	32	8	12	11	31	20	24	32	25

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—BOTH SEXES.

Glasgow . .	395503	477732	14053	1335	608	1255	1565	736	475	349	734	385	516	634	549
Edinburgh .	170444	201052	5484	495	192	293	365	178	141	106	342	188	199	268	267
Dundee . .	91664	120724	3491	390	163	267	358	186	101	101	176	83	99	138	111
Aberdeen .	73900	88181	2119	198	79	116	144	93	63	38	124	68	72	81	91
Greenock .	43894	59794	1697	192	76	157	186	95	44	39	87	47	53	45	52
Paisley . .	47427	48257	1430	137	53	102	158	51	32	25	57	33	52	68	43
Leith . .	36029	46434	1338	147	66	73	94	63	39	43	88	45	44	57	54
Perth . .	26094	26382	587	47	12	29	23	13	9	6	12	12	23	34	27

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2488	2421	2415	2415	2770	2780	3426	3384	4081	3348	2658	1456	554	164	27	53
Principal Towns	1122	1090	1115	1067	1182	1118	1302	1068	1126	777	463	228	57	17	2	6
Large Towns	279	286	283	280	322	305	375	376	436	307	222	136	32	13	3	7
Small Towns	495	504	484	525	565	558	741	777	972	827	605	316	133	28	3	2
Mainland-Rural	526	486	484	494	639	725	903	1031	1376	1257	1183	678	292	83	16	33
Insular-Rural	66	55	49	49	62	74	105	132	171	180	185	98	40	23	3	5
Shetland	11	12	14	6	16	18	26	29	46	52	42	22	17	5	–	1
Orkney	14	8	11	13	10	10	27	39	43	45	48	33	9	6	–	–
Caithness	12	18	18	15	20	25	25	38	51	52	37	25	12	3	2	1
Sutherland	10	11	8	12	9	14	16	26	33	39	52	21	10	5	–	–
Ross and Cromarty	29	34	33	33	30	45	65	70	105	98	120	63	38	7	2	1
Inverness	48	36	43	40	69	55	60	95	134	102	97	52	19	10	2	4
Nairn	1	2	4	2	6	1	9	9	18	8	15	4	–	1	–	–
Elgin	17	25	20	18	23	21	44	48	73	69	42	29	7	1	–	–
Banff	32	28	31	14	30	32	37	53	80	73	60	43	27	7	1	–
Aberdeen	126	127	133	128	147	167	212	238	280	260	230	162	56	17	1	5
Kincardine	18	19	13	13	14	22	24	30	48	54	41	18	7	1	–	1
Forfar	187	197	194	199	220	217	270	241	309	201	162	81	25	6	1	–
Perth	75	72	66	87	102	124	153	142	241	175	162	90	29	9	–	4
Fife	105	97	78	112	128	121	151	169	228	187	140	89	31	6	3	1
Kinross	2	3	4	2	7	10	7	8	12	13	18	5	2	–	–	2
Clackmannan	13	12	16	20	6	16	26	27	22	31	11	7	3	–	–	–
Stirling	78	43	71	72	70	84	89	116	116	92	66	55	13	2	1	1
Dumbarton	35	40	52	52	48	39	64	51	73	51	46	21	12	2	–	1
Argyll	48	44	37	53	57	71	74	99	114	108	120	55	26	14	4	1
Bute	19	15	11	17	20	18	16	21	27	37	24	12	5	1	–	2
Renfrew	192	149	175	156	203	185	247	183	210	153	116	41	18	6	1	7
Ayr	116	127	123	128	148	135	199	215	228	176	179	100	40	13	1	1
Lanark	742	777	756	764	796	747	844	677	704	502	300	137	54	16	3	5
Linlithgow	15	22	21	20	38	19	41	36	53	37	24	13	9	1	–	–
Edinburgh	358	333	325	285	365	326	406	383	402	327	198	117	26	6	1	1
Haddington	23	17	21	31	22	25	45	41	57	57	39	13	8	1	–	1
Berwick	17	13	18	19	16	25	18	36	51	42	29	21	5	4	–	1
Peebles	6	10	7	6	7	4	11	13	11	15	10	5	3	–	–	–
Selkirk	16	12	13	7	7	22	17	22	19	17	12	3	1	–	–	–
Roxburgh	24	29	24	17	32	47	44	55	63	62	45	25	1	1	–	1
Dumfries	56	44	33	34	60	74	89	92	97	105	88	48	14	2	–	7
Kirkcudbright	24	26	19	23	29	34	41	46	63	56	34	21	10	7	1	2
Wigtown	19	19	23	17	15	27	29	36	70	52	51	25	17	4	3	2

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—BOTH SEXES.

Glasgow	502	496	536	511	523	496	532	407	400	275	153	60	16	4	1	–
Edinburgh	237	221	210	194	242	208	263	245	237	197	111	66	15	3	1	–
Dundee	113	131	131	136	141	124	165	112	132	65	38	24	5	1	–	–
Aberdeen	68	69	56	69	78	86	100	111	116	85	65	35	8	6	–	–
Greenock	65	54	68	53	65	69	77	45	51	39	20	8	3	1	–	6
Paisley	54	44	51	45	55	56	77	67	80	41	33	10	4	2	–	–
Leith	62	59	44	36	52	48	47	46	53	42	20	13	3	–	–	–
Perth	21	16	19	23	26	31	41	35	57	33	23	12	3	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—MALES.

	MALE POPULATION.		MALES.												
				AGE UNDER											
			ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1449848	1603143	37939	4164	1486	2530	3073	1468	975	677	1983	1081	1331	1652	1362
Principal Towns	407839	502021	15192	1651	681	1194	1490	719	461	335	822	458	531	703	593
Large Towns .	129933	160176	4363	515	198	349	400	172	126	74	246	113	152	157	137
Small Towns .	335356	371118	8500	1012	319	576	707	323	217	153	476	254	305	332	269
Mainland-Rural	513554	508787	8876	892	273	374	446	233	156	108	407	236	303	395	328
Insular-Rural .	63166	61041	1008	94	15	37	30	21	15	7	32	20	40	65	35
Shetland . .	13053	13103	205	19	2	6	6	4	5	1	6	2	8	9	10
Orkney . .	14924	14355	203	11	3	3	5	4	1	3	7	2	8	10	4
Caithness .	19846	19403	332	32	11	17	12	10	7	4	17	8	12	15	16
Sutherland .	11058	10942	157	8	2	3	4	4	3	1	9	4	7	3	3
Ross & Cromarty	38462	38558	635	54	13	31	24	9	5	4	21	12	24	37	32
Inverness .	39500	39360	724	72	26	29	34	19	16	7	33	14	22	42	29
Nairn . .	3976	3925	68	8	1	4	1	3	2	2	2	1	1	3	3
Elgin . .	20716	20738	349	34	15	18	11	2	6	4	18	7	15	20	8
Banff . .	26401	27826	483	49	15	30	26	11	6	9	27	13	13	16	17
Aberdeen .	105355	116768	2283	236	104	125	134	97	58	29	138	70	79	84	94
Kincardine .	16906	17002	270	27	7	16	12	10	7	2	13	5	5	11	6
Forfar . .	93280	107416	2750	351	128	207	240	118	65	74	120	74	78	108	81
Perth . .	63169	60812	1194	104	36	45	46	28	13	18	43	22	39	55	51
Fife . . .	72714	75206	1473	168	58	72	83	55	29	21	71	38	51	68	60
Kinross . .	4150	3748	67	7	1	1	2	1	1	–	1	–	1	4	3
Clackmannan .	9742	10819	218	27	6	18	19	4	7	4	8	4	11	10	7
Stirling . .	43487	46193	1120	116	52	71	107	37	25	25	72	43	40	43	38
Dumbarton .	26455	29957	775	101	30	52	81	28	32	17	48	25	28	26	27
Argyll . .	40914	38796	738	47	13	19	32	20	17	2	26	16	31	51	27
Bute . .	7201	7616	200	7	6	6	9	4	2	1	7	8	6	10	7
Renfrew . .	79380	93167	2558	303	98	198	277	112	70	51	144	72	94	85	67
Ayr . .	97042	98244	2230	269	87	142	190	82	56	30	117	87	90	88	60
Lanark . .	308263	388392	11271	1233	499	1004	1231	574	372	243	612	317	395	485	412
Linlithgow .	20069	21049	487	75	20	42	31	18	13	8	31	15	19	9	13
Edinburgh .	126276	153784	4381	485	173	241	309	152	112	79	273	143	162	236	188
Haddington .	17866	18069	340	27	10	14	15	8	6	5	11	15	10	18	8
Berwick . .	17354	17361	287	33	6	8	10	7	9	5	18	7	7	15	11
Peebles . .	5588	5902	102	12	2	7	6	2	1	–	4	3	6	5	3
Selkirk . .	7275	9476	208	25	14	14	12	13	3	2	17	5	5	13	8
Roxburgh .	24555	22049	382	52	11	23	18	7	6	5	19	6	13	13	11
Dumfries .	35687	34831	734	87	17	35	45	13	9	10	23	19	25	29	33
Kirkcudbright	19885	19607	370	49	12	21	22	7	6	5	12	12	14	15	13
Wigtown .	19299	17769	345	36	8	8	19	5	5	6	15	12	12	16	12

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—MALES.

Glasgow . .	185556	230995	7171	749	330	671	804	380	248	167	362	200	251	333	284
Edinburgh .	76013	91090	2710	279	103	146	191	85	65	47	175	96	104	156	128
Dundee . .	40395	52605	1660	208	91	136	179	90	42	57	81	45	46	63	49
Aberdeen. .	32554	39786	1040	116	47	56	71	52	32	14	66	43	38	39	47
Greenock .	21567	30298	862	116	35	80	88	48	27	17	53	26	31	19	26
Paisley . .	21913	22269	727	76	31	46	83	28	16	13	28	18	24	34	19
Leith . .	17894	22976	715	82	36	42	62	30	25	17	49	22	23	33	29
Perth . .	11947	12002	307	25	8	17	12	6	6	3	8	8	14	26	11

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1207	1115	1243	1244	1380	1415	1688	1641	1842	1437	1110	558	189	49	10	29
Principal Towns .	556	515	581	557	586	561	646	517	462	296	184	69	13	2	1	5
Large Towns . .	129	136	138	137	175	151	188	185	198	122	101	54	4	2	–	4
Small Towns . .	234	226	240	271	290	302	365	376	447	371	252	122	52	6	1	2
Mainland-Rural .	255	214	258	254	298	367	451	499	658	563	491	265	103	29	6	14
Insular-Rural . .	33	24	23	25	31	34	38	64	77	85	82	48	17	10	2	4
Shetland . . .	5	3	6	2	8	2	10	15	20	25	12	9	9	–	–	1
Orkney . . .	6	4	6	5	5	5	10	20	18	22	22	14	3	2	–	–
Caithness . . .	6	5	11	7	17	14	11	19	21	29	12	12	2	2	2	1
Sutherland . .	4	1	4	4	7	5	9	13	11	12	16	10	5	5	–	–
Ross and Cromarty .	15	14	14	16	19	23	34	33	45	48	56	33	15	2	2	–
Inverness . . .	23	16	24	15	25	26	24	42	57	48	42	27	4	6	–	2
Nairn . . .	1	–	3	–	3	–	4	6	8	1	7	3	–	1	–	–
Elgin . . .	7	12	9	10	8	4	17	31	32	28	17	14	2	–	–	–
Banff . . .	11	10	13	8	13	19	18	29	42	36	22	17	12	1	–	–
Aberdeen . . .	58	54	60	72	65	94	96	109	133	119	90	55	23	3	–	4
Kincardine . .	6	8	6	7	10	11	11	18	27	18	19	5	2	–	–	1
Forfar . . .	84	87	89	87	97	93	127	110	142	85	71	26	7	1	–	–
Perth . . .	35	35	25	51	38	63	81	60	108	81	73	30	9	3	–	2
Fife . . .	49	38	40	48	54	61	73	73	90	70	57	34	10	1	1	–
Kinross . . .	–	3	3	1	4	4	5	3	6	5	8	1	1	–	–	1
Clackmannan . .	8	3	7	7	3	9	12	13	13	10	6	1	1	–	–	–
Stirling . . .	38	21	31	32	38	41	47	51	54	49	29	16	3	1	–	–
Dumbarton . .	13	20	30	26	25	22	25	32	38	21	17	10	1	–	–	–
Argyll . . .	28	19	19	28	26	28	31	49	59	52	58	24	7	6	2	1
Bute	14	7	5	8	13	13	6	10	15	14	16	3	1	–	–	2
Renfrew . . .	91	57	100	90	98	101	126	91	97	63	46	16	5	–	–	6
Ayr	57	61	55	70	87	75	101	114	113	67	71	43	13	4	1	–
Lanark . . .	366	374	401	432	413	403	439	355	304	210	128	47	17	4	–	1
Linlithgow . .	10	12	13	10	25	11	24	20	28	15	13	8	4	–	–	–
Edinburgh .	182	173	186	134	181	162	206	187	169	121	79	38	8	1	1	–
Haddington . .	11	10	10	15	14	14	22	20	31	26	11	6	2	–	–	1
Berwick . . .	8	8	10	12	11	14	9	15	22	19	11	8	2	1	–	1
Peebles . . .	4	5	3	3	3	3	5	8	3	8	3	2	1	–	–	–
Selkirk . . .	8	6	5	4	6	8	8	7	8	9	5	2	1	–	–	–
Roxburgh . .	10	8	15	6	16	18	18	20	34	24	25	4	–	–	–	–
Dumfries . . .	25	21	20	18	33	42	45	36	44	49	29	18	5	1	–	3
Kirkcudbright . .	11	11	10	6	8	14	20	13	22	24	18	14	5	4	1	1
Wigtown . . .	13	9	10	10	7	13	11	19	28	29	21	8	9	–	–	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—MALES.

Glasgow . . .	252	236	286	277	261	260	263	207	157	107	66	17	3	–	–	
Edinburgh . .	123	108	116	98	116	94	133	111	95	73	43	19	4	1	1	–
Dundee . . .	53	55	62	60	58	50	75	53	60	24	16	6	1	–	–	–
Aberdeen . . .	30	28	27	38	44	47	42	55	44	31	19	9	4	1	–	–
Greenock . . .	30	19	40	30	33	41	34	15	23	18	6	2	–	–	–	5
Paisley . . .	26	22	27	24	33	26	44	38	35	16	14	5	1	–	–	–
Leith	28	40	19	14	31	27	26	24	25	15	9	7	–	–	–	–
Perth	14	7	7	16	10	16	29	14	23	12	11	4	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1612446	1756875	37855	3120	1202	2218	2924	1417	941	767	1789	1060	1298	1423	1413
Principal Towns	477116	566535	15007	1290	568	1098	1403	696	443	372	798	403	527	622	601
Large Towns .	144448	174081	4240	373	137	271	383	187	102	87	206	109	128	132	187
Small Towns .	369024	404969	8315	694	261	458	687	304	217	170	383	249	298	318	298
Mainland-Rural	548239	540327	9217	673	224	357	423	202	169	127	366	278	315	316	286
Insular-Rural .	73619	70963	1076	90	12	34	28	28	10	11	36	21	30	35	41
Shetland . .	18617	18505	272	21	1	9	6	5	4	–	6	3	4	6	17
Orkney . .	17471	16919	231	8	4	5	3	4	2	2	5	5	7	6	6
Caithness .	22354	21608	302	11	6	10	11	3	8	6	14	12	14	12	12
Sutherland .	13099	12356	214	12	1	–	4	4	1	3	8	5	3	9	4
Ross & Cromarty	43965	43535	603	34	11	13	31	7	7	6	21	16	13	18	22
Inverness . .	45315	44898	805	70	14	24	22	23	10	13	35	25	25	34	25
Nairn . .	4371	4447	68	8	–	–	3	3	–	2	2	1	4	1	1
Elgin . .	23589	23811	397	29	10	17	22	9	12	6	17	5	10	8	6
Banff . .	29619	31057	528	40	12	19	40	15	6	5	25	18	24	13	14
Aberdeen .	118062	129530	2323	184	70	112	151	66	53	45	109	59	75	75	70
Kincardine .	17875	18095	310	22	5	13	18	13	8	3	14	7	11	10	12
Forfar . .	113470	132633	2935	284	102	173	233	129	73	49	128	58	92	115	95
Perth . .	70029	67738	1267	77	28	34	38	25	22	13	34	32	40	33	54
Fife . .	82307	85718	1616	120	35	62	90	44	34	19	64	39	48	67	47
Kinross . .	4581	4170	70	6	1	2	1	1	–	1	2	–	3	2	1
Clackmannan .	10380	11416	245	13	6	18	19	8	2	2	9	9	8	18	16
Stirling . .	44651	47152	1129	97	34	67	110	37	34	18	53	42	45	42	32
Dumbarton .	27724	31159	685	61	9	38	63	28	30	20	48	19	18	23	21
Argyll . .	42945	40865	767	48	13	21	29	23	8	8	32	17	17	30	33
Bute . .	9110	9350	199	11	6	5	10	2	5	4	8	7	11	4	8
Renfrew . .	89366	102138	2503	197	95	198	256	119	66	62	103	70	92	93	97
Ayr . .	102041	102664	2116	182	69	130	164	83	48	45	96	76	85	73	68
Lanark . .	332181	398613	10656	968	422	890	1186	526	332	271	590	297	387	436	421
Linlithgow .	18976	20330	384	40	16	28	33	15	21	8	28	5	11	9	14
Edinburgh .	147516	174354	4333	369	151	225	264	159	116	111	240	147	145	183	192
Haddington .	19760	19686	377	31	6	13	17	12	9	7	13	20	9	11	21
Berwick . .	19134	19021	271	18	8	6	9	8	5	2	13	10	11	7	10
Peebles . .	5676	6316	122	16	5	5	4	2	3	1	4	4	5	7	9
Selkirk . .	7626	10175	196	21	11	11	17	5	–	6	3	7	6	12	6
Roxburgh . .	25013	25292	433	38	9	13	13	11	4	6	14	5	13	12	23
Dumfries .	40217	40011	736	47	20	27	29	18	9	12	18	23	25	26	28
Kirkcudbright	22795	22480	408	22	9	15	15	7	2	6	17	9	25	12	15
Wigtown . .	22611	20833	354	15	13	15	13	3	7	5	16	8	12	16	13

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—FEMALES.

Glasgow . .	209947	246737	6882	586	278	584	761	356	227	182	372	185	265	301	265
Edinburgh .	94431	109962	2774	216	89	147	174	93	76	59	167	92	95	112	139
Dundee . .	51269	68119	1831	182	72	131	179	96	59	44	95	38	53	75	62
Aberdeen .	41846	48395	1079	82	32	60	73	41	31	24	58	25	34	42	44
Greenock .	22327	29496	835	76	41	77	98	47	17	22	34	21	22	26	26
Paisley . .	25514	25988	703	61	22	56	75	23	16	12	29	15	28	34	24
Leith . .	18185	23458	623	65	30	31	32	33	14	26	39	23	21	24	25
Perth . .	14147	14380	280	22	4	12	11	7	3	3	4	4	9	8	16

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1281	1306	1172	1171	1390	1365	1738	1743	2239	1911	1548	898	365	115	17	24
Principal Towns	566	575	531	510	596	557	656	551	664	481	279	159	44	15	1	1
Large Towns	150	150	145	143	147	154	187	191	238	185	121	82	28	11	3	3
Small Towns	261	278	244	254	275	256	376	401	525	456	353	194	81	22	2	–
Mainland-Rural	271	272	226	240	341	358	452	532	718	694	692	413	189	54	10	19
Insular-Rural	33	31	26	24	31	40	67	68	94	95	103	50	23	13	1	1
Shetland	6	9	8	4	8	16	16	14	26	27	30	13	8	5	–	–
Orkney	8	4	5	8	5	5	17	19	25	23	26	19	6	4	–	–
Caithness	6	13	7	8	3	11	14	19	30	23	25	13	10	1	–	–
Sutherland	6	10	4	8	2	9	7	13	22	27	36	11	5	–	–	–
Ross and Cromarty	14	20	19	17	11	22	31	37	60	50	64	30	23	5	–	1
Inverness	25	20	19	25	44	29	36	53	77	54	55	25	15	4	2	2
Nairn	–	2	1	2	3	1	5	3	10	7	8	1	–	–	–	–
Elgin	10	13	11	8	15	17	27	17	41	41	25	15	5	1	–	–
Banff	21	18	18	6	17	13	19	24	38	37	38	26	15	6	1	–
Aberdeen	68	73	73	56	82	73	116	129	147	141	140	107	33	14	1	1
Kincardine	12	11	7	6	4	11	13	12	21	36	22	13	5	1	–	–
Forfar	103	110	105	112	123	124	143	131	167	116	91	55	18	5	1	–
Perth	40	37	41	36	64	61	72	82	133	94	89	60	20	6	–	2
Fife	56	59	38	64	74	60	78	96	138	117	83	55	21	5	2	1
Kinross	2	–	1	1	3	6	2	5	6	8	10	4	1	–	–	1
Clackmannan	5	9	9	13	3	7	14	14	9	21	5	6	2	–	–	–
Stirling	40	22	40	40	32	43	42	65	62	43	37	39	10	1	1	1
Dumbarton	22	20	22	26	23	17	39	19	35	30	29	11	11	2	–	1
Argyll	20	25	18	25	31	43	43	50	55	56	62	31	19	8	2	–
Bute	5	8	6	9	7	5	10	11	12	23	8	9	4	1	–	–
Renfrew	101	92	75	66	105	84	121	92	113	90	70	25	13	6	1	1
Ayr	59	66	68	58	61	60	98	101	115	109	108	57	27	9	–	1
Lanark	376	403	355	332	383	344	405	322	400	292	172	90	37	12	3	4
Linlithgow	5	10	8	10	13	8	17	16	25	22	11	5	5	1	–	–
Edinburgh	176	160	139	151	184	164	200	196	233	206	119	79	18	5	–	1
Haddington	12	7	11	16	8	11	23	21	26	31	28	7	6	1	–	–
Berwick	9	5	8	7	5	11	9	21	29	23	18	13	3	3	–	–
Peebles	2	5	4	3	4	1	6	5	8	7	7	3	2	–	–	–
Selkirk	8	6	8	3	1	14	9	15	11	8	7	1	–	–	–	–
Roxburgh	14	21	9	11	16	29	26	35	29	38	20	21	1	1	–	1
Dumfries	31	23	13	16	27	32	44	56	53	56	59	30	9	1	–	4
Kirkcudbright	13	15	9	17	21	20	21	33	41	32	16	7	5	3	–	1
Wigtown	6	10	13	7	8	14	15	17	42	23	30	17	8	4	3	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—FEMALES.

Glasgow	250	260	250	234	262	236	269	200	243	168	87	43	13	4	1	–
Edinburgh	114	113	94	96	126	114	130	134	142	124	68	47	11	2	–	–
Dundee	60	76	69	76	83	74	90	59	72	41	22	18	4	1	–	–
Aberdeen	38	41	29	31	34	39	58	56	72	54	46	26	4	5	–	–
Greenock	35	35	28	23	32	28	43	30	28	21	14	6	3	1	–	1
Paisley	28	22	24	21	22	30	33	29	45	25	19	5	3	2	–	–
Leith	34	19	25	22	21	21	21	22	28	27	11	6	3	–	–	–
Perth	7	9	12	7	16	15	12	21	34	21	12	8	3	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—Both Sexes.

	BOTH SEXES.											
	ALL AGES.	AGE UNDER										
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	465	33	18	15	22	20	15	8	22	12	12	13	18
Arbroath	428	49	14	27	27	16	6	4	11	7	11	20	13
Forfar	254	34	6	12	12	3	4	2	11	7	13	8	9
Montrose	304	27	10	11	8	5	2	1	7	9	11	16	9
Dunfermline	311	25	7	21	20	5	10	7	16	9	9	14	17
Kirkcaldy	310	33	16	25	23	16	6	5	11	11	5	9	11
Stirling	297	27	15	20	29	7	4	3	14	4	14	6	8
Dumbarton	332	42	10	24	46	19	12	8	15	8	12	8	7
Ayr	532	43	17	33	45	18	12	9	32	17	14	11	16
Kilmarnock	571	69	33	38	50	21	19	12	27	16	23	24	23
Barony	1106	86	32	78	83	39	29	25	61	34	38	37	45
Govan	1641	195	72	150	201	91	52	34	115	31	52	62	77
Hamilton	464	49	15	37	47	29	14	15	34	18	13	17	15
Airdrie	348	45	18	39	35	19	14	5	23	8	8	9	8
Coatbridge	470	50	20	45	71	25	15	7	25	10	21	13	14
Hawick	252	35	13	10	15	9	4	5	9	3	6	9	11
Dumfries	518	46	19	35	49	17	10	11	19	18	18	13	23

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—Both Sexes.

Shetland	74	6	–	5	2	3	1	1	3	2	3	3	7
Orkney	65	4	3	1	2	3	1	2	2	1	3	–	2
Caithness	357	24	13	21	13	8	11	6	22	12	19	14	17
Ross and Cromarty	209	18	8	10	16	3	2	1	10	6	8	10	11
Nairn	82	9	–	4	3	4	2	2	2	1	4	2	2
Elgin	337	40	11	17	19	7	11	6	15	3	10	10	5
Banff	421	40	11	24	41	13	7	8	26	12	13	12	12
Aberdeen	662	66	29	46	53	26	22	12	29	8	15	17	16
Kincardine	119	5	1	3	4	5	2	–	5	1	7	3	4
Forfar	626	64	21	39	35	21	9	9	21	14	20	21	20
Perth	477	40	15	13	25	9	7	9	23	9	20	20	22
Fife	1140	132	32	41	57	41	31	15	43	30	39	58	34
Clackmannan	337	31	10	21	31	7	6	5	15	8	16	20	18
Stirling	1155	111	40	75	124	44	33	29	76	42	30	35	38
Dumbarton	838	83	22	54	80	28	39	23	58	27	26	36	24
Argyll	370	25	10	10	27	13	7	2	17	7	10	16	15
Bute	226	11	10	9	18	3	4	2	11	7	9	6	12
Renfrew	1441	124	47	110	161	70	50	41	81	47	57	47	56
Ayr	2221	230	74	132	193	92	44	36	103	95	92	87	60
Lanark	2534	313	103	207	292	112	75	54	150	80	89	104	85
Linlithgow	595	77	24	47	49	29	28	12	41	13	25	14	12
Edinburgh	837	106	37	55	57	38	19	21	35	21	28	40	23
Haddington	385	33	9	19	22	14	11	9	16	23	11	13	18
Berwick	110	12	4	6	5	1	3	–	7	–	1	3	5
Peebles	58	2	1	5	4	1	–	–	3	–	1	4	5
Selkirk	366	44	24	23	26	17	3	8	18	9	9	23	14
Roxburgh	179	7	4	13	4	3	2	1	4	1	7	8	8
Dumfries	186	22	8	6	10	4	1	–	1	5	9	8	9
Kirkcudbright	185	12	4	8	8	3	–	3	9	7	11	7	6
Wigtown	223	15	5	10	13	5	3	6	13	12	11	9	7

DEATHS at DIFFERENT AGES in the LARGE TOWNS of SCOTLAND, 1872.—Both Sexes.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	18	11	13	19	25	16	17	36	44	21	20	14	1	–	–	2
Arbroath	17	20	16	10	12	18	22	26	25	22	23	8	2	2	–	–
Forfar	10	5	5	6	7	15	7	10	26	17	18	4	2	1	–	–
Montrose	8	7	15	12	13	12	18	25	34	20	11	11	2	–	–	–
Dunfermline	16	11	5	5	9	9	19	16	25	17	5	11	2	1	–	–
Kirkcaldy	10	11	9	12	13	12	13	13	7	20	10	6	1	1	1	–
Stirling	7	3	16	13	13	14	13	14	23	10	11	8	1	–	–	–
Dumbarton	7	9	18	7	12	10	11	12	10	13	6	5	1	–	–	–
Ayr	14	12	25	18	23	21	27	31	29	21	23	14	4	2	–	1
Kilmarnock	15	16	17	21	21	12	32	17	24	16	12	11	2	–	–	–
Barony	34	59	44	53	49	51	51	54	63	33	18	8	2	–	–	–
Govan	68	63	45	42	49	40	48	47	34	36	23	7	1	4	1	1
Hamilton	8	16	12	12	18	11	14	18	19	14	9	6	3	–	–	1
Airdrie	9	9	7	7	13	7	20	11	14	7	3	5	3	–	1	1
Coatbridge	7	11	13	18	20	21	22	14	15	5	4	1	2	1	–	–
Hawick	10	10	7	9	9	15	16	11	10	13	7	5	1	–	–	–
Dumfries	21	13	16	16	16	21	25	21	34	22	19	12	2	1	–	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—Both Sexes.

Shetland	3	2	3	–	2	4	–	2	8	6	6	1	1	–	–	–
Orkney	1	1	4	3	2	2	5	4	6	4	6	1	2	–	–	–
Caithness	6	16	12	10	10	17	9	20	24	23	15	11	3	1	–	–
Ross and Cromarty	5	6	6	9	10	3	8	13	19	11	10	2	4	–	–	–
Nairn	1	–	2	2	5	–	7	6	11	4	7	1	–	1	–	–
Elgin	7	14	12	6	11	11	17	21	28	29	16	10	1	–	–	–
Banff	12	16	12	6	16	10	17	22	30	31	14	11	4	1	–	–
Aberdeen	22	16	23	13	19	19	25	32	42	43	34	25	9	1	–	–
Kincardine	5	3	3	2	7	5	5	6	11	19	9	3	–	–	–	1
Forfar	20	17	12	16	28	26	36	37	43	46	32	12	7	–	–	–
Perth	11	16	13	27	22	16	28	26	44	26	17	11	6	2	–	–
Fife	42	31	30	46	42	37	50	62	94	62	45	33	10	3	–	–
Clackmannan	8	9	13	17	2	12	17	19	14	19	10	7	2	–	–	–
Stirling	39	24	24	33	30	47	43	59	61	51	32	26	8	–	1	–
Dumbarton	19	24	24	37	24	20	43	32	46	27	26	8	7	1	–	–
Argyll	11	10	9	16	13	20	24	21	27	19	23	11	5	2	–	–
Bute	8	5	8	11	14	12	9	13	13	15	7	6	2	1	–	–
Renfrew	53	40	45	47	55	39	63	43	46	54	40	12	8	3	1	1
Ayr	59	74	61	67	65	74	96	117	117	89	91	49	20	3	1	–
Lanark	68	86	67	75	78	67	98	70	95	73	48	30	11	4	–	–
Linlithgow	8	13	15	14	25	15	26	24	29	23	16	8	7	1	–	–
Edinburgh	24	24	35	25	29	19	42	32	47	37	23	13	6	1	–	–
Haddington	15	10	13	13	13	12	17	19	28	24	15	6	2	–	–	–
Berwick	5	5	4	6	3	6	2	5	8	7	8	3	–	1	–	–
Peebles	3	5	2	2	2	1	3	4	2	5	2	–	1	–	–	–
Selkirk	15	10	13	6	6	20	16	21	16	13	9	3	–	–	–	–
Roxburgh	5	4	5	2	10	9	8	17	18	22	12	5	–	–	–	–
Dumfries	9	9	5	2	6	16	11	9	6	17	10	3	–	–	–	–
Kirkcudbright	4	5	5	8	11	12	6	10	17	13	11	2	2	1	–	–
Wigtown	7	9	4	4	5	7	10	11	22	15	11	3	5	1	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	227	16	11	9	14	10	8	4	10	4	8	7	11
Arbroath	203	28	6	18	14	6	3	3	6	3	6	10	5
Forfar	127	20	4	6	8	1	2	2	6	5	7	4	4
Montrose	143	18	8	7	5	2	1	1	2	5	4	7	4
Dunfermline	158	19	4	14	12	3	6	2	12	4	4	8	8
Kirkcaldy	156	23	10	11	13	7	1	3	5	6	4	7	5
Stirling	151	12	9	12	15	3	2	3	9	2	7	5	4
Dumbarton	188	26	8	14	29	8	9	2	5	5	9	7	4
Ayr	276	26	10	21	18	8	9	2	21	9	6	7	6
Kilmarnock	291	44	16	20	24	13	9	2	16	8	14	13	11
Barony	556	39	18	46	47	17	14	11	32	17	19	19	15
Govan	830	101	48	87	98	49	29	19	63	18	25	31	23
Hamilton	234	27	10	18	18	14	8	10	19	8	10	12	6
Airdrie	175	32	6	17	17	13	9	1	10	3	2	4	5
Coatbridge	253	36	13	23	33	10	8	2	14	5	9	5	11
Hawick	122	19	9	7	8	1	3	3	4	2	5	4	4
Dumfries	273	29	8	19	27	7	5	4	12	9	13	7	11

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—MALES.

Shetland	33	3	–	2	2	1	1	1	1	1	1	2	3
Orkney	36	4	3	–	1	1	–	2	1	–	1	–	1
Caithness	196	19	9	13	7	5	6	2	12	5	10	7	8
Ross and Cromarty	103	10	4	8	4	1	1	–	5	4	5	8	6
Nairn	41	5	–	4	–	3	2	–	–	1	–	1	1
Elgin	150	21	4	10	5	2	2	2	9	2	6	8	2
Banff	192	19	6	16	15	3	4	3	16	4	3	8	7
Aberdeen	318	40	14	24	20	19	12	6	16	3	9	9	9
Kincardine	58	2	–	2	3	3	1	–	2	–	2	1	2
Forfar	320	36	12	27	18	12	5	8	11	9	5	11	12
Perth	236	20	8	7	14	5	4	6	12	3	7	9	13
Fife	549	81	23	23	25	24	16	9	20	15	21	25	19
Clackmannan	160	21	4	12	15	2	5	3	7	3	9	9	5
Stirling	566	58	24	43	56	21	11	16	46	22	15	13	23
Dumbarton	435	54	18	32	42	15	18	12	32	13	17	17	14
Argyll	178	11	7	6	13	8	3	–	10	3	6	9	3
Bute	106	5	6	5	9	3	2	–	5	2	2	5	4
Renfrew	723	82	23	57	89	25	25	16	52	20	31	23	17
Ayr	1141	139	42	71	109	42	22	20	53	54	43	45	31
Lanark	1371	180	46	99	159	64	44	23	80	42	51	58	44
Linlithgow	329	53	12	32	22	15	11	6	19	10	15	8	2
Edinburgh	446	64	23	28	32	22	10	9	23	11	17	17	11
Haddington	191	19	6	12	9	6	6	4	7	10	8	7	4
Berwick	62	8	2	3	3	–	1	–	6	–	–	3	2
Peebles	24	–	–	3	2	–	–	–	1	–	–	2	2
Selkirk	182	24	13	13	11	13	3	2	15	2	3	11	8
Roxburgh	75	3	1	9	3	1	1	–	3	–	3	6	3
Dumfries	94	15	4	5	6	3	–	–	1	3	5	2	7
Kirkcudbright	82	9	2	6	6	1	–	1	3	5	3	2	4
Wigtown	103	7	3	4	7	3	1	2	8	7	7	6	2

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	8	3	9	8	11	8	7	16	20	10	7	6	–	–	–	2
Arbroath	6	10	3	5	9	10	6	11	6	13	12	4	–	–	–	–
Forfar	6	2	3	2	1	4	3	3	15	7	11	1	–	–	–	–
Montrose	3	5	6	5	8	3	9	11	11	6	8	4	–	–	–	–
Dunfermline	9	6	4	2	3	3	6	8	11	4	1	5	–	–	–	–
Kirkcaldy	6	5	4	4	5	5	8	6	2	9	6	1	–	–	–	–
Stirling	4	3	6	7	5	6	6	6	13	6	4	2	–	–	–	–
Dumbarton	3	3	11	–	8	7	6	9	4	5	3	3	–	–	–	–
Ayr	3	9	12	10	14	10	17	15	17	6	10	8	1	1	–	–
Kilmarnock	7	9	5	11	14	5	12	11	9	6	7	5	–	–	–	–
Barony	16	30	24	24	24	31	30	32	33	12	5	1	–	–	–	–
Govan	33	26	22	21	26	24	21	24	15	17	7	2	–	1	–	–
Hamilton	5	4	5	10	10	4	7	10	8	2	3	5	–	–	–	1
Airdrie	2	4	5	4	9	3	12	6	4	2	2	2	1	–	–	–
Coatbridge	3	7	7	11	13	10	15	6	7	3	2	–	–	–	–	
Hawick	3	5	4	4	5	5	8	2	6	5	5	1	–	–	–	–
Dumfries	12	5	8	9	10	13	15	9	17	9	8	4	2	–	–	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—MALES.

Shetland	3	–	1	–	1	–	–	1	2	5	1	1	–	–	–	–
Orkney	–	1	3	1	–	1	4	2	3	1	6	–	–	–	–	–
Caithness	3	3	7	5	7	8	3	13	13	16	6	7	1	1	–	–
Ross and Cromarty	3	2	3	4	4	1	5	7	9	4	2	2	1	–	–	–
Nairn	1	–	2	–	2	–	4	4	6	1	3	–	–	1	–	–
Elgin	4	7	3	3	4	2	7	13	14	10	6	4	–	–	–	–
Banff	4	5	5	4	6	6	8	13	12	13	5	5	2	–	–	–
Aberdeen	9	6	8	7	8	12	12	9	20	19	13	10	4	–	–	–
Kincardine	1	1	–	2	5	3	2	4	8	7	5	1	–	–	–	1
Forfar	9	9	8	6	12	16	20	16	20	18	13	3	4	–	–	–
Perth	6	7	4	15	12	13	12	14	16	13	9	3	3	1	–	–
Fife	18	15	14	23	17	22	20	25	34	24	20	13	2	1	–	–
Clackmannan	4	2	6	6	1	6	9	11	9	4	6	1	–	–	–	–
Stirling	20	8	8	14	17	24	24	21	24	28	19	9	2	–	–	–
Dumbarton	6	14	14	19	11	8	14	18	23	12	9	2	1	–	–	–
Argyll	5	3	4	6	7	5	12	12	15	11	13	3	2	1	–	–
Bute	6	3	2	5	8	3	3	5	6	6	4	2	–	–	–	–
Renfrew	26	14	26	28	22	20	31	25	22	22	16	7	3	–	–	1
Ayr	30	29	29	35	37	47	49	60	60	35	30	18	10	–	1	–
Lanark	31	50	35	50	46	40	61	40	48	38	25	11	5	1	–	–
Linlithgow	5	7	10	6	17	9	14	13	16	13	7	5	2	–	–	–
Edinburgh	12	11	26	13	17	12	20	13	20	16	11	4	4	–	–	–
Haddington	7	7	6	5	9	7	7	10	15	13	3	3	1	–	–	–
Berwick	2	3	2	5	1	4	1	3	5	4	2	2	–	–	–	–
Peebles	2	4	2	1	–	–	–	1	1	3	–	–	–	–	–	–
Selkirk	8	5	5	3	5	7	8	7	5	7	2	2	–	–	–	–
Roxburgh	1	–	3	1	5	2	2	5	8	9	6	–	–	–	–	–
Dumfries	3	3	3	1	5	8	6	1	2	5	3	3	–	–	–	–
Kirkcudbright	1	2	1	1	3	8	4	4	3	6	5	1	1	–	–	–
Wigtown	4	5	–	2	1	3	3	6	8	8	2	–	4	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—Females.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	238	17	7	6	8	10	7	4	12	8	4	6	7
Arbroath	225	21	8	9	13	10	3	1	5	4	5	10	8
Forfar	127	14	2	6	4	2	2	–	5	2	6	4	5
Montrose	161	9	2	4	3	3	1	–	5	4	7	9	5
Dunfermline	153	6	3	7	8	2	4	5	4	5	5	6	9
Kirkcaldy	154	10	6	14	10	9	5	2	6	5	1	2	6
Stirling	146	15	6	8	14	4	2	–	5	2	7	1	4
Dumbarton	144	16	2	10	17	11	3	6	10	3	3	1	3
Ayr	256	17	7	12	27	10	8	7	11	8	8	4	10
Kilmarnock	280	25	17	18	26	8	10	10	11	8	9	11	12
Barony	550	47	14	32	36	22	15	14	29	17	19	18	30
Govan	811	94	24	63	103	42	28	15	52	13	27	31	54
Hamilton	230	22	5	19	29	15	6	5	15	10	3	5	9
Airdrie	173	13	12	22	18	6	5	4	13	5	6	5	3
Coatbridge	217	14	7	22	38	15	7	5	11	5	12	8	3
Hawick	130	16	4	3	7	8	1	2	5	1	1	5	7
Dumfries	245	17	11	16	22	10	5	7	7	9	5	6	12

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—Females.

Shetland	41	3	–	3	–	2	–	–	2	1	2	1	4
Orkney	29	–	–	1	1	2	1	–	1	1	2	–	1
Caithness	161	5	4	8	6	3	5	4	10	7	9	7	9
Ross and Cromarty	106	8	4	2	12	2	1	1	5	2	3	2	5
Nairn	41	4	–	–	3	1	–	2	2	–	4	1	1
Elgin	187	19	7	7	14	5	9	4	6	1	4	2	3
Banff	229	21	5	8	26	10	3	5	10	8	10	4	5
Aberdeen	344	26	15	22	33	7	10	6	13	5	6	8	7
Kincardine	61	3	1	1	1	2	1	–	3	1	5	2	2
Forfar	306	28	9	12	17	9	4	1	10	5	15	10	8
Perth	241	20	7	6	11	4	3	3	11	6	13	11	9
Fife	591	51	9	18	32	17	15	6	23	15	18	33	15
Clackmannan	177	10	6	9	16	5	1	2	8	5	7	11	13
Stirling	589	53	16	32	68	23	22	13	30	20	15	22	15
Dumbarton	403	29	4	22	38	13	21	11	26	14	9	19	10
Argyll	192	14	3	4	14	5	4	2	7	4	4	7	12
Bute	120	6	4	4	9	–	2	2	6	5	7	1	8
Renfrew	718	42	24	53	72	45	25	25	29	27	26	24	39
Ayr	1080	91	32	61	84	50	22	16	50	41	49	42	29
Lanark	1163	133	57	108	133	48	31	31	70	38	38	46	41
Linlithgow	266	24	12	15	27	14	17	6	22	3	10	6	10
Edinburgh	391	42	14	27	25	16	9	12	12	10	11	23	12
Haddington	194	14	3	7	13	8	5	5	9	13	3	6	14
Berwick	48	4	2	3	2	1	2	–	1	–	1	–	3
Peebles	34	2	1	2	2	1	–	–	2	–	1	2	3
Selkirk	184	20	11	10	15	4	–	6	3	7	6	12	6
Roxburgh	104	4	3	4	1	2	1	1	1	1	4	2	5
Dumfries	92	7	4	1	4	1	1	–	–	2	4	6	2
Kirkcudbright	103	3	2	2	2	2	–	2	6	2	8	5	2
Wigtown	120	8	2	6	6	2	2	4	5	5	4	3	5

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	10	8	4	11	14	8	10	20	24	11	13	8	1	–	–	–
Arbroath	11	10	13	5	3	8	16	15	19	9	11	4	2	2	–	–
Forfar	4	3	2	4	6	11	4	7	11	10	7	3	2	1	–	–
Montrose	5	2	9	7	5	9	9	14	23	14	3	7	2	–	–	–
Dunfermline	7	5	1	3	6	6	13	8	14	13	4	6	2	1	–	–
Kirkcaldy	4	6	5	8	8	7	5	7	5	11	4	5	1	1	1	–
Stirling	3	–	10	6	8	8	7	8	10	4	7	6	1	–	–	–
Dumbarton	4	6	7	7	4	3	5	3	6	8	3	2	1	–	–	–
Ayr	11	3	13	8	9	11	10	16	12	15	13	6	3	1	–	1
Kilmarnock	8	7	12	10	7	7	20	6	15	10	5	6	2	–	–	–
Barony	18	29	20	29	25	20	21	22	30	21	13	7	2	–	–	–
Govan	35	37	23	21	23	16	27	23	19	19	16	5	1	3	1	1
Hamilton	3	12	7	2	8	7	7	8	11	12	6	1	3	–	–	–
Airdrie	7	5	2	3	4	4	8	5	10	5	1	3	2	–	1	1
Coatbridge	4	4	6	7	7	11	7	8	8	2	2	1	2	1	–	–
Hawick	7	5	3	5	4	10	8	9	4	8	2	4	1	–	–	–
Dumfries	9	8	8	7	6	8	10	12	17	13	11	8	–	1	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—FEMALES.

Shetland	–	2	2	–	1	4	–	1	6	1	5	–	1	–	–	–
Orkney	1	–	1	2	2	1	1	2	3	3	–	1	2	–	–	–
Caithness	3	13	5	5	3	9	6	7	11	7	9	4	2	–	–	–
Ross and Cromarty	2	4	3	5	6	2	3	6	10	7	8	–	3	–	–	–
Nairn	–	–	–	2	3	–	3	2	5	3	4	1	–	–	–	–
Elgin	3	7	9	3	7	9	10	8	14	19	10	6	1	–	–	–
Banff	8	11	7	2	10	4	9	9	18	18	9	6	2	1	–	–
Aberdeen	13	10	15	6	11	7	13	23	22	24	21	15	5	1	–	–
Kincardine	4	2	3	–	2	2	3	2	3	12	4	2	–	–	–	–
Forfar	11	8	4	10	16	10	16	21	23	28	19	9	3	–	–	–
Perth	5	9	9	12	10	3	16	12	28	13	8	8	3	1	–	–
Fife	24	16	16	23	25	15	30	37	60	38	25	20	8	2	–	–
Clackmannan	4	7	7	11	1	6	8	8	5	15	4	6	2	–	–	–
Stirling	19	16	16	19	13	25	19	38	37	23	13	17	6	–	1	–
Dumbarton	13	10	10	18	13	12	29	14	23	15	17	6	6	1	–	–
Argyll	6	7	5	10	6	15	12	9	12	8	10	8	3	1	–	–
Bute	2	2	6	6	6	4	6	8	7	9	3	4	2	1	–	–
Renfrew	27	26	19	19	33	19	32	18	24	32	24	5	5	3	1	–
Ayr	29	45	32	32	28	27	47	57	57	54	61	31	10	3	–	–
Lanark	37	36	32	25	32	27	37	30	47	35	23	19	6	3	–	–
Linlithgow	3	6	5	8	8	6	12	11	13	10	9	3	5	1	–	–
Edinburgh	12	13	9	12	12	7	22	19	27	21	12	9	2	1	–	–
Haddington	8	3	7	8	4	5	10	9	13	11	12	3	1	–	–	–
Berwick	3	2	2	1	2	2	1	2	3	3	6	1	–	1	–	–
Peebles	1	1	–	1	2	1	3	3	1	2	2	–	1	–	–	–
Selkirk	7	5	8	3	1	13	8	14	11	6	7	1	–	–	–	–
Roxburgh	4	4	2	1	5	7	6	12	10	13	6	5	–	–	–	–
Dumfries	6	6	2	1	1	8	5	8	4	12	7	–	–	–	–	–
Kirkcudbright	3	3	4	7	8	4	2	6	11	7	6	1	1	1	–	–
Wigtown	3	4	4	2	4	4	7	5	11	7	9	3	1	1	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—
Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	277	19	4	6	10	5	4	4	9	8	7	13	11
Sutherland	371	20	3	3	8	8	4	4	17	9	10	12	7
Ross and Cromarty	831	46	15	21	24	6	8	6	28	20	24	38	36
Inverness	464	24	6	11	12	5	4	4	15	14	14	23	12
Nairn	54	7	1	–	1	2	–	2	2	1	1	2	2
Elgin	409	23	14	18	14	4	7	4	20	9	15	18	9
Banff	590	49	16	25	25	13	5	6	26	19	24	17	19
Aberdeen	1825	156	66	75	88	44	26	24	94	53	67	61	57
Kincardine	461	44	11	26	26	18	13	5	22	11	9	18	14
Forfar	582	71	16	24	33	16	16	6	22	12	16	20	14
Perth	1397	94	37	37	36	31	19	16	42	33	36	31	56
Fife	1328	98	38	47	73	37	16	13	65	27	46	54	45
Kinross	137	13	2	3	3	2	1	1	3	–	4	6	4
Clackmannan	126	9	2	15	7	5	3	1	2	5	3	8	5
Stirling	797	75	31	43	64	23	22	11	35	39	41	44	24
Dumbarton	290	37	7	12	18	9	11	6	23	9	8	5	17
Argyll	794	51	15	18	30	19	15	7	31	17	23	48	31
Renfrew	493	47	17	27	28	15	10	8	22	15	24	18	13
Ayr	1022	109	32	69	66	34	29	18	51	35	46	39	29
Lanark	1311	128	53	83	123	49	30	25	60	48	45	45	40
Linlithgow	276	38	12	23	15	4	6	4	18	7	5	4	15
Edinburgh	1055	106	29	45	57	32	29	20	48	36	36	54	36
Haddington	332	25	7	8	10	6	4	3	8	12	8	16	11
Berwick	448	39	10	8	14	14	11	7	24	17	17	19	16
Peebles	166	26	6	7	6	3	4	1	5	7	10	8	7
Selkirk	38	2	1	2	3	1	–	–	2	3	2	2	–
Roxburgh	384	48	3	13	12	6	4	5	20	7	13	8	15
Dumfries	896	78	18	32	28	15	10	13	25	21	27	37	35
Kirkcudbright	463	47	9	17	16	6	5	6	16	12	24	17	16
Wigtown	476	36	16	13	19	3	9	5	18	8	13	23	18

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—
Both Sexes.

Shetland	403	34	3	10	10	6	8	–	9	3	9	12	20
Orkney	369	15	4	7	6	5	2	3	10	6	12	16	8
Ross and Cromarty	198	24	1	13	15	7	2	3	4	2	5	7	7
Inverness	600	85	16	27	22	17	7	8	31	13	21	40	24
Argyll	341	19	1	12	4	11	3	1	10	9	15	17	14
Bute	173	7	2	2	1	3	3	3	4	8	8	8	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—
BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	6	2	6	5	10	8	16	18	27	29	22	14	9	2	2	1
Sutherland	10	11	8	12	9	14	16	26	33	39	52	21	10	5	–	–
Ross and Cromarty	20	22	21	18	19	35	48	48	79	72	91	47	31	5	2	1
Inverness	15	8	16	11	21	17	22	32	43	52	42	24	11	3	2	1
Nairn	–	2	2	–	1	1	2	3	7	4	8	3	–	–	–	–
Elgin	10	11	8	12	12	10	27	27	45	40	26	19	6	1	–	–
Banff	20	12	19	8	14	22	20	31	50	42	46	32	23	6	1	–
Aberdeen	36	42	54	46	50	62	87	95	122	132	131	102	39	10	1	5
Kincardine	13	16	10	11	7	17	19	24	37	35	32	15	7	1	–	–
Forfar	19	17	15	19	19	22	22	31	49	31	40	22	7	2	1	–
Perth	43	40	34	37	54	77	84	81	140	116	122	67	20	7	–	4
Fife	37	44	34	49	64	63	69	78	102	88	80	39	18	1	2	1
Kinross	2	3	4	2	7	10	7	8	12	13	18	5	2	–	–	2
Clackmannan	5	3	3	3	4	4	9	8	8	12	1	–	1	–	–	–
Stirling	32	16	31	26	27	23	33	43	32	31	23	21	4	2	–	1
Dumbarton	9	7	10	8	12	9	10	7	17	11	14	8	4	1	–	1
Argyll	22	29	20	26	34	34	30	52	59	62	61	33	17	9	1	–
Renfrew	20	11	11	11	28	21	30	28	33	19	23	11	3	–	–	–
Ayr	28	25	20	22	39	28	44	50	58	50	53	26	14	8	–	–
Lanark	46	37	32	46	46	54	59	56	64	59	42	20	16	3	–	2
Linlithgow	7	9	6	6	13	4	15	12	24	14	8	5	2	–	–	–
Edinburgh	35	29	36	30	42	51	54	60	65	51	44	25	2	2	–	1
Haddington	8	7	8	18	9	13	28	22	29	33	24	7	6	1	–	1
Berwick	12	8	14	13	13	19	16	31	43	35	21	18	5	3	–	1
Peebles	3	5	5	4	5	3	8	9	9	10	8	5	2	–	–	–
Selkirk	1	2	–	1	1	2	1	1	3	4	3	–	1	–	–	–
Roxburgh	9	15	12	6	13	23	20	27	35	27	26	15	–	1	–	1
Dumfries	31	24	15	22	40	39	58	67	67	72	64	38	13	1	–	6
Kirkcudbright	15	19	11	9	16	20	30	31	36	37	18	14	7	6	1	2
Wigtown	12	10	19	13	10	20	19	25	48	37	40	22	12	3	3	2

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—
BOTH SEXES.

Shetland	8	10	11	6	14	14	26	27	38	46	36	21	16	5	–	1
Orkney	13	7	7	10	8	8	22	35	37	41	42	32	7	6	–	–
Ross and Cromarty	4	6	6	6	1	7	9	9	7	15	19	14	3	2	–	–
Inverness	15	17	14	10	23	22	21	27	47	29	35	14	7	7	–	1
Argyll	15	5	8	11	10	17	20	26	28	27	36	11	4	3	3	1
Bute	11	10	3	6	6	6	7	8	14	22	17	6	3	–	–	2

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	136	13	2	4	5	5	1	2	5	3	2	8	8
Sutherland	157	8	2	3	4	4	3	1	9	4	7	3	3
Ross and Cromarty	428	29	9	15	16	4	2	2	15	8	15	23	23
Inverness	202	12	3	4	4	1	3	–	8	4	7	10	6
Nairn	27	3	1	–	1	–	–	2	2	–	1	2	2
Elgin	199	13	11	8	6	–	4	2	9	5	9	12	6
Banff	291	30	9	14	11	8	2	6	11	9	10	8	10
Aberdeen	925	80	43	45	43	26	14	9	56	24	32	36	38
Kincardine	212	25	7	14	9	7	6	2	11	5	3	10	4
Forfar	297	41	7	13	16	7	12	3	14	7	10	13	7
Perth	651	59	20	21	20	17	3	9	23	11	18	20	27
Fife	610	45	21	24	33	21	6	7	34	13	22	28	28
Kinross	67	7	1	1	2	1	1	–	1	–	1	4	3
Clackmannan	58	6	2	6	4	2	2	1	1	1	2	1	2
Stirling	403	46	19	16	36	13	12	6	17	19	18	25	11
Dumbarton	152	21	4	6	10	5	5	3	11	7	2	2	9
Argyll	384	26	5	8	17	10	11	2	13	8	14	30	17
Renfrew	246	29	9	15	17	11	2	5	11	8	8	9	5
Ayr	522	60	19	30	39	19	16	6	27	16	27	23	12
Lanark	681	69	28	43	55	27	12	10	32	24	28	23	24
Linlithgow	158	22	8	10	9	3	2	2	12	5	4	1	11
Edinburgh	510	60	11	25	24	15	12	6	26	14	18	30	20
Haddington	149	8	4	2	6	2	–	1	4	5	2	11	4
Berwick	225	25	4	5	7	7	8	5	12	7	7	12	9
Peebles	78	12	2	4	4	2	1	–	3	3	6	3	1
Selkirk	26	1	1	1	1	–	–	–	2	3	2	2	–
Roxburgh	185	30	1	7	7	5	2	2	12	4	5	3	4
Dumfries	430	52	8	18	19	5	5	7	12	8	10	21	18
Kirkcudbright	225	31	7	8	9	4	5	3	7	6	8	12	6
Wigtown	242	29	5	4	12	2	4	4	7	5	5	10	10

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—MALES.

Shetland	172	16	2	4	4	3	4	–	5	1	7	7	7
Orkney	167	7	–	3	4	3	1	1	6	2	7	10	3
Ross and Cromarty	104	15	–	8	4	4	2	2	1	–	4	6	3
Inverness	295	44	12	16	16	8	5	3	15	6	7	25	12
Argyll	176	10	1	5	2	2	3	–	3	5	11	12	7
Bute	94	2	–	1	–	1	–	1	2	6	4	5	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—Males.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	3	2	4	2	10	6	8	6	8	13	6	5	1	1	2	1
Sutherland	4	1	4	4	7	5	9	13	11	12	16	10	5	5	–	–
Ross and Cromarty	10	9	10	8	14	16	24	22	35	39	44	20	13	1	2	–
Inverness	9	3	9	3	5	6	12	15	19	22	21	12	2	2	–	–
Nairn	–	–	1	–	1	–	–	2	2	–	4	3	–	–	–	–
Elgin	3	5	6	7	4	2	10	18	18	18	11	10	2	–	–	–
Banff	7	5	8	4	7	13	10	16	30	23	17	12	10	1	–	–
Aberdeen	19	20	25	27	13	35	42	45	69	69	58	36	15	2	–	4
Kincardine	5	7	6	5	5	8	9	14	19	11	14	4	2	–	–	–
Forfar	7	6	7	9	9	10	14	16	30	17	11	8	2	1	–	–
Perth	15	21	14	20	16	34	40	32	69	56	53	23	6	2	–	2
Fife	16	12	18	19	29	31	39	34	43	33	30	15	8	–	1	–
Kinross	–	3	3	1	4	4	5	3	6	5	8	1	1	–	–	1
Clackmannan	4	1	1	1	2	3	3	2	4	6	–	–	1	–	–	–
Stirling	14	10	17	11	16	11	17	24	17	15	6	5	1	1	–	–
Dumbarton	4	3	5	7	6	7	5	5	11	4	5	5	–	–	–	–
Argyll	14	15	10	14	15	18	10	25	28	26	26	16	4	2	–	–
Renfrew	9	2	7	8	10	14	17	13	17	7	10	2	1	–	–	–
Ayr	17	14	9	14	22	13	23	28	27	20	24	12	2	3	–	–
Lanark	24	17	17	35	24	31	30	30	32	29	18	9	8	2	–	–
Linlithgow	5	5	3	4	8	2	10	7	12	2	6	3	2	–	–	–
Edinburgh	19	14	25	9	17	29	27	39	29	17	16	8	–	–	–	–
Haddington	4	3	4	10	5	7	15	10	16	13	8	3	1	–	–	1
Berwick	6	5	8	7	10	10	8	12	17	15	9	6	2	1	–	1
Peebles	2	1	1	2	3	3	5	7	2	5	3	2	1	–	–	–
Selkirk	–	1	–	1	1	1	–	–	3	2	3	–	1	–	–	–
Roxburgh	6	3	8	1	6	11	8	13	20	10	14	3	–	–	–	–
Dumfries	11	14	10	9	18	23	27	27	30	36	21	14	4	1	–	2
Kirkcudbright	9	8	8	4	5	4	13	8	14	17	10	10	3	4	1	1
Wigtown	9	4	10	8	6	10	11	13	20	21	19	8	5	–	–	1

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—Males.

Shetland	2	3	5	2	7	2	10	14	18	20	11	8	9	–	–	1
Orkney	6	8	3	4	5	4	6	18	15	21	16	14	3	2	–	–
Ross and Cromarty	2	3	1	4	1	6	5	4	1	5	10	11	1	1	–	–
Inverness	6	10	6	4	9	12	5	11	18	16	14	9	2	4	–	–
Argyll	9	1	5	8	4	5	9	12	16	15	19	5	1	3	2	1
Bute	8	4	3	3	5	5	3	5	9	8	12	1	1	–	–	2

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—FEMALES.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	141	6	2	2	5	–	3	2	4	5	5	5	3
Sutherland	214	12	1	–	4	4	1	3	8	5	3	9	4
Ross and Cromarty	403	17	6	6	8	2	6	4	13	12	9	15	13
Inverness	262	12	3	7	8	4	1	4	7	10	7	13	6
Nairn	27	4	–	–	–	2	–	–	–	1	–	–	–
Elgin	210	10	3	10	8	4	3	2	11	4	6	6	3
Banff	299	19	7	11	14	5	3	–	15	10	14	9	9
Aberdeen	900	76	23	30	45	18	12	15	38	29	35	25	19
Kincardine	249	19	4	12	17	11	7	3	11	6	6	8	10
Forfar	285	30	9	11	17	9	4	3	8	5	6	7	7
Perth	746	35	17	16	16	14	16	7	19	22	18	14	29
Fife	718	53	17	23	40	16	10	6	31	14	24	26	17
Kinross	70	6	1	2	1	1	–	1	2	–	3	2	1
Clackmannan	68	3	–	9	3	3	1	–	1	4	1	7	3
Stirling	394	29	12	27	28	10	10	5	18	20	23	19	13
Dumbarton	138	16	3	6	8	4	6	3	12	2	6	3	8
Argyll	410	25	10	10	13	9	4	5	18	9	9	18	14
Renfrew	247	18	8	12	11	4	8	3	11	7	16	9	8
Ayr	500	49	13	39	27	15	13	12	24	19	19	16	17
Lanark	630	59	25	40	68	22	18	15	28	24	17	22	16
Linlithgow	118	16	4	13	6	1	4	2	6	2	1	3	4
Edinburgh	545	46	18	20	33	17	17	14	22	22	18	24	16
Haddington	183	17	3	6	4	4	4	2	4	7	6	5	7
Berwick	223	14	6	3	7	7	3	2	12	10	10	7	7
Peebles	88	14	4	3	2	1	3	1	2	4	4	5	6
Selkirk	12	1	–	1	2	1	–	–	–	–	–	–	–
Roxburgh	199	18	2	6	5	1	2	3	8	3	8	5	11
Dumfries	466	26	10	14	9	10	5	6	13	13	17	16	17
Kirkcudbright	238	16	2	9	7	2	–	3	9	6	16	5	10
Wigtown	234	7	11	9	7	1	5	1	11	3	8	13	8

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—FEMALES.

Shetland	231	18	1	6	6	3	4	–	4	2	2	5	13
Orkney	202	8	4	4	2	2	1	2	4	4	5	6	5
Ross and Cromarty	94	9	1	5	11	3	–	1	3	2	1	1	4
Inverness	305	41	4	11	6	9	2	5	16	7	14	15	12
Argyll	165	9	–	7	2	9	–	1	7	4	4	5	7
Bute	79	5	2	1	1	2	3	2	2	2	4	3	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	3	–	2	3	–	2	8	12	19	16	16	9	8	1	–	–
Sutherland	6	10	4	8	2	9	7	13	22	27	36	11	5	–	–	–
Ross and Cromarty	10	13	11	10	5	19	24	26	44	33	47	27	18	4	–	1
Inverness	6	5	7	8	16	11	10	17	24	30	21	12	9	1	2	1
Nairn	–	2	1	–	–	1	2	1	5	4	4	–	–	–	–	–
Elgin	7	6	2	5	8	8	17	9	27	22	15	9	4	1	–	–
Banff	13	7	11	4	7	9	10	15	20	19	29	20	13	5	1	–
Aberdeen	17	22	29	19	37	27	45	50	53	63	73	66	24	8	1	1
Kincardine	8	9	4	6	2	9	10	10	18	24	18	11	5	1	–	–
Forfar	12	11	8	10	10	12	8	15	19	14	29	14	5	1	1	–
Perth	28	19	20	17	38	43	44	49	71	60	69	44	14	5	–	2
Fife	21	32	16	30	35	32	30	44	59	55	50	24	10	1	1	1
Kinross	2	–	1	1	3	6	2	5	6	8	10	4	1	–	–	1
Clackmannan	1	2	2	2	2	1	6	6	4	6	1	–	–	–	–	–
Stirling	18	6	14	15	11	12	16	19	15	16	17	16	3	1	–	1
Dumbarton	5	4	5	1	6	2	5	2	6	7	9	3	4	1	–	1
Argyll	8	14	10	12	19	16	20	27	31	36	35	17	13	7	1	–
Renfrew	11	9	4	3	18	7	13	15	16	12	13	9	2	–	–	–
Ayr	11	11	11	8	17	15	21	22	31	30	29	14	12	5	–	–
Lanark	22	20	15	11	22	23	29	26	32	30	24	11	8	1	–	2
Linlithgow	2	4	3	2	5	2	5	5	12	12	2	2	–	–	–	–
Edinburgh	16	15	11	21	25	22	27	21	36	34	28	17	2	2	–	1
Haddington	4	4	4	8	4	6	13	12	13	20	16	4	5	1	–	–
Berwick	6	3	6	6	3	9	8	19	26	20	12	12	3	2	–	–
Peebles	1	4	4	2	2	–	3	2	7	5	5	3	1	–	–	–
Selkirk	1	1	–	–	–	1	1	1	–	2	–	–	–	–	–	–
Roxburgh	3	12	4	5	7	12	12	14	15	17	12	12	–	1	–	1
Dumfries	20	10	5	13	22	16	31	40	37	36	43	24	9	–	–	4
Kirkcudbright	6	11	3	5	11	16	17	23	22	20	8	4	4	2	–	1
Wigtown	3	6	9	5	4	10	8	12	28	16	21	14	7	3	3	1

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—FEMALES.

Shetland	6	7	6	4	7	12	16	13	20	26	25	13	7	5	–	–
Orkney	7	4	4	6	3	4	16	17	22	20	26	18	4	4	–	–
Ross and Cromarty	2	3	5	2	–	1	4	5	6	10	9	3	2	1	–	–
Inverness	9	7	8	6	14	10	16	16	29	13	21	5	5	3	–	1
Argyll	6	4	3	3	6	12	11	14	12	12	17	6	3	–	1	–
Bute	3	6	–	3	1	1	4	3	5	14	5	5	2	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	75794	477	434	634	371	1238	1529	136	746	1011	4606	580	5685	2461	3089	137
SPECIFIED CAUSES	73681	422	405	601	337	1101	1321	130	711	972	4507	560	5614	2394	2986	132
I. Zymotic Class	15861	59	50	112	40	179	248	16	93	197	1009	115	1355	381	603	21
II. Diseases of Uncer. Seat	2548	19	28	27	17	52	58	3	41	63	211	32	192	95	126	-
III. Tubercular Class	12596	69	46	95	31	156	171	16	92	127	672	70	835	343	438	1
IV. Brain and Nervous Sys.	6630	19	23	60	34	90	85	18	100	94	420	59	512	235	279	20
V. Organs of Circulation	3933	7	18	46	9	35	45	5	45	48	263	21	352	194	211	18
VI. Respiratory Organs	11535	21	47	79	32	103	151	10	91	151	638	70	1006	327	383	11
VII. Organs of Digestion	4822	23	17	36	26	55	85	15	68	80	302	43	280	196	170	9
VIII. Urinary Organs	1244	8	9	21	5	17	22	1	18	27	124	14	70	48	52	5
IX. Organs of Generation	563	6	9	6	5	12	25	2	5	13	34	6	33	14	32	-
X. Organs of Locomotion	469	7	5	2	2	10	27	-	4	11	36	1	23	9	19	-
XI. Skin, etc.	101	-	-	2	-	2	2	-	1	2	12	2	5	1	4	-
XII. Malformation	268	2	-	1	1	2	-	-	4	1	16	6	25	5	11	1
XIII. Premature Debility	3619	13	9	20	6	26	49	8	32	35	215	16	324	92	142	8
XIV. Atrophy	542	5	2	5	2	9	14	-	3	4	28	2	44	21	25	-
XV. Age	6208	145	126	74	119	326	294	35	98	100	393	78	382	338	350	12
XVI. Sudden Deaths	171	6	-	-	-	1	3	1	-	2	3	-	12	8	15	-
XVII. Violent Deaths	2571	13	16	15	8	26	42	-	16	17	131	25	164	87	126	4
I. Small-pox	2448	12	2	-	-	20	30	1	1	4	160	10	384	65	117	5
Measles	925	2	-	-	-	2	14	-	1	26	155	13	141	4	7	-
Scarlatina	2101	11	12	19	5	31	48	1	7	13	100	26	45	28	71	-
Diphtheria	1045	1	4	17	-	12	14	-	22	37	112	10	118	27	43	2
Hooping-cough	2850	21	1	1	1	7	18	-	11	34	88	2	122	41	104	4
Croup	1145	-	3	14	6	29	17	9	20	9	70	7	120	32	62	-
Thrush	40	-	-	-	-	2	-	-	-	1	6	-	4	2	3	-
Diarrhœa	1566	-	10	19	5	14	22	1	9	22	100	6	156	57	63	4
Dysentery	209	-	1	1	2	3	3	-	2	4	14	2	22	12	9	-
Cholera	83	-	-	-	-	-	1	-	-	1	3	-	5	1	3	-
Influenza	93	1	3	1	-	3	-	-	-	-	11	-	9	3	3	1
Purpura	52	1	-	1	-	1	-	-	-	1	3	1	6	1	2	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	10	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Typhus	795	3	4	12	2	24	18	-	2	6	29	8	37	25	19	-
Enteric Fever	1223	-	3	16	8	11	32	2	5	23	84	21	88	45	36	3
Relapsing Fever	115	-	-	-	-	3	-	-	-	-	6	-	13	1	2	-
Simple Cont. Fever	103	2	-	2	-	2	12	-	1	1	3	2	6	6	3	-
Infantile Remittent	118	-	2	1	-	-	-	-	-	3	10	-	5	4	9	-
Metria	219	2	-	3	7	3	1	-	2	4	11	1	24	5	22	-
Rheumatic Fever	153	-	3	1	2	4	6	1	2	3	6	2	7	7	7	-
Erysipelas	308	3	2	1	2	6	7	1	8	5	21	3	15	9	10	2
Pyæmia	56	-	-	1	-	-	2	-	-	-	-	-	7	3	7	-
Syphilis	193	-	-	2	-	1	2	-	-	-	16	1	17	3	1	-
Noma	11	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	66	-	-	-	1	3	-	-	-	3	7	1	5	1	-	-
Dropsy	573	5	16	4	4	18	24	-	4	4	28	3	45	21	24	-
Abscess	161	1	-	1	1	1	1	-	2	5	22	3	8	4	4	-
Ulcer	38	-	-	-	-	1	-	-	-	2	1	-	1	2	5	1
Fistula	14	-	-	-	-	-	-	-	-	-	2	-	3	1	-	-
Mortification	115	1	-	-	-	2	1	-	1	1	9	1	7	4	4	-
Cancer	1559	7	12	22	11	26	29	3	37	48	141	24	123	62	87	3
Gout	22	5	-	-	-	1	3	-	-	-	1	-	-	-	2	-
III. Scrofula	810	3	5	3	3	8	5	-	3	10	64	2	36	26	28	1
Tabes Mesenterica	1044	-	1	1	1	1	9	1	5	3	45	2	67	16	25	1
Phthisis	8715	61	37	81	26	138	150	13	70	95	464	49	582	266	326	12
Hydrocephalus	2027	5	3	7	1	9	7	2	14	19	99	17	150	35	59	-

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	463	2249	1460	1505	399	5061	4346	21927	871	8714	717	558	224	404	815	1470	778	699
SPECIFIED CAUSES	442	2173	1409	1361	379	4914	1272	21625	823	8619	693	554	215	401	795	1403	744	660
Zymotic Class	68	533	310	172	57	996	773	4706	222	2702	169	99	33	88	81	188	92	94
Uncertain Seat	30	80	47	60	21	160	136	495	24	294	29	23	9	12	45	46	35	31
Tubercular Class	90	353	279	217	85	962	874	4397	105	1135	78	60	45	90	36	263	148	104
Brain, etc.	33	180	133	146	37	422	395	1751	88	823	78	74	12	29	109	131	78	63
Heart, etc.	12	114	97	67	30	243	249	801	47	543	53	54	19	24	66	95	65	37
Respiratory Organs	80	328	176	174	41	767	602	4207	136	1158	65	50	25	47	109	235	96	118
Digestive Organs	31	169	87	99	22	356	299	1450	39	458	34	39	24	32	67	124	50	37
Urinary Organs	8	24	20	32	5	68	57	307	12	168	9	6	3	4	17	29	19	15
Generative Organs	2	14	11	10	5	34	32	144	2	65	6	2	5	3	6	8	9	3
Locomotive Organs	2	12	3	13	4	29	27	112	4	67	4	4	3	4	4	13	5	3
Skin	–	2	2	2	–	13	11	22	2	7	1	1	–	2	2	–	–	1
Malformation	4	3	2	1	1	14	24	81	3	38	1	4	–	2	4	6	3	2
Premature Debility	23	109	68	30	9	269	254	1133	54	406	45	35	11	25	49	48	36	20
Atrophy	2	17	5	10	–	50	22	174	2	49	13	7	–	2	4	15	5	1
Age	47	172	109	281	45	315	372	878	55	441	93	67	19	19	70	157	78	113
Sudden Deaths	1	4	2	–	–	16	–	81	2	7	1	–	1	–	1	2	2	–
Violent Deaths	9	59	58	47	17	200	145	886	26	258	14	29	6	18	25	43	23	18
Small Pox	14	85	6	3	–	24	43	224	13	1090	72	9	7	14	4	18	7	4
Measles	–	35	21	3	–	75	70	312	–	26	1	2	1	1	–	4	3	6
Scarlatina	–	49	77	32	5	101	29	700	85	514	12	18	3	13	7	13	4	22
Diphtheria	16	40	28	14	3	65	55	221	17	102	11	20	2	4	19	5	2	2
Hooping Cough	13	127	49	28	7	280	164	1354	20	283	10	2	2	10	1	26	10	9
Croup	8	47	29	17	7	102	67	295	14	92	6	20	1	8	8	16	7	3
Thrush	–	–	–	2	–	–	–	14	1	3	–	1	–	–	–	1	–	–
Diarrhœa	4	31	39	12	3	102	94	517	20	155	6	5	3	12	13	33	12	17
Dysentery	–	9	6	6	5	14	18	42	3	13	4	3	–	–	3	4	3	1
Cholera	–	2	3	–	1	11	12	20	2	14	1	2	–	–	1	–	–	–
Influenza	–	8	2	8	1	2	6	21	–	6	–	–	–	–	1	2	1	–
Purpura	–	2	–	–	4	3	3	12	–	8	–	–	1	–	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	2	–	3	–	–	–	–	–	–	–	2	–	–
Typhus	7	28	10	12	6	78	27	268	5	129	12	2	3	–	6	8	1	4
Enteric Fever	4	37	23	16	4	58	104	325	22	113	25	10	7	17	7	38	23	13
Relapsing Fever	–	1	3	–	1	4	16	54	–	11	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	4	1	1	–	2	13	15	6	6	–	–	1	2	2	–	8	2
Infantile Remittent	–	5	–	–	3	18	4	35	1	10	1	–	–	1	3	1	1	1
Metria	1	5	1	4	2	15	10	62	1	22	3	–	–	1	–	5	1	1
Rheumatic Fever	–	1	4	3	–	11	6	36	4	21	3	2	–	–	–	4	3	4
Erysipelas	1	6	5	8	4	14	20	77	5	48	2	2	1	2	5	6	4	3
Pyæmia	–	3	–	–	–	3	1	14	1	9	–	1	–	1	1	1	1	–
Syphilis	–	8	3	2	1	11	11	80	2	27	–	–	1	2	–	–	1	1
Noma	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	1	1	–	7	6	21	–	5	–	–	–	–	–	–	–	1
Dropsy	18	29	15	15	2	55	23	143	2	36	6	4	2	2	5	5	5	6
Abscess	–	1	3	–	2	9	10	41	1	30	3	–	–	1	3	1	1	2
Ulcer	–	–	–	1	–	3	2	7	–	10	–	2	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	1	1	4	–	–	–	–	–	1	–	–
Mortification	1	4	3	2	–	8	8	21	1	21	1	2	1	2	4	3	–	2
Cancer	11	42	24	41	15	78	86	260	19	187	18	15	6	7	32	35	29	19
Gout	–	–	1	–	2	–	1	1	–	1	1	–	–	–	1	1	–	1
Scrofula	–	24	16	10	10	42	78	299	12	70	4	5	2	5	4	17	10	5
Tabes Mesenterica	3	33	27	6	10	85	96	434	15	94	5	4	7	4	13	21	8	1
Phthisis	68	229	182	177	51	648	555	2916	60	772	58	45	30	63	97	188	112	91
Hydrocephalus	19	67	54	24	14	187	145	748	18	199	11	6	6	18	22	37	18	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	680	2	2	7	3	8	8	–	10	9	43	5	31	16	36	–
Apoplexy	1555	2	1	13	6	9	13	8	34	15	81	9	141	52	63	7
Paralysis	2031	12	10	20	14	40	36	7	34	38	111	20	161	105	100	6
Delirium Tremens	60	–	–	1	1	–	–	–	1	–	6	1	8	2	3	–
Chorea	10	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–
Epilepsy	263	1	5	4	4	5	7	–	2	3	21	–	15	14	13	2
Tetanus	46	–	–	–	–	5	1	–	–	–	–	–	5	1	1	–
Insanity	26	–	–	–	–	1	3	–	–	–	3	–	1	–	4	–
Convulsions	1033	–	3	10	4	9	9	3	9	11	77	13	91	20	24	3
Brain Disease	926	2	2	5	2	12	8	–	10	18	76	10	59	25	35	2
V. Pericarditis	77	–	1	1	1	–	–	–	–	1	3	–	3	4	3	2
Aneurism	103	–	–	7	–	–	–	1	–	3	10	–	8	3	8	–
Heart Disease	3753	7	17	38	8	35	45	4	45	44	250	21	341	187	200	16
VI. Laryngitis	163	1	–	1	1	–	5	–	–	4	17	2	11	2	4	–
Bronchitis	7897	11	31	47	15	55	79	7	59	97	443	46	724	212	258	2
Pleurisy	231	–	–	–	–	4	7	–	3	6	17	2	21	6	15	3
Pneumonia	2570	3	6	19	5	21	31	2	24	38	126	16	221	85	85	7
Asthma	408	6	5	11	11	23	24	1	4	6	24	3	22	14	15	–
Lung Disease	266	–	5	1	–	2	5	–	1	–	11	1	7	8	6	–
VII. Teething	759	1	–	–	3	–	9	5	11	11	56	4	48	18	32	1
Quinsey	54	1	–	1	–	2	4	–	–	–	5	–	5	1	1	–
Gastritis	215	–	1	–	2	5	4	1	2	1	19	1	7	13	9	1
Enteritis	874	1	–	6	2	16	16	1	9	14	21	7	40	23	20	1
Peritonitis	319	1	–	3	1	2	6	–	3	5	23	5	25	8	8	2
Ascites	81	–	–	–	3	2	1	1	1	2	5	–	8	4	1	–
Ulceration of Intestines	227	1	1	3	2	1	–	1	10	3	24	3	14	6	8	–
Hernia	107	–	–	1	–	1	1	1	1	2	9	2	8	5	5	–
Ileus	281	2	–	2	4	6	6	–	7	12	36	4	23	13	12	–
Intussusception	38	–	–	1	–	1	–	–	–	1	–	–	7	–	2	–
Stricture of Intestines	31	–	–	2	–	–	1	–	–	1	2	–	1	1	2	–
Stomach Disease	702	11	10	7	4	8	17	3	10	12	43	6	29	50	29	1
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Hepatitis	140	1	1	–	–	1	2	–	4	1	6	–	7	8	6	–
Jaundice	217	2	1	2	–	2	3	–	4	7	18	1	16	5	12	1
Liver Disease	741	2	3	8	5	7	14	2	6	8	33	10	35	40	21	1
Spleen Disease	34	–	–	–	–	1	1	–	–	–	1	–	6	1	2	–
VIII. Nephritis	108	1	–	–	–	1	3	1	–	–	4	–	6	4	3	–
Nephria	353	2	2	7	1	4	5	–	3	13	26	1	26	12	15	–
Addison's Disease	9	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	62	–	1	2	2	2	5	–	–	1	6	–	2	1	–	–
Diabetes	95	–	–	1	1	2	2	–	3	–	14	1	5	3	8	–
Stone	58	2	2	6	1	4	2	–	–	1	5	3	–	1	1	–
Cystitis	192	1	–	3	–	3	–	–	4	4	21	5	12	7	16	–
Stricture of Urethra	14	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Kidney Disease	353	2	3	2	–	1	5	–	7	7	47	4	18	20	9	–
IX. Paramenia	30	–	1	–	–	–	2	–	1	–	2	1	1	2	1	–
Ovarian Dropsy	76	1	–	–	–	1	–	1	1	3	10	1	5	1	7	–
Childbirth	391	5	7	5	5	11	20	1	3	9	14	4	22	10	19	–
Organs of Generation	66	–	1	1	–	–	3	–	–	1	8	–	5	1	5	–
X. Bone Disease	145	–	–	1	1	1	5	–	1	5	15	1	8	4	8	–
Rheumatism	168	7	4	–	1	8	19	–	2	3	11	–	2	4	8	–
Joint Disease	156	–	1	1	–	1	3	–	1	3	10	–	13	1	3	–
XI. Carbuncle	23	–	–	1	–	–	–	–	–	1	2	2	–	–	1	–
Phlegmon	20	–	–	–	–	1	–	–	1	1	2	–	–	1	2	–
Skin Disease	58	–	–	1	–	1	2	–	–	–	8	–	5	–	1	–
XVII. Intemperance	151	–	–	1	–	1	2	–	1	–	6	–	19	3	4	–
Privation	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Want of Breast Milk	78	–	–	–	–	–	–	–	–	–	2	–	2	2	4	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	19	–	1	1	–	–	2	–	–	–	–	–	–	3	–	–
Poison	49	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	263	3	3	3	1	2	7	–	2	3	15	3	18	9	10	–
Hanging, etc.	38	–	1	–	–	2	1	–	–	1	3	–	–	3	6	–
Suffocation	137	–	–	1	–	–	–	–	1	2	9	2	20	2	7	–
Drowning	576	2	5	6	2	15	18	–	2	4	41	13	35	26	39	–
Fracture and Contusion	1078	8	5	3	4	5	10	–	8	4	43	6	53	30	50	–
Gunshot Wounds	19	–	–	–	–	–	1	–	1	–	1	–	2	3	3	–
Cuts and Stabs	32	–	–	–	–	–	–	–	–	1	2	–	5	2	–	–
Other Violent Causes	125	–	1	–	1	1	1	–	1	1	7	1	8	2	2	–
Not Specified	2113	55	29	33	34	137	208	6	32	39	99	20	71	67	103	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	12	13	14	5	48	37	233	9	88	1	1	–	2	11	9	9	6
Apoplexy	9	33	42	31	16	107	106	363	16	205	23	24	2	6	35	38	30	15
Paralysis	15	64	33	41	6	132	122	431	29	250	31	24	6	11	30	50	21	21
Delirium Tremens	–	–	–	2	–	3	2	14	2	9	1	1	–	–	1	–	–	2
Chorea	–	–	–	–	–	1	–	4	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	13	3	6	1	17	7	55	5	36	2	3	1	1	3	8	3	3
Tetanus	–	3	1	2	–	4	4	9	2	4	–	1	–	–	–	1	1	1
Insanity	–	–	–	2	1	4	1	4	–	2	–	–	–	–	–	–	–	–
Convulsions	5	29	27	19	1	49	56	371	15	120	5	8	2	4	16	8	6	6
Brain Disease	2	26	14	29	7	57	60	267	10	108	15	12	1	5	13	17	8	9
Pericarditis	1	–	2	1	1	9	5	23	–	15	–	–	–	–	–	1	–	–
Aneurism	–	1	2	1	–	4	3	18	2	23	–	3	–	1	2	2	–	1
Heart Disease	11	113	93	65	29	230	241	760	45	505	53	51	19	23	64	92	65	36
Laryngitis	–	2	–	1	1	11	6	56	–	18	1	–	–	–	–	7	6	6
Bronchitis	59	205	126	114	24	538	425	2954	94	786	45	29	20	42	73	156	56	67
Pleurisy	1	6	5	3	–	11	12	51	4	32	1	2	2	1	2	6	7	1
Pneumonia	14	66	38	39	13	181	105	944	33	259	16	14	3	4	29	58	26	39
Asthma	6	28	2	15	3	20	35	85	1	25	1	3	–	–	4	8	1	2
Lung Disease	–	21	5	2	–	6	19	117	4	38	1	2	–	–	1	–	–	3
Teething	7	27	13	4	–	85	51	271	4	59	4	5	6	4	1	8	–	11
Quinsey	1	3	3	1	–	6	3	10	–	5	1	–	–	–	–	–	1	–
Gastritis	–	5	5	12	5	8	13	63	–	19	3	–	1	1	1	11	–	2
Enteritis	–	28	16	4	2	81	75	332	20	64	7	5	3	9	11	22	11	7
Peritonitis	2	13	3	2	1	28	16	81	4	47	1	1	2	2	9	10	4	1
Ascites	2	4	1	2	–	7	9	19	–	1	1	1	–	–	3	1	1	1
Ulceration of Intestines	–	8	5	7	1	7	13	40	3	22	4	6	–	2	7	13	10	2
Hernia	3	6	3	2	1	3	5	27	–	15	1	–	–	–	3	–	1	1
Ileus	3	5	–	5	–	7	12	71	1	26	3	2	2	2	3	6	4	2
Intussusception	–	2	1	1	–	4	2	4	–	9	–	–	1	–	2	–	–	–
Stricture of Intestines	–	1	–	–	–	5	4	2	–	3	–	1	–	1	1	3	–	–
Stomach Disease	3	32	17	17	2	38	35	198	–	62	3	2	3	6	11	23	9	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	11	2	15	8	40	–	10	2	1	–	1	2	3	–	2
Jaundice	3	7	3	3	1	14	9	62	1	21	–	5	3	–	5	4	1	2
Liver Disease	7	24	16	28	7	43	42	218	6	94	4	10	2	3	9	20	8	5
Spleen Disease	–	1	–	–	–	5	2	12	–	1	–	–	1	–	–	–	–	–
Nephritis	2	1	2	3	–	8	4	41	1	14	–	–	–	–	1	5	3	–
Nephria	4	7	6	8	2	14	17	70	5	72	3	1	–	2	7	5	7	5
Addison's Disease	–	–	1	1	–	3	–	1	–	–	–	–	–	–	1	–	1	–
Ischuria	–	1	1	4	–	2	4	17	1	6	1	–	–	–	1	–	1	1
Diabetes	–	1	2	1	–	6	7	19	–	9	–	1	–	1	2	3	1	2
Stone	–	–	1	3	1	3	2	9	–	7	–	–	–	–	–	1	1	2
Cystitis	–	3	5	3	1	11	11	40	1	16	3	1	2	–	3	11	3	1
Stricture of Urethra	–	–	–	1	–	2	–	6	1	–	–	–	–	–	–	–	–	–
Kidney Disease	2	11	2	8	1	19	12	104	3	44	2	3	1	1	2	4	2	4
Paramenia	–	–	1	–	–	1	4	7	–	2	–	1	–	–	1	1	1	–
Ovarian Dropsy	–	3	–	1	1	4	4	17	–	9	1	–	–	1	1	1	2	–
Childbirth	2	10	7	6	3	26	21	108	2	45	3	1	4	2	4	4	5	3
Organs of Generation	–	1	3	3	1	3	3	12	–	9	2	–	1	–	–	2	1	–
Bone Disease	–	6	–	–	2	11	4	28	1	28	–	1	1	4	5	2	1	1
Rheumatism	–	2	2	9	1	9	12	40	1	12	3	1	1	–	–	2	2	2
Joint Disease	2	4	1	4	1	9	11	44	2	27	1	2	1	3	–	6	1	–
Carbuncle	–	–	2	2	–	2	2	4	–	2	–	–	–	1	1	–	–	–
Phlegmon	–	1	–	–	–	3	2	2	–	2	–	–	–	1	1	–	–	–
Skin Disease	–	1	–	–	–	8	7	16	2	3	1	1	–	–	–	–	–	1
Intemperance	–	4	1	3	–	13	5	61	2	17	1	1	–	–	3	1	–	1
Privation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	3	–	–	1	5	–	43	–	12	–	–	–	3	–	–	–	1
Neglect	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	6	2	2	1	–	–	–	–	–	–	–
Poison	–	–	3	–	–	1	7	23	–	6	–	–	–	–	1	2	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	11	3	5	–	16	15	94	1	20	1	1	1	–	5	2	6	–
Hanging, etc.	–	–	–	1	–	2	–	10	–	2	1	2	1	–	1	1	–	–
Suffocation	–	–	2	3	–	14	4	35	–	21	1	3	2	2	1	1	2	1
Drowning	3	12	26	17	14	45	22	145	3	30	2	16	1	4	3	8	9	8
Fracture and Contusion	3	23	17	12	2	93	83	407	18	125	6	5	–	8	9	24	5	7
Gunshot Wounds	–	–	–	–	–	1	2	1	–	4	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	–	–	–	2	1	10	–	3	–	–	1	1	–	2	–	–
Other Violent Causes	–	4	5	6	–	8	4	50	–	15	1	1	–	–	2	2	1	–
Not Specified	21	76	51	144	20	147	74	302	48	95	24	4	9	3	20	67	34	30

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37939	205	203	332	157	635	724	68	349	483	2283	270	2750	1194	1473	67
SPECIFIED CAUSES	36794	181	193	315	140	564	629	64	329	457	2228	258	2704	1169	1418	67
I. Zymotic Class	7764	31	22	54	10	82	117	10	43	86	508	53	667	180	279	11
II. Diseases of Uncer. Seat	976	8	10	8	6	17	24	1	15	24	78	11	69	38	34	1
III. Tubercular Class	6171	32	27	52	15	97	102	5	50	54	336	28	375	170	221	8
IV. Brain and Nervous Sys.	3515	9	16	34	19	50	42	10	51	55	222	27	283	110	147	11
V. Organs of Circulation	1977	3	12	29	5	23	23	3	21	26	133	14	148	105	82	9
VI. Respiratory Organs	6025	11	22	42	18	59	73	5	34	71	301	30	494	174	207	4
VII. Organs of Digestion	2425	10	7	20	17	34	40	9	37	49	153	18	126	106	69	4
VIII. Urinary Organs	812	4	8	19	2	11	17	–	13	18	79	11	43	29	36	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	246	4	2	1	2	7	14	–	1	7	19	1	11	4	4	–
XI. Skin, etc.	48	–	–	1	–	1	1	–	1	1	4	2	–	1	3	–
XII. Malformation	162	1	–	1	1	2	–	–	2	–	10	4	13	3	8	–
XIII. Premature Debility	2064	7	5	17	2	18	24	4	15	17	125	7	182	59	86	4
XIV. Atrophy	234	1	2	2	–	5	6	–	–	–	13	1	13	8	10	–
XV. Age	2351	50	48	25	38	135	109	16	37	33	152	31	151	117	127	8
XVI. Sudden Deaths	91	2	–	–	–	1	2	1	–	2	3	–	7	4	5	–
XVII. Violent Deaths	1933	8	12	10	5	22	35	–	9	11	97	20	122	61	100	3
I. Small Pox	1311	8	–	–	–	12	19	1	1	1	85	7	203	30	59	3
Measles	451	1	–	–	–	–	7	–	–	13	80	4	70	2	2	–
Scarlatina	1073	7	8	10	4	13	25	–	5	9	56	11	26	16	36	–
Diphtheria	505	1	1	11	–	6	8	–	6	19	52	4	56	12	20	2
Hooping Cough	1263	7	–	1	–	2	10	–	5	10	41	1	65	17	41	2
Croup	629	–	3	5	3	12	9	7	10	4	39	3	63	14	40	–
Thrush	21	–	–	–	–	–	–	–	–	1	3	–	4	2	2	–
Diarrhœa	784	–	6	6	3	6	7	1	5	11	43	1	76	30	30	2
Dysentery	96	–	–	1	–	2	2	–	1	3	4	1	11	5	1	–
Cholera	42	–	–	–	–	–	–	–	–	–	3	–	1	–	2	–
Influenza	49	1	1	1	–	–	–	–	–	–	7	–	5	1	1	–
Purpura	27	–	–	1	–	1	–	–	–	–	2	1	3	–	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	399	2	1	9	–	11	8	–	1	2	13	6	15	12	6	–
Enteric Fever	590	–	–	6	–	5	12	1	3	7	39	12	34	19	16	1
Relapsing Fever	56	–	–	–	–	2	–	–	–	–	3	–	9	–	1	–
Simple Cont. Fever	46	2	–	–	–	1	4	–	–	1	1	–	5	2	1	–
Infantile Remittent	56	–	1	1	–	–	–	–	–	3	7	–	3	3	5	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	72	–	1	–	–	2	2	–	2	2	4	–	2	6	1	–
Erysipelas	154	2	–	1	–	5	3	–	4	–	13	1	5	5	6	1
Pyæmia	32	–	–	–	–	–	–	–	–	–	–	–	5	2	6	–
Syphilis	98	–	–	1	–	1	1	–	–	–	12	1	6	2	1	–
Noma	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	37	–	–	–	1	1	–	–	–	1	3	–	4	1	–	–
Dropsy	239	1	5	–	2	8	7	–	2	2	7	1	16	7	11	–
Abscess	80	1	–	1	–	1	–	–	1	4	13	1	3	2	1	–
Ulcer	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Fistula	7	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–
Mortification	57	–	–	–	–	1	1	–	–	1	3	1	5	1	1	–
Cancer	526	3	5	7	3	6	13	1	12	16	44	8	38	27	17	1
Gout	18	3	–	–	–	–	3	–	–	–	1	–	–	–	2	–
III. Scrofula	467	1	2	2	2	6	4	–	2	5	38	1	16	16	15	1
Tabes Mesenterica	566	–	–	1	–	–	4	–	1	3	23	2	35	4	13	–
Phthisis	4035	29	23	43	12	87	89	5	40	39	221	17	236	130	163	7
Hydrocephalus	1103	2	2	6	1	4	5	–	7	7	54	8	88	20	30	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	218	1120	775	738	200	2558	2230	11271	487	4381	340	287	102	208	382	734	370	345
SPECIFIED CAUSES .	205	1074	739	675	185	2467	2184	11109	458	4325	332	284	97	206	371	700	347	320
Zymotic Class . .	26	265	153	87	27	491	380	2305	117	1341	86	56	14	48	40	86	48	41
Uncertain Seat . .	13	23	20	22	10	67	60	201	11	123	11	12	7	5	18	16	7	11
Tubercular Class .	39	169	144	113	42	447	412	2153	58	573	35	29	20	46	64	126	73	56
Brain, etc. . .	16	95	78	74	19	229	212	954	43	419	38	34	7	11	53	71	37	39
Heart, etc. . .	7	64	43	31	18	112	130	426	25	285	29	27	9	12	29	50	25	19
Respiratory Organs .	45	180	104	91	12	386	341	2280	78	588	33	27	12	28	53	127	41	51
Digestive Organs	12	73	46	51	11	173	169	736	23	235	16	18	9	17	28	66	23	20
Urinary Organs .	2	12	13	24	3	48	36	200	9	97	5	5	2	2	11	20	17	12
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	9	–	5	3	15	8	64	2	41	1	3	2	2	3	7	2	2
Skin . . .	–	2	1	1	–	5	4	12	1	3	1	1	–	1	1	–	–	–
Malformation .	3	2	1	–	1	12	13	46	1	26	–	2	–	–	3	4	2	1
Premature Debility .	12	65	44	13	3	151	148	633	37	227	23	24	4	12	27	32	25	12
Atrophy . . .	2	8	2	4	–	28	10	74	2	25	6	2	–	1	–	6	3	–
Age	20	66	40	122	23	133	149	309	27	156	40	20	6	8	28	55	30	42
Sudden Deaths .	1	1	1	–	–	10	–	43	1	5	–	–	1	–	–	1	–	–
Violent Deaths .	7	40	49	37	13	160	112	673	23	181	8	24	4	13	3	33	14	14
Small Pox . .	7	48	5	1	–	14	25	126	8	576	40	7	4	7	–	10	2	2
Measles . .	–	20	7	1	–	38	32	155	–	12	–	–	–	1	–	3	3	–
Scarlatina . .	–	25	42	21	1	56	9	350	46	257	6	11	1	6	3	4	1	8
Diphtheria . .	3	18	10	7	1	33	23	117	8	55	5	10	1	3	9	2	1	1
Hooping Cough .	5	51	24	15	2	121	74	608	9	117	3	1	2	6	–	12	6	5
Croup . . .	5	28	18	8	1	57	29	171	11	45	5	11	–	4	6	11	6	1
Thrush . . .	–	–	–	1	–	–	–	6	–	1	–	1	–	–	–	–	–	–
Diarrhœa . .	3	19	18	7	–	52	54	275	14	72	1	4	1	7	6	9	7	8
Dysentery . .	–	6	3	2	4	6	9	21	1	3	2	1	–	–	1	3	2	1
Cholera . . .	–	–	2	–	–	6	7	10	–	8	–	2	–	–	1	–	–	–
Influenza . .	–	5	1	4	1	1	4	9	–	4	–	–	–	–	1	2	–	–
Purpura . .	–	2	–	–	4	1	1	6	–	2	–	–	–	–	–	–	–	1
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . .	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Typhus . .	2	13	3	6	4	43	17	136	3	72	6	–	2	–	–	2	1	3
Enteric Fever .	–	18	13	7	3	28	61	169	7	56	14	4	3	10	4	21	11	6
Relapsing Fever .	–	1	–	–	1	1	8	22	–	8	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	1	5	17	3	4	–	–	–	2	2	–	2	2
Infantile Remittent	–	1	–	–	2	6	3	15	–	3	1	–	–	1	1	–	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	–	1	2	1	–	9	4	13	2	9	2	2	–	–	–	1	2	2
Erysipelas . .	1	2	4	4	3	7	9	35	3	23	1	1	–	–	5	6	3	1
Pyæmia . . .	–	2	–	–	–	3	1	5	1	4	–	1	–	–	1	–	1	–
Syphilis . . .	–	4	1	1	–	7	5	43	1	10	–	–	–	1	–	–	–	–
Noma . . .	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	2	1	–	–	4	3	14	–	1	–	–	–	–	–	–	–	1
Dropsy . . .	7	9	10	6	2	24	12	70	–	16	3	1	2	2	2	1	1	2
Abscess . . .	–	–	1	–	1	4	6	21	1	15	1	–	–	–	1	–	1	–
Ulcer . . .	–	–	–	–	–	1	1	4	–	4	–	–	–	–	–	–	–	–
Fistula . . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Mortification .	1	1	–	–	–	5	1	13	–	12	1	2	1	1	2	2	–	1
Cancer . . .	5	11	7	16	6	29	36	78	10	73	5	9	4	2	12	11	5	6
Gout	–	–	1	–	1	–	1	1	–	1	1	–	–	–	1	1	–	1
Scrofula . .	–	15	8	5	6	26	47	171	8	41	3	3	2	5	1	6	7	2
Tabes Mesenterica .	2	16	19	3	5	44	57	247	9	46	2	1	4	–	8	11	5	1
Phthisis . . .	26	99	91	93	24	270	234	1333	30	379	26	22	11	29	40	88	53	46
Hydrocephalus .	11	39	26	12	7	107	74	402	11	107	4	3	3	12	15	21	8	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	393	–	1	3	2	6	3	–	4	8	23	2	17	11	20	–
Apoplexy	797	1	1	9	3	3	4	5	17	5	39	5	69	25	31	4
Paralysis	968	6	10	11	7	21	20	4	14	20	55	9	81	44	52	2
Delirium Tremens	50	–	–	–	1	–	–	–	1	–	5	1	6	2	2	–
Chorea	4	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Epilepsy	140	–	2	2	2	5	5	–	1	2	15	–	12	5	7	2
Tetanus	27	–	–	–	–	3	1	–	–	–	–	–	4	–	–	–
Insanity	13	–	–	–	–	1	2	–	–	–	3	–	–	–	1	–
Convulsions	616	–	2	8	3	5	2	1	6	9	47	5	62	12	15	3
Brain Disease	507	2	–	1	1	5	5	–	8	11	34	5	32	11	19	–
V. Pericarditis	46	–	–	1	–	–	–	–	–	1	2	–	2	3	2	1
Aneurism	77	–	–	6	–	–	–	1	–	1	10	–	6	2	1	–
Heart Disease	1854	3	12	22	5	23	23	2	21	24	121	11	140	100	79	8
VI. Laryngitis	99	–	–	1	1	–	2	–	–	2	11	1	4	1	2	–
Bronchitis	3947	7	13	20	8	31	40	2	19	40	195	23	339	107	131	1
Pleurisy	134	–	–	–	–	2	2	–	1	3	11	1	17	2	7	2
Pneumonia	1468	2	5	17	4	14	19	2	12	25	64	5	116	54	53	1
Asthma	225	2	3	4	5	11	9	1	2	4	13	–	14	8	8	–
Lung Disease	152	–	1	–	–	1	1	–	–	–	7	–	4	2	6	–
VII. Teething	381	–	–	–	2	–	4	4	7	6	28	2	21	8	13	–
Quinsey	27	–	–	1	–	1	4	–	–	–	4	–	2	–	–	–
Gastritis	115	–	1	–	1	3	2	1	2	1	10	–	3	9	1	1
Enteritis	482	1	–	3	1	8	8	1	5	7	12	2	20	13	11	1
Peritonitis	134	–	–	1	1	2	2	–	1	3	11	1	12	5	3	–
Ascites	25	–	–	–	2	1	–	–	–	2	–	–	3	3	–	–
Ulceration of Intestines	122	–	–	2	1	1	–	1	6	3	14	2	9	4	4	–
Hernia	52	–	–	–	–	1	1	–	1	1	4	1	3	2	1	–
Ileus	147	2	–	1	4	3	1	–	4	7	16	1	9	9	5	–
Intussusception	17	–	–	1	–	–	–	–	–	1	–	–	4	–	–	–
Stricture of Intestines	19	–	–	2	–	–	–	–	–	–	2	–	1	1	1	–
Stomach Disease	326	5	3	2	2	6	6	1	3	6	21	4	8	20	16	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hepatitis	65	–	–	–	–	1	–	–	3	1	3	–	2	4	–	–
Jaundice	105	–	1	2	–	–	–	–	2	6	9	1	8	5	4	–
Liver Disease	389	2	2	5	3	6	11	1	3	5	18	4	20	23	10	1
Spleen Disease	18	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
VIII. Nephritis	67	1	–	–	–	1	2	–	–	–	2	–	3	2	2	–
Nephria	197	1	2	6	1	3	4	–	1	6	13	1	15	4	10	1
Addison's Disease	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	51	–	1	2	1	1	3	–	–	1	6	–	2	1	–	–
Diabetes	60	–	–	1	–	1	2	–	3	–	9	1	3	2	3	–
Stone	51	1	2	6	–	3	2	–	–	1	3	2	–	1	1	–
Cystitis	165	1	–	2	–	2	–	–	4	4	17	5	9	7	14	1
Stricture of Urethra	14	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Kidney Disease	201	–	2	2	–	–	4	–	4	5	28	2	10	12	6	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	86	–	–	1	1	1	4	–	–	4	8	1	2	2	3	–
Rheumatism	70	4	1	–	1	5	9	–	–	1	6	–	2	1	1	–
Joint Disease	90	–	1	–	–	1	1	–	1	2	5	–	7	1	–	–
XI. Carbuncle	16	–	–	1	–	–	–	–	–	1	1	2	–	–	1	–
Phlegmon	7	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–
Skin Disease	25	–	–	–	–	1	1	–	–	–	2	–	–	–	1	–
XVII. Intemperance	99	–	–	1	–	1	2	–	1	–	6	–	12	1	2	–
Privation	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	43	–	–	–	–	–	–	–	–	–	–	–	1	2	4	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	11	–	–	1	–	–	2	–	–	–	–	–	–	3	–	–
Poison	25	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	136	1	1	–	–	1	4	–	1	3	4	1	11	5	5	–
Hanging, etc.	24	–	1	–	–	–	1	–	–	–	2	–	–	1	3	–
Suffocation	72	–	–	–	–	–	–	–	–	1	5	2	14	1	3	1
Drowning	501	2	5	6	2	15	17	–	1	2	38	11	31	17	32	–
Fracture and Contusion	878	5	4	2	3	4	7	–	6	3	33	5	39	24	47	2
Gunshot Wounds	18	–	–	–	–	–	1	–	–	–	1	–	2	3	3	–
Cuts and Stabs	28	–	–	–	–	–	–	–	–	1	1	–	5	2	–	–
Other Violent Causes	95	–	1	–	–	1	1	–	–	1	6	1	6	1	1	–
Not Specified	1145	24	10	17	17	71	95	4	20	26	55	12	46	25	55	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	8	7	6	4	24	24	141	5	50	1	–	–	–	7	6	4	4
Apoplexy	6	18	27	16	9	58	50	190	11	98	14	12	2	1	14	23	17	10
Paralysis	6	35	12	20	2	72	58	200	9	111	15	10	4	5	14	24	6	9
Delirium Tremens	–	–	–	2	–	3	2	13	2	7	–	–	–	–	1	–	–	2
Chorea	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	6	1	1	–	6	3	30	3	21	1	2	–	1	1	2	1	1
Tetanus	–	1	1	1	–	3	2	6	–	2	–	1	–	–	–	1	–	1
Insanity	–	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	2	14	17	11	–	29	38	210	7	74	3	3	1	2	9	6	5	5
Brain Disease	–	13	13	15	3	38	35	162	6	54	4	6	–	2	7	9	4	7
Pericarditis	1	–	2	–	–	4	3	15	–	9	–	–	–	–	–	–	–	–
Aneurism	–	1	1	1	–	3	3	16	–	18	–	3	–	1	1	2	–	–
Heart Disease	6	63	40	30	18	105	124	395	25	258	29	24	9	11	28	48	25	19
Laryngitis	–	1	–	1	1	5	5	35	–	14	–	–	–	–	–	6	2	4
Bronchitis	28	109	74	55	5	265	221	1557	48	388	21	15	7	25	36	78	20	19
Pleurisy	–	2	2	3	–	5	8	35	2	13	–	2	2	1	2	4	4	1
Pneumonia	13	37	24	25	4	99	63	537	23	140	11	7	3	2	12	36	14	25
Asthma	4	17	1	6	2	9	26	52	1	14	–	2	–	–	2	3	1	1
Lung Disease	–	14	3	1	–	3	18	64	4	19	1	1	–	–	1	–	–	1
Teething	3	15	4	–	–	40	33	138	2	33	1	1	4	1	–	4	–	7
Quinsey	–	2	1	1	–	2	2	4	–	3	–	–	–	–	–	–	–	–
Gastritis	–	–	3	6	4	3	5	37	–	12	1	–	–	1	1	7	–	–
Enteritis	–	12	10	–	1	45	47	180	13	41	5	2	–	6	5	12	8	2
Peritonitis	1	4	3	1	–	13	3	37	2	18	–	1	1	2	1	4	1	–
Ascites	–	–	–	–	–	1	5	5	–	–	–	1	–	–	1	–	1	–
Ulceration of Intestines	–	1	3	4	–	5	5	24	1	11	3	4	–	–	2	8	3	1
Hernia	1	5	2	1	–	1	4	12	–	8	–	–	–	2	–	–	1	1
Ileus	2	2	–	3	–	–	7	42	1	15	–	2	2	–	3	2	2	2
Intussusception	–	–	–	1	–	2	–	2	–	3	–	–	1	–	2	–	–	–
Stricture of Intestines	–	–	–	–	–	4	3	–	–	3	–	–	–	1	–	1	–	–
Stomach Disease	–	14	7	14	–	21	21	90	–	33	3	–	–	4	5	8	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	3	1	10	5	17	–	5	1	1	–	–	2	3	–	2
Jaundice	3	5	1	3	1	6	3	30	–	9	–	2	–	–	2	2	–	–
Liver Disease	2	12	12	14	4	16	24	111	4	40	2	4	–	1	3	15	6	5
Spleen Disease	–	–	–	–	–	4	2	7	–	1	–	–	1	–	–	–	–	–
Nephritis	1	–	1	2	–	4	1	31	–	9	–	–	–	–	–	2	3	–
Nephria	1	3	2	4	2	7	10	39	4	36	2	–	–	–	4	5	6	4
Addison's Disease	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–
Ischuria	–	1	1	3	–	2	4	15	1	3	–	–	–	–	1	–	1	1
Diabetes	–	1	1	1	–	4	4	10	–	5	–	1	–	1	2	3	1	1
Stone	–	–	1	3	–	3	2	9	–	7	–	–	–	–	–	1	1	2
Cystitis	–	2	4	3	1	11	8	35	1	14	3	1	2	–	3	8	2	1
Stricture of Urethra	–	–	–	1	–	2	–	6	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	5	2	7	–	13	7	54	2	23	–	3	–	1	1	1	2	3
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	5	–	–	1	4	3	16	1	20	–	1	–	–	3	2	2	1
Rheumatism	–	1	–	3	1	5	2	18	–	6	–	–	1	–	–	1	–	1
Joint Disease	–	3	–	2	1	6	3	30	1	15	1	2	1	2	–	4	–	–
Carbuncle	–	–	1	1	–	1	1	2	–	2	–	–	–	1	1	–	–	–
Phlegmon	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	4	2	9	1	1	1	1	–	–	–	–	–	–
Intemperance	–	2	1	2	–	11	4	35	2	12	1	1	–	–	2	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	4	–	23	–	5	–	–	–	2	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Poison	–	–	3	–	–	1	1	16	–	1	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	3	1	3	–	9	10	53	1	10	–	1	1	–	2	1	1	–
Hanging, etc.	–	–	–	1	–	1	–	7	–	2	1	2	1	–	–	1	–	–
Suffocation	–	–	2	1	–	8	2	20	–	8	–	2	1	–	–	1	–	–
Drowning	1	10	22	16	12	41	18	132	2	25	2	15	–	3	3	6	7	7
Fracture and Contusion	3	19	16	10	1	74	68	337	17	100	3	3	–	7	5	20	5	6
Gunshot Wounds	–	–	–	–	–	1	2	1	–	4	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	–	–	–	2	1	8	–	2	–	–	1	1	–	2	–	–
Other Violent Causes	–	3	4	4	–	8	4	39	–	10	1	–	–	–	1	1	1	–
Not Specified	13	46	30	63	15	91	46	162	29	56	8	3	5	2	11	34	23	25

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross
ALL CAUSES	37855	272	231	302	214	603	805	68	397	528	2323	310	2935	1267	1616	70
SPECIFIED CAUSES	36887	241	212	286	197	537	692	66	385	515	2279	302	2910	1225	1568	68
I. Zymotic Class	8097	28	28	58	30	97	131	6	50	111	501	62	688	201	324	10
II. Diseases of Uncer. Seat	1572	11	18	19	11	35	34	2	29	39	138	21	123	57	92	3
III. Tubercular Class	6125	37	19	43	16	59	69	11	42	73	336	42	460	173	217	6
IV. Brain and Nervous Sys.	3115	10	7	26	15	40	43	8	49	39	198	32	229	125	132	9
V. Organs of Circulation	1956	4	6	17	4	12	22	2	24	22	130	7	204	89	129	9
VI. Respiratory Organs	5510	10	25	37	14	44	78	5	57	77	337	40	512	153	176	8
VII. Organs of Digestion	2397	13	10	16	9	21	45	6	31	31	149	25	154	90	101	5
VIII. Urinary Organs	432	4	1	2	3	6	5	1	5	9	45	3	27	19	16	1
IX. Organs of Generation	563	6	9	6	5	12	25	2	5	13	34	6	33	14	32	–
X. Organs of Locomotion	223	3	3	1	–	3	13	–	3	4	17	–	12	5	15	–
XI. Skin, etc.	53	–	–	1	–	1	1	–	–	1	8	–	5	–	1	–
XII. Malformation	106	1	–	–	–	–	–	–	2	1	6	2	12	2	3	1
XIII. Premature Debility	1555	6	4	3	4	8	25	4	17	18	90	9	142	33	56	4
XIV. Atrophy	308	4	–	3	2	4	8	–	3	4	15	1	31	13	15	–
XV. Age	3857	95	78	49	81	191	185	19	61	67	241	47	231	221	223	11
XVI. Sudden Deaths	80	4	–	–	–	–	1	–	–	–	–	–	5	4	10	–
XVII. Violent Deaths	638	5	4	5	3	4	7	–	7	6	34	5	42	26	26	1
I. Small Pox	1137	4	2	–	–	8	11	–	–	3	75	3	181	35	58	2
Measles	474	1	–	–	–	2	7	–	1	13	75	9	71	2	5	–
Scarlatina	1028	4	4	9	1	18	23	1	2	4	44	15	19	12	35	–
Diphtheria	540	–	3	6	–	6	6	–	16	18	60	6	62	15	23	–
Hooping Cough	1587	14	1	–	1	5	8	–	6	24	47	1	57	24	63	2
Croup	516	–	–	9	3	17	8	2	10	5	31	4	57	18	22	–
Thrush	19	–	–	–	–	2	–	–	–	–	3	–	–	–	1	–
Diarrhœa	782	–	4	13	2	8	15	–	4	11	57	5	80	27	33	2
Dysentery	113	–	1	–	2	1	1	–	1	1	10	1	11	7	8	–
Cholera	41	–	–	–	–	–	1	–	–	1	–	–	4	1	1	–
Infiuenza	44	–	2	–	–	3	–	–	–	–	4	–	4	2	2	1
Purpura	25	1	–	–	–	–	–	–	–	1	1	–	3	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Typhus	396	1	3	3	2	13	10	–	1	4	16	2	22	13	13	–
Enteric Fever	633	–	3	10	8	6	20	1	2	16	45	9	54	26	20	2
Relapsing Fever	59	–	–	–	–	1	–	–	–	–	3	–	4	1	1	–
Simple Cont. Fever	57	–	–	2	–	1	8	–	1	–	2	2	1	4	2	–
Infantile Remittent	62	–	1	–	–	–	–	–	–	–	3	–	2	1	4	–
Metria	219	2	–	3	7	3	1	–	2	4	11	1	24	5	22	–
Rheumatic Fever	81	–	2	1	2	2	4	1	–	1	2	2	5	1	6	–
Erysipelas	154	1	2	–	2	1	4	1	4	5	8	2	10	4	4	1
Pyæmia	24	–	–	1	–	–	2	–	–	–	–	–	2	1	1	–
Syphilis	95	–	–	1	–	–	1	–	–	–	4	–	11	1	–	–
Noma	6	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	29	–	–	–	–	2	–	–	–	2	4	1	1	–	–	–
Dropsy	334	4	11	4	2	10	17	–	2	2	21	2	29	14	13	–
Abscess	81	–	–	–	1	–	1	–	1	1	9	2	5	2	3	–
Ulcer	26	–	–	–	–	1	–	–	–	2	1	–	1	2	3	1
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	58	1	–	–	–	1	–	–	1	–	6	–	2	3	3	–
Cancer	1033	4	7	15	8	20	16	2	25	32	97	16	85	35	70	2
Gout	4	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
III. Scrofula	343	2	3	1	1	2	1	–	1	5	26	1	20	10	13	–
Tabes Mesenterica	478	–	1	–	1	1	5	1	4	–	22	–	32	12	12	1
Phthisis	4680	32	14	41	14	51	61	8	30	56	243	32	346	136	163	5
Hydrocephalus	924	3	1	1	–	5	2	2	7	12	45	9	62	15	29	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	245	1129	685	767	199	2503	2116	10656	384	4333	377	271	122	196	433	736	408	354
SPECIFIED CAUSES	237	1099	670	686	194	2447	2088	10516	365	4294	361	270	118	195	424	703	397	340
Zymotic Class	42	268	157	85	30	505	393	2401	105	1361	83	43	19	40	41	102	44	53
Uncertain Seat	17	57	27	38	11	93	76	294	13	171	18	11	2	7	27	30	28	20
Tubercular Class	51	184	135	104	43	515	462	2244	47	562	43	31	25	44	72	137	75	48
Brain, etc.	17	85	55	72	18	193	183	797	45	404	40	40	5	18	56	60	41	24
Heart, etc.	5	50	54	36	12	131	119	375	22	258	24	27	10	12	37	45	40	18
Respiratory Organs	35	148	72	83	29	381	261	1927	58	570	32	23	13	19	56	108	55	67
Digestive Organs	19	96	41	48	11	183	130	714	16	223	18	21	15	15	39	58	27	17
Urinary Organs	6	12	7	8	2	20	21	107	3	71	4	1	1	2	6	9	2	3
Generative Organs	2	14	11	10	5	34	32	144	2	65	6	2	5	3	6	8	9	3
Locomotive Organs	2	3	3	8	1	14	19	48	2	26	3	1	1	2	1	6	3	1
Skin	–	–	1	1	–	8	7	10	1	4	–	–	–	1	1	–	–	1
Malformation	1	1	1	1	–	2	11	35	2	12	1	2	–	2	1	2	1	1
Premature Debility	11	44	24	17	6	118	106	500	17	179	22	11	7	13	22	16	11	8
Atrophy	–	9	3	6	–	22	12	100	–	24	7	5	–	1	4	9	2	1
Age	27	106	69	159	22	182	223	569	28	285	53	47	13	11	42	102	48	71
Sudden Deaths	–	3	1	–	–	6	–	38	1	2	1	–	–	–	1	1	2	–
Violent Deaths	2	19	9	10	4	40	33	213	3	77	6	5	2	5	12	10	9	4
Small Pox	7	37	1	2	–	10	18	98	5	514	32	2	3	7	4	8	5	2
Measles	–	15	14	2	–	37	38	157	–	14	1	2	1	–	–	1	–	6
Scarlatina	–	24	35	11	4	45	20	350	39	257	6	7	2	7	4	9	3	14
Diphtheria	13	22	18	7	2	32	32	104	9	47	6	10	1	1	10	3	1	1
Hooping Cough	8	76	25	13	5	159	90	746	11	166	7	1	–	4	1	14	4	4
Croup	3	19	11	9	6	45	38	124	3	47	1	9	1	4	2	5	1	2
Thrush	–	–	–	1	–	–	–	8	1	2	–	–	–	–	–	1	–	–
Diarrhœa	1	12	21	5	3	50	40	242	6	83	5	1	2	5	7	24	5	9
Dysentery	–	3	3	4	1	8	9	21	2	10	2	2	–	–	2	1	1	–
Cholera	–	2	1	–	1	5	5	10	2	6	1	–	–	–	–	–	–	–
Influenza	–	3	1	4	–	1	2	12	–	2	–	–	–	–	–	–	1	–
Purpura	–	–	–	–	–	2	2	6	–	6	–	–	1	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–	–
Typhus	5	15	7	6	2	35	10	132	2	57	6	2	1	–	6	6	–	1
Enteric Fever	4	19	10	9	1	30	43	156	15	57	11	6	4	7	3	17	12	7
Relapsing Fever	–	–	3	–	–	3	8	32	–	3	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	3	1	1	–	1	8	8	3	2	–	–	1	–	–	6	–	–
Infantile Remittent	–	4	–	–	1	12	1	20	1	7	–	–	–	2	1	1	1	
Metria	1	5	1	4	2	15	10	62	1	22	3	–	–	1	–	5	1	1
Rheumatic Fever	–	–	2	2	–	2	2	23	2	12	1	–	–	–	–	3	1	2
Erysipelas	–	4	1	4	1	7	11	42	2	25	1	1	1	2	–	–	1	2
Pyæmia	–	1	–	–	–	–	–	9	–	5	–	–	–	1	–	1	–	–
Syphilis	–	4	2	1	1	4	6	37	1	17	–	–	1	1	–	–	1	1
Noma	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	–	3	3	7	–	4	–	–	–	–	–	–	–	–
Dropsy	11	20	5	9	–	31	11	73	2	20	3	3	–	–	3	4	4	4
Abscess	–	1	2	–	1	5	4	20	–	15	2	–	–	1	2	1	–	2
Ulcer	–	–	–	–	1	–	2	1	3	–	6	–	2	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–
Mortification	–	3	3	2	–	3	7	8	1	9	–	–	–	1	2	1	–	1
Cancer	6	31	17	25	9	49	50	182	9	114	13	6	2	5	20	24	24	13
Gout	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	9	8	5	4	16	31	128	4	29	1	2	–	–	3	11	3	3
Tabes Mesenterica	1	17	8	3	5	41	39	187	6	48	3	3	3	4	5	10	3	–
Phthisis	42	130	91	84	27	378	321	1583	30	393	32	23	19	34	57	100	59	45
Hydrocephalus	8	28	28	12	7	80	71	346	7	92	7	3	3	6	7	16	10	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	287	2	1	4	1	2	5	–	6	1	20	3	14	5	16	–
Apoplexy	758	1	–	4	3	6	9	3	17	10	42	4	72	27	32	3
Paralysis	1063	6	–	9	7	19	16	3	20	18	56	11	80	61	48	4
Delirium Tremens	10	–	–	1	–	–	–	–	–	–	1	–	2	–	1	–
Chorea	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Epilepsy	123	1	3	2	2	–	2	–	1	1	6	–	3	9	6	–
Tetanus	19	–	–	–	–	2	–	–	–	–	–	–	1	1	1	–
Insanity	13	–	–	–	–	–	1	–	–	–	–	–	1	–	3	–
Convulsions	417	–	1	2	1	4	7	2	3	2	30	8	29	8	9	–
Brain Disease	419	–	2	4	1	7	3	–	2	7	42	5	27	14	16	2
V. Pericarditis	31	–	1	–	1	–	–	–	–	–	1	–	1	1	1	1
Aneurism	26	–	–	1	–	–	–	–	–	2	–	–	2	1	7	–
Heart Disease	1899	4	5	16	3	12	22	2	24	20	129	7	201	87	121	8
VI. Laryngitis	64	1	–	–	–	–	3	–	–	2	6	1	7	1	2	–
Bronchitis	3950	4	18	27	7	22	39	5	40	57	248	23	385	105	127	1
Pleurisy	97	–	–	–	–	2	5	–	2	3	6	1	4	4	8	1
Pneumonia	1102	1	1	2	1	7	12	–	12	13	62	11	105	31	32	6
Asthma	183	4	2	7	6	12	15	–	2	2	11	3	8	6	7	–
Lung Disease	114	–	4	1	–	1	4	–	1	–	4	1	3	6	–	–
VII. Teething	378	1	–	–	1	–	5	1	4	5	28	2	27	10	19	1
Quinsey	27	1	–	–	–	1	–	–	–	–	1	–	3	1	1	–
Gastritis	100	–	–	–	1	2	2	–	–	–	9	1	4	4	8	–
Enteritis	392	–	–	3	1	8	8	–	4	7	9	5	20	10	9	–
Peritonitis	185	1	–	2	–	–	4	–	2	2	12	4	13	3	5	2
Ascites	56	–	–	–	1	1	1	1	–	–	5	–	5	1	1	–
Ulceration of Intestines	105	1	1	1	1	–	–	–	4	–	10	1	5	2	4	–
Hernia	55	–	–	1	–	–	–	1	–	1	5	1	5	3	4	–
Ileus	134	–	–	1	–	3	5	–	3	5	20	3	14	4	7	–
Intussusception	21	–	–	–	–	1	–	–	–	–	–	–	3	–	2	–
Stricture of Intestines	12	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–
Stomach Disease	376	6	7	5	2	2	11	2	7	6	22	2	21	30	13	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hepatitis	75	1	1	–	–	–	2	–	1	–	3	–	5	4	6	2
Jaundice	112	2	–	–	–	2	3	–	2	1	9	–	8	–	8	–
Liver Disease	352	–	1	3	2	1	3	1	3	3	15	6	15	17	11	–
Spleen Disease	16	–	–	–	–	–	–	–	–	–	–	–	6	1	2	–
VIII. Nephritis	41	–	–	–	–	–	1	1	–	–	2	–	3	2	1	–
Nephria	156	1	–	1	–	1	1	–	2	7	13	–	11	8	5	–
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Diabetes	35	–	–	–	1	1	–	–	–	–	5	–	2	1	5	–
Stone	7	1	–	–	1	1	–	–	–	–	2	1	–	–	–	–
Cystitis	27	–	–	1	–	1	–	–	–	–	4	–	3	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	152	2	1	–	–	1	1	–	3	2	19	2	8	8	3	1
IX. Paramenia	30	–	1	–	–	–	2	–	1	–	2	1	1	2	1	–
Ovarian Dropsy	76	1	–	–	–	1	–	1	1	3	10	1	5	1	7	–
Childbirth	391	5	7	5	5	11	20	1	3	9	14	4	22	10	19	–
Organs of Generation	66	–	1	1	–	–	3	–	–	1	8	–	5	1	5	–
X. Bone Disease	59	–	–	–	–	–	1	–	1	1	7	–	6	2	5	–
Rheumatism	98	3	3	–	–	3	10	–	2	2	5	–	–	3	7	–
Joint Disease	66	–	–	1	–	–	2	–	–	1	5	–	6	–	3	–
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phlegmon	13	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–
Skin Disease	33	–	–	1	–	–	1	–	–	–	6	–	5	–	–	–
XVII. Intemperance	52	–	–	–	–	–	–	–	–	–	–	–	7	2	2	1
Privation	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	35	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	24	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	127	2	2	3	1	1	3	–	1	–	11	2	7	4	5	–
Hanging, etc.	14	–	–	–	–	2	–	–	–	1	1	–	–	2	3	–
Suffocation	65	–	–	1	–	–	–	–	1	1	4	–	6	1	4	–
Drowning	75	–	–	–	–	–	1	–	1	2	3	2	4	9	7	–
Fracture and Contusion	200	3	1	1	1	1	3	–	2	1	10	1	14	6	3	–
Gunshot Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	30	–	–	–	1	–	–	–	1	–	1	–	2	1	1	–
Not Specified	968	31	19	16	17	66	113	2	12	13	44	8	25	42	48	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	4	6	8	1	24	13	92	4	38	–	1	–	2	4	3	5	2
Apoplexy	3	15	15	15	7	49	56	173	5	107	9	12	–	5	21	15	13	5
Paralysis	9	29	21	21	4	60	64	231	20	139	16	14	2	6	16	26	15	12
Delirium Tremens	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	2	–
Epilepsy	–	7	2	5	1	11	4	25	2	15	1	1	1	–	2	6	2	2
Tetanus	–	2	–	1	–	1	2	3	2	2	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	3	1	3	–	1	–	–	–	–	–	–	–	–
Convulsions	3	15	10	8	1	20	18	161	8	46	2	5	1	2	7	2	1	1
Brain Disease	2	13	1	14	4	24	25	105	4	54	11	6	1	3	6	8	4	2
Pericarditis	–	–	–	1	1	5	2	8	–	6	–	–	–	–	–	1	–	–
Aneurism	–	–	1	–	–	1	–	2	2	5	–	–	–	–	1	–	–	1
Heart Disease	5	50	53	35	11	125	117	365	20	247	24	27	10	12	36	44	40	17
Laryngitis	–	1	–	–	–	6	1	21	–	4	1	–	–	–	–	1	4	2
Bronchitis	31	96	52	59	19	273	204	1397	46	398	24	14	13	17	37	78	36	48
Pleurisy	1	4	3	–	–	6	4	16	2	19	1	–	–	–	–	2	3	–
Pneumonia	1	29	14	14	9	82	42	407	10	119	5	7	–	2	17	22	12	14
Asthma	2	11	1	9	1	11	9	33	–	11	1	1	–	–	2	5	–	1
Lung Disease	–	7	2	1	–	3	1	53	–	19	–	1	–	–	–	–	–	2
Teething	4	12	9	4	–	45	18	133	2	26	3	4	2	3	1	4	–	4
Quinsey	1	1	2	–	–	4	1	6	–	2	1	–	–	–	–	–	1	–
Gastritis	–	5	2	6	1	5	8	26	–	7	2	–	1	–	–	4	–	2
Enteritis	–	16	6	4	1	36	28	152	7	23	2	3	3	3	6	10	3	5
Peritonitis	1	9	–	1	1	15	13	44	2	29	1	–	1	–	8	6	3	1
Ascites	2	4	1	2	–	6	4	14	–	1	1	–	–	–	2	1	–	1
Ulceration of Intestines	–	7	2	3	1	2	8	16	2	11	1	2	–	2	5	5	7	1
Hernia	2	1	1	1	1	2	1	15	–	7	1	–	–	–	1	–	1	–
Ileus	1	3	–	2	–	7	5	29	–	11	3	–	–	2	–	4	2	–
Intussusception	–	2	1	–	–	2	2	2	–	6	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	1	2	–	–	–	1	–	–	1	2	–	–
Stomach Disease	3	18	10	3	2	17	14	108	–	29	–	2	3	2	6	15	7	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	1	8	1	5	3	23	–	5	1	–	–	1	–	–	–	–
Jaundice	–	2	2	–	–	8	6	32	1	12	–	3	3	–	3	2	1	2
Liver Disease	5	12	4	14	3	27	18	107	2	54	2	6	2	2	6	5	2	–
Spleen Disease	–	1	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	1	1	–	4	3	10	1	5	–	–	–	–	1	3	–	–
Nephria	3	4	4	4	–	7	7	31	1	36	1	1	–	2	3	–	1	1
Addison's Disease	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	–	–	–	1	–	–	–	2	–	3	1	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	2	3	9	–	4	–	–	–	–	–	–	–	1
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	–	–	3	5	–	2	–	–	–	–	–	3	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	6	–	1	1	6	5	50	1	21	2	–	1	–	1	3	–	1
Paramenia	–	–	1	–	–	1	4	7	–	2	–	1	–	–	1	1	1	–
Ovarian Dropsy	–	3	–	1	1	4	4	17	–	9	1	–	–	1	1	1	2	–
Childbirth	2	10	7	6	3	26	21	108	2	45	3	1	4	2	4	4	5	3
Organs of Generation	–	1	3	3	1	3	3	12	–	9	2	–	1	–	–	2	1	–
Bone Disease	–	1	–	–	1	7	1	12	–	8	–	–	1	1	1	3	–	–
Rheumatism	–	1	2	6	–	4	10	22	1	6	3	1	–	–	–	1	2	1
Joint Disease	2	1	1	2	–	3	8	14	1	12	–	–	–	1	–	2	1	–
Carbuncle	–	–	1	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	3	1	1	–	2	–	–	–	1	1	–	–	–
Skin Disease	–	–	–	–	–	4	5	7	1	2	–	–	–	–	–	–	–	1
Intemperance	–	2	–	1	–	2	1	26	–	5	–	–	–	1	1	–	–	1
Privation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	–	–	1	1	–	20	–	7	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	4	1	1	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	6	7	–	5	–	–	–	–	1	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	8	2	2	–	7	5	41	–	10	1	–	–	–	3	1	5	–
Hanging, etc.	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	–	–	–
Suffocation	–	–	–	2	–	6	2	15	–	13	1	1	1	2	1	–	2	1
Drowning	2	2	4	1	2	4	4	13	1	5	–	1	1	1	–	2	2	1
Fracture and Contusion	–	4	1	2	1	19	15	70	1	25	3	2	–	1	4	4	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	2	–	–	–	11	–	5	–	1	–	–	1	1	–	–
Not Specified	8	30	15	81	5	56	28	140	19	39	16	1	4	1	9	33	11	14

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	30199	14053	5484	3491	2119	1697	1430	1338	587
SPECIFIED CAUSES	29927	13945	5447	3464	2110	1636	1411	1333	581
I. Zymotic Class	7431	2976	1718	963	531	349	301	497	96
II. Diseases of Uncertain Seat	852	310	200	104	85	48	60	30	15
III. Tubercular Class	5315	2883	743	552	330	291	258	162	96
IV. Brain and Nervous System	2580	1121	547	569	202	142	132	112	55
V. Organs of Circulation	1433	508	363	192	124	89	46	64	47
VI. Respiratory Organs	5433	2971	745	681	321	251	212	172	80
VII. Organs of Digestion	1781	905	276	156	127	105	110	60	42
VIII. Urinary Organs	507	214	120	38	63	23	16	23	10
IX. Organs of Generation	194	84	38	15	18	11	14	12	2
X. Organs of Locomotion	185	77	46	16	20	7	11	6	2
XI. Skin, etc.	33	12	4	2	5	7	1	1	1
XII. Malformation	105	49	24	14	8	3	1	5	1
XIII. Premature Debility	1454	690	208	182	91	103	74	74	32
XIV. Atrophy	229	107	27	30	9	25	16	6	9
XV. Age	1218	411	227	149	114	79	117	55	66
XVI. Sudden Deaths	90	62	3	8	2	4	5	4	2
XVII. Violent Deaths	1087	565	158	93	60	99	37	50	25
I. Small Pox	1555	149	718	300	130	9	9	223	17
Measles	340	108	8	124	51	6	31	12	–
Scarlatina	928	362	343	8	67	43	12	87	6
Diphtheria	412	141	53	103	66	21	13	9	6
Hooping Cough	1568	1026	190	84	31	110	96	30	1
Croup	451	184	29	87	42	44	26	31	8
Thrush	15	6	1	2	5	–	–	–	1
Diarrhœa	690	335	88	109	44	37	31	26	20
Dysentery	50	15	8	12	1	7	2	2	3
Cholera	34	14	9	2	3	3	–	–	1
Influenza	22	14	3	3	2	–	–	–	–
Purpura	21	6	6	5	1	2	–	1	–
Ague	–	–	–	–	–	–	–	–	–
Worms	3	2	–	–	–	–	1	–	–
Typhus	413	182	101	19	16	23	37	19	16
Enteric Fever	400	198	63	48	28	19	13	24	7
Relapsing Fever	65	34	5	13	5	–	3	4	1
Simple Continued Fever	24	13	4	3	1	2	–	1	–
Infantile Remittent	53	23	8	5	7	–	9	–	1
Metria	90	38	17	10	7	4	8	3	3
Rheumatic Fever	43	13	10	3	5	5	3	4	–
Erysipelas	121	48	29	7	8	6	4	16	3
Pyæmia	17	5	7	2	–	–	1	2	–
Syphilis	108	56	18	11	11	6	1	3	2
Noma	8	4	–	3	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	30	13	3	3	5	3	1	1	1
Dropsy	186	80	20	29	12	14	25	4	2
Abscess	80	29	20	5	14	3	5	4	–
Ulcer	13	4	1	1	1	1	–	5	–
Fistula	8	1	2	3	–	–	–	1	1
Mortification	47	14	17	4	3	4	2	2	1
Cancer	485	168	136	59	49	23	27	13	10
Gout	3	1	1	–	1	–	–	–	–
III. Scrofula	327	196	46	27	24	19	6	3	6
Tabes Mesenterica	480	270	59	56	25	15	36	13	6
Phthisis	3593	1957	501	385	222	193	168	95	72
Hydrocephalus	915	460	137	84	59	64	48	51	12

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	312	165	67	19	16	22	6	10	7
Apoplexy	566	230	134	63	33	33	33	20	14
Paralysis	682	253	152	75	50	37	57	35	23
Delirium Tremens	32	13	6	4	4	2	1	1	1
Chorea	3	2	–	–	–	–	1	–	–
Epilepsy	90	32	25	6	10	5	8	3	1
Tetanus	12	6	3	2	–	1	–	–	–
Insanity	11	1	2	1	3	4	–	–	–
Convulsions	515	256	79	72	48	15	16	27	2
Brain Disease	363	163	79	27	38	23	10	16	7
V. Pericarditis	36	15	9	2	3	3	1	2	1
Aneurism	50	16	19	2	6	2	2	2	1
Heart Disease	1347	477	335	188	115	84	43	60	45
VI. Laryngitis	82	43	15	7	8	2	5	1	1
Bronchitis	3874	2135	488	505	232	181	161	119	53
Pleurisy	78	30	22	6	7	6	1	3	3
Pneumonia	1149	628	176	146	51	55	37	39	17
Asthma	112	48	17	14	13	5	6	3	6
Lung Disease	138	87	27	3	10	2	2	7	–
VII. Teething	366	194	34	31	30	34	26	8	9
Quinsey	20	3	3	4	3	3	2	1	1
Gastritis	66	37	11	5	5	3	4	1	–
Enteritis	305	187	35	20	8	21	25	7	2
Peritonitis	110	40	30	8	7	11	4	8	2
Ascites	30	12	1	8	3	1	4	–	1
Ulceration of Intestines	48	17	14	6	6	2	2	1	–
Hernia	42	22	7	5	1	1	1	3	2
Ileus	103	50	18	13	14	2	1	2	3
Intussusception	14	2	7	4	–	–	–	1	–
Stricture of Intestines	8	–	1	1	1	2	2	1	–
Stomach Disease	263	143	39	16	22	9	11	13	10
Pancreas Disease	2	–	–	1	1	–	–	–	–
Hepatitis	48	24	3	4	3	1	9	2	2
Jaundice	80	34	15	9	8	5	7	1	1
Liver Disease	261	133	57	17	14	9	11	11	9
Spleen Disease	15	7	1	4	1	1	1	–	–
VIII. Nephritis	46	29	7	3	1	1	1	4	–
Nephria	157	49	59	17	17	4	4	4	3
Addison's Disease	4	1	–	–	–	3	–	–	–
Ischuria	22	13	5	1	2	–	1	–	–
Diabetes	25	10	4	1	5	1	1	2	1
Stone	16	4	7	–	2	2	1	–	–
Cystitis	52	19	11	5	9	3	2	1	2
Stricture of Urethra	9	5	–	1	1	2	–	–	–
Kidney Disease	176	84	27	10	26	7	6	12	4
IX. Paramenia	6	2	1	1	1	–	–	–	1
Ovarian Dropsy	33	12	7	2	6	3	1	1	1
Childbirth	133	63	26	10	5	8	11	10	–
Organs of Generation	22	7	4	2	6	–	2	1	–
X. Bone Disease	57	16	22	6	6	1	3	1	2
Rheumatism	47	24	6	1	7	3	4	2	–
Joint Disease	81	37	18	9	7	3	4	3	–
XI. Carbuncle	5	2	2	–	–	1	–	–	–
Phlegmon	8	1	1	–	2	2	–	1	1
Skin Disease	20	9	1	2	3	4	1	–	–
XVII. Intemperance	84	44	12	15	3	8	1	–	1
Privation	1	–	–	–	1	–	–	–	–
Want of Breast Milk	44	24	9	2	1	3	2	3	–
Neglect	1	–	1	–	–	–	–	–	–
Cold	3	2	1	–	–	–	–	–	–
Poison	23	17	5	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–
Burns and Scalds	112	67	13	12	5	7	3	4	1
Hanging, etc.	14	8	2	–	3	–	–	–	1
Suffocation	71	26	8	14	8	7	5	3	–
Drowning	179	84	6	20	14	23	7	18	7
Fracture and Contusion	460	239	88	23	19	45	18	16	12
Gunshot Wounds	7	1	2	–	1	–	1	1	1
Cuts and Stabs	14	7	3	1	1	1	–	–	1
Other Violent Causes	74	46	8	6	4	4	–	5	1
Not Specified	272	108	37	27	9	61	19	5	6

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15192	7171	2710	1660	1040	862	727	715	307
SPECIFIED CAUSES	15043	7116	2693	1644	1033	826	712	715	304
I. Zymotic Class	3704	1483	845	474	262	177	141	267	55
II. Diseases of Uncertain Seat	333	117	84	37	29	17	27	15	7
III. Tubercular Class	2573	1407	385	231	161	129	122	86	52
IV. Brain and Nervous System	1377	606	266	151	110	82	76	62	24
V. Organs of Circulation	714	261	180	77	62	41	25	39	29
VI. Respiratory Organs	2780	1557	373	332	153	116	115	93	41
VII. Organs of Digestion	879	456	135	73	56	51	55	30	23
VIII. Urinary Organs	318	137	71	21	39	17	13	13	7
IX. Organs of Generation	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	104	43	31	6	11	4	8	–	1
XI. Skin, etc.	14	7	2	–	2	2	–	–	1
XII. Malformation	60	28	17	5	6	2	1	1	–
XIII. Premature Debility	811	393	109	98	55	60	33	45	18
XIV. Atrophy	102	41	12	12	4	16	9	4	4
XV. Age	417	132	71	56	36	27	55	21	19
XVI. Sudden Deaths	49	32	3	3	2	2	4	2	1
XVII. Violent Deaths	808	416	109	68	45	83	28	37	22
I. Small Pox	828	84	371	157	68	3	6	130	9
Measles	177	64	5	62	24	4	13	5	–
Scarlatina	468	168	172	7	35	26	6	49	5
Diphtheria	209	79	29	48	30	14	4	2	3
Hooping Cough	709	475	78	44	12	45	40	15	–
Croup	249	110	16	44	21	24	15	14	5
Thrush	7	2	–	2	2	–	–	–	1
Diarrhœa	360	187	39	51	19	19	15	16	14
Dysentery	20	7	2	6	–	3	–	1	1
Cholera	21	9	6	1	3	2	–	–	–
Influenza	11	6	2	1	2	–	–	–	–
Purpura	8	2	2	2	1	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–
Worms	3	2	–	–	–	–	1	–	–
Typhus	216	91	55	7	7	14	23	11	8
Enteric Fever	203	107	27	21	12	11	8	13	4
Relapsing Fever	32	14	4	9	3	–	–	2	–
Simple Continued Fever	13	6	3	2	–	1	–	1	–
Infantile Remittent	25	9	3	3	5	–	4	–	1
Metria	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	4	4	1	4	5	2	1	–
Erysipelas	58	22	16	3	5	2	2	6	2
Pyæmia	8	2	3	1	–	–	1	1	–
Syphilis	55	30	8	2	9	3	1	–	2
Noma	3	3	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	8	1	3	1	1	1	–	1
Dropsy	73	33	8	10	5	5	10	2	–
Abscess	42	17	12	–	–	2	1	3	–
Ulcer	5	2	–	–	–	–	–	3	–
Fistula	4	–	–	3	–	–	–	1	–
Mortification	25	7	9	3	1	2	2	1	–
Cancer	165	49	53	18	14	7	13	5	6
Gout	3	1	1	–	1	–	–	–	–
III. Scrofula	182	105	26	14	15	11	6	2	3
Tabes Mesenterica	253	151	29	28	13	6	18	7	1
Phthisis	1641	902	255	144	102	76	74	49	39
Hydrocephalus	497	249	75	45	31	36	24	28	9

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	183	99	38	11	8	14	4	4	5
Apoplexy	283	118	63	28	18	21	21	9	5
Paralysis	318	116	60	42	25	19	29	19	8
Delirium Tremens	29	13	5	3	3	2	1	1	1
Chorea	–	–	–	–	–	–	–	–	–
Epilepsy	49	17	15	5	6	1	3	1	1
Tetanus	7	4	1	2	–	–	–	–	–
Insanity	5	–	1	–	3	1	–	–	–
Convulsions	300	141	48	47	28	7	12	17	–
Brain Disease	203	98	35	13	19	17	6	11	4
V. Pericarditis	24	10	5	1	2	3	–	2	1
Aneurism	42	14	15	2	6	2	1	1	1
Heart Disease	648	237	160	74	54	36	24	36	27
VI. Laryngitis	51	27	11	3	6	1	1	1	1
Bronchitis	1923	1086	238	241	103	79	87	63	26
Pleurisy	43	19	8	4	3	4	–	3	2
Pneumonia	635	357	98	71	28	31	22	18	10
Asthma	57	22	8	11	7	–	4	3	2
Lung Disease	71	46	10	2	6	1	1	5	–
VII. Teething	179	101	17	12	14	16	10	5	4
Quinsey	11	2	2	2	2	1	1	1	–
Gastritis	38	20	7	3	4	1	2	1	–
Enteritis	159	92	22	12	4	11	15	2	1
Peritonitis	58	21	13	5	6	7	2	3	1
Ascites	8	3	–	3	–	1	–	–	1
Ulceration of Intestines	25	12	4	4	1	1	2	1	–
Hernia	17	9	4	1	–	–	1	1	1
Ileus	49	28	11	5	2	–	–	1	2
Intussusception	5	–	2	3	–	–	–	–	–
Stricture of Intestines	7	–	1	1	1	1	2	1	–
Stomach Disease	125	67	22	5	9	3	7	8	4
Pancreas Disease	1	–	–	1	–	–	–	–	–
Hepatitis	22	11	–	1	–	1	6	1	2
Jaundice	37	16	5	5	5	3	2	–	1
Liver Disease	131	71	24	10	7	4	4	5	6
Spleen Disease	7	3	1	–	1	1	1	–	–
VIII. Nephritis	84	22	6	2	1	–	1	2	–
Nephria	85	32	29	9	8	1	3	3	–
Addison's Disease	3	1	–	–	–	2	–	–	–
Ischuria	19	12	3	1	2	–	1	–	–
Diabetes	13	4	1	–	4	1	1	1	1
Stone	16	4	7	–	2	2	1	–	–
Cystitis	43	15	10	3	7	3	2	1	2
Stricture of Urethra	9	5	–	1	1	2	–	–	–
Kidney Disease	96	42	15	5	14	6	4	6	4
IX. Paramenia	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–
X. Bone Disease	33	9	16	1	3	1	2	–	1
Rheumatism	22	9	4	1	4	1	3	–	–
Joint Disease	49	25	11	4	4	2	3	–	–
XI. Carbuncle	3	1	2	–	–	–	–	–	–
Phlegmon	3	1	–	–	1	–	–	–	1
Skin Disease	8	5	–	–	1	2	–	–	–
XVII. Intemperance	54	27	8	9	3	6	1	–	–
Privation	1	–	–	–	1	–	–	–	–
Want of Breast Milk	20	10	5	1	–	3	1	–	–
Neglect	1	–	1	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–
Poison	15	13	1	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–
Burns and Scalds	60	36	7	8	2	4	–	3	–
Hanging, etc.	10	5	2	–	2	–	–	–	1
Suffocation	41	15	2	11	5	2	4	2	–
Drowning	158	75	2	17	13	22	6	17	6
Fracture and Contusion	373	192	70	17	15	40	15	12	12
Gunshot Wounds	7	1	2	–	1	–	1	1	1
Cuts and Stabs	10	5	2	1	–	1	–	–	1
Other Violent Causes	58	37	7	4	3	4	–	2	1
Not Specified	149	55	17	16	7	36	15	–	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15007	6882	2774	1831	1079	835	703	623	280
SPECIFIED CAUSES	14884	6829	2754	1820	1077	810	699	618	277
I. Zymotic Class	3727	1493	873	489	269	172	160	230	41
II. Diseases of Uncertain Seat	519	193	116	67	56	31	33	15	8
III. Tubercular Class	2742	1476	358	321	169	162	136	76	44
IV. Brain and Nervous System	1203	515	281	118	92	60	56	50	31
V. Organs of Circulation	719	247	183	115	62	48	21	25	18
VI. Respiratory Organs	2653	1414	372	349	168	135	97	79	39
VII. Organs of Digestion	902	449	141	83	71	54	55	30	19
VIII. Urinary Organs	189	77	49	17	24	6	3	10	3
IX. Organs of Generation	194	84	38	15	18	11	14	12	2
X. Organs of Locomotion	81	34	15	10	9	3	3	6	1
XI. Skin, etc.	19	5	2	2	3	5	1	1	–
XII. Malformation	45	21	7	9	2	1	–	4	1
XIII. Premature Debility	643	297	99	84	36	43	41	29	14
XIV. Atrophy	127	66	15	18	5	9	7	2	5
XV. Age	801	297	156	93	78	52	62	34	47
XVI. Sudden Deaths	41	30	–	5	–	2	1	2	1
XVII. Violent Deaths	279	149	49	25	15	16	9	13	3
I. Small Pox	727	65	347	143	62	6	3	93	8
Measles	163	44	3	62	27	2	18	7	–
Scarlatina	460	194	171	1	32	17	6	38	1
Diphtheria	203	62	24	55	36	7	9	7	3
Hooping Cough	859	551	112	40	19	65	56	15	1
Croup	202	74	13	43	21	20	11	17	3
Thrush	8	4	1	–	3	–	–	–	–
Diarrhœa	330	148	49	58	25	18	16	10	6
Dysentery	30	8	6	6	1	4	2	1	2
Cholera	13	5	3	1	–	3	–	–	1
Influenza	11	8	1	2	–	–	–	–	–
Purpura	13	4	4	3	–	1	–	1	–
Ague	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–
Typhus	197	91	46	12	9	9	14	8	8
Enteric Fever	197	91	36	27	16	8	5	11	3
Relapsing Fever	33	20	1	4	2	–	3	2	1
Simple Continued Fever	11	7	1	1	1	1	–	–	–
Infantile Remittent	28	14	5	2	2	–	5	–	–
Metria	90	38	17	10	7	4	8	3	3
Rheumatic Fever	22	9	6	2	1	–	1	3	–
Erysipelas	63	26	13	4	3	4	2	10	1
Pyæmia	9	3	4	1	–	–	–	1	–
Syphilis	53	26	10	9	2	3	–	3	–
Noma	5	1	–	3	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	5	2	–	4	2	–	1	–
Dropsy	113	47	12	19	7	9	15	2	2
Abscess	38	12	8	5	7	1	4	1	–
Ulcer	8	2	1	1	1	1	–	2	–
Fistula	4	1	2	–	–	–	–	–	1
Mortification	22	7	8	1	2	2	–	1	1
Cancer	320	119	83	41	35	16	14	8	4
Gout	–	–	–	–	–	–	–	–	–
III. Scrofula	145	91	20	13	9	8	–	1	3
Tabes Mesenterica	227	119	30	28	12	9	18	6	5
Phthisis	1952	1055	246	241	120	117	94	46	33
Hydrocephalus	418	211	62	39	28	28	24	23	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	129	66	29	8	8	8	2	6	2
Apoplexy	277	112	71	35	15	12	12	11	9
Paralysis	364	137	92	33	25	18	28	16	15
Delirium Tremens	3	–	1	1	1	–	–	–	–
Chorea	3	2	–	–	–	–	1	–	–
Epilepsy	41	15	10	1	4	4	5	2	–
Tetanus	5	2	2	–	–	1	–	–	–
Insanity	6	1	1	1	–	3	–	–	–
Convulsions	215	115	31	25	20	8	4	10	2
Brain Disease	160	65	44	14	19	6	4	5	3
V. Pericarditis	12	5	4	1	1	–	1	–	–
Aneurism	8	2	4	–	–	–	1	1	–
Heart Disease	699	240	175	114	61	48	19	24	18
VI. Laryngitis	31	16	4	4	2	1	4	–	–
Bronchitis	1951	1049	250	264	129	102	74	56	27
Pleurisy	35	11	14	2	4	2	1	–	1
Pneumonia	514	271	78	75	23	24	15	21	7
Asthma	55	26	9	3	6	5	2	–	4
Lung Disease	67	41	17	1	4	1	1	2	–
VII. Teething	187	93	17	19	16	18	16	3	5
Quinsey	9	1	1	2	1	2	1	–	1
Gastritis	28	17	4	2	1	2	2	–	–
Enteritis	146	95	13	8	4	10	10	5	1
Peritonitis	52	19	17	3	1	4	2	5	1
Ascites	22	9	1	5	3	–	4	–	–
Ulceration of Intestines	23	5	10	2	5	1	–	–	–
Hernia	25	13	3	4	1	1	–	2	1
Ileus	54	22	7	8	12	2	1	1	1
Intussusception	9	2	5	1	–	–	–	1	–
Stricture of Intestines	1	–	–	–	–	1	–	–	–
Stomach Disease	138	76	17	11	13	6	4	5	6
Pancreas Disease	1	–	–	–	1	–	–	–	–
Hepatitis	26	13	3	3	3	–	3	1	–
Jaundice	43	18	10	4	3	2	5	1	–
Liver Disease	130	62	33	7	7	5	7	6	3
Spleen Disease	8	4	–	4	–	–	–	–	–
VIII. Nephritis	12	7	1	1	–	1	–	2	–
Nephria	72	17	30	8	9	3	1	1	3
Addison's Disease	1	–	–	–	–	1	–	–	–
Ischuria	3	1	2	–	–	–	–	–	–
Diabetes	12	6	3	1	1	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–
Cystitis	9	4	1	2	2	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–
Kidney Disease	80	42	12	5	12	1	2	6	–
IX. Paramenia	6	2	1	1	1	–	–	–	1
Ovarian Dropsy	33	12	7	2	6	3	1	1	1
Childbirth	133	63	26	10	5	8	11	10	–
Organs of Generation	22	7	4	2	6	–	2	1	–
X. Bone Disease	24	7	6	5	3	–	1	1	1
Rheumatism	25	15	2	–	3	2	1	2	–
Joint Disease	32	12	7	5	3	1	1	3	–
XI. Carbuncle	2	1	–	–	–	1	–	–	–
Phlegmon	5	–	1	–	1	2	–	1	–
Skin Disease	12	4	1	2	2	2	1	–	–
XVII. Intemperance	30	17	4	6	–	2	–	–	1
Privation	–	–	–	–	–	–	–	–	–
Want of Breast Milk	24	14	4	1	1	–	1	3	–
Neglect	–	–	–	–	–	–	–	–	–
Cold	3	2	1	–	–	–	–	–	–
Poison	8	4	4	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–
Burns and Scalds	52	31	6	4	3	3	3	1	1
Hanging, etc.	4	3	–	–	1	–	–	–	–
Suffocation	30	11	6	3	3	5	1	1	–
Drowning	21	9	4	3	1	1	1	1	1
Fracture and Contusion	87	47	18	6	4	5	3	4	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	2	1	–	1	–	–	–	–
Other Violent Causes	16	9	1	2	1	–	–	3	–
Not Specified	123	53	20	11	2	25	4	5	3

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	8603	465	428	254	304	311	310	297	332	532	571	1106	1641	161	348	470	252	518
SPECIFIED CAUSES	8399	461	121	252	299	307	306	284	324	522	568	1076	1606	412	338	464	248	481
I. Zymotic Class	1729	117	57	31	38	66	92	42	59	90	106	213	393	150	77	105	18	72
II. Uncertain Seat	223	15	13	15	11	13	6	10	12	19	10	27	29	7	2	14	11	9
III. Tubercular Class	1551	61	60	46	36	56	30	54	67	91	127	228	330	63	63	103	53	83
IV. Brain, etc.	842	39	57	16	53	33	27	29	37	49	50	93	181	31	22	41	37	47
V. Heart, etc.	437	20	34	18	25	16	14	30	20	30	37	53	56	16	8	17	20	23
VI. Respiratory Organs	1391	60	68	40	56	44	45	39	43	73	103	197	238	77	74	81	44	109
VII. Digestive Organs	540	30	33	14	16	16	19	27	30	38	35	45	108	15	22	37	15	40
VIII. Urinary Organs	113	11	6	6	8	5	6	4	2	10	8	7	17	4	4	6	3	6
IX. Generative Organs	58	2	3	1	1	4	2	4	3	1	2	6	15	2	2	–	–	5
X. Locomotive Organs	51	14	2	2	1	1	1	–	–	3	7	6	4	2	1	–	3	4
XI. Skin	9	–	2	–	–	2	–	–	–	1	1	1	1	–	–	1	–	–
XII. Malformation	25	–	3	–	–	–	–	1	–	1	–	5	7	2	3	1	2	–
XIII. Premature Debility	440	18	30	21	12	15	21	16	12	22	41	50	88	18	24	17	17	18
XIV. Atrophy	75	7	2	1	1	1	6	2	1	6	2	13	15	1	3	1	2	11
XV. Age	605	53	38	33	30	23	24	18	19	73	19	89	69	24	27	14	12	40
XVI. Sudden Deaths	20	–	1	–	–	3	3	–	–	–	–	3	5	–	–	3	–	2
XVII. Violent Deaths	295	14	12	5	11	9	10	8	19	15	20	40	50	30	6	23	11	12
I. Small Pox	116	14	11	6	8	1	35	2	–	1	3	16	10	8	1	–	–	–
Measles	128	–	1	1	1	–	–	1	8	36	8	6	8	24	12	19	–	3
Scarlatina	244	31	–	–	6	1	5	1	2	1	1	22	111	45	14	2	1	1
Diphtheria	105	10	4	2	–	4	8	1	6	7	7	7	32	4	6	2	3	2
Hooping Cough	362	10	11	1	–	20	9	11	19	17	30	66	81	19	12	39	–	17
Croup	136	9	11	6	4	8	9	5	8	5	11	10	22	5	7	7	3	6
Thrush	6	–	–	–	–	1	–	–	–	–	–	1	3	–	–	–	–	1
Diarrhœa	209	13	7	5	7	11	12	10	7	8	12	19	41	13	10	14	4	16
Dysentery	21	1	2	–	–	1	4	2	–	–	1	–	3	5	–	–	–	2
Cholera	6	–	–	–	–	–	–	–	–	–	5	1	–	–	–	–	–	–
Influenza	8	–	–	1	–	–	2	–	2	–	–	2	–	–	1	–	–	–
Purpura	7	–	–	–	–	–	–	1	–	–	–	4	1	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	87	1	1	3	3	1	2	5	4	3	8	17	21	3	7	1	5	2
Enteric Fever	130	21	6	1	5	7	2	2	1	7	13	6	18	17	–	11	–	13
Relapsing Fever	20	–	–	–	–	–	–	–	–	1	–	6	5	1	–	7	–	–
Simple Cont. Fever	4	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1
Infantile Remittent	11	–	–	–	–	–	1	–	–	–	3	2	4	–	–	1	–	–
Metria	31	1	1	2	1	7	–	–	–	–	1	5	7	1	1	–	–	4
Rheumatic Fever	21	1	–	–	1	1	2	–	1	1	–	2	7	1	2	–	–	2
Erysipelas	36	3	1	1	1	–	1	–	1	3	1	10	5	3	2	1	2	1
Pyæmia	12	–	–	1	–	3	–	–	–	–	–	4	3	1	–	–	–	–
Syphilis	28	2	–	4	1	–	–	1	–	–	1	6	10	–	2	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	–	–	2	–	–	–	1	1	–	–	3	–	–	–	–	–
Dropsy	60	5	6	–	1	4	1	4	8	2	1	9	8	1	1	7	1	1
Abscess	11	–	–	1	–	–	1	–	–	2	–	2	1	–	1	2	1	–
Ulcer	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	–	–	2	–	–	–	–	1	–	–	–	2	2	–	–	2	–
Cancer	129	10	7	12	8	9	3	6	2	12	9	15	15	4	–	4	6	7
Gout	4	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1
III. Scrofula	87	4	–	3	2	5	–	8	2	13	2	15	16	4	6	3	1	3
Tabes Mesenterica	150	2	3	2	–	2	1	8	7	16	11	23	26	6	7	18	9	9
Phthisis	982	51	43	28	28	37	23	30	34	50	93	151	208	34	37	52	30	53
Hydrocephalus	332	4	14	13	6	12	6	8	24	12	21	39	80	19	13	30	13	18

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

	DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV.	Cephalitis	78	2	4	1	3	3	7	2	2	6	1	11	24	2	1	3	5	1
	Apoplexy	186	8	18	8	15	8	5	2	10	9	8	22	30	6	4	12	7	14
	Paralysis	244	13	19	4	16	9	12	14	9	22	16	27	40	7	6	10	8	12
	Delirium Tremens	3	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Epilepsy	34	4	2	–	2	–	1	–	–	1	1	5	9	1	–	2	1	5
	Tetanus	11	–	1	–	1	–	–	2	–	1	2	1	2	–	–	–	–	1
	Insanity	3	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Convulsions	143	6	6	1	2	8	1	1	15	3	12	13	41	4	6	8	10	6
	Brain Disease	139	5	7	1	13	4	1	8	1	7	10	14	33	10	5	6	6	8
V.	Pericarditis	6	–	–	1	–	1	–	–	–	1	–	–	1	–	–	2	–	–
	Aneurism	8	–	1	2	–	–	1	–	1	–	1	–	–	–	–	–	2	–
	Heart Disease	423	20	33	15	25	15	13	30	19	29	36	53	55	16	8	15	18	23
VI.	Laryngitis	13	2	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	4
	Bronchitis	974	39	55	26	46	34	32	24	31	57	76	135	132	64	58	53	29	83
	Pleurisy	19	–	–	1	3	2	2	–	–	–	1	4	3	–	–	2	–	1
	Pneumonia	307	12	9	11	6	4	9	9	9	9	13	49	95	9	8	23	13	19
	Asthma	47	4	4	1	–	3	2	5	–	7	4	4	3	2	3	2	1	3
	Lung Disease	31	3	–	1	1	1	–	1	3	–	9	3	3	1	3	1	1	–
VII.	Teething	76	4	6	3	–	2	6	6	2	6	6	6	16	–	3	4	1	5
	Quinsey	4	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–
	Gastritis	31	–	–	–	–	1	2	–	2	2	2	3	2	1	6	6	–	4
	Enteritis	89	6	4	–	1	2	2	3	3	9	10	8	23	1	2	7	2	6
	Peritonitis	38	3	9	2	2	–	2	1	1	3	1	3	3	2	1	2	1	2
	Ascites	11	–	–	–	–	–	–	3	–	4	–	–	2	–	–	–	2	–
	Ulcer. of Intestines	34	–	4	2	–	3	–	1	2	1	4	1	6	1	1	2	1	5
	Hernia	11	1	1	–	1	–	–	1	1	–	1	–	3	–	–	1	1	–
	Ileus	19	1	–	1	3	2	–	1	–	1	1	–	4	4	–	1	–	–
	Intussusception	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Strict. of Intestines	6	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	2
	Stomach Disease	90	6	5	2	2	4	4	3	7	3	4	5	19	1	1	8	2	14
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	14	–	1	–	1	–	–	1	–	–	1	1	6	–	–	1	2	–
	Jaundice	17	–	–	–	1	–	–	1	1	–	–	3	6	–	2	1	1	1
	Liver Disease	93	9	2	3	4	2	1	5	10	9	4	11	18	4	5	3	2	1
	Spleen Disease	5	–	–	1	1	–	1	–	–	–	–	1	–	–	–	1	–	–
VIII.	Nephritis	13	1	1	–	1	–	1	1	–	1	–	–	3	1	–	1	–	2
	Nephria	28	2	1	2	2	–	2	–	1	5	–	–	7	2	1	–	1	2
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	8	4	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
	Diabetes	7	–	–	1	1	1	–	–	–	–	1	1	1	–	–	1	–	–
	Stone	6	1	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–
	Cystitis	22	–	–	2	2	1	3	–	–	–	3	–	3	1	1	3	1	2
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Kidney Disease	28	3	4	1	2	3	–	3	1	2	3	1	2	–	1	1	1	–
IX.	Paramenia	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Ovarian Dropsy	7	–	–	–	1	–	–	2	–	–	–	1	2	–	–	–	–	1
	Childbirth	36	1	2	–	–	3	2	2	2	–	2	5	10	2	2	–	–	3
	Organs of Generation	7	1	1	1	–	1	–	–	–	1	–	–	1	–	–	–	–	1
X.	Bone Disease	17	5	–	1	1	–	1	–	–	–	–	3	–	–	1	–	3	2
	Rheumatism	18	7	–	1	–	1	–	–	–	3	–	1	3	2	–	–	–	–
	Joint Disease	16	2	2	–	–	–	–	–	–	–	7	2	1	–	–	–	–	2
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Skin Disease	7	–	2	–	–	1	–	–	–	1	1	1	–	–	–	1	–	–
XVII.	Intemperance	15	1	2	–	–	1	1	–	1	1	–	1	2	2	–	–	3	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	11	–	–	–	–	–	–	1	–	–	–	–	1	8	–	1	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Poison	11	–	1	–	–	1	–	–	2	2	1	1	3	–	–	–	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Burns and Scalds	24	1	1	1	1	1	1	1	2	1	1	1	5	–	1	1	2	–
	Hanging, etc.	6	1	–	–	–	1	1	–	–	–	–	–	1	–	1	–	1	–
	Suffocation	7	–	–	–	–	–	2	–	1	–	2	–	2	–	–	–	–	–
	Drowning	67	4	–	–	2	–	3	1	4	4	2	18	10	4	–	8	–	7
	Fracture & Contusion	132	7	8	2	5	5	2	5	5	4	10	16	23	15	4	13	3	5
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	6	–	–	1	2	–	–	–	–	1	–	1	1	–	–	–	–	–
	Other Violent Causes	13	–	–	1	1	–	–	–	4	1	1	2	1	–	–	–	2	–
	Not Specified.	201	4	7	2	5	4	4	13	8	10	3	30	35	22	10	6	4	37

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	4363	227	203	127	143	158	156	151	188	276	291	556	830	234	175	253	122	273
SPECIFIED CAUSES . .	4252	226	201	126	139	156	155	143	182	269	290	541	808	219	171	249	120	257
I. Zymotic Class . .	842	57	32	21	17	35	43	26	30	41	48	105	197	72	39	40	7	32
II. Uncertain Seat .	89	6	3	6	5	2	3	2	7	11	1	7	13	4	–	9	5	5
III. Tubercular Class .	760	37	34	18	10	28	15	26	34	50	60	113	161	31	23	52	28	40
VI. Brain, etc. . .	473	19	29	11	32	20	19	18	23	25	25	49	103	18	9	24	18	31
V. Heart, etc. . .	211	9	12	7	9	11	2	15	9	18	23	28	27	6	5	11	7	12
VI. Respiratory Organs .	759	28	26	23	30	20	28	22	26	34	65	119	128	34	41	52	26	57
VII. Digestive Organs .	263	15	13	5	7	9	8	11	18	20	16	25	48	5	14	21	5	23
VIII. Urinary Organs .	75	10	4	4	4	3	5	–	2	6	5	6	8	4	3	5	2	4
IX. Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Locomotive Organs .	25	7	1	1	1	–	–	–	–	1	3	3	2	–	1	–	2	3
XI. Skin	4	–	–	–	–	1	–	–	–	–	1	1	–	–	–	1	–	–
XII. Malformation . .	17	–	3	–	–	–	–	1	–	–	–	2	3	2	3	1	2	–
XIII. Premature Debility .	252	8	18	11	6	14	15	9	8	16	22	21	49	9	14	8	8	16
XIV. Atrophy . . .	29	3	–	–	–	–	3	–	1	2	1	2	8	1	2	1	–	5
XV. Age	217	16	18	15	10	8	5	6	7	33	6	24	23	10	11	2	5	18
XVI. Sudden Deaths .	10	–	1	–	–	2	–	–	–	–	–	1	4	–	–	2	–	–
XVII. Violent Deaths .	226	11	7	4	8	3	9	7	17	12	14	35	34	23	6	20	5	11
1. Small Pox . .	68	10	8	4	4	–	21	1	–	–	1	9	6	4	–	–	–	–
Measles . . .	57	–	–	1	1	–	–	–	3	15	4	4	3	12	7	5	–	2
Scarlatina . .	138	14	–	–	4	1	4	–	1	1	–	17	59	23	11	2	–	1
Diphtheria . .	52	5	–	2	–	2	5	1	2	3	2	4	17	4	3	–	1	1
Hooping Cough .	158	5	7	–	–	13	2	3	11	6	13	24	38	9	4	17	–	6
Croup . . .	75	6	8	3	2	6	5	4	5	4	4	4	11	2	3	2	2	4
Thrush . . .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa . .	106	6	4	4	2	6	4	6	4	4	6	14	22	5	5	6	2	6
Dysentery . .	8	–	1	–	–	–	1	2	–	–	1	–	1	–	–	–	–	2
Cholera . . .	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Influenza . .	4	–	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–	–
Purpura . . .	4	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	41	–	–	1	2	–	–	5	1	1	5	12	11	1	1	–	–	1
Enteric Fever .	66	8	2	–	2	5	–	2	–	5	6	3	12	8	–	5	–	8
Relapsing Fever .	8	–	–	–	–	–	–	–	–	1	–	2	2	1	–	2	–	–
Simple Cont. Fever .	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent .	6	–	–	–	–	–	1	–	–	–	2	–	3	–	–	–	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	7	1	–	–	–	–	–	–	1	–	–	–	3	1	1	–	–	–
Erysipelas . .	17	1	1	–	–	–	–	–	1	1	1	3	3	1	1	1	2	1
Pyæmia . . .	5	–	–	1	–	2	–	–	–	–	–	1	–	1	–	–	–	–
Syphilis . . .	17	1	–	4	–	–	–	1	–	–	–	4	5	–	2	–	–	–
Noma . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	5	–	–	–	1	–	–	–	1	–	–	–	3	–	–	–	–	–
Dropsy . . .	22	–	2	–	1	2	–	–	6	2	–	–	4	–	–	5	–	–
Abscess . . .	5	–	–	1	–	–	1	–	–	1	–	1	–	–	–	1	–	–
Ulcer . . .	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Fistula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	6	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	2	–
Cancer . . .	45	6	1	4	3	–	1	2	–	6	1	6	4	3	–	2	2	4
Gout . . .	4	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1
III. Scrofula . . .	53	3	–	1	–	3	–	5	1	11	1	9	10	2	4	2	–	1
Tabes Mesenterica .	87	1	1	1	–	2	–	6	3	8	6	14	15	4	3	10	6	7
Phthisis . . .	451	30	23	10	7	18	14	11	20	23	45	68	90	17	13	25	13	24
Hydrocephalus .	169	3	10	6	3	5	1	4	10	8	8	22	46	8	3	15	9	8

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

	DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coathridge.	Hawick.	Dumfries.
IV.	Cephalitis	48	1	2	1	1	1	5	2	–	5	–	8	14	1	1	2	3	1
	Apoplexy	100	3	8	4	8	6	4	–	7	4	3	11	16	3	2	6	4	11
	Paralysis	120	6	7	3	8	5	8	9	3	11	8	11	22	4	1	6	2	6
	Delirium Tremens	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	18	3	2	–	2	–	1	–	–	–	–	3	4	–	–	1	–	2
	Tetanus	7	–	1	–	1	–	–	1	–	1	1	1	1	–	–	–	–	–
	Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	91	2	5	1	2	5	1	1	12	–	6	7	26	2	4	6	6	5
	Brain Disease	86	3	4	1	10	2	–	5	1	4	7	8	20	8	1	3	3	6
V.	Pericarditis	4	–	–	1	–	1	–	–	–	1	–	–	–	–	–	1	–	–
	Aneurism	6	–	1	2	–	–	–	–	1	–	1	–	–	–	–	–	1	–
	Heart Disease	201	9	11	4	9	10	2	15	8	17	22	28	27	6	5	10	6	12
VI.	Laryngitis	7	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	3
	Bronchitis	515	19	19	15	24	15	17	12	17	24	44	86	76	27	30	36	15	39
	Pleurisy	13	–	–	–	3	2	2	–	–	–	1	2	1	–	–	2	–	–
	Pneumonia	181	8	5	8	3	2	8	7	7	6	8	27	48	6	4	11	9	14
	Asthma	25	–	2	–	–	–	1	2	–	4	4	3	2	1	2	2	1	1
	Lung Disease	18	–	–	–	–	1	–	1	2	–	8	–	1	–	3	1	1	–
VII.	Teething	36	1	2	2	–	1	2	4	1	4	3	4	6	–	–	4	–	2
	Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Gastritis	19	–	–	–	–	–	–	–	2	–	1	2	1	1	5	4	–	3
	Enteritis	50	3	3	–	1	1	1	–	2	5	6	5	14	–	2	4	–	3
	Peritonitis	14	–	3	2	–	–	1	–	1	1	–	1	1	1	1	1	–	1
	Ascites	3	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	Ulcer. of Intestines	21	–	3	1	–	2	–	1	1	1	1	–	6	–	1	–	–	4
	Hernia	7	1	1	–	1	–	–	1	–	–	–	–	2	–	–	–	1	–
	Ileus	6	–	–	–	1	1	–	1	–	–	1	–	–	2	–	–	–	–
	Intussusception	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Stomach Disease	35	2	1	–	1	3	4	1	3	1	2	1	5	–	–	4	–	7
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	2	–
	Jaundice	10	–	–	–	1	–	–	–	–	–	–	2	2	–	2	1	1	1
	Liver Disease	51	8	–	–	2	1	–	3	7	5	2	8	7	1	3	2	1	1
	Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
VIII.	Nephritis	7	1	–	–	1	–	1	–	–	–	–	–	2	1	–	–	–	1
	Nephria	16	2	1	1	–	–	2	–	1	3	–	–	–	2	1	–	1	2
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	7	3	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
	Diabetes	5	–	–	–	1	1	–	–	–	–	–	1	1	–	–	1	–	–
	Stone	6	1	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–
	Cystitis	18	–	–	2	1	1	2	–	–	–	2	–	3	1	1	3	1	1
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Kidney Disease	15	3	3	1	1	1	–	–	1	1	2	–	1	–	–	1	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Bone Disease	11	4	–	–	1	–	–	–	–	–	–	1	–	–	1	–	2	2
	Rheumatism	6	2	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	Joint Disease	8	1	1	–	–	–	–	–	–	–	3	1	1	–	–	–	–	1
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	4	–	–	–	–	1	–	–	–	–	1	1	–	–	–	1	–	–
XVII.	Intemperance	10	1	2	–	–	–	1	–	1	1	–	1	–	1	–	–	2	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	8	–	–	–	–	–	–	1	–	–	–	–	1	5	–	1	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	4	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Burns and Scalds	13	1	–	–	1	–	1	1	1	–	2	1	2	–	1	1	1	–
	Hanging, etc.	4	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
	Suffocation	4	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
	Drowning	63	4	–	–	2	–	3	1	3	4	2	18	8	4	–	8	–	6
	Fracture & Contusion	103	4	5	2	2	3	2	4	5	3	8	13	19	13	4	10	1	5
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	6	–	–	1	2	–	–	–	–	1	–	1	1	–	–	–	–	–
	Other Violent Causes	10	–	–	1	1	–	–	–	4	1	1	1	–	–	–	–	1	–
	Not Specified	111	1	2	1	4	2	1	8	6	7	1	15	22	15	4	4	2	16

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4240	238	225	127	161	153	154	146	144	256	280	550	811	230	173	217	130	245
SPECIFIED CAUSES	4147	235	220	126	160	151	151	141	142	253	278	535	798	223	167	215	128	224
I. Zymotic Class	887	60	25	13	21	31	49	16	29	49	58	108	196	78	38	65	11	40
II. Uncertain Seat	134	9	10	9	6	11	3	8	5	8	9	20	16	3	2	5	6	4
III. Tubercular Class	791	24	26	28	26	28	15	28	33	41	67	115	169	32	40	51	25	43
IV. Brain, etc.	369	20	28	5	21	13	8	11	14	24	25	44	78	13	13	17	19	16
V. Heart, etc.	226	11	22	11	16	5	12	15	11	12	14	25	29	10	8	6	13	11
VI. Respiratory Organs	632	32	42	17	26	24	17	17	17	39	38	78	110	43	33	29	18	52
VII. Digestive Organs	277	15	20	9	9	7	11	16	12	18	19	20	60	10	8	16	10	17
VIII. Urinary Organs	38	1	2	2	4	2	1	4	–	4	3	1	9	–	1	1	1	2
IX. Generative Organs	53	2	3	1	1	4	2	4	3	1	2	6	15	2	2	–	–	5
X. Locomotive Organs	26	7	1	1	–	1	1	–	–	2	4	3	2	2	–	–	1	1
XI. Skin	5	–	2	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
XII. Malformation	8	–	–	–	–	–	–	–	–	1	–	3	4	–	–	–	–	–
XIII. Premature Debility	188	10	12	10	6	1	6	7	4	6	19	29	39	9	10	9	9	2
XIV. Atrophy	46	4	2	1	1	1	3	2	–	4	1	11	7	–	1	–	2	6
XV. Age	388	37	20	18	20	15	19	12	12	40	13	65	46	14	16	12	7	22
XVI. Sudden Deaths	10	–	–	–	–	1	3	–	–	–	–	2	1	–	–	1	–	2
XVII. Violent Deaths	69	3	5	1	3	6	1	1	2	3	6	5	16	7	–	3	6	1
I. Small Pox	48	4	3	2	4	1	14	1	–	1	2	7	4	4	1	–	–	–
Measles	71	–	1	–	–	–	–	1	5	21	4	2	5	12	5	14	–	1
Scarlatina	106	17	–	–	2	–	1	1	1	–	1	5	52	22	3	–	1	–
Diphtheria	53	5	4	–	–	2	3	–	4	4	5	3	15	–	3	2	2	1
Hooping Cough	204	5	4	1	–	7	7	8	8	11	17	42	43	10	8	22	–	11
Croup	61	3	3	3	2	2	4	1	3	1	7	6	11	3	4	5	1	2
Thrush	5	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	1
Diarrhœa	103	7	3	1	5	5	8	4	3	4	6	5	19	8	5	8	2	10
Dysentery	13	1	1	–	–	1	3	–	–	–	–	–	2	5	–	–	–	–
Cholera	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	46	1	1	2	1	1	2	–	3	2	3	5	10	2	6	1	5	1
Enteric Fever	64	13	4	1	3	2	2	–	1	2	7	3	6	9	–	6	–	5
Relapsing Fever	12	–	–	–	–	–	–	–	–	–	–	4	3	–	–	5	–	–
Simple Cont. Fever	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1
Infantile Remittent	5	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–
Metria	31	1	1	2	1	7	–	–	–	–	1	5	7	1	1	–	–	4
Rheumatic Fever	14	–	–	–	1	1	2	–	–	1	–	2	4	–	1	–	–	2
Erysipelas	19	2	–	1	1	–	1	–	–	2	–	7	2	2	1	–	–	–
Pyæmia	7	–	–	–	–	1	–	–	–	–	–	3	3	–	–	–	–	–
Syphilis	11	1	–	–	1	–	–	–	–	–	1	2	5	–	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	38	5	4	–	–	2	1	4	2	–	1	9	4	1	1	2	1	1
Abscess	6	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Cancer	84	4	6	8	5	9	2	4	2	6	8	9	11	1	–	2	4	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	34	1	–	2	2	2	–	3	1	2	1	6	6	2	2	1	1	2
Tabes Mesenterica	63	1	2	1	–	–	1	2	4	8	5	9	11	2	4	8	3	2
Phthisis	531	21	20	18	21	19	9	19	14	27	48	83	118	17	24	27	17	29
Hydrocephalus	163	1	4	7	3	7	5	4	14	4	13	17	34	11	10	15	4	10

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	30	1	2	–	2	2	2	–	2	1	1	3	10	1	–	1	2	–
Apoplexy	86	5	10	4	7	2	1	2	3	5	5	11	14	3	2	6	3	3
Paralysis	124	7	12	1	8	4	4	5	6	11	8	16	18	3	5	4	6	6
Delirium Tremens	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	16	1	–	–	–	–	–	–	–	1	1	2	5	1	–	1	1	3
Tetanus	4	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	1
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Convulsions	52	4	1	–	–	3	–	–	3	3	6	6	15	2	2	2	4	1
Brain Disease	53	2	3	–	3	2	1	3	–	3	3	6	13	2	4	3	3	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Aneurism	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	222	11	22	11	16	5	11	15	11	12	14	25	28	10	3	5	12	11
VI. Laryngitis	6	1	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1
Bronchitis	459	20	36	11	22	19	15	12	14	33	32	49	56	37	28	17	14	44
Pleurisy	6	–	–	1	–	–	–	–	–	–	–	2	2	–	–	–	–	1
Pneumonia	126	4	4	3	3	2	1	2	2	3	5	22	47	3	4	12	4	5
Asthma	22	4	2	1	–	3	1	3	–	3	–	1	1	1	1	–	–	1
Lung Disease	13	3	–	1	1	–	–	–	1	–	1	3	2	1	–	–	–	–
VII. Teething	40	3	4	1	–	1	4	2	1	2	3	2	10	–	3	–	1	3
Quinsey	3	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
Gastritis	12	–	–	–	–	1	2	–	–	2	1	1	1	–	1	2	–	1
Enteritis	39	3	1	–	–	1	1	3	1	4	4	3	9	1	–	3	2	3
Peritonitis	24	3	6	–	2	–	1	1	–	2	1	2	2	1	–	1	1	1
Ascites	8	–	–	–	–	–	–	3	–	1	–	–	2	–	–	–	2	–
Ulcer. of Intestines	13	–	1	1	–	1	–	–	1	–	3	1	–	1	–	2	1	1
Hernia	4	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–
Ileus	13	1	–	1	2	1	–	–	–	1	–	–	4	2	–	1	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	1
Stomach Disease	55	4	4	2	1	1	–	2	4	2	2	4	14	1	1	4	2	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	1	–	1	–	–	1	–	–	1	1	2	–	–	1	–	–
Jaundice	7	–	–	–	–	–	–	1	1	–	–	1	4	–	–	–	–	–
Liver Disease	42	1	2	3	2	1	1	2	3	4	2	3	11	3	2	1	1	–
Spleen Disease	3	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	1	–	–	–	–	1	–	1	–	–	1	–	–	1	–	1
Nephria	12	–	–	1	2	–	–	–	–	2	–	–	7	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	1	–	1	2	–	3	–	1	1	1	1	–	1	–	1	–
IX. Paramenia	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
Ovarian Dropsy	7	–	–	–	1	–	–	2	–	–	–	1	2	–	–	–	–	1
Childbirth	36	1	2	–	–	3	2	2	2	–	2	5	10	2	2	–	–	3
Organs of Generation	7	1	1	1	–	1	–	–	–	1	–	–	1	–	–	–	–	1
X. Bone Disease	6	1	–	1	–	–	1	–	–	–	–	2	–	–	–	–	1	–
Rheumatism	12	5	–	–	–	1	–	–	–	2	–	–	2	2	–	–	–	–
Joint Disease	8	1	1	–	–	–	–	–	–	–	4	1	–	–	–	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Skin Disease	3	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Poison	7	–	1	–	–	1	–	–	–	1	1	1	2	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	11	–	1	1	–	1	–	–	1	1	2	–	3	–	–	–	1	–
Hanging, etc.	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	3	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1
Fracture & Contusion	29	3	3	–	3	2	–	1	–	1	2	3	4	2	–	3	2	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
Not Specified	93	3	5	1	1	2	3	5	2	3	2	15	13	7	6	2	2	21

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	16815	74	65	357	209	82	337	421	662	119	626	477	1140	337	1155
SPECIFIED CAUSES	16339	72	59	343	193	80	327	401	625	119	615	465	1102	322	1117
I. Zymotic Class	3170	22	13	79	53	7	49	101	158	23	142	90	225	45	284
II. Diseases of Uncert. Seat	600	2	5	11	6	3	20	29	28	7	18	20	47	20	48
III. Tubercular Class	2991	14	7	58	21	11	41	53	85	13	89	91	160	69	183
IV. Brain and Nervous Syst.	1495	3	5	40	24	17	53	37	57	18	63	56	97	24	86
V. Organs of Circulation	919	1	2	22	8	4	20	15	41	7	46	35	87	9	50
VI. Respiratory Organs	2282	2	8	48	25	7	44	60	66	8	90	56	139	54	167
VII. Organs of Digestion	1075	3	2	15	9	8	24	40	40	9	33	22	61	21	74
VIII. Urinary Organs	247	3	–	13	3	1	8	11	7	3	5	13	19	6	8
IX. Organs of Generation	129	–	1	3	3	1	1	9	3	1	7	2	10	2	8
X. Organs of Locomotion	92	–	1	1	1	–	1	3	6	–	1	1	10	2	8
XI. Skin, etc.	30	–	–	–	–	–	–	1	5	2	1	–	1	–	2
XII. Malformation	74	1	–	–	–	–	3	1	–	–	4	3	8	–	1
XIII. Premature Debility	922	1	1	15	6	5	18	17	33	–	39	16	62	22	59
XIV. Atrophy	112	3	–	5	3	–	3	1	5	–	5	1	7	1	10
XV. Age	1333	14	12	24	27	15	31	21	69	22	57	42	117	40	97
XVI. Sudden Deaths	32	–	–	–	–	1	–	1	1	–	1	4	5	1	3
XVII. Violent Deaths	536	3	2	9	4	–	11	4	21	6	14	13	47	6	29
I. Small Pox	365	10	–	–	11	–	1	3	8	–	27	30	50	12	20
Measles	270	–	–	–	–	–	–	17	45	–	11	1	5	–	21
Scarlatina	481	8	3	12	12	1	–	10	7	–	17	8	24	–	29
Diphtheria	259	–	3	17	2	–	16	15	7	5	2	3	19	13	32
Hooping Cough	536	–	–	–	4	–	6	22	26	–	12	17	38	9	75
Croup	318	–	1	8	7	2	16	7	15	8	3	7	25	4	34
Thrush	9	–	–	–	2	–	–	–	–	–	2	–	2	–	–
Diarrhœa	350	–	4	13	2	1	3	5	18	–	18	9	15	1	13
Dysentery	64	–	1	–	–	–	–	1	4	–	5	2	2	–	3
Cholera	24	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Influenza	23	–	–	1	–	–	–	–	2	–	4	1	–	–	2
Purpura	8	–	–	–	–	–	–	1	1	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	161	2	1	12	10	–	2	2	4	4	8	2	9	4	16
Enteric Fever	329	–	–	6	–	2	1	12	7	8	20	9	16	1	21
Relapsing Fever	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	29	–	–	2	–	–	1	–	1	–	1	–	1	–	2
Infantile Remittent	31	–	–	1	–	–	–	2	3	–	–	–	4	–	4
Metria	53	2	–	2	1	–	–	3	3	1	5	–	6	1	4
Rheumatic Fever	40	–	–	1	1	1	1	1	–	1	2	–	1	–	1
Erysipelas	51	–	–	1	1	–	2	–	3	1	1	1	4	–	–
Pyæmia	11	–	–	1	–	–	–	–	–	–	1	–	2	–	1
Syphilis	42	–	–	2	–	–	–	–	4	–	1	–	–	–	5
Noma	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	–	–	–	1	–	–	1	1	–	–	–	–	–	2
Dropsy	139	–	1	2	4	–	2	2	6	1	3	3	10	12	22
Abscess	36	–	–	–	–	–	1	5	3	2	1	3	1	–	–
Ulcer	13	–	–	–	–	–	–	1	–	–	–	–	3	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	32	–	–	–	–	–	–	1	3	–	–	1	2	1	2
Cancer	360	2	4	9	1	3	17	19	15	4	14	13	31	7	22
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	189	–	–	2	2	–	–	7	8	–	2	7	9	–	6
Tabes Mesenterica	244	–	–	–	–	1	2	1	3	–	5	2	13	1	18
Phthisis	2097	9	7	54	18	8	34	41	63	12	64	71	120	52	122
Hydrocephalus	461	5	–	2	1	2	5	4	11	1	18	11	18	16	37

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	838	370	226	1441	2221	2534	595	837	385	110	58	366	179	186	185	223
SPECIFIED CAUSES	819	329	223	1398	2199	2490	568	815	373	110	57	363	178	181	181	212
Zymotic Class	192	43	32	286	418	523	159	219	110	14	8	84	15	21	23	32
Uncertain Seat	28	15	11	40	79	69	14	28	10	5	2	9	5	6	10	5
Tubercular Class	166	58	65	322	461	511	79	105	47	17	15	84	38	53	39	36
Brain, etc.	75	37	28	109	205	167	61	62	30	16	5	27	24	18	18	33
Heart, etc.	60	21	19	71	128	84	23	46	27	13	6	20	12	10	20	12
Respiratory Organs	93	55	25	239	300	378	98	106	37	10	8	41	26	27	19	46
Digestive Organs	45	17	14	88	164	199	28	52	18	8	4	26	17	13	8	13
Urinary Organs	12	10	4	21	21	38	9	10	3	2	1	4	2	1	4	5
Generative Organs	8	3	3	6	19	19	1	7	3	–	–	3	3	1	1	1
Locomotive Organs	3	4	2	7	13	13	2	4	–	–	–	4	1	1	1	2
Skin	1	1	–	3	4	5	1	–	1	–	–	2	–	–	–	–
Malformation	2	1	1	10	13	10	2	5	1	1	–	2	–	2	2	1
Premature Debility	40	9	5	72	124	176	36	76	27	9	1	24	5	9	6	8
Atrophy	4	1	–	8	7	22	2	8	8	2	–	2	1	1	2	–
Age	65	45	11	71	169	148	35	65	42	4	5	17	23	10	20	15
Sudden Deaths	2	–	–	5	–	6	2	–	–	–	–	–	–	–	–	–
Violent Deaths	23	9	3	40	74	122	16	21	9	9	2	14	6	8	8	3
Small Pox	2	1	–	–	37	27	8	51	49	–	1	13	–	4	–	–
Measles	12	1	–	36	10	98	–	6	–	–	1	1	–	–	1	4
Scarlatina	50	3	1	41	21	94	70	38	9	1	1	13	1	1	1	5
Diphtheria	20	5	–	24	27	16	8	11	7	1	1	4	–	–	–	1
Hooping Cough	24	9	5	67	83	67	12	32	7	–	–	10	–	4	–	7
Croup	16	6	6	26	37	44	12	19	2	3	–	8	3	1	1	2
Thrush	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Diarrhœa	26	7	–	26	55	56	14	25	5	2	1	12	5	6	2	6
Dysentery	6	–	2	4	14	14	–	1	2	1	–	–	1	–	1	–
Cholera	3	–	–	4	6	5	1	1	–	1	–	–	1	–	–	–
Influenza	–	–	1	2	4	3	–	2	–	–	–	–	–	–	1	–
Purpura	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	2	5	15	11	28	4	4	9	–	–	–	–	–	–	2
Enteric Fever	17	2	3	21	62	38	18	14	14	3	2	16	3	4	5	4
Relapsing Fever	3	–	–	1	9	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	7	1	5	1	–	–	–	–	1	–	5	–
Infantile Remittent	–	–	3	5	1	4	1	1	1	–	–	1	–	–	–	–
Metria	–	4	1	3	4	8	–	2	2	–	–	1	–	–	–	–
Rheumatic Fever	2	–	–	3	5	7	1	5	2	2	–	–	–	–	2	1
Erysipelas	2	3	3	2	12	6	2	1	1	–	–	2	–	1	2	–
Pyæmia	–	–	–	2	1	–	1	–	–	–	–	1	–	–	1	–
Syphilis	3	–	1	3	10	4	2	3	–	–	1	2	–	–	1	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	3	4	2	–	–	–	–	–	–	–	–	–	1
Dropsy	5	1	–	11	16	26	2	5	1	1	–	1	1	1	–	–
Abscess	3	–	1	1	6	4	1	1	3	–	–	–	–	–	–	–
Ulcer	–	–	–	2	1	1	–	4	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	1	7	3	–	1	1	1	1	2	–	2	–	1
Cancer	18	13	8	22	45	33	10	17	4	2	1	6	4	3	10	3
Gout	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	11	2	8	8	34	46	12	10	2	–	–	4	2	5	2	–
Tabes Mesenterica	17	1	9	29	49	60	11	5	3	3	2	3	–	5	1	–
Phthisis	113	45	37	227	300	321	41	82	34	13	11	59	33	40	32	34
Hydrocephalus	25	10	11	58	78	84	15	8	8	1	2	18	3	3	4	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	132	–	1	6	2	–	8	4	5	–	3	3	15	1	3
Apoplexy	391	–	1	8	1	8	17	4	12	3	18	10	18	5	22
Paralysis	488	2	2	12	15	6	17	17	10	6	28	26	36	13	23
Delirium Tremens	14	–	–	1	–	–	1	–	1	–	1	1	1	–	–
Chorea	4	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Epilepsy	49	–	–	4	1	–	1	1	4	–	3	2	6	–	7
Tetanus	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	200	–	1	6	1	3	4	6	9	3	5	8	6	4	17
Brain Disease	208	1	–	3	3	–	5	5	15	5	5	6	13	1	13
V. Pericarditis	15	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	21	–	–	7	–	1	–	2	–	–	2	1	2	–	1
Heart Disease	883	1	2	15	8	3	20	13	41	7	44	34	84	9	49
VI. Laryngitis	25	–	–	–	–	–	–	2	1	1	2	–	3	–	1
Bronchitis	1559	2	7	33	14	6	28	41	41	4	50	46	97	38	111
Pleurisy	53	–	–	–	1	–	2	2	1	–	9	–	3	–	2
Pneumonia	523	–	–	12	3	–	13	14	18	1	27	10	33	12	31
Asthma	78	–	1	2	6	1	1	1	4	1	1	–	1	4	9
Lung Disease	44	–	–	1	1	–	–	–	1	1	1	–	2	–	13
VII. Teething	178	–	–	–	–	4	4	2	10	–	7	2	10	4	11
Quinsey	9	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Gastritis	31	–	–	–	–	–	1	1	1	1	1	1	2	–	3
Enteritis	237	–	–	2	1	1	4	11	2	2	7	1	7	–	7
Peritonitis	75	1	–	3	1	–	2	2	2	–	–	–	2	2	7
Ascites	15	–	–	–	–	–	–	2	–	–	–	–	–	1	1
Ulceration of Intestines	51	–	–	1	–	–	5	2	7	–	2	1	2	–	2
Hernia	22	–	–	1	–	1	1	2	1	–	1	–	2	1	3
Ileus	54	–	–	1	–	–	2	7	2	1	3	2	6	3	2
Intussusception	11	–	–	1	1	–	–	–	–	–	–	–	1	–	2
Stricture of Intestines	12	–	–	1	–	–	–	1	1	–	–	–	2	–	–
Stomach Disease	133	2	–	–	3	1	3	1	6	3	3	3	6	2	24
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	28	–	–	–	–	–	–	–	2	–	1	3	2	–	1
Jaundice	54	–	–	1	1	–	1	5	2	–	2	–	7	2	3
Liver Disease	155	–	2	4	–	1	1	4	4	2	6	8	11	5	6
Spleen Disease	10	–	–	–	1	–	–	–	–	–	–	1	1	–	1
VIII. Nephritis	22	–	–	–	–	1	–	–	–	–	–	1	1	2	–
Nephria	71	1	–	2	1	–	1	6	1	1	2	5	8	2	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	15	–	–	–	2	–	–	1	–	–	1	–	–	–	1
Diabetes	28	–	–	1	–	–	2	–	–	–	1	–	2	–	–
Stone	8	–	–	6	–	–	–	–	–	–	–	–	–	–	–
Cystitis	42	1	–	3	–	–	2	2	–	1	1	1	4	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	58	1	–	1	–	–	3	2	6	1	–	6	4	2	4
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	13	–	–	–	–	1	–	2	–	–	1	–	1	–	1
Childbirth	94	–	1	3	3	–	1	6	2	1	6	2	6	2	6
Organs of Generation	16	–	–	–	–	–	–	1	1	–	–	–	2	–	1
X. Bone Disease	32	–	–	–	–	–	–	2	4	–	–	–	3	–	3
Rheumatism	29	–	–	–	1	–	1	1	–	–	–	–	4	–	1
Joint Disease	31	–	1	1	–	–	–	–	2	–	1	1	3	2	4
XI. Carbuncle	11	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Skin Disease	15	–	–	–	–	–	–	–	4	–	1	–	–	–	1
XVII. Intemperance	26	–	–	–	–	–	1	–	1	–	1	2	1	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	20	–	–	–	–	–	–	–	1	–	–	1	4	–	1
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Poison	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	68	–	1	1	–	–	2	2	2	–	1	2	6	3	7
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation	24	–	–	1	–	–	–	–	–	–	3	–	2	–	–
Drowning	123	1	–	4	3	–	1	1	8	5	3	2	15	2	7
Fracture and Contusion	235	2	–	3	1	–	5	–	8	1	5	4	18	1	12
Gunshot Wounds	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	–	1	–	–	–	1	1	1	–	–	–	1	–	2
Not Specified	476	2	6	14	16	2	10	17	37	–	11	12	38	15	38

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES. *(Continued.)*

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	10	–	5	16	15	16	6	1	–	–	–	2	2	2	2	4
Apoplexy	25	11	13	29	60	41	11	24	12	3	1	5	9	5	9	6
Paralysis	18	11	4	29	61	47	21	26	7	8	2	11	10	8	1	11
Delirium Tremens	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	1	6	3	2	1	–	1	–	–	–	–	1
Tetanus	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	1
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	12	5	–	12	36	33	11	4	2	2	1	4	–	1	2	2
Brain Disease	10	7	6	17	29	22	6	5	8	3	–	5	3	2	4	6
Pericarditis	1	–	1	5	2	3	–	2	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	1	2	–	–	–	1	–	–	–	–
Heart Disease	59	21	18	66	125	81	22	42	27	13	6	19	12	10	20	12
Laryngitis	–	–	1	3	2	2	–	1	–	–	–	–	–	1	4	1
Bronchitis	67	48	16	159	210	250	68	79	30	7	6	37	18	12	8	26
Pleurisy	3	–	–	1	11	7	4	4	–	–	1	–	–	1	1	–
Pneumonia	22	6	7	68	51	98	22	19	7	1	1	4	7	13	6	17
Asthma	–	–	1	7	21	12	1	3	–	–	–	–	1	–	–	–
Lung Disease	1	1	–	1	5	9	3	–	–	2	–	–	–	–	–	2
Teething	10	–	–	18	35	40	3	9	1	1	–	3	–	–	–	4
Quinsey	2	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–
Gastritis	2	4	2	1	7	1	–	–	1	–	–	–	1	–	–	1
Enteritis	10	1	2	20	43	66	15	11	6	–	–	9	3	3	2	1
Peritonitis	2	1	1	9	6	22	3	4	–	–	–	1	1	1	2	–
Ascites	–	–	–	2	4	4	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	3	1	–	3	6	4	2	3	3	–	–	1	–	1	1	1
Hernia	2	–	1	–	3	–	–	2	–	–	–	–	1	–	–	–
Ileus	–	1	–	2	7	6	1	3	3	–	–	1	1	–	–	–
Intussusception	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	3	–	–	1	–	–	–	1	1	1	–	–
Stomach Disease	8	2	1	10	20	10	–	6	2	2	–	5	4	4	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	1	4	2	6	–	1	1	–	–	1	–	–	–	1
Jaundice	1	1	1	2	5	10	1	1	–	1	1	1	1	1	1	2
Liver Disease	4	5	5	14	19	24	3	10	–	4	2	3	3	2	1	2
Spleen Disease	–	–	–	–	2	3	–	–	–	–	1	–	–	–	–	–
Nephritis	1	1	–	6	1	4	1	1	–	–	–	–	1	1	–	–
Nephria	4	3	2	4	4	9	3	3	1	–	–	2	–	–	1	2
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	2	–	1	1	2	1	–	1	–	–	–	–	–	1	–
Diabetes	2	–	–	4	5	5	–	3	–	1	–	1	1	–	–	–
Stone	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	1	–	4	3	10	1	2	–	–	1	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	2	6	8	2	1	1	1	–	1	–	–	1	2
Paramenia	–	–	–	–	3	1	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	–	1	1	–	2	1	–	–	1	–	–	1	–	–	–	–
Childbirth	5	2	2	5	12	15	1	6	1	–	–	2	2	–	1	1
Organs of Generation	3	–	–	1	2	2	–	1	1	–	–	–	–	1	–	–
Bone Disease	–	–	2	5	3	4	–	2	–	–	–	1	1	1	–	1
Rheumatism	2	2	–	–	7	7	–	1	–	–	–	–	–	–	1	1
Joint Disease	1	2	–	2	3	2	2	1	–	–	–	3	–	–	–	–
Carbuncle	1	1	–	–	2	2	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	–	–	–	2	2	3	1	–	1	–	–	–	–	–	–	–
Intemperance	–	1	–	1	3	11	1	3	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	9	–	–	–	–	–	2	–	–	–	1
Neglect	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Poison	1	–	–	–	4	2	–	1	–	–	–	–	1	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	5	7	16	1	–	1	–	–	–	1	2	2	–
Hanging, etc.	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	1	1	–	1	1	3	–	3	–	2	1	2	1	1	1	–
Drowning	11	4	1	7	9	18	1	4	1	7	–	2	1	1	3	1
Fracture and Contusion	8	1	1	21	46	60	12	7	4	–	–	8	2	3	1	1
Gunshot Wounds	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	1	–	–	–	1	–	–	–	–	1	–
Other Violent Causes	–	2	–	3	2	–	–	2	1	–	–	–	–	–	–	–
Not Specified	19	41	3	43	22	44	27	22	12	–	1	3	1	5	4	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	8500	33	36	196	103	41	150	192	318	58	320	236	549	160	566
SPECIFIED CAUSES	8224	32	33	186	93	40	143	182	297	58	312	233	526	150	545
I. Zymotic Class	1684	11	7	39	22	4	20	37	79	12	72	41	103	18	136
II. Diseases of Uncert. Seat	231	–	3	3	3	1	9	10	6	4	3	9	14	10	13
III. Tubercular Class	1461	6	4	28	14	3	20	24	39	5	54	48	81	29	92
IV. Brain and Nervous Syst.	785	2	5	24	13	9	25	23	31	9	29	32	46	12	43
V. Organs of Circulation	462	1	1	15	6	2	10	8	15	5	28	19	32	4	33
VI. Respiratory Organs	1215	1	5	26	11	3	16	27	25	2	49	23	74	32	88
VII. Organs of Digestion	547	–	1	8	5	6	11	25	24	2	15	11	27	9	22
VIII. Urinary Organs	173	2	–	11	2	–	6	8	4	3	5	10	14	2	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	37	–	1	–	–	–	–	2	3	–	1	1	1	–	7
XI. Skin, etc.	15	–	–	–	–	–	–	1	2	2	–	–	1	–	2
XII. Malformation	46	–	–	–	–	–	2	–	–	–	2	2	7	–	–
XIII. Premature Debility	552	1	1	12	5	3	8	6	19	–	23	9	38	11	34
XIV. Atrophy	54	1	–	2	1	–	–	–	2	–	–	1	4	1	6
XV. Age	547	5	4	12	8	8	10	6	30	10	20	17	44	16	44
XVI. Sudden Deaths	19	–	–	–	–	1	–	1	1	–	1	3	2	1	1
XVII. Violent Deaths	396	2	1	6	3	–	6	4	17	4	10	7	38	5	20
I. Small Pox	203	6	–	–	7	–	1	1	4	–	15	13	28	6	14
Measles	125	–	–	–	–	–	–	7	20	–	5	–	2	–	13
Scarlatina	241	4	2	7	6	–	–	7	5	–	10	5	11	–	15
Diphtheria	118	–	1	11	–	–	4	8	4	3	2	2	7	3	12
Hooping Cough	234	–	–	–	–	–	3	4	13	–	9	8	14	3	30
Croup	166	–	1	2	3	2	7	2	9	1	2	2	15	4	18
Thrush	5	–	–	–	–	–	–	–	–	–	2	–	2	–	–
Diarrhœa	185	–	3	5	1	1	2	2	8	–	10	5	8	1	10
Dysentery	34	–	–	–	–	–	–	–	2	–	2	1	–	–	2
Cholera	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	15	–	–	1	–	–	–	–	1	–	3	–	–	–	2
Purpura	5	–	–	–	–	–	–	–	1	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	75	1	–	9	4	–	1	–	2	3	3	1	1	1	4
Enteric Fever	152	–	–	1	–	1	–	3	3	4	7	3	6	–	11
Relapsing Fever	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	11	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Infantile Remittent	18	–	–	1	–	–	–	2	2	–	–	–	2	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	–	–	–	–	–	1	1	–	–	–	–	–	–	1
Erysipelas	30	–	–	1	1	–	1	–	2	1	–	1	3	–	–
Pyæmia	9	–	–	–	–	–	–	–	–	–	1	–	2	–	1
Syphilis	19	–	–	1	–	–	–	–	2	–	–	–	–	–	2
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	–	–	–	–	–	–	–	1	–	–	–	–	–	2
Dropsy	65	–	–	–	3	–	2	1	–	1	–	–	4	5	8
Abscess	19	–	–	–	–	–	–	4	2	1	1	2	–	–	–
Ulcer	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	13	–	–	–	–	–	–	1	–	–	–	–	1	1	–
Cancer	116	–	3	3	–	1	7	4	3	2	2	7	7	4	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	114	–	–	1	1	–	–	4	2	–	1	5	6	–	4
Tabes Mesenterica	142	–	–	–	–	–	–	1	3	–	4	1	6	1	7
Phthisis	941	4	4	26	12	3	18	18	26	5	35	38	59	19	59
Hydrocephalus	264	2	–	1	1	–	2	1	8	–	14	4	10	9	22

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	435	178	106	723	1141	1371	329	446	191	62	24	182	75	94	82	103
SPECIFIED CAUSES	421	160	103	695	1127	1347	316	428	187	62	24	180	75	92	79	98
Zymotic Class	95	18	16	140	211	259	85	108	52	8	3	44	10	13	10	11
Uncertain Seat	10	4	4	20	34	30	7	14	5	3	2	3	2	2	2	1
Tubercular Class	91	26	31	157	210	254	42	45	21	7	7	43	16	25	17	22
Brain, etc.	41	21	17	47	109	102	31	33	12	11	3	10	8	9	9	19
Heart, etc.	27	10	9	26	63	51	11	31	17	7	2	9	6	4	5	5
Respiratory Organs	55	28	8	120	178	230	54	54	23	4	3	24	11	12	10	19
Digestive Organs	23	10	7	45	95	105	16	28	12	2	1	15	7	7	2	6
Urinary Organs	7	7	2	14	15	26	8	8	1	2	1	2	1	1	4	3
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	2	2	8	1	1	–	–	–	2	1	–	–	2
Skin	–	1	–	1	1	2	–	–	1	–	–	1	–	–	–	–
Malformation	1	–	1	9	7	5	1	4	–	1	–	–	–	2	2	–
Premature Debility	30	5	2	46	74	99	27	51	17	6	–	11	2	5	5	2
Atrophy	1	–	–	3	3	13	2	5	4	2	–	1	–	1	1	–
Age	22	22	4	34	73	63	15	28	18	1	1	6	9	6	6	5
Sudden Deaths	1	–	–	3	–	3	1	–	–	–	–	–	–	–	–	–
Violent Deaths	17	7	1	28	52	97	15	18	4	8	1	9	2	5	6	3
Small Pox	2	1	–	–	23	17	4	28	23	–	1	6	–	3	–	–
Measles	4	–	–	21	2	47	–	2	–	–	–	1	–	–	1	–
Scarlatina	27	1	–	21	7	47	36	15	4	1	–	6	1	1	–	2
Diphtheria	7	3	–	11	13	6	3	9	5	1	–	3	–	–	–	–
Hooping Cough	11	4	1	32	40	28	5	14	2	–	–	6	–	4	–	3
Croup	9	3	1	15	13	31	10	7	2	–	–	4	2	–	–	1
Thrush	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	13	4	–	13	33	26	11	13	–	1	1	7	2	1	1	3
Dysentery	3	–	2	2	7	9	–	–	1	1	–	–	1	–	1	–
Cholera	2	–	–	2	3	1	–	–	–	1	–	–	1	–	–	–
Influenza	–	–	1	1	3	1	–	2	–	–	–	–	–	–	–	–
Purpura	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	3	5	8	15	3	3	4	–	–	–	–	–	–	1
Enteric Fever	11	–	3	6	34	16	6	10	8	1	1	9	2	3	2	1
Relapsing Fever	–	–	–	1	5	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	3	1	3	–	–	–	–	–	1	–	1	–
Infantile Remittent	–	–	2	2	1	3	–	–	1	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	2	4	3	1	3	1	2	–	–	–	–	1	–
Erysipelas	2	1	2	1	5	4	1	–	1	–	–	–	–	1	2	–
Pyæmia	–	–	–	2	1	–	1	–	–	–	–	–	–	–	1	–
Syphilis	1	–	–	3	5	2	1	1	–	–	–	1	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	2	3	2	–	–	–	–	–	–	–	–	–	1
Dropsy	3	–	–	7	7	18	–	4	–	–	–	1	1	–	–	–
Abscess	1	–	1	1	3	1	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	3	–	1	1	1	1	1	–	1	–	–
Cancer	6	4	2	9	20	5	6	8	2	2	1	1	1	1	2	–
Gout	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	6	1	5	7	18	29	8	8	2	–	–	4	1	–	1	–
Tabes Mesenterica	15	–	5	15	32	36	7	–	1	1	2	–	–	4	1	–
Phthisis	56	20	15	95	120	142	18	34	14	6	4	27	13	18	13	20
Hydrocephalus	14	5	6	40	40	47	9	3	4	–	1	12	2	3	2	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	75	–	1	3	1	–	3	4	3	–	2	3	9	1	2
Apoplexy	195	–	1	6	–	5	6	1	5	1	10	5	3	4	14
Paralysis	236	1	2	7	8	3	7	9	8	3	10	12	21	5	9
Delirium Tremens	12	–	–	–	–	–	1	–	1	–	1	1	–	–	–
Chorea	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Epilepsy	28	–	–	2	1	–	1	1	2	–	2	1	3	–	4
Tetanus	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	126	–	1	5	–	1	3	5	5	2	3	7	5	2	9
Brain Disease	106	1	–	1	2	–	4	3	6	3	1	3	5	–	5
V. Pericarditis	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	14	–	–	6	–	1	–	–	–	–	1	1	–	–	1
Heart Disease	441	1	1	9	6	1	10	8	15	5	27	18	31	4	32
VI. Laryngitis	15	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Bronchitis	781	1	5	14	5	2	9	17	12	1	21	19	52	18	58
Pleurisy	34	–	–	–	1	–	1	1	1	–	9	–	–	–	1
Pneumonia	305	–	–	11	2	–	6	8	9	–	17	4	19	11	17
Asthma	49	–	–	1	2	1	–	–	2	–	–	–	–	3	5
Lung Disease	31	–	–	–	1	–	–	–	1	–	1	–	2	–	7
VII. Teething	91	–	–	–	–	3	2	–	3	–	4	1	5	2	3
Quinsey	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	14	–	–	–	–	–	1	1	–	–	–	1	–	–	–
Enteritis	138	–	–	1	1	1	2	6	2	–	2	–	5	–	3
Peritonitis	28	–	–	1	1	–	–	1	–	–	–	–	1	1	2
Ascites	6	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Ulceration of Intestines	28	–	–	1	–	–	2	2	5	–	1	1	1	–	–
Hernia	13	–	–	–	–	–	1	1	–	–	–	–	1	1	2
Ileus	27	–	–	1	–	–	1	3	2	–	1	1	2	2	–
Intussusception	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	8	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Stomach Disease	68	–	–	–	2	1	2	1	4	2	1	1	3	–	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	13	–	–	–	–	–	–	–	2	–	1	1	–	–	–
Jaundice	25	–	–	1	–	–	–	4	1	–	–	–	4	2	2
Liver Disease	76	–	1	1	–	1	–	4	4	–	5	5	4	1	1
Spleen Disease	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	13	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Nephria	41	1	–	1	1	–	–	4	–	1	2	3	5	1	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	1	–	–	1	–	–	1	–	–	–	1
Diabetes	19	–	–	1	–	–	2	–	–	–	1	–	1	–	–
Stone	7	–	–	6	–	–	–	–	–	–	–	–	–	–	–
Cystitis	39	1	–	2	–	–	2	2	–	1	1	1	4	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	41	–	–	1	–	–	2	1	4	1	–	5	4	–	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	16	–	–	–	–	–	–	2	2	–	–	–	–	–	3
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Joint Disease	13	–	1	–	–	–	–	–	1	–	1	1	–	–	3
XI. Carbuncle	8	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Skin Disease	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1
XVII. Intemperance	16	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	–	–	–	–	–	–	–	–	–	–	1	4	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	35	–	–	–	–	–	1	2	1	–	1	1	4	3	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Drowning	101	1	–	4	3	–	–	1	8	3	2	2	11	1	6
Fracture and Contusion	193	1	–	2	–	–	4	–	6	1	5	1	18	1	12
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	13	–	1	–	–	–	–	1	1	–	–	–	–	–	1
Not Specified	276	1	3	10	10	1	7	10	21	–	8	3	23	10	21

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	6	–	4	4	7	9	4	1	–	–	–	–	2	2	2	2
Apoplexy	16	7	8	11	27	25	8	10	7	3	1	1	2	1	4	3
Paralysis	5	5	2	19	29	26	8	15	2	5	1	5	2	4	–	3
Delirium Tremens	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	–	5	1	1	1	–	–	–	–	–	–	1
Tetanus	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	5	3	–	6	27	19	4	3	1	2	1	2	–	1	2	2
Brain Disease	9	4	3	3	17	16	4	3	1	1	–	2	2	1	1	5
Pericarditis	1	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–
Heart Disease	26	10	9	25	61	49	11	28	17	7	2	8	6	4	5	5
Laryngitis	–	–	1	2	2	2	–	1	–	–	–	–	–	–	2	1
Bronchitis	42	24	4	77	117	141	32	42	18	3	1	22	9	6	3	6
Pleurisy	1	–	–	1	7	6	2	–	–	–	1	–	–	1	1	–
Pneumonia	12	3	2	36	31	62	16	10	5	–	1	2	1	5	4	11
Asthma	–	–	1	4	16	11	1	1	–	–	–	–	1	–	–	–
Lung Disease	–	1	–	–	5	8	3	–	–	1	–	–	–	–	–	1
Teething	3	–	–	10	23	19	2	6	1	–	–	1	–	–	–	3
Quinsey	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Gastritis	–	3	2	–	3	1	–	–	1	–	–	–	1	–	–	–
Enteritis	6	–	1	13	27	39	9	7	4	–	–	6	1	1	1	–
Peritonitis	2	–	–	3	2	9	2	1	–	–	–	1	–	1	–	–
Ascites	–	–	–	–	1	2	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	2	–	–	2	2	2	–	3	3	–	–	–	–	1	–	–
Hernia	2	–	–	–	3	–	–	1	–	–	–	–	1	–	–	–
Ileus	–	1	–	–	4	6	1	1	–	–	–	–	1	–	–	–
Intussusception	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	3	–	–	1	–	–	–	1	–	–	–	–
Stomach Disease	3	2	–	5	13	7	–	2	2	–	–	4	2	2	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	3	1	2	–	–	1	–	–	–	–	–	–	1
Jaundice	1	1	1	1	–	4	–	1	–	–	–	1	–	1	–	–
Liver Disease	4	2	3	7	11	9	2	4	–	2	–	1	–	1	1	2
Spleen Disease	–	–	–	–	2	2	–	–	–	–	1	–	–	–	–	–
Nephritis	1	1	–	3	1	4	–	–	–	–	–	–	–	1	–	–
Nephria	1	2	2	2	3	4	3	2	1	–	–	–	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	1	–	1	1	1	1	–	–	–	–	–	–	–	1	–
Diabetes	1	–	–	2	3	2	–	3	–	1	–	1	1	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	1	–	4	3	9	1	2	–	–	1	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	2	3	6	2	1	–	1	–	1	–	–	1	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	1	2	2	–	1	–	–	–	–	1	–	–	1
Rheumatism	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1
Joint Disease	–	1	–	1	–	1	1	–	–	–	–	2	–	–	–	–
Carbuncle	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Intemperance	–	1	–	1	2	6	1	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	6	–	–	–	–	–	1	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	4	5	9	1	–	–	–	–	–	–	1	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	2	–	3	–	1	–	–	–	1	–	–
Drowning	8	4	1	6	6	16	–	4	1	7	–	1	1	–	3	1
Fracture and Contusion	7	1	–	12	35	54	12	7	1	–	–	7	1	3	1	1
Gunshot Wounds	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	1	–	3	2	–	–	1	1	–	–	–	–	–	1	–
Not Specified	14	18	3	28	14	24	13	18	4	–	–	2	–	2	3	5

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES OF SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	8315	41	29	161	106	41	187	229	344	61	306	241	591	177	589
SPECIFIED CAUSES . . .	8115	40	26	157	100	40	184	222	328	61	303	232	576	172	572
I. Zymotic Class . .	1786	11	6	40	31	3	29	64	79	11	70	49	122	27	148
II. Uncertain Seat . .	369	2	2	8	3	2	11	19	22	3	15	11	33	10	35
III. Tubercular Class .	1530	8	3	30	7	8	21	29	46	8	35	43	79	40	91
IV. Brain, etc. . . .	710	1	–	16	11	8	28	14	26	9	34	24	51	12	43
V. Heart, etc. . . .	457	–	1	7	2	2	10	7	26	2	18	16	55	5	17
VI. Respiratory Organs .	1067	1	3	22	14	4	28	33	41	6	41	33	65	22	79
VII. Digestive Organs .	528	3	1	7	4	2	13	15	16	7	18	11	34	12	52
VIII. Urinary Organs .	74	1	–	2	1	1	2	3	3	–	–	3	5	4	4
IX. Generative Organs .	129	–	1	3	3	1	1	9	3	1	7	2	10	2	8
X. Locomotive Organs .	55	–	–	1	1	–	1	1	3	–	–	–	9	2	1
XI. Skin etc., . . .	15	–	–	–	–	–	–	–	3	–	1	–	–	–	–
XII. Malformation . .	28	1	–	–	–	–	1	1	–	–	2	1	1	–	1
XIII. Premature Debility .	370	–	–	3	1	2	10	11	14	–	16	7	24	11	25
XIV. Atrophy . . .	58	2	–	3	2	–	3	1	3	–	5	–	3	–	4
XV. Age	786	9	8	12	19	7	21	15	39	12	37	25	73	24	53
XVI. Sudden Deaths . .	13	–	–	–	–	–	–	–	–	–	–	1	3	–	2
XVII. Violent Deaths . .	140	1	1	3	1	–	5	–	4	2	4	6	9	1	9
I. Small Pox . . .	162	4	–	–	4	–	–	2	4	–	12	17	22	6	6
Measles . . .	145	–	–	–	–	–	–	10	25	–	6	1	3	–	8
Scarlatina . . .	240	4	1	5	6	1	–	3	2	–	7	3	13	–	14
Diphtheria . . .	141	–	2	6	2	–	12	7	3	2	–	1	12	10	20
Hooping Cough . .	302	–	–	–	4	–	3	18	13	–	3	9	24	6	45
Croup . . .	152	–	–	6	4	–	9	5	6	2	1	5	10	–	16
Thrush . . .	4	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	165	–	1	8	1	–	1	3	10	–	8	4	7	–	3
Dysentery . . .	30	–	1	–	–	–	–	1	2	–	3	1	2	–	1
Cholera . . .	14	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Influenza . . .	8	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Purpura . . .	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	86	1	1	3	6	–	1	2	2	1	5	1	8	3	12
Enteric Fever . .	177	–	–	5	–	1	1	9	4	4	13	6	10	1	10
Relapsing Fever .	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	18	–	–	2	–	–	1	–	–	–	–	–	1	–	2
Infantile Remittent .	13	–	–	–	–	–	–	–	1	–	–	–	2	–	3
Metria	53	2	–	2	1	–	–	3	3	1	5	–	6	1	4
Rheumatic Fever .	19	–	–	1	1	1	–	–	–	1	2	–	1	–	–
Erysipelas . . .	21	–	–	–	–	–	1	–	1	–	1	–	1	–	–
Pyæmia . . .	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis . . .	23	–	–	1	–	–	–	–	2	–	1	–	–	–	3
Noma	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	5	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Dropsy . . .	74	–	1	2	1	–	–	1	6	–	3	3	6	7	14
Abscess . . .	17	–	–	–	–	–	1	1	1	1	–	1	1	–	–
Ulcer	8	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	19	–	–	–	–	–	–	–	3	–	–	1	1	–	2
Cancer	244	2	1	6	1	2	10	15	12	2	12	6	24	3	19
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	75	–	–	1	1	–	–	3	6	–	1	2	3	–	2
Tabes Mesenterica .	102	–	–	–	–	1	2	–	–	–	1	1	7	–	11
Phthisis . . .	1156	5	3	28	6	5	16	23	37	7	29	33	61	33	63
Hydrocephalus . .	197	3	–	1	–	2	3	3	3	1	4	7	8	7	15

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	403	192	120	718	1080	1163	266	391	194	48	34	184	104	92	103	120
SPECIFIED CAUSES	398	169	120	703	1072	1143	252	387	186	48	33	183	103	89	102	114
Zymotic Class	97	25	16	146	207	264	74	111	58	6	5	40	5	8	13	21
Uncertain Seat	18	11	7	20	45	39	7	14	5	2	–	6	3	4	8	4
Tubercular Class	75	32	34	165	251	257	37	60	26	10	8	41	22	28	22	14
Brain, etc.	34	16	11	62	96	65	30	29	18	5	2	17	16	9	9	14
Heart, etc.	33	11	10	45	65	33	12	15	10	6	4	11	6	6	15	7
Respiratory Organs	38	27	17	119	122	148	44	52	14	6	5	17	15	15	9	27
Digestive Organs	22	7	7	43	69	94	12	24	6	6	3	11	10	6	6	7
Urinary Organs	5	3	2	7	6	12	1	2	2	–	–	2	1	–	–	2
Generative Organs	8	3	3	6	19	19	1	7	3	–	–	3	3	1	1	1
Locomotive Organs	3	3	1	5	11	5	1	3	–	–	–	2	–	1	1	–
Skin	1	–	–	2	3	3	1	–	–	–	–	1	–	–	–	–
Malformation	1	1	–	1	6	5	1	1	1	–	–	2	–	–	–	1
Premature Debility	10	4	3	26	50	77	9	26	10	3	1	13	3	4	1	6
Atrophy	3	1	–	5	4	9	–	3	4	–	–	1	1	–	1	–
Age	43	23	7	37	96	85	20	37	24	3	4	11	14	4	14	10
Sudden Deaths	1	–	–	2	–	3	1	–	–	–	–	–	–	–	–	–
Violent Deaths	6	2	2	12	22	25	1	3	5	1	1	5	4	3	2	–
Small Pox	–	–	–	–	14	10	4	23	26	–	–	7	–	1	–	–
Measles	8	1	–	15	8	51	–	4	–	–	1	–	–	–	–	4
Scarlatina	23	2	1	20	14	47	34	23	5	–	1	7	–	–	1	3
Diphtheria	13	2	–	13	14	10	5	2	2	–	1	1	–	–	–	1
Hooping Cough	13	5	4	35	43	39	7	18	5	–	–	4	–	–	–	4
Croup	7	3	5	11	24	13	2	12	–	3	–	4	1	1	1	1
Thrush	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	13	3	–	13	22	30	3	12	5	1	–	5	3	5	1	3
Dysentery	3	–	–	2	7	5	–	1	1	–	–	–	–	–	–	–
Cholera	1	–	–	2	3	4	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	1	2	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	2	10	3	13	1	1	5	–	–	–	–	–	–	1
Enteric Fever	6	2	–	15	28	22	12	4	6	2	1	7	1	1	3	3
Relapsing Fever	3	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	4	–	2	1	–	–	–	–	–	–	4	–
Infantile Remittent	–	–	1	3	–	1	1	1	–	–	–	–	–	–	–	–
Metria	–	4	1	3	4	8	–	2	2	–	–	1	–	–	–	–
Rheumatic Fever	1	–	–	1	1	4	–	2	1	–	–	–	–	–	1	1
Erysipelas	–	2	1	1	7	2	1	1	–	–	–	2	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	2	–	1	–	5	2	1	2	–	–	1	1	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	–	4	9	8	2	1	1	1	–	–	–	1	–	–
Abscess	2	–	–	–	3	3	–	1	2	–	–	–	–	–	–	–
Ulcer	–	–	–	1	1	–	–	3	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	1	6	–	–	–	–	–	–	1	–	1	–	1
Cancer	12	9	6	13	25	28	4	9	2	–	–	5	3	2	8	3
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	5	1	3	1	16	17	4	2	–	–	–	–	1	5	1	–
Tabes Mesenterica	2	1	4	14	17	24	4	5	2	2	–	3	–	1	–	–
Phthisis	57	25	22	132	180	179	23	48	20	7	7	32	20	22	19	14
Hydrocephalus	11	5	5	18	38	37	6	5	4	1	1	6	1	–	2	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

	DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV.	Cephalitis	57	–	–	3	1	–	5	–	2	–	1	–	6	–	1
	Apoplexy	106	–	–	2	1	3	11	3	7	2	8	5	15	1	8
	Paralysis	252	1	–	5	7	3	10	8	2	3	18	14	15	8	14
	Delirium Tremens	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Epilepsy	21	–	–	2	–	–	–	–	2	–	1	1	3	–	3
	Tetanus	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1
	Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Convulsions	74	–	–	1	1	2	1	1	4	1	2	1	1	2	8
	Brain Disease	102	–	–	2	1	–	1	2	9	2	4	3	8	1	8
V.	Pericarditis	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	7	–	–	1	–	–	–	2	–	–	1	–	2	–	–
	Heart Disease	442	–	1	6	2	2	10	5	26	2	17	16	53	5	17
VI.	Laryngitis	10	–	–	–	–	–	–	1	1	–	1	–	2	–	1
	Bronchitis	778	1	2	19	9	4	19	24	29	3	29	27	45	20	53
	Pleurisy	19	–	–	–	–	–	1	1	–	–	–	–	3	–	1
	Pneumonia	218	–	–	1	1	–	7	6	9	1	10	6	14	1	14
	Asthma	29	–	1	1	4	–	1	1	2	1	1	–	1	1	4
	Lung Disease	13	–	–	1	–	–	–	–	–	1	–	–	–	–	6
VII.	Teething	87	–	–	–	–	1	2	2	7	–	3	1	5	2	8
	Quinsey	7	–	–	–	1	–	–	–	–	–	–	–	–	1	1
	Gastritis	17	–	–	–	–	–	–	–	1	1	1	–	2	–	3
	Enteritis	99	–	–	1	–	–	2	5	–	2	5	1	2	–	4
	Peritonitis	47	1	–	2	–	–	2	1	2	–	–	–	1	1	5
	Ascites	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1
	Ulcer. of Intestines	23	–	–	–	–	–	3	–	2	–	1	–	1	–	2
	Hernia	9	–	–	1	–	1	–	1	1	–	1	–	1	–	1
	Ileus	27	–	–	–	–	–	1	4	–	1	2	1	4	1	2
	Intussusception	7	–	–	–	1	–	–	–	–	–	–	–	1	–	2
	Stricture of Intestines	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Stomach Disease	65	2	–	–	1	–	1	–	2	1	2	2	3	2	15
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	15	–	–	–	–	–	–	–	–	–	–	2	2	–	1
	Jaundice	29	–	–	–	1	–	1	1	1	–	2	–	3	–	1
	Liver Disease	79	–	1	3	–	–	1	–	–	2	1	3	7	4	5
	Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1
VIII.	Nephritis	9	–	–	–	–	1	–	–	–	–	–	–	1	1	–
	Nephria	60	–	–	1	–	–	1	2	1	–	–	2	3	1	3
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Diabetes	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	17	1	–	–	–	–	1	1	2	–	–	1	–	2	1
IX.	Paramenia	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Ovarian Dropsy	13	–	–	–	–	1	–	2	–	–	1	–	1	–	1
	Childbirth	94	–	1	3	3	–	1	6	2	1	6	2	6	2	6
	Organs of Generation	16	–	–	–	–	–	–	1	1	–	–	–	2	–	1
X.	Bone Disease	16	–	–	–	–	–	–	–	2	–	–	–	3	–	–
	Rheumatism	21	–	–	–	1	–	1	1	–	–	–	–	3	–	–
	Joint Disease	18	–	–	1	–	–	–	–	1	–	–	–	3	2	1
XI.	Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	10	–	–	–	–	–	–	–	3	–	1	–	–	–	–
XVII.	Intemperance	10	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	7	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	28	–	1	1	–	–	1	–	1	–	–	1	2	–	6
	Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Suffocation	13	–	–	1	–	–	–	–	–	–	2	–	1	–	–
	Drowning	22	–	–	–	–	–	1	–	–	2	1	–	4	1	1
	Fracture & Contusion	42	1	–	1	1	–	1	–	2	–	–	3	–	–	–
	Gunshot Wounds	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	5	–	–	–	–	–	1	–	–	–	–	–	1	–	1
	Not Specified	200	1	3	4	6	1	3	7	16	–	3	9	15	5	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	–	1	12	8	7	2	–	–	–	–	2	–	–	–	2
Apoplexy	9	4	5	18	33	16	3	14	5	–	–	4	7	4	5	3
Paralysis	13	6	2	10	32	21	13	11	5	3	1	6	8	4	1	8
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	2	1	1	2	1	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	2	–	6	9	14	7	1	1	–	–	2	–	–	–	–
Brain Disease	1	3	3	14	12	6	2	2	7	2	–	3	1	1	3	1
Pericarditis	–	–	1	4	1	1	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	33	11	9	41	64	32	11	14	10	6	4	11	6	6	15	7
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–
Bronchitis	25	24	12	82	93	109	36	37	12	4	5	15	9	6	5	20
Pleurisy	2	–	–	–	4	1	2	4	–	–	–	–	–	–	–	–
Pneumonia	10	3	5	32	20	36	6	9	2	1	–	2	6	8	2	6
Asthma	–	–	–	3	5	1	–	2	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	1
Teething	7	–	–	8	12	21	1	3	–	1	–	2	–	–	–	1
Quinsey	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	2	1	–	1	4	–	–	–	–	–	–	–	–	–	–	1
Enteritis	4	1	1	7	16	27	6	4	2	–	–	3	2	2	1	1
Peritonitis	–	1	1	6	4	13	1	3	–	–	–	–	1	–	2	–
Ascites	–	–	–	2	3	2	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	4	2	2	–	–	–	–	1	–	–	1	1
Hernia	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	2	3	–	–	2	3	–	–	1	–	–	–	–
Intussusception	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	5	–	1	5	7	3	–	4	–	2	–	1	2	2	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	1	1	4	–	1	–	–	–	1	–	–	–	–
Jaundice	–	–	–	1	5	6	1	–	–	1	1	–	1	–	1	2
Liver Disease	–	3	2	7	8	15	1	6	–	2	2	2	3	1	–	–
Spleen Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	3	–	–	1	1	–	–	–	–	1	–	–	–
Nephria	3	1	–	2	1	5	–	1	–	–	–	2	–	–	–	1
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	–	2	2	3	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	3	2	–	–	1	–	–	–	–	–	–	1
Paramenia	–	–	–	–	3	1	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	–	1	1	–	2	1	–	–	1	–	–	1	–	–	–	–
Childbirth	5	2	2	5	12	15	1	6	1	–	–	2	2	–	1	1
Organs of Generation	3	–	–	1	2	2	–	1	1	–	–	–	–	1	–	–
Bone Disease	–	–	1	4	1	2	–	1	–	–	–	1	–	1	–	–
Rheumatism	2	2	–	–	7	2	–	1	–	–	–	–	–	–	1	–
Joint Disease	1	1	–	1	3	1	1	1	–	–	–	1	–	–	–	–
Carbuncle	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	5	–	1	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	3	–	–	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	4	–	–	1	–	–	–	–	1	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	2	7	–	–	1	–	–	–	1	1	1	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	1	1	–	–	–	1	1	2	1	–	1	–
Drowning	3	–	–	1	3	2	1	–	–	–	–	1	–	1	–	–
Fracture and Contusion	1	–	1	9	11	6	–	–	3	–	–	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	5	23	–	15	8	20	14	4	8	–	1	1	1	3	1	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Total Mainland Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	18093	277	371	831	464	54	409	590	1825	461	582	1397	1328	137	126
SPECIFIED CAUSES	17270	258	337	751	416	50	387	568	1772	441	563	1348	1271	135	120
I. Zymotic Class	2984	33	40	85	54	9	44	96	320	92	121	195	220	21	23
II. Diseases of Uncert. Seat	783	16	17	41	25	–	24	34	98	25	31	60	60	4	10
III. Tubercular Class	2515	37	31	120	45	5	51	74	257	57	52	156	192	14	21
IV. Brain and Nervous Syst.	1616	20	34	52	32	1	47	57	161	41	54	124	122	20	9
V. Organs of Circulation	1087	24	9	24	17	1	25	33	98	14	37	112	94	18	3
VI. Respiratory Organs	2215	31	32	72	38	3	47	91	251	62	71	191	155	12	26
VII. Organs of Digestion	1324	21	26	38	28	7	44	40	135	34	28	132	74	9	10
VIII. Urinary Organs	348	8	5	14	3	–	10	16	54	11	7	25	22	5	2
IX. Organs of Generation	152	3	5	6	8	1	4	4	13	5	6	10	16	–	–
X. Organs of Locomotion	107	1	2	5	2	–	3	8	10	1	1	6	7	–	–
XI. Skin, etc.	28	2	–	2	1	–	1	1	2	–	–	–	1	–	–
XII. Malformation	63	1	1	2	–	–	1	–	8	6	4	1	3	1	4
XIII. Premature Debility	745	5	6	16	7	3	14	18	91	16	40	44	44	8	1
XIV. Atrophy	118	–	2	6	5	–	–	3	14	2	5	11	11	–	1
XV. Age	2545	50	119	247	136	20	67	79	210	56	75	230	186	19	7
XVI. Sudden Deaths	20	–	–	1	–	–	–	1	–	–	2	2	4	–	–
XVII. Violent Deaths	590	6	8	20	15	–	5	13	50	19	29	49	60	4	3
I. Small Pox	393	–	–	7	4	1	–	1	22	10	32	18	31	5	2
Measles	170	–	–	2	–	–	1	9	59	13	3	3	2	–	–
Scarlatina	414	7	5	13	9	–	7	3	26	26	14	14	41	–	–
Diphtheria	259	–	–	8	1	–	6	22	39	5	7	18	12	2	3
Hooping Cough	350	1	1	3	–	–	5	12	31	2	14	23	37	4	4
Croup	214	6	6	6	3	7	4	2	13	4	9	17	20	–	4
Thrush	10	–	–	–	–	–	–	1	1	–	–	1	–	–	–
Diarrhœa	297	6	5	10	4	–	6	17	38	6	10	28	25	4	3
Dysentery	70	1	2	3	1	–	2	3	9	2	3	7	2	–	–
Cholera	17	–	–	–	–	–	–	1	–	–	2	–	3	–	–
Influenza	32	–	–	1	–	–	–	–	7	–	1	2	1	1	–
Purpura	12	1	–	1	–	–	–	–	1	1	1	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Typhus	108	–	2	5	8	–	–	4	9	4	3	7	7	–	3
Enteric Fever	346	10	8	11	3	–	4	11	49	13	8	29	11	3	3
Relapsing Fever	15	–	–	3	–	–	–	–	1	–	–	–	2	–	–
Simple Continued Fever	43	–	–	2	11	–	–	1	1	2	1	6	2	–	–
Infantile Remittent	21	–	–	–	–	–	–	1	–	–	–	3	4	–	–
Metria	44	1	7	2	–	–	2	1	1	–	5	2	9	–	–
Rheumatic Fever	44	–	2	3	4	–	1	2	1	1	1	7	3	–	–
Erysipelas	89	–	2	3	3	1	6	5	10	2	4	5	5	2	1
Pyæmia	16	–	–	–	2	–	–	–	–	–	3	3	2	–	–
Syphilis	14	–	–	1	–	–	–	–	1	1	–	1	1	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	–	1	1	–	–	–	2	1	1	–	–	–	–	–
Dropsy	150	2	4	12	11	–	2	2	10	2	6	16	9	–	6
Abscess	32	1	1	1	1	–	1	–	5	1	1	1	2	–	–
Ulcer	9	–	–	1	–	–	–	1	–	–	–	2	2	1	–
Fistula	5	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Mortification	25	–	–	2	1	–	1	–	3	1	1	2	2	–	–
Cancer	543	13	11	23	9	–	20	29	77	20	23	39	44	3	4
Gout	7	–	–	1	3	–	–	–	–	–	–	–	1	–	–
III. Scrofula	194	1	3	6	–	–	3	3	32	2	2	13	14	1	–
Tabes Mesenterica	162	1	1	1	1	–	3	2	17	2	1	8	9	1	2
Phthisis	1848	30	26	105	42	5	36	54	179	37	34	123	146	12	16
Hydrocephalus	311	5	1	8	2	–	9	15	29	16	15	12	23	–	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	797	290	794	493	1022	1311	276	1055	332	448	166	38	384	896	463	476
SPECIFIED CAUSES	772	266	739	469	983	1264	255	1024	320	444	158	38	369	859	445	448
Zymotic Class	207	59	92	60	159	269	63	268	59	85	25	4	48	115	49	62
Uncertain Seat	22	7	28	12	28	37	10	36	19	18	7	3	29	33	23	26
Tubercular Class	116	46	129	91	195	216	26	125	31	43	30	6	45	151	85	68
Brain, etc.	65	21	83	39	91	95	27	102	48	58	7	2	48	76	50	30
Heart, etc.	34	17	33	37	54	59	24	70	26	41	13	4	34	68	39	25
Respiratory Organs	122	40	68	65	126	191	38	135	28	40	17	6	39	122	54	72
Digestive Organs	68	12	58	53	62	119	11	70	16	31	20	6	35	77	36	24
Urinary Organs	12	6	16	8	18	17	3	15	6	4	2	–	12	22	15	10
Generative Organs	2	–	6	3	10	16	1	8	3	2	5	–	3	3	7	2
Locomotive Organs	4	–	3	4	4	9	2	11	4	4	3	–	–	9	3	1
Skin	–	1	1	2	5	2	1	2	–	1	–	–	2	–	–	1
Malformation	1	–	–	–	10	4	1	4	–	3	–	–	2	4	1	1
Premature Debility	34	16	15	20	67	70	18	47	18	26	10	1	27	27	24	12
Atrophy	5	–	7	1	7	12	–	8	5	5	–	–	1	5	1	1
Age	57	25	165	48	111	96	20	94	51	63	14	2	35	121	44	98
Sudden Deaths	1	–	–	2	–	2	–	–	1	–	1	–	1	1	1	–
Violent Deaths	22	16	28	24	36	50	10	29	5	20	4	4	8	25	13	15
Small Pox	63	4	1	6	2	13	5	98	23	9	6	1	4	14	7	4
Measles	13	1	1	2	16	37	–	–	1	2	–	–	–	1	2	2
Scarlatina	19	25	25	5	6	50	15	46	3	17	2	–	5	12	2	17
Diphtheria	7	2	9	7	14	13	9	29	4	19	1	–	16	4	1	1
Hooping Cough	41	6	17	7	34	44	8	31	3	2	2	–	1	14	1	2
Croup	8	5	9	6	14	16	2	13	4	17	1	–	2	10	5	1
Thrush	–	–	2	–	–	3	1	–	–	1	–	–	–	–	–	–
Diarrhœa	8	6	1	8	19	29	6	16	1	3	2	–	4	15	6	11
Dysentery	4	–	6	1	3	5	3	2	2	2	–	–	2	2	2	1
Cholera	1	–	–	2	1	–	1	4	1	1	–	–	–	–	–	–
Influenza	6	–	6	–	2	1	–	1	–	–	–	–	1	2	–	–
Purpura	1	–	–	–	1	1	–	1	–	–	1	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
Typhus	7	1	7	3	5	9	1	5	3	2	3	–	1	6	1	2
Enteric Fever	14	5	8	5	22	37	4	12	11	7	5	1	4	24	15	9
Relapsing Fever	1	–	–	–	6	–	–	2	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	1	–	5	–	1	–	–	–	1	2	1	–	2	2
Infantile Remittent	1	–	–	4	–	1	–	1	–	–	–	–	3	1	1	1
Metria	1	1	–	–	5	2	1	–	1	–	–	–	–	1	1	1
Rheumatic Fever	–	1	2	–	–	4	3	2	1	–	–	–	–	2	1	3
Erysipelas	6	2	3	2	4	2	3	2	1	2	1	–	3	4	2	3
Pyæmia	2	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–
Syphilis	2	–	1	1	–	1	–	3	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–
Dropsy	3	2	8	5	4	11	–	7	5	3	2	1	3	3	5	6
Abscess	1	–	–	–	2	2	–	5	–	–	–	1	2	1	1	2
Ulcer	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Mortification	2	–	1	1	1	–	1	1	–	1	–	–	2	1	–	1
Cancer	14	4	18	6	20	21	9	21	14	13	5	1	22	27	17	16
Gout	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula	10	3	6	9	29	13	–	11	2	5	2	1	1	9	8	5
Tabes Mesenterica	7	3	5	5	20	24	4	17	2	1	5	1	4	11	3	1
Phthisis	77	35	105	60	112	156	19	94	24	32	19	4	34	110	65	57
Hydrocephalus	22	5	13	17	34	23	3	3	3	5	4	–	6	21	9	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	152	1	3	6	3	–	2	5	22	5	1	6	11	–	1
Apoplexy	408	5	6	7	5	–	17	11	36	6	19	28	32	7	4
Paralysis	571	8	14	18	15	1	17	21	51	14	19	56	43	6	2
Delirium Tremens	11	–	1	–	–	–	–	–	1	1	1	–	1	–	–
Chorea	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	79	–	4	2	2	–	1	2	7	–	2	11	6	2	–
Tetanus	10	–	–	1	–	–	–	–	–	–	1	1	–	–	–
Insanity	9	–	–	1	2	–	–	–	–	–	–	–	3	–	–
Convulsions	169	4	4	8	3	–	5	5	20	10	5	10	9	3	1
Brain Disease	205	2	2	9	2	–	5	13	23	5	6	12	17	2	1
V. Pericarditis	19	1	1	–	–	–	–	1	–	–	–	3	1	2	1
Aneurism	23	–	–	–	–	–	–	1	4	–	1	1	5	–	–
Heart Disease	1045	23	8	24	17	1	25	31	94	14	36	108	88	16	2
VI. Laryngitis	38	1	1	–	–	–	–	2	8	1	2	1	1	–	–
Bronchitis	1400	14	15	36	26	1	31	56	170	42	42	113	95	2	21
Pleurisy	72	–	–	3	1	–	1	4	9	2	2	3	8	3	1
Pneumonia	554	7	5	18	7	2	11	24	57	15	22	58	39	7	2
Asthma	134	9	11	14	3	–	3	5	7	2	2	8	9	–	2
Lung Disease	47	–	–	1	1	–	1	–	–	–	1	8	3	–	–
VII. Teething	132	–	3	–	1	1	7	9	16	4	1	7	14	1	3
Quinsey	16	1	–	–	1	–	–	–	2	–	1	–	–	–	–
Gastritis	80	–	2	5	1	1	1	–	13	–	1	12	4	1	–
Enteritis	236	4	2	14	5	–	5	3	11	5	8	20	9	1	–
Peritonitis	95	–	1	1	2	–	1	3	14	5	4	6	4	2	–
Ascites	24	–	3	2	–	1	1	–	2	–	–	3	1	–	1
Ulceration of Intestines	87	2	2	–	–	1	5	1	11	3	–	5	3	–	–
Hernia	30	–	–	–	–	–	–	–	7	2	–	3	3	–	2
Ileus	99	1	4	5	3	–	5	5	20	3	3	8	4	–	–
Intussusception	11	–	–	–	–	–	–	1	–	–	2	–	1	–	–
Stricture of Intestines	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Stomach Disease	187	7	4	3	8	2	7	11	15	3	1	37	15	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	40	–	–	1	2	–	4	1	1	–	–	3	4	2	–
Jaundice	60	1	–	1	1	–	3	2	8	1	4	4	5	–	1
Liver Disease	219	4	5	6	3	1	5	4	15	8	3	23	7	1	2
Spleen Disease	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	24	–	–	1	–	–	–	–	3	–	1	3	1	–	–
Nephria	89	5	1	3	1	–	2	7	8	–	2	4	5	1	2
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	14	2	2	–	–	–	–	–	4	–	–	1	–	–	–
Diabetes	34	–	1	2	1	–	1	–	9	1	1	2	5	–	–
Stone	23	–	1	4	–	–	–	1	3	3	–	1	1	–	–
Cystitis	75	–	–	3	–	–	2	2	12	4	2	4	8	1	–
Stricture of Urethra	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	85	1	–	1	1	–	4	5	15	3	1	10	2	3	–
IX. Paramenia	13	–	–	–	1	–	1	–	1	1	–	1	–	–	–
Ovarian Dropsy	21	–	–	–	–	–	1	1	4	1	1	–	6	–	–
Childbirth	99	2	5	6	5	1	2	3	7	3	4	8	8	–	–
Organs of Generation	19	1	–	–	2	–	–	–	1	–	1	1	2	–	–
X. Bone Disease	39	1	1	1	–	–	1	3	5	1	–	2	4	–	–
Rheumatism	42	–	1	3	1	–	1	2	4	–	–	4	3	–	–
Joint Disease	26	–	–	1	1	–	1	3	1	–	1	–	–	–	–
XI. Carbuncle	7	1	–	–	–	–	–	–	1	–	–	–	1	–	–
Phlegmon	6	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Skin Disease	15	1	–	1	1	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	26	1	–	1	1	–	–	–	2	–	1	–	1	1	–
Privation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	1	–	–	–	–	–	–	–	–	–	2	–	–	–
Poison	4	–	–	–	–	–	–	1	–	–	–	2	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	55	2	1	2	3	–	–	1	8	3	2	6	2	–	–
Hanging, etc.	14	–	–	2	–	–	–	1	–	–	–	1	4	–	–
Suffocation	35	–	–	–	–	–	1	2	1	2	3	2	3	1	–
Drowning	178	2	2	11	8	–	1	3	19	8	10	17	21	–	1
Fracture and Contusion	233	–	4	3	2	–	3	4	16	5	10	14	25	2	2
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–
Cuts and Stabs	9	–	–	–	–	–	–	1	1	–	1	1	–	–	–
Other Violent Causes	18	–	1	1	1	–	–	–	2	1	–	1	1	–	–
Not Specified	823	19	34	80	48	4	22	22	53	20	19	49	57	2	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	7	1	14	4	15	11	3	10	1	1	–	–	4	6	7	2
Apoplexy	9	7	16	12	29	18	5	27	11	21	1	1	19	25	15	9
Paralysis	27	6	19	9	23	41	8	37	24	16	4	–	12	31	19	10
Delirium Tremens	–	–	–	–	–	1	–	2	1	1	–	–	1	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	6	3	4	–	4	–	2	6	1	3	–	1	2	3	3	2
Tetanus	–	1	1	1	–	–	1	1	–	1	–	–	–	1	–	–
Insanity	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	–	11	6	5	10	4	10	3	6	1	–	6	3	2	4
Brain Disease	5	3	16	7	14	14	4	8	7	9	1	–	4	7	4	3
Pericarditis	–	1	1	–	2	2	–	2	–	–	–	–	–	1	–	–
Aneurism	–	1	–	–	1	2	1	–	–	3	–	–	–	2	–	1
Heart Disease	34	15	32	37	51	55	23	68	26	38	13	4	34	65	39	24
Laryngitis	1	–	–	1	4	4	–	1	1	–	–	–	–	3	1	5
Bronchitis	70	28	34	37	82	127	26	100	15	22	14	5	26	81	28	41
Pleurisy	4	2	–	3	–	5	–	3	1	2	1	1	2	4	6	1
Pneumonia	26	7	23	21	32	34	11	25	9	13	2	–	9	28	18	22
Asthma	14	2	10	2	3	11	–	2	1	3	–	–	2	6	1	2
Lung Disease	7	1	1	1	5	10	1	4	1	–	–	–	–	–	–	1
Teething	10	1	2	7	4	8	1	8	3	4	6	1	–	3	–	7
Quinsey	2	–	1	1	2	3	–	1	–	–	–	–	–	–	1	–
Gastritis	2	1	8	–	2	7	–	7	2	–	1	1	–	7	–	1
Enteritis	18	3	3	15	13	38	5	11	1	5	3	–	6	16	6	6
Peritonitis	5	–	1	4	6	8	1	5	1	1	2	1	7	7	2	1
Ascites	–	1	2	–	1	1	–	–	1	1	–	–	–	1	1	1
Ulceration of Intestines	5	–	3	–	2	8	1	4	1	6	–	1	6	7	9	1
Hernia	2	–	1	1	1	1	–	3	1	–	–	–	1	–	1	1
Ileus	2	–	3	2	3	6	–	3	–	2	2	1	2	6	4	2
Intussusception	–	1	1	1	1	–	–	–	–	–	1	–	2	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	5	2	11	8	8	11	–	4	1	–	3	1	5	7	6	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	3	1	5	2	–	4	1	1	–	–	3	–	1	–
Jaundice	3	1	1	–	4	6	–	4	–	4	2	–	2	2	–	–
Liver Disease	13	2	18	9	10	20	3	16	4	6	–	–	4	18	6	3
Spleen Disease	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	2	–	2	3	–	2	–	–	–	–	–	2	3	–
Nephria	4	1	2	2	8	2	2	6	2	1	–	–	6	3	6	3
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	1
Diabetes	1	–	1	–	1	1	–	–	–	–	–	–	1	3	1	2
Stone	–	1	3	–	–	1	–	–	–	–	–	–	–	1	1	2
Cystitis	3	1	2	2	5	3	–	2	3	1	1	–	2	9	3	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	1	5	4	1	7	1	4	1	2	1	–	1	4	1	2
Paramenia	–	–	–	1	1	2	–	1	–	1	–	–	–	1	1	–
Ovarian Dropsy	–	–	–	–	2	1	–	1	–	–	–	–	1	1	1	–
Childbirth	2	–	3	2	7	11	1	3	2	1	4	–	2	1	4	2
Organs of Generation	–	–	3	–	–	2	–	3	1	–	1	–	–	–	1	–
Bone Disease	3	–	–	2	1	4	1	3	–	1	1	–	–	3	1	–
Rheumatism	1	–	2	2	2	3	1	3	3	1	1	–	–	2	1	1
Joint Disease	–	–	1	–	1	2	–	5	1	2	1	–	–	4	1	–
Carbuncle	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–
Skin Disease	–	–	–	1	3	2	1	2	–	1	–	–	–	–	–	1
Intemperance	4	–	2	3	1	1	1	2	1	1	–	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	4	1	3	3	–	3	–	1	1	–	2	–	4	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	2	1	–	–	1	–	–
Suffocation	–	–	2	1	1	4	–	7	1	1	1	–	–	–	1	1
Drowning	4	11	10	8	7	3	2	2	1	9	1	2	2	2	4	7
Fracture and Contusion	6	4	7	9	23	37	6	14	2	5	–	–	4	16	4	6
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Other Violent Causes	2	1	2	1	–	1	–	–	–	1	–	–	–	2	–	–
Not Specified	20	24	55	24	39	47	21	31	12	4	8	–	15	37	18	28

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	8876	136	157	428	202	27	199	291	925	212	297	651	610	67	58
SPECIFIED CAUSES	8425	129	140	390	183	24	186	275	898	200	282	632	581	67	55
I. Zymotic Class	1412	15	10	44	18	6	23	49	167	41	51	84	98	11	8
II. Uncertain Seat	285	5	6	12	12	–	6	14	38	7	15	22	15	1	3
III. Tubercular Class	1251	24	15	74	27	2	30	30	136	23	28	70	97	8	10
IV. Brain, etc.	823	10	19	25	13	1	26	32	81	18	31	54	62	11	4
V. Heart, etc.	553	14	5	14	9	1	11	18	56	9	15	57	37	9	3
VI. Respiratory Organs	1183	16	18	44	20	2	18	47	123	28	34	110	85	4	13
VII. Digestive Organs	683	12	17	23	10	3	26	24	73	16	13	72	25	4	3
VIII. Urinary Organs	228	8	2	9	2	–	7	10	36	8	5	12	14	4	–
IX. Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Locomotive Organs	62	1	2	5	1	–	1	5	5	1	1	2	3	–	–
XI. Skin, etc.	14	1	–	1	–	–	1	–	–	–	–	–	1	–	–
XII. Malformation	38	1	1	2	–	–	–	–	4	4	3	1	1	–	3
XIII. Premature Debility	421	5	2	11	3	1	7	11	51	7	26	32	19	4	1
XIV. Atrophy	46	–	–	4	2	–	–	–	7	1	1	3	3	–	1
XV. Age	963	13	38	104	53	8	27	27	86	21	32	81	70	8	4
XVI. Sudden Deaths	9	–	–	1	–	–	–	1	–	–	2	–	1	–	–
XVII. Violent Deaths	454	4	5	17	13	–	3	7	35	16	25	32	50	3	2
I. Small Pox	201	–	–	4	1	1	–	–	13	7	15	8	10	3	1
Measles	83	–	–	–	–	–	–	6	36	4	1	2	–	–	–
Scarlatina	204	3	4	5	4	–	5	2	16	11	5	6	20	–	–
Diphtheria	119	–	–	4	–	–	2	11	18	1	4	7	6	2	–
Hooping Cough	148	1	–	2	–	–	2	6	16	1	5	9	12	2	2
Croup	127	3	3	3	–	5	3	2	9	2	4	7	14	–	1
Thrush	8	–	–	–	–	–	–	1	1	–	–	1	–	–	–
Diarrhœa	126	1	3	4	1	–	3	9	16	1	5	11	12	2	2
Dysentery	31	1	–	2	1	–	1	3	2	1	2	3	–	–	–
Cholera	8	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Influenza	16	–	–	–	–	–	–	–	4	–	–	1	1	–	–
Purpura	7	1	–	1	–	–	–	–	–	1	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	–	4	3	–	–	2	4	3	2	3	5	–	1
Enteric Fever	163	5	–	5	2	–	3	4	24	8	2	12	5	1	–
Relapsing Fever	8	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Simple Continued Fever	19	–	–	1	4	–	–	1	–	–	1	2	1	–	–
Infantile Remittent	6	–	–	–	–	–	–	1	–	–	–	2	2	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	22	–	–	2	1	–	1	1	–	–	1	6	1	–	–
Erysipelas	43	–	–	3	1	–	3	–	6	–	1	2	3	1	1
Pyæmia	10	–	–	–	–	–	–	–	–	–	2	2	2	–	–
Syphilis	7	–	–	1	–	–	–	–	1	1	–	–	1	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Dropsy	66	–	2	5	5	–	–	1	2	–	3	7	5	–	2
Abscess	13	1	–	1	–	–	1	–	4	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Mortification	13	–	–	1	1	–	–	–	2	1	1	1	–	–	–
Cancer	180	4	3	5	3	–	5	12	27	6	10	14	9	1	1
Gout	6	–	–	–	3	–	–	–	–	–	–	–	1	–	–
III. Scrofula	111	1	2	5	–	–	2	1	21	1	–	8	6	1	–
Tabes Mesenterica	82	1	–	–	1	–	1	2	7	2	1	2	5	–	1
Phthisis	890	17	12	66	25	2	22	21	93	12	17	53	72	7	7
Hydrocephalus	168	5	1	3	1	–	5	6	15	8	10	7	14	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	403	152	384	246	522	681	158	510	149	225	78	26	185	430	225	242
SPECIFIED CAUSES	386	136	357	234	498	658	142	489	145	222	73	26	176	407	212	222
Zymotic Class	103	28	51	33	80	110	32	121	34	48	11	4	23	52	27	30
Uncertain Seat	8	3	9	3	14	21	4	10	6	9	5	2	11	10	4	10
Tubercular Class	51	19	68	39	92	112	16	57	14	22	13	3	20	70	47	34
Brain, etc.	34	14	38	24	53	43	12	58	26	23	4	1	27	39	20	20
Heart, etc.	16	7	14	20	26	37	14	35	12	20	7	3	16	36	18	14
Respiratory Organs	70	23	35	35	64	119	24	68	10	23	9	4	16	64	25	32
Digestive Organs	40	5	29	22	38	62	7	42	4	16	8	2	16	40	17	14
Urinary Organs	8	4	15	4	10	11	1	5	4	3	1	–	8	15	13	9
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	1	1	2	7	1	9	1	3	2	–	–	5	1	–
Skin	–	1	–	2	2	1	1	1	–	1	–	–	1	–	–	–
Malformation	1	–	–	–	6	2	–	4	–	1	–	–	1	2	–	1
Premature Debility	22	6	6	12	36	40	10	22	6	18	4	1	17	16	15	10
Atrophy	2	–	4	–	4	6	–	4	2	–	–	–	–	2	–	–
Age	16	11	64	17	37	44	12	36	22	19	5	2	14	37	18	37
Sudden Deaths	–	–	–	1	–	1	–	–	–	–	1	–	–	1	–	–
Violent Deaths	13	15	23	21	34	42	8	17	4	16	3	4	6	18	7	11
Small Pox	33	3	–	5	1	6	4	47	17	7	3	1	–	7	2	2
Measles	7	–	–	–	11	13	–	–	–	–	–	–	–	1	2	–
Scarlatina	10	14	17	3	1	23	10	21	2	10	1	–	2	3	–	6
Diphtheria	5	1	4	4	5	4	5	15	–	9	1	–	8	2	–	1
Hooping Cough	18	2	10	4	15	13	4	10	1	1	2	–	–	7	1	2
Croup	6	4	4	3	8	8	1	8	3	11	–	–	2	8	5	–
Thrush	–	–	1	–	–	3	–	–	–	1	–	–	–	–	–	–
Diarrhœa	3	1	–	5	11	10	3	4	1	3	–	–	2	4	4	5
Dysentery	2	–	2	1	1	4	1	–	1	–	–	–	–	1	1	1
Cholera	–	–	–	2	1	–	–	2	–	1	–	–	–	–	–	–
Influenza	3	–	3	–	1	–	–	–	–	–	–	–	1	2	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	3	1	3	5	–	3	2	–	2	–	–	1	1	2
Enteric Fever	5	2	3	3	16	18	1	6	6	3	2	1	2	11	8	5
Relapsing Fever	1	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	2	–	–	–	–	–	–	2	1	–	1	2
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	1	1	1	1	–	–	–	–	1	1	2
Erysipelas	2	1	2	2	2	–	2	1	–	1	–	–	3	4	1	1
Pyæmia	1	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
Syphilis	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	3	2	3	10	–	2	3	1	2	1	1	1	1	2
Abscess	–	–	–	–	2	1	–	–	–	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	1	–	–	1	–	–	–	1	–	1	–	–	–	1	–	1
Cancer	6	1	6	–	9	9	4	7	3	7	3	1	9	7	2	6
Gout	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula	6	1	2	2	17	10	–	5	1	3	2	1	–	5	6	2
Tabes Mesenterica	3	1	3	5	11	14	2	10	1	–	2	–	2	3	1	1
Phthisis	29	15	57	25	46	76	12	41	12	16	7	2	14	50	36	26
Hydrocephalus	13	2	6	7	18	12	2	1	–	3	2	–	4	12	4	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	86	–	2	5	1	–	1	4	12	2	–	3	5	–	1
Apoplexy	213	3	3	2	1	–	11	4	16	4	11	15	18	4	2
Paralysis	264	4	7	6	8	1	7	11	22	6	11	24	18	2	1
Delirium Tremens	7	–	1	–	–	–	–	–	1	1	1	–	1	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	40	–	2	2	1	–	–	1	7	–	1	3	3	2	–
Tetanus	6	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	1	1	–	–	–	–	–	–	–	1	–	–
Convulsions	96	3	3	5	–	–	3	4	14	3	4	5	4	3	–
Brain Disease	105	–	1	3	1	–	4	8	9	2	3	4	12	–	–
V. Pericarditis	11	1	–	–	–	–	–	1	–	–	–	2	–	1	1
Aneurism	14	–	–	–	–	–	–	1	4	–	–	–	1	–	–
Heart Disease	528	13	5	14	9	1	11	16	52	9	15	55	36	8	2
VI. Laryngitis	24	1	1	–	–	–	–	1	5	–	–	–	1	–	–
Bronchitis	690	6	8	25	14	–	10	23	80	22	19	62	47	1	10
Pleurisy	39	–	–	1	–	–	–	2	7	1	1	–	3	2	–
Pneumonia	325	6	4	12	5	2	6	17	27	5	12	40	24	1	2
Asthma	74	3	5	6	–	–	2	4	4	–	1	6	7	–	1
Lung Disease	31	–	–	–	1	–	–	–	–	–	1	2	3	–	–
VII. Teething	72	–	2	–	–	1	5	6	11	2	1	3	5	–	1
Quinsey	9	1	–	–	1	–	–	–	2	–	–	–	–	–	–
Gastritis	39	–	1	3	–	1	1	–	6	–	–	3	1	1	–
Enteritis	130	2	1	7	1	–	3	1	6	2	2	12	4	1	–
Peritonitis	33	–	1	1	1	–	1	2	5	1	2	4	1	–	–
Ascites	8	–	2	1	–	–	–	–	–	–	–	2	–	–	–
Ulceration of Intestines	46	1	1	–	–	1	4	1	8	2	–	3	1	–	–
Hernia	14	–	–	–	–	–	–	–	4	1	–	1	–	–	–
Ileus	61	–	4	2	1	–	3	4	12	1	2	6	2	–	–
Intussusception	7	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Stricture of Intestines	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Stomach Disease	85	2	2	3	4	–	1	5	8	2	–	15	6	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	22	–	–	1	–	–	3	1	1	–	–	1	–	–	–
Jaundice	31	1	–	–	–	–	2	2	3	1	2	4	–	–	1
Liver Disease	120	4	3	5	1	–	3	1	7	4	3	12	5	1	1
Spleen Disease	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	11	–	–	1	–	–	–	–	1	–	–	1	1	–	–
Nephria	51	5	1	2	–	–	1	2	5	–	2	1	3	1	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	12	2	1	–	–	–	–	–	4	–	–	1	–	–	–
Diabetes	22	–	–	1	1	–	1	–	5	1	1	1	1	–	–
Stone	18	–	–	3	–	–	–	1	1	2	–	1	1	–	–
Cystitis	64	–	–	2	–	–	2	2	10	4	2	4	7	1	–
Stricture of Urethra	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	47	1	–	–	1	–	2	4	10	1	–	3	1	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	26	1	1	1	–	–	–	2	3	1	–	1	3	–	–
Rheumatism	17	–	1	3	1	–	–	1	2	–	–	1	–	–	–
Joint Disease	19	–	–	1	–	–	1	2	–	–	1	–	–	–	–
XI. Carbuncle	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	7	–	–	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	19	1	–	1	1	–	–	–	2	–	1	–	1	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	6	1	–	–	–	–	–	–	–	–	–	2	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	24	–	–	1	1	–	–	1	1	1	1	4	–	–	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Suffocation	16	–	–	–	–	–	–	1	–	2	2	1	1	1	–
Drowning	153	2	2	11	8	–	1	1	17	8	10	9	18	–	–
Fracture and Contusion	196	–	3	3	2	–	2	3	12	4	8	11	24	2	2
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–
Cuts and Stabs	9	–	–	–	–	–	–	1	1	–	1	1	–	–	–
Other Violent Causes	12	–	–	1	1	–	–	–	2	1	–	–	1	–	–
Not Specified	451	7	17	38	19	3	13	16	27	12	15	19	29	–	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	1	6	2	12	7	1	7	1	–	–	–	2	3	2	2
Apoplexy	4	4	6	5	16	9	3	16	7	9	1	–	8	16	8	7
Paralysis	17	4	11	5	10	14	1	17	13	5	3	–	10	15	5	6
Delirium Tremens	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	2	1	1	–	3	–	2	4	–	2	–	1	1	–	1	–
Tetanus	–	1	–	1	–	–	–	1	–	1	–	–	–	1	–	–
Insanity	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	–	6	4	5	5	3	6	2	1	–	–	3	2	1	3
Brain Disease	3	3	6	7	7	8	2	5	3	5	–	–	2	2	3	2
Pericarditis	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	2	–	–	–	3	–	–	–	2	–	–
Heart Disease	16	6	14	20	24	33	14	34	12	17	7	3	16	34	18	14
Laryngitis	1	–	–	1	3	3	–	1	–	–	–	–	–	3	–	3
Bronchitis	39	15	16	22	36	75	16	45	3	12	6	3	12	39	11	13
Pleurisy	1	1	–	–	–	5	–	2	–	2	1	1	2	3	3	1
Pneumonia	13	5	15	10	18	22	7	14	6	7	2	–	2	17	10	14
Asthma	10	1	4	1	2	9	–	2	–	2	–	–	–	2	1	1
Lung Disease	6	1	–	1	5	5	1	4	1	–	–	–	–	–	–	–
Teething	8	–	–	4	3	4	–	5	–	1	4	–	–	2	–	4
Quinsey	2	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	3	–	1	3	–	4	–	–	–	1	–	4	–	–
Enteritis	9	2	–	6	9	24	4	10	1	2	–	–	4	10	5	2
Peritonitis	2	–	1	1	–	2	–	1	–	1	1	1	1	2	1	–
Ascites	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–
Ulceration of Intestines	–	–	3	–	1	3	1	3	–	4	–	–	2	3	3	1
Hernia	2	–	1	–	1	1	–	2	–	–	–	–	–	–	–	1
Ileus	1	–	1	–	2	6	–	2	–	2	2	–	2	2	2	2
Intussusception	–	–	1	1	–	–	–	–	–	–	1	–	2	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	8	6	5	6	–	1	1	–	–	–	3	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	4	–	–	4	–	1	–	–	–	3	–	1
Jaundice	3	–	1	–	3	3	–	3	–	2	–	–	–	–	–	–
Liver Disease	8	1	8	1	6	10	2	7	2	2	–	–	2	14	4	3
Spleen Disease	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	2	–	1	–	–	–	–	–	–	3	–
Nephria	3	–	2	1	4	–	1	2	1	–	–	–	3	3	5	3
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	1
Diabetes	1	–	1	–	1	1	–	–	–	–	–	–	1	3	1	1
Stone	–	1	3	–	–	1	–	–	–	–	–	–	–	1	1	2
Cystitis	2	1	2	2	3	3	–	1	3	1	1	–	2	7	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	5	1	1	4	–	1	–	2	–	–	1	1	1	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	2	–	–	–	1	3	1	3	–	1	–	–	–	1	1	–
Rheumatism	–	–	–	1	1	2	–	2	–	–	1	–	–	1	–	–
Joint Disease	–	–	1	–	–	2	–	4	1	2	1	–	–	3	–	–
Carbuncle	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	1	1	1	1	–	1	–	–	–	–	–	–
Intemperance	2	–	1	3	1	–	1	2	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	3	1	3	3	–	–	–	1	1	–	1	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	2	1	–	–	1	–	–
Suffocation	–	–	1	1	1	2	–	1	–	1	1	–	–	–	–	–
Drowning	3	11	9	7	6	3	2	2	1	8	–	2	2	1	3	6
Fracture and Contusion	3	4	7	7	22	32	5	11	2	3	–	–	3	12	4	5
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Other Violent Causes	2	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–
Not Specified	17	16	27	12	24	23	16	21	4	3	5	–	9	23	13	20

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	9217	141	214	403	262	27	210	299	900	249	285	746	718	70	68
SPECIFIED CAUSES	8845	129	197	361	233	26	201	293	874	241	281	716	690	68	65
I. Zymotic Class	1572	18	30	41	36	3	21	47	153	51	70	111	122	10	15
II. Uncertain Seat	498	11	11	29	13	–	18	20	60	18	16	38	45	3	7
III. Tubercular Class	1264	13	16	46	18	3	21	44	121	34	24	86	95	6	11
IV. Brain, etc.	793	10	15	27	19	–	21	25	80	23	23	70	60	9	5
V. Heart, etc.	534	10	4	10	8	–	14	15	42	5	22	55	57	9	–
VI. Respiratory Organs	1062	15	14	28	18	1	29	44	128	34	37	81	70	8	13
VII. Digestive Organs	641	9	9	15	18	4	18	16	62	18	15	60	49	5	7
VIII. Locomotive Organs	120	–	3	5	1	–	3	6	18	3	2	13	8	1	2
IX. Urinary Organs	152	3	5	6	8	1	4	4	13	5	6	10	16	–	–
X. Generative Organs	45	–	–	–	1	–	2	3	5	–	–	4	4	–	–
XI. Skin, etc.	14	1	–	1	1	–	–	1	2	–	–	–	–	–	–
XII. Malformation	25	–	–	–	–	–	1	–	4	2	1	–	2	1	1
XIII. Premature Debility	324	–	4	5	4	2	7	7	40	9	14	12	25	4	–
XIV. Atrophy	72	–	2	2	3	–	–	3	7	1	4	8	8	–	–
XV. Age	1582	37	81	143	83	12	40	52	124	35	43	149	116	11	3
XVI. Sudden Deaths	11	–	–	–	–	–	–	–	–	–	–	2	3	–	–
XVII. Violent Deaths	136	2	3	3	2	–	2	6	15	3	4	17	10	1	1
I. Small Pox	192	–	–	3	3	–	–	1	9	3	17	10	21	2	1
Measles	87	–	–	2	–	–	1	3	23	9	2	1	2	–	–
Scarlatina	210	4	1	8	5	–	2	1	10	15	9	8	21	–	–
Diphtheria	140	–	–	4	1	–	4	11	21	4	3	11	6	–	3
Hooping Cough	202	–	1	1	–	–	3	6	15	1	9	14	25	2	2
Croup	87	3	3	3	3	2	1	–	4	2	5	10	6	–	3
Thrush	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	171	5	2	6	3	–	3	8	22	5	5	17	13	2	1
Dysentery	39	–	2	1	–	–	1	–	7	1	1	4	2	–	–
Cholera	9	–	–	–	–	–	–	1	–	–	2	–	1	–	–
Influenza	16	–	–	1	–	–	–	–	3	–	1	1	–	1	–
Purpura	5	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	2	1	5	–	–	2	5	1	1	4	2	–	2
Enteric Fever	183	5	8	6	1	–	1	7	25	5	6	17	6	2	3
Relapsing Fever	7	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Simple Cont. Fever	24	–	–	1	7	–	–	–	1	2	–	4	1	–	–
Infantile Remitte	15	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Metria	44	1	7	2	–	–	2	1	1	–	5	2	9	–	–
Rheumatic Fever	22	–	2	1	3	–	–	1	1	1	–	1	2	–	–
Erysipelas	46	–	2	–	2	1	3	5	4	2	3	3	2	1	–
Pyæmia	6	–	–	–	2	–	–	–	–	–	1	1	–	–	–
Syphilis	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Dropsy	84	2	2	7	6	–	2	1	8	2	3	9	4	–	4
Abscess	19	–	1	–	1	–	–	–	1	1	–	1	2	–	–
Ulcer	9	–	–	1	–	–	–	1	–	–	–	2	2	1	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	–	–	1	–	–	1	–	1	–	–	1	2	–	–
Cancer	363	9	8	18	6	–	15	17	50	14	13	25	35	2	3
Gout	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	83	–	1	1	–	–	1	2	11	1	2	5	8	–	–
Tabes Mesenterica	80	–	1	1	–	–	2	–	10	–	–	6	4	1	1
Phthisis	958	13	14	39	17	3	14	33	86	25	17	70	74	5	9
Hydrocephalus	143	–	–	5	1	–	4	9	14	8	5	5	9	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1872.—FEMALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	394	138	410	247	500	630	118	545	183	223	88	12	199	466	238	234
SPECIFIED CAUSES	386	130	382	235	485	606	113	535	175	222	85	12	193	452	233	226
Zymotic Class	104	31	48	27	79	159	31	147	25	37	14	–	25	63	22	32
Uncertain Seat	14	4	19	9	14	16	6	26	13	9	2	1	18	23	19	16
Tubercular Class	65	27	61	52	103	104	10	68	17	21	17	3	25	81	38	34
Brain, etc.	31	7	45	15	38	52	15	44	22	35	3	1	21	37	30	10
Heart, etc.	18	10	19	17	28	22	10	35	14	21	6	1	18	32	21	11
Respiratory Organs	52	17	33	30	62	72	14	67	18	17	8	2	23	58	29	40
Digestive Organs	28	7	29	31	24	57	4	28	12	15	12	4	19	37	19	10
Locomotive Organs	4	2	1	4	8	6	2	10	2	1	1	–	4	7	2	
Urinary Organs	2	–	6	3	10	16	1	8	3	2	5	–	3	3	7	2
Generative Organs	2	–	2	3	2	2	1	2	3	1	1	–	–	4	2	1
Skin	–	–	1	–	3	1	–	1	–	–	–	–	1	–	–	1
Malformation	–	–	–	–	4	2	1	–	–	2	–	–	1	2	1	–
Premature Debility	12	10	9	8	31	30	8	25	12	8	6	–	10	11	9	2
Atrophy	3	–	3	1	3	6	–	4	3	5	–	–	1	3	1	1
Age	41	14	101	31	74	52	8	58	29	44	9	–	21	84	26	61
Sudden Deaths	1	–	–	1	–	1	–	–	1	–	–	–	1	–	1	–
Violent Deaths	9	1	5	3	2	8	2	12	1	4	1	–	2	7	6	4
Small-pox	30	1	1	1	1	7	1	51	6	2	3	–	4	7	5	2
Measles	6	1	1	2	5	24	–	–	1	2	–	–	–	–	–	2
Scarlatina	9	11	8	2	5	27	5	25	1	7	1	–	3	9	2	11
Diphtheria	2	1	5	3	9	9	4	14	4	10	–	–	8	2	1	–
Hooping-cough	23	4	7	3	19	31	4	21	2	1	–	–	1	7	–	–
Croup	2	1	5	3	6	8	1	5	1	6	1	–	–	2	–	1
Thrush	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	5	5	1	3	8	19	3	12	–	–	2	–	2	11	2	6
Dysentery	2	–	4	–	2	1	2	2	1	2	–	–	2	1	1	–
Cholera	1	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
Influenza	3	–	3	–	1	1	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
Typhus	3	1	4	2	2	4	1	2	1	2	1	–	1	5	–	–
Enteric Fever	9	3	5	2	6	19	3	6	5	4	3	–	2	13	7	4
Relapsing Fever	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	1	–	3	–	1	–	–	–	1	–	–	–	1	–
Infantile Remittent	1	–	–	4	–	1	–	1	–	–	–	–	2	1	1	1
Metria	1	1	–	–	5	2	1	–	1	–	–	–	–	1	1	1
Rheumatic Fever	–	1	1	–	–	3	2	1	–	–	–	–	–	1	–	1
Erysipelas	4	1	1	–	2	2	1	1	1	1	1	–	–	–	1	2
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	1	–	1	–	2	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Dropsy	2	1	5	3	1	1	–	5	2	2	–	–	2	2	4	4
Abscess	1	–	–	–	–	1	–	5	–	–	–	1	1	1	–	2
Ulcer	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	1	–	1	–	–	–	–	–	2	–	–	–
Cancer	8	3	12	6	11	12	5	14	11	6	2	–	13	20	15	10
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	4	2	4	7	12	3	–	6	1	2	–	–	1	4	2	3
Tabes Mesenterica	4	2	2	–	9	10	2	7	1	1	3	1	2	8	2	–
Phthisis	48	20	48	35	66	80	7	53	12	16	12	2	20	60	29	31
Hydrocephalus	9	3	7	10	16	11	1	2	3	2	2	–	2	9	5	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1872.—FEMALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	66	1	1	1	2	–	1	1	10	3	1	3	6	–	–
Apoplexy	195	2	3	5	4	–	6	7	20	2	8	13	14	3	2
Paralysis	307	4	7	12	7	–	10	10	29	8	8	32	25	4	1
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	39	–	2	–	1	–	1	1	–	–	1	8	3	–	–
Tetanus	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Insanity	4	–	–	–	1	–	–	–	–	–	–	–	2	–	–
Convulsions	73	1	1	3	3	–	2	1	6	7	1	5	5	–	1
Brain	100	2	1	6	1	–	1	5	14	3	3	8	5	2	1
V. Pericarditis	8	–	1	–	–	–	–	–	–	–	–	1	1	1	–
Aneurism	9	–	–	–	–	–	–	–	–	–	1	1	4	–	–
Heart	517	10	3	10	8	–	14	15	42	5	21	53	52	8	–
VI. Laryngitis	14	–	–	–	–	–	–	–	3	1	2	1	–	–	–
Bronchitis	710	8	7	11	12	1	21	33	90	20	23	51	48	1	11
Pleurisy	33	–	–	2	1	–	1	2	2	1	1	3	5	1	1
Pneumonia	229	1	1	6	2	–	5	7	30	10	10	18	15	6	–
Asthma	60	6	6	8	3	–	1	1	3	2	1	2	2	–	1
Lungs	16	–	–	1	–	–	1	–	–	–	–	6	–	–	–
VII. Teething	60	–	1	–	1	–	2	3	5	2	–	4	9	1	2
Quinsey	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Gastritis	41	–	1	2	1	–	–	–	7	–	1	4	3	–	–
Enteritis	106	2	1	7	4	–	2	2	5	3	6	8	5	–	–
Peritonitis	62	–	–	–	1	–	–	1	9	4	2	2	3	2	–
Ascites	16	–	1	1	–	1	1	–	2	–	–	1	1	–	1
Ulcer. of Intestines	41	1	1	–	–	–	1	–	3	1	–	2	2	–	–
Hernia	16	–	–	–	–	–	–	–	3	1	–	2	3	–	2
Ileus	38	1	–	3	2	–	2	1	8	2	1	2	2	–	–
Intussusception	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Strict. of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	102	5	2	–	4	2	6	6	7	1	1	22	9	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	18	–	–	–	2	–	1	–	–	–	–	2	4	2	–
Jaundice	29	–	–	1	1	–	1	–	5	–	2	–	5	–	–
Liver Disease	99	–	2	1	2	1	2	3	8	4	–	11	2	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	13	–	–	–	–	–	–	–	2	–	1	2	–	–	–
Nephria	38	–	–	1	1	–	1	5	3	–	–	3	2	–	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	12	–	1	1	–	–	–	–	4	–	–	1	4	–	–
Stone	5	–	1	1	–	–	–	–	2	1	–	–	–	–	–
Cystitis	11	–	–	1	–	–	–	–	2	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	38	–	–	1	–	–	2	1	5	2	1	7	1	1	–
IX. Paramenia	13	–	–	–	1	–	1	–	1	1	–	1	–	–	–
Ovarian Dropsy	21	–	–	–	–	–	1	1	4	1	1	–	6	–	–
Childbirth	99	2	5	6	5	1	2	3	7	3	4	8	8	–	–
Organs of Generation	19	1	–	–	2	–	–	–	1	–	1	1	2	–	–
X. Bone Diseases	13	–	–	–	–	–	1	1	2	–	–	1	1	–	–
Rheumatism.	25	–	–	–	–	–	1	1	2	–	–	3	3	–	–
Joint Disease	7	–	–	–	1	–	–	1	1	–	–	–	–	–	–
XI. Carbuncle	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	4	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	8	1	–	–	1	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Milk	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	31	2	1	1	2	–	–	–	7	2	1	2	2	–	–
Hanging, etc.	6	–	–	2	–	–	–	1	–	–	–	1	2	–	–
Suffocation	19	–	–	–	–	–	1	1	1	–	1	1	2	–	–
Drowning	25	–	–	–	–	–	–	2	2	–	–	8	3	–	1
Fracture and Contusion	37	–	1	–	–	–	1	1	4	1	2	3	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Not Specified	372	12	17	42	29	1	9	6	26	8	4	30	28	2	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	–	8	2	3	4	2	3	–	1	–	–	2	3	5	–
Apoplexy	5	3	10	7	13	9	2	11	4	12	–	1	11	9	7	2
Paralysis	10	2	8	4	13	27	7	20	11	11	1	–	2	16	14	4
Delirium Tremens	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	2	3	–	1	–	–	2	1	1	–	–	1	3	2	2
Tetanus	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	–	5	2	–	5	1	4	1	5	1	–	3	1	1	1
Brain Disease	2	–	10	–	7	6	2	3	4	4	1	–	2	5	1	1
Pericarditis	–	–	1	–	1	–	–	1	–	–	–	–	–	1	–	–
Aneurism	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Heart Disease	18	9	18	17	27	22	9	34	14	21	6	1	18	31	21	10
Laryngitis	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	2
Bronchitis	31	13	18	15	46	52	10	55	12	10	8	2	14	42	17	28
Pleurisy	3	1	–	3	–	–	–	1	1	–	–	–	–	1	3	–
Pneumonia	13	2	8	11	14	12	4	11	3	6	–	–	7	11	8	8
Asthma	4	1	6	1	1	2	–	–	1	1	–	–	2	4	–	1
Lung Disease	1	–	1	–	–	5	–	–	–	–	–	–	–	–	–	1
Teething	2	1	2	3	1	4	1	3	3	3	2	1	–	1	–	3
Quinsey	–	–	–	1	–	3	–	1	–	–	–	–	–	–	1	–
Gastritis	2	–	5	–	1	4	–	3	2	–	1	–	–	3	–	1
Enteritis	9	1	3	9	4	14	1	1	–	3	3	–	2	6	1	4
Peritonitis	3	–	–	3	6	6	1	4	1	–	1	–	6	5	1	1
Ascites	–	1	2	–	–	1	–	–	1	–	–	–	–	1	–	1
Ulceration of Intest.	5	–	–	–	1	5	–	1	1	2	–	1	4	4	6	–
Hernia	–	–	–	1	–	–	–	1	1	–	–	–	1	–	1	–
Ileus	1	–	2	2	1	–	–	1	–	–	–	1	–	4	2	–
Intussusception	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intest.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	1	1	3	2	3	5	–	3	–	–	3	1	2	7	5	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	1	1	2	–	–	1	–	–	–	–	–	–	–
Jaundice	–	1	–	–	1	3	–	1	–	2	2	–	2	2	–	–
Liver Disease	5	1	10	8	4	10	1	9	2	4	–	–	2	4	2	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	1	–	2	1	–	1	–	–	–	–	–	2	–	–
Nephria	1	1	–	1	4	2	1	4	1	1	–	–	3	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	2	–	–	1	–	–	–	–	2	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	3	–	3	1	3	1	–	1	–	3	–	–	–
Paramenia	–	–	–	1	1	2	–	1	–	1	–	–	–	1	1	–
Ovarian Dropsy	–	–	–	–	2	1	–	1	–	–	–	–	1	1	1	–
Childbirth	2	–	3	2	7	11	1	3	2	1	4	–	2	1	4	2
Organs of Generation	–	–	3	–	–	2	–	3	1	–	1	–	–	–	1	–
Bone Disease	1	–	–	2	–	1	–	–	–	–	1	–	–	2	–	–
Rheumatism	1	–	2	1	1	1	1	1	3	1	–	–	–	1	1	1
Joint Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Skin Disease	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	1
Intemperance	2	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	1	–	–	–	–	3	–	–	–	–	1	–	4	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	2	–	6	1	–	–	–	–	–	1	1
Drowning	1	–	1	1	1	–	–	–	–	1	1	–	–	1	1	1
Fracture and Contusion	3	–	–	2	1	5	1	3	–	2	–	–	1	4	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–
Not Specified	8	8	28	12	15	24	5	10	8	1	3	–	6	14	5	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.

DISEASES.	BOTH SEXES.							MALES.							FEMALES.						
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
ALL CAUSES	2084	403	369	198	600	341	173	1008	172	167	104	295	176	94	1076	231	202	94	305	165	79
SPECIFIED CAUSES	1746	350	346	157	444	293	156	850	149	160	81	220	158	82	896	201	186	76	224	135	74
Zymotic Class	247	37	37	41	77	30	25	122	20	15	16	42	18	11	125	17	22	25	35	12	14
Uncertain Seat	90	17	23	5	18	17	10	38	8	7	2	6	9	6	52	9	16	3	12	8	4
Tubercular Class	224	55	39	15	65	30	20	126	26	23	9	38	19	11	98	29	16	6	27	11	9
Brain, etc.	97	16	18	14	14	26	9	57	7	11	12	10	15	2	40	9	7	2	4	11	7
Heart, etc.	57	6	16	3	8	13	11	37	2	11	3	5	7	9	20	4	5	–	3	6	2
Respiratory Organs	184	19	39	6	53	51	16	88	10	17	4	25	28	4	96	9	22	2	28	23	12
Digestive Organs	102	20	15	8	27	24	8	53	10	6	6	15	12	4	49	10	9	2	12	12	4
Urinary Organs	29	5	9	–	8	6	1	18	2	8	–	5	2	1	11	3	1	–	3	4	–
Generative Organs	35	6	8	3	15	1	2	–	–	–	–	–	–	–	35	6	8	3	15	1	2
Locomotive Organs	34	7	4	4	11	6	2	18	4	1	2	6	3	2	16	3	3	2	5	3	–
Skin, etc.	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	58	12	8	4	24	6	4	28	6	4	2	13	2	1	30	6	4	2	11	4	3
Atrophy	8	2	2	–	2	2	–	3	–	2	–	1	–	–	5	2	–	–	1	2	–
Age	507	131	114	52	105	71	34	207	45	44	23	40	36	19	300	86	70	29	65	35	15
Sudden Deaths	9	6	–	–	3	–	–	4	2	–	–	2	–	–	5	4	–	–	1	–	–
Violent Deaths	63	10	14	2	13	10	14	49	6	11	2	11	7	12	14	4	3	–	2	3	2
Small Pox	19	2	2	2	12	1	–	11	2	–	1	8	–	–	8	–	2	1	4	1	–
Measles	17	2	–	–	14	1	–	9	1	–	–	7	1	–	8	1	–	–	7	–	–
Scarlatina	34	3	9	6	8	4	4	22	3	6	2	7	3	1	12	–	3	4	1	1	3
Diphtheria	10	1	1	2	3	–	3	7	1	–	2	3	–	1	3	–	1	–	–	–	2
Hooping Cough	34	21	1	–	8	2	2	14	7	–	–	5	1	1	20	14	1	–	3	1	1
Croup	26	–	2	16	5	2	1	12	–	2	6	3	1	–	14	–	–	10	2	1	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	–	6	2	5	4	3	7	–	3	1	–	3	–	13	–	3	1	5	1	3
Dysentery	4	–	–	–	1	–	3	3	–	–	–	1	–	2	1	–	–	–	–	–	1
Cholera	2	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	1
Influenza	8	1	3	2	–	2	–	3	1	1	–	–	1	–	5	–	2	2	–	1	–
Purpura	4	1	–	–	–	–	3	3	–	–	–	–	–	3	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	26	1	3	9	9	3	1	13	1	1	3	5	2	1	13	–	2	6	4	1	–
Enteric Fever	18	–	3	–	8	6	1	6	–	–	–	2	4	–	12	–	3	–	6	2	1
Relapsing Fever	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	3	2	–	–	1	–	–	2	2	–	–	–	–	–	1	–	–	–	1	–	–
Infantile Remittent	2	–	2	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–
Metria	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Rheumatic Fever	5	–	3	–	1	1	–	1	–	1	–	–	–	–	4	–	2	–	1	1	–
Erysipelas	11	3	2	2	1	2	1	6	2	–	1	1	1	1	5	1	2	1	–	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	38	5	15	2	8	6	2	13	1	5	–	2	3	2	25	4	10	2	6	3	–
Abscess	2	1	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–
Cancer	42	5	8	2	10	10	7	20	3	2	1	4	6	4	22	2	6	1	6	4	3
Gout	5	5	–	–	–	–	–	3	3	–	–	–	–	–	2	2	–	–	–	–	–
Scrofula	13	3	5	–	1	2	2	7	1	2	–	1	2	1	6	2	3	–	–	–	1
Tabes Mesenterica	8	–	1	–	6	–	1	2	–	–	–	2	–	–	6	–	1	–	4	–	1
Phthisis	195	52	30	15	57	27	14	112	25	19	9	34	16	9	83	27	11	6	23	11	5
Hydrocephalus	8	–	3	–	1	1	3	5	–	2	–	1	1	1	3	–	1	–	–	–	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.

DISEASES.	BOTH SEXES.							MALES.							FEMALES.						
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
Cephalitis	6	2	1	–	3	–	–	1	–	–	–	1	–	–	5	2	1	–	2	–	–
Apoplexy	10	2	–	1	–	4	3	6	1	–	1	–	3	1	4	1	–	–	–	1	2
Paralysis	46	10	8	7	8	11	2	30	5	8	7	6	4	–	16	5	–	–	2	7	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	1	5	2	1	1	1	5	–	2	2	1	–	–	6	1	3	–	–	1	1
Tetanus	6	–	–	4	1	1	–	4	–	–	2	1	1	–	2	–	–	2	–	–	–
Insanity	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	6	–	2	–	–	3	1	3	–	1	–	–	2	–	3	–	1	–	–	1	1
Brain Disease	11	1	2	–	1	6	1	7	1	–	–	1	5	–	4	–	2	–	–	1	1
Pericarditis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Aneurism	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	55	6	15	3	8	12	11	36	2	11	3	5	6	9	19	4	4	–	3	6	2
Laryngitis	5	1	–	–	3	1	–	2	–	–	–	1	1	–	3	1	–	–	2	–	–
Bronchitis	90	9	24	3	14	32	8	38	6	8	1	7	15	1	52	3	16	2	7	17	7
Pleurisy	9	–	–	–	6	3	–	5	–	–	–	2	3	–	4	–	–	–	4	–	–
Pneumonia	37	3	6	–	12	10	6	22	2	5	–	6	7	2	15	1	1	–	6	3	4
Asthma	37	6	4	3	17	5	2	20	2	3	3	9	2	1	17	4	1	–	8	3	1
Lung Disease	6	–	5	–	1	–	–	1	–	1	–	–	–	–	5	–	4	–	1	–	–
Teething	7	1	–	–	4	2	–	3	–	–	–	3	–	–	4	1	–	–	1	2	–
Quinsey	5	1	–	1	3	–	–	4	–	–	1	3	–	–	1	1	–	–	–	–	–
Gastritis	7	–	1	–	3	–	3	5	–	1	–	2	–	2	2	–	–	–	1	–	1
Enteritis	7	1	–	1	5	–	–	5	1	–	–	4	–	–	2	–	–	1	1	–	–
Peritonitis	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Ulcer. of Intestines	7	1	1	1	–	3	1	2	–	–	1	–	1	–	5	1	1	–	–	2	1
Hernia	2	–	–	1	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–	1	–
Ileus	6	2	–	1	2	1	–	4	2	–	1	–	1	–	2	–	–	–	2	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Stomach Disease	29	9	10	2	3	4	1	13	5	3	1	–	4	–	16	4	7	1	3	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	1	1	–	–	7	1	2	–	–	–	–	1	1	8	1	1	–	–	6	–
Jaundice	6	2	1	–	2	1	–	2	–	1	–	–	1	–	4	2	–	–	2	–	–
Liver Disease	13	2	1	1	2	5	2	11	2	1	1	2	4	1	2	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	3	1	–	–	2	–	–	2	1	–	–	1	–	–	1	–	–	–	1	–	–
Nephria	8	1	2	–	2	3	–	4	–	2	–	2	–	–	4	1	–	–	–	3	–
Addison's Disease	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	1	–	1	1	–	2	–	1	–	–	1	–	1	–	–	–	1	–	–
Diabetes	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	5	2	2	–	1	–	–	4	1	2	–	1	–	–	1	1	–	–	–	–	–
Cystitis	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	6	1	3	–	1	1	–	2	–	2	–	–	–	–	4	1	1	–	1	1	–
Anæmia	2	–	1	–	1	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–
Ovarian Dropsy	2	1	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
Childbirth	29	5	6	2	14	1	1	–	–	–	–	–	–	–	29	5	6	2	14	1	1
Organs of Generation	2	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–	1
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	32	7	4	4	11	5	1	17	4	1	2	6	3	1	15	3	3	2	5	2	–
Joint Disease	2	–	–	–	–	1	1	1	–	–	–	–	–	1	1	–	–	–	–	1	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	1	–	2	–	–	2	–	–	–	2	–	–	1	–	1	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	3	2	–	3	1	–	4	1	1	–	2	–	–	5	2	1	–	1	1	–
Hanging, etc.	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	29	1	5	1	6	3	13	26	1	5	1	5	3	11	3	–	–	–	1	–	2
Fracture & Contusion	18	6	5	1	1	4	1	13	4	4	1	1	2	1	5	2	1	–	–	2	–
Gunshot Wounds	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–
Not Specified	338	53	23	41	156	48	17	158	23	7	23	75	18	12	180	30	16	18	81	30	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	75794	7284	2688	4748	5997	2885	1916	1444	3772	2141	2629	3075	2775
Specified Causes	73081	6643	2535	4601	5866	2809	1867	1416	3672	2090	2565	3007	2715
I. Zymotic Class	15861	898	769	1544	2452	1423	1044	800	1818	710	593	656	506
II. Diseases of Uncertain Seat	2548	43	10	18	29	20	10	12	32	35	26	28	44
III. Tubercular Class	12596	172	309	760	1003	472	311	258	827	707	1205	1489	1216
IV. Brain and Nervous System	6630	477	204	305	333	155	107	77	271	128	122	115	126
V. Organs of Circulation	3933	10	5	4	7	3	2	8	41	64	98	83	125
VI. Respiratory Organs	11535	830	658	1284	1279	492	257	158	303	115	143	163	204
VII. Organs of Digestion	4822	517	273	494	512	98	41	25	101	87	80	97	104
VIII. Urinary Organs	1244	7	5	6	14	19	13	16	42	39	47	55	59
IX. Organs of Generation	563	–	–	–	1	–	–	–	–	2	21	68	112
X. Organs of Locomotion	469	–	–	3	6	3	5	3	47	57	39	34	22
XI. Skin, etc.	101	15	10	8	10	2	2	1	2	–	–	3	4
XII. Malformation	268	231	14	8	7	3	1	1	1	1	1	–	–
XIII. Premature Debility	3619	3271	217	131	–	–	–	–	–	–	–	–	–
XIV. Atrophy	542	–	–	–	122	57	21	15	30	23	16	13	12
XV. Age	6208	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	171	20	13	4	6	1	1	–	7	2	2	1	5
XVII. Violent Deaths	2571	152	48	32	85	61	52	42	150	120	177	202	176
I. Small Pox	2448	173	125	80	52	34	42	46	228	231	229	317	226
Measles	925	14	23	178	325	145	92	54	72	9	3	2	3
Scarlatina	2101	12	23	105	288	305	250	227	625	135	36	24	30
Diphtheria	1045	20	16	62	174	141	149	114	247	44	24	15	9
Hooping Cough	2850	167	232	637	923	382	222	132	150	5	–	–	–
Croup	1145	46	29	111	306	248	157	113	132	3	–	–	–
Thrush	40	29	4	4	2	1	–	–	–	–	–	–	–
Diarrhœa	1566	251	218	248	241	68	20	13	27	11	9	8	13
Dysentery	209	4	10	14	23	6	4	5	4	–	3	1	5
Cholera	83	7	8	18	13	–	1	–	6	1	4	2	1
Influenza	93	3	4	2	3	4	2	3	2	2	–	–	2
Purpura	52	2	2	2	3	2	2	1	7	8	4	3	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	10	–	–	–	–	1	1	4	3	1	–	–	–
Typhus	795	3	5	14	10	14	21	11	58	66	80	73	59
Enteric Fever	1223	7	5	18	40	36	49	47	186	141	151	128	60
Relapsing Fever	115	1	1	2	2	2	2	4	10	13	14	8	5
Simple Continued Fever	103	1	–	1	4	5	5	5	11	8	6	7	2
Infantile Remittent	118	5	5	9	19	21	20	16	23	–	–	–	–
Metria	219	–	–	–	–	–	–	–	–	–	5	42	59
Rheumatic Fever	153	–	–	1	–	–	1	1	16	24	19	15	9
Erysipelas	308	63	22	17	6	3	1	3	6	2	3	4	10
Pyæmia	56	4	1	2	1	1	1	1	3	6	3	3	7
Syphilis	193	85	36	18	17	2	–	–	1	–	–	4	4
Noma	11	1	–	1	–	2	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	66	8	–	2	2	–	–	1	1	–	–	2	2
Dropsy	573	6	–	1	8	10	6	7	18	19	8	4	14
Abscess	161	17	9	13	10	7	1	2	5	7	8	7	6
Ulcer	38	3	–	2	2	–	–	–	1	1	–	–	1
Fistula	14	–	–	–	–	–	–	–	–	–	–	–	3
Mortification	115	7	1	–	5	1	–	1	2	2	1	1	1
Cancer	1559	2	–	–	2	2	3	1	5	6	9	14	16
Gout	22	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	810	18	24	41	90	46	32	28	98	91	83	59	33
Tabes Mesenterica	1044	54	78	135	261	108	73	46	137	51	30	16	12
Phthisis	8715	29	48	104	180	106	75	76	308	497	1073	1405	1169
Hydrocephalus	2027	71	167	480	472	212	131	108	284	68	19	9	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2488	2421	2415	2415	2770	2780	3426	3384	4081	3348	2658	1456	554	164	27	53
Specified Causes	2434	2375	2335	2355	2693	2693	3310	3374	4080	3348	2658	1456	554	164	27	39
Zymotic Class	429	366	288	226	241	197	218	200	208	133	91	39	8	–	1	3
Uncertain Seat	64	90	125	168	275	261	330	285	278	189	116	47	11	1	–	1
Tubercular Class	942	797	603	449	376	263	222	114	56	25	10	4	1	–	–	5
Brain, etc.	161	162	210	260	316	368	515	573	691	505	302	111	24	8	–	4
Heart, etc.	164	183	200	238	362	348	481	439	509	326	175	53	7	1	–	2
Respiratory Organs	224	268	360	467	529	586	730	716	755	538	300	133	32	7	–	4
Digestive Organs	135	147	183	224	242	296	317	296	276	166	81	19	8	–	–	3
Urinary Organs	56	66	61	52	91	91	105	107	123	83	49	29	8	1	–	–
Generative Organs	72	106	80	28	23	12	12	11	8	5	2	–	–	–	–	–
Locomotive Organs	22	16	17	17	20	36	32	21	26	24	14	4	–	–	–	1
Skin	3	2	4	–	5	6	3	5	7	5	3	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	8	22	28	27	54	93	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	214	511	1071	1299	1491	1003	448	144	26	1
Sudden Deaths	8	6	9	16	14	11	17	13	10	5	–	–	–	–	–	–
Violent Deaths	146	144	167	183	145	125	113	83	62	45	24	13	7	2	–	15
Small Pox	196	149	94	72	59	42	26	16	7	2	1	–	–	–	–	1
Measles	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	11	9	7	4	1	3	2	1	3	–	–	–	–	–	–	–
Diphtheria	4	4	4	2	4	3	4	2	–	1	2	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	15	12	18	26	29	50	64	82	48	47	27	6	–	1	–
Dysentery	8	4	6	2	11	6	10	24	22	20	12	4	1	–	–	–
Cholera	2	2	2	3	3	2	3	2	–	2	1	–	–	–	–	–
Influenza	2	3	–	2	3	4	12	6	14	13	4	3	–	–	–	–
Purpura	3	4	–	1	2	1	–	1	2	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	55	62	52	49	26	36	25	21	8	1	1	–	–	–	–
Enteric Fever	48	34	45	40	35	43	38	25	24	17	3	1	–	–	–	2
Relapsing Fever	8	5	8	7	9	7	4	1	1	1	–	–	–	–	–	–
Simple Cont. Fever	3	1	5	3	9	9	2	3	6	4	2	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	58	43	12	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	11	15	8	6	7	6	5	5	–	4	–	–	–	–	–	–
Erysipelas	12	13	9	10	15	13	18	21	24	12	18	2	1	–	–	–
Pyæmia	3	5	8	1	2	1	2	–	1	–	–	–	–	–	–	–
Syphilis	1	4	5	2	3	1	5	4	1	–	–	–	–	–	–	–
Noma	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	7	6	4	2	5	3	6	5	5	2	2	–	1	–	–	–
Dropsy	14	14	13	23	42	53	71	56	80	54	38	12	1	–	–	1
Abscess	7	6	7	8	7	7	7	5	6	5	2	2	–	–	–	–
Ulcer	–	2	–	1	3	5	1	6	5	4	1	–	–	–	–	–
Fistula	2	2	1	–	2	–	3	1	–	–	–	–	–	–	–	–
Mortification	1	4	1	–	7	4	6	17	11	17	17	6	1	1	–	–
Cancer	33	56	99	133	208	189	232	190	166	103	55	27	8	–	–	–
Gout	–	–	–	1	1	–	4	5	5	4	1	–	–	–	–	–
Scrofula	21	30	25	18	18	12	14	8	13	4	3	–	–	–	–	1
Tabes Mesenterica	8	9	11	1	3	4	4	1	1	–	1	–	–	–	–	–
Phthisis	912	756	567	430	354	247	204	105	42	21	6	4	1	–	–	4
Hydrocephalus	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER ..											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	680	18	42	78	89	47	33	28	122	41	36	31	18
Apoplexy	1555	18	16	36	33	15	12	7	34	11	20	14	26
Paralysis	2031	2	–	2	1	2	5	2	4	4	14	13	12
Delirium Tremens	60	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	10	–	–	–	1	–	–	–	3	4	–	–	–
Epilepsy	263	–	–	–	–	–	–	–	2	16	20	21	33
Tetanus	46	16	1	1	2	1	–	1	2	4	–	1	3
Insanity	26	–	–	–	–	–	–	–	–	–	2	–	1
Convulsions	1033	406	132	158	175	70	37	25	29	–	–	–	–
Brain Disease	926	17	13	30	32	20	20	14	75	48	30	34	32
V. Pericarditis	77	–	1	2	–	–	–	4	6	7	5	5	4
Aneurism	103	–	–	–	–	–	–	–	–	–	–	1	5
Heart Disease	3753	10	4	2	7	3	2	4	35	57	88	77	116
VI. Laryngitis	163	11	15	19	16	10	5	5	18	1	3	8	6
Bronchitis	7897	627	533	1021	1028	363	183	103	176	45	45	46	73
Pleurisy	231	6	1	5	3	4	1	1	8	12	14	11	12
Pneumonia	2570	174	107	235	220	108	65	45	95	51	72	79	93
Asthma	408	–	–	–	–	–	–	–	–	1	3	5	5
Lung Disease	266	12	2	4	12	7	3	4	6	5	6	14	15
VII. Teething	759	7	47	324	344	35	1	1	–	–	–	–	–
Quinsey	54	4	5	4	13	3	2	2	4	2	–	–	3
Gastritis	215	19	12	7	9	5	3	2	4	4	2	1	10
Enteritis	874	252	130	92	81	24	13	7	25	27	16	12	11
Peritonitis	319	27	7	8	14	3	1	–	11	14	28	25	20
Ascites	81	–	1	2	–	–	–	2	6	6	1	–	5
Ulceration of Intestines	227	2	1	4	1	1	1	2	3	3	4	13	11
Hernia	107	3	1	1	1	–	–	–	1	1	–	2	1
Ileus	281	35	8	1	3	3	2	–	10	4	6	10	3
Intussusception	38	2	4	6	–	–	1	–	2	1	4	–	–
Stricture of Intestines	31	–	–	–	1	–	–	–	2	–	–	–	–
Stomach Disease	702	68	48	37	31	14	7	6	17	5	8	15	13
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	140	2	2	1	2	–	1	1	2	3	3	4	4
Jaundice	217	77	3	3	7	3	3	1	2	2	1	4	1
Liver Disease	741	18	4	4	4	7	6	1	11	11	7	10	21
Spleen Disease	34	1	–	–	1	–	–	–	1	4	–	1	1
VIII. Nephritis	108	2	1	2	4	7	3	7	11	6	2	6	1
Nephria	353	1	–	2	3	4	3	6	15	15	23	19	21
Addison's Disease	9	–	–	–	–	–	–	–	–	–	–	–	2
Ischuria	62	1	–	–	2	–	1	–	2	–	1	2	2
Diabetes	95	1	–	–	2	3	–	–	2	6	3	11	9
Stone	58	–	–	–	–	–	–	–	3	–	1	2	2
Cystitis	192	–	1	1	–	–	–	–	–	6	4	2	8
Stricture of Urethra	14	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	353	2	3	1	3	5	6	3	9	5	13	12	12
IX. Paramenia	30	–	–	–	–	–	–	–	–	–	6	5	5
Ovarian Dropsy	76	–	–	–	–	–	–	–	–	1	–	2	3
Childbirth	391	–	–	–	–	–	–	–	–	–	14	59	99
Organs of Generation	66	–	–	–	1	–	–	–	–	1	1	2	5
X. Bone Disease	145	–	–	1	3	1	4	1	19	25	19	11	8
Rheumatism	168	–	–	–	–	–	–	–	2	4	2	6	2
Joint Disease	156	–	–	2	3	2	1	2	26	28	18	17	12
XI. Carbuncle	23	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	20	1	–	1	2	–	–	–	1	–	–	2	4
Skin Disease	58	14	10	7	8	2	2	1	1	–	–	1	–
XVII. Intemperance	151	–	–	–	–	–	–	–	–	2	5	4	16
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	78	48	22	8	–	–	–	–	–	–	–	–	–
Neglect	2	–	2	–	–	–	–	–	–	–	–	–	–
Cold	19	2	1	–	–	–	–	–	–	–	–	2	–
Poison	49	7	–	2	–	1	2	2	5	–	3	1	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	263	–	1	8	50	43	22	20	28	8	9	2	5
Hanging, etc.	38	–	–	–	–	–	–	–	–	–	1	2	1
Suffocation	137	65	20	9	5	1	–	2	3	1	1	2	3
Drowning	576	3	1	–	23	5	15	6	46	36	55	64	57
Fracture and Contusion	1078	3	1	3	6	11	13	8	63	67	87	102	81
Gunshot Wounds	19	–	–	–	1	–	–	1	1	–	2	2	3
Cuts and Stabs	32	–	–	–	–	–	–	–	1	–	2	2	–
Other Violent Causes	125	24	–	2	–	–	–	3	3	6	12	19	9
Not Specified	2113	641	153	147	131	76	49	28	100	51	64	68	60

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	16	12	14	9	6	10	10	10	4	–	3	2	1	–	–	–
Apoplexy	32	44	61	87	110	140	164	169	216	148	97	33	8	3	–	1
Paralysis	36	30	58	86	113	148	240	309	388	301	176	66	14	4	–	1
Delirium Tremens	12	11	8	7	8	3	4	3	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Epilepsy	23	25	23	21	20	11	9	14	12	7	2	3	–	–	–	1
Tetanus	4	2	1	2	3	–	1	–	1	–	–	–	–	–	–	–
Insanity	3	2	1	3	3	1	2	3	2	2	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	35	36	44	45	53	54	85	64	66	47	23	7	1	1	–	–
Pericarditis	11	5	1	3	6	4	4	2	4	–	3	–	–	–	–	–
Aneurism	11	7	7	13	14	9	17	11	3	2	1	1	1	–	–	–
Heart Disease	142	171	192	222	342	335	460	426	502	324	171	52	6	1	–	2
Laryngitis	4	4	5	10	5	5	4	2	3	2	1	1	–	–	–	–
Bronchitis	88	114	170	264	326	376	477	468	560	419	247	109	30	5	–	1
Pleurisy	12	12	15	22	17	16	11	16	14	7	8	3	–	–	–	–
Pneumonia	103	108	123	119	128	118	137	148	112	81	28	15	2	2	–	2
Asthma	10	12	25	27	35	42	75	64	56	27	15	5	–	–	–	1
Lung Disease	7	18	22	25	18	29	26	18	10	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	3	2	1	2	2	1	–	–	–	–	–	–	–
Gastritis	11	9	7	11	12	20	21	15	17	9	4	1	–	–	–	–
Enteritis	13	16	15	20	15	23	20	23	16	13	5	1	3	–	–	1
Peritonitis	27	27	20	9	11	9	15	11	12	13	4	3	–	–	–	–
Ascites	3	4	3	7	7	5	5	10	6	3	4	1	–	–	–	–
Ulceration of Intestines	9	13	16	18	21	27	19	17	28	8	4	–	–	–	–	1
Hernia	2	2	12	7	12	9	11	17	5	14	2	1	2	–	–	–
Ileus	4	9	7	13	26	19	25	34	22	22	11	2	2	–	–	–
Intussusception	1	1	2	–	4	2	4	–	4	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	5	2	7	2	6	2	1	1	1	–	–	–	–
Stomach Disease	28	18	21	36	38	51	69	57	63	31	16	4	1	–	–	–
Pancreas Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	9	11	9	7	13	24	10	16	7	1	–	–	–	–	–
Jaundice	3	–	7	13	7	9	12	13	23	10	11	1	–	–	–	1
Liver Disease	22	34	58	67	75	99	87	79	60	35	17	4	–	–	–	–
Spleen Disease	3	4	3	6	3	1	1	2	1	–	1	–	–	–	–	–
Nephritis	4	4	4	5	9	2	9	6	6	3	1	3	–	–	–	–
Nephria	35	29	23	17	31	22	28	17	19	12	4	3	1	–	–	–
Addison's Disease	–	1	–	–	–	3	2	–	–	1	–	–	–	–	–	–
Ischuria	–	3	–	2	4	5	3	9	11	5	6	3	–	–	–	–
Diabetes	5	5	2	7	9	5	6	9	5	2	2	1	–	–	–	–
Stone	–	1	1	2	2	6	4	9	4	12	4	3	2	–	–	–
Cystitis	3	2	5	2	9	14	20	22	40	24	22	5	2	–	–	–
Stricture of Urethra	–	–	2	2	1	1	–	2	1	1	–	–	–	–	–	–
Kidney Disease	9	21	24	15	26	33	33	33	37	23	10	11	3	1	–	–
Paramenia	–	4	3	6	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	11	10	6	12	10	7	5	2	1	2	–	–	–	–	–
Childbirth	66	86	61	6	–	–	–	–	–	–	–	–	–	–	–	–
Organs or Generation	2	5	6	10	10	2	5	6	6	4	–	–	–	–	–	–
Bone Disease	5	6	6	4	7	8	6	3	3	2	3	–	–	–	–	–
Rheumatism	9	7	6	8	9	21	21	15	22	21	9	4	–	–	–	–
Joint Disease	8	3	5	5	4	7	5	3	1	1	2	–	–	–	–	1
Carbuncle	–	–	2	–	4	2	1	4	4	3	2	1	–	–	–	–
Phlegmon	2	2	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	3	–	1	3	2	1	–	–	–	–	–
Intemperance	8	18	19	21	21	15	11	6	4	1	–	–	–	–	–	–
Privation	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	2	2	–	2	1	3	–	2	1	–	–	–	–	1
Poison	1	3	5	6	4	3	2	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	6	5	5	5	9	7	4	4	8	7	3	–	–	–	–
Hanging, etc.	–	4	2	6	7	5	4	2	3	1	–	–	–	–	–	–
Suffocation	1	–	2	5	2	5	1	3	1	1	2	1	1	–	–	–
Drowning	42	41	39	31	24	29	26	14	8	4	1	–	–	–	–	6
Fracture and Contusion	83	58	81	96	68	48	55	41	42	24	12	9	6	2	–	8
Gunshot Wounds	1	2	1	1	3	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	4	2	5	5	2	1	3	3	–	1	1	–	–	–	–	–
Other Violent Causes	2	10	5	5	8	7	3	4	–	3	–	–	–	–	–	–
Not Specified	54	46	80	60	77	87	116	10	1	–	–	–	–	–	–	14

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Males.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	37939	4164	1486	2530	3073	1468	975	677	1983	1081	1331	1652	1362
SPECIFIED CAUSES	36794	3794	1404	2458	3003	1433	948	665	1930	1061	1301	1610	1326
I. Zymotic Class	7764	471	392	790	1192	707	497	355	891	350	270	350	228
II. Diseases of Uncertain Seat	976	21	6	8	13	10	7	5	19	22	12	18	23
III. Tubercular Class	6171	98	161	397	541	252	176	136	454	315	557	732	561
IV. Brain and Nervous System	3515	288	122	181	201	69	62	42	154	77	70	73	64
V. Organs of Circulation	1977	7	2	3	3	1	2	6	18	32	47	37	64
VI. Respiratory Organs	6025	512	372	730	671	249	123	64	155	57	72	97	119
VII. Organs of Digestion	2125	300	161	249	255	57	20	14	50	40	49	54	48
VIII. Urinary Organs	812	3	2	5	7	12	10	10	34	25	21	34	31
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	246	–	–	1	3	3	3	2	26	29	29	19	16
XI. Skin, etc.	48	8	7	1	4	1	2	–	–	–	–	–	–
XII. Malformation	162	137	9	4	5	2	1	1	1	1	1	–	–
XIII. Premature Debility	2064	1855	136	73	–	–	–	–	–	–	–	–	–
XIV. Atrophy	234	–	–	–	54	31	10	9	18	12	7	5	5
XV. Age	2351	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	91	11	6	1	4	–	–	–	4	2	2	–	4
XVII. Violent Deaths	1933	83	28	15	50	39	35	21	106	99	161	191	163
I. Small Pox	1311	91	68	30	23	14	18	19	124	121	111	194	127
Measles	451	9	14	91	147	74	45	27	33	4	1	1	1
Scarlatina	1073	5	14	61	142	162	129	116	318	74	14	10	10
Diphtheria	505	12	8	37	93	68	79	38	114	17	13	5	3
Hooping Cough	1263	81	105	301	409	166	86	53	60	2	–	–	–
Croup	629	23	18	65	180	128	81	56	76	2	–	–	–
Thrush	21	13	3	3	2	–	–	–	–	–	–	–	–
Diarrhœa	781	134	114	139	125	41	5	8	12	5	5	3	5
Dysentery	96	3	5	11	11	2	3	2	2	–	1	1	5
Cholera	42	5	4	7	6	–	1	–	3	–	–	2	–
Influenza	49	2	3	1	2	1	1	1	1	–	–	–	1
Purpura	27	1	2	–	1	2	1	–	3	3	3	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	–	1	1	2	1	–	–	–
Typhus	399	3	2	7	6	8	13	3	23	31	34	43	25
Enteric Fever	590	6	1	11	19	20	24	20	88	62	70	73	36
Relapsing Fever	56	1	–	–	2	–	1	1	6	9	5	2	2
Simple Continued Fever	46	–	–	–	1	5	2	1	5	6	3	3	–
Infantile Remittent	56	3	3	5	12	15	6	7	5	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	72	–	–	1	–	–	–	1	8	8	6	9	5
Erysipelas	154	29	10	7	4	–	1	1	4	1	1	2	2
Pyæmia	32	3	1	1	1	1	–	–	3	4	3	1	3
Syphilis	98	47	17	11	6	–	–	–	1	–	–	–	2
Noma	5	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	37	2	–	–	2	–	–	1	1	–	–	1	2
Dropsy	239	5	–	–	4	4	3	2	13	12	3	3	8
Abscess	80	7	5	8	5	4	1	1	1	5	4	3	3
Ulcer	12	1	–	–	1	–	–	–	1	1	–	–	–
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	57	5	1	–	1	–	–	1	1	1	1	–	–
Cancer	526	1	–	–	–	2	3	–	2	3	4	11	8
Gout	18	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	467	10	15	25	54	29	22	14	61	57	54	31	22
Tabes Mesenterica	566	35	41	64	145	50	42	22	88	30	12	11	8
Phthisis	4035	19	18	56	88	52	40	36	145	188	482	686	529
Hydrocephalus	1103	34	87	252	254	121	72	64	160	40	9	4	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1207	1115	1243	1244	1380	1415	1688	1641	1842	1437	1110	558	189	49	10	29
SPECIFIED CAUSES	1173	1093	1190	1215	1335	1369	1630	1637	1842	1437	1110	558	189	49	10	24
Zymotic Class	214	163	145	129	112	98	115	95	91	57	34	15	2	–	1	–
Uncertain Seat	19	27	45	35	94	94	126	109	128	64	47	9	4	1	–	–
Tubercular Class	422	338	271	204	188	145	110	66	28	13	3	1	–	–	–	2
Brain, etc.	97	87	112	138	164	184	269	285	333	238	142	48	11	2	–	2
Heart, etc.	69	85	106	114	177	192	257	231	252	153	90	24	3	–	–	2
Respiratory Organs	118	144	217	275	288	304	351	376	310	218	134	49	14	5	–	1
Digestive Organs	61	72	92	106	109	155	150	136	137	71	27	5	4	–	–	3
Urinary Organs	27	35	39	32	55	59	60	76	87	73	40	25	6	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	12	8	10	6	13	10	21	9	10	8	6	2	–	–	–	–
Skin	1	–	3	–	3	4	2	3	4	3	2	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	8	9	11	19	32	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	86	192	416	513	576	374	144	40	9	1
Sudden Deaths	3	5	6	11	5	7	8	4	5	3	–	–	–	–	–	–
Violent Deaths	126	121	135	144	108	85	75	55	41	23	9	6	1	–	–	13
Small Pox	118	79	54	44	26	19	17	10	2	2	–	–	–	–	–	–
Measles	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	4	3	2	2	1	2	1	–	3	–	–	–	–	–	–	–
Diphtheria	1	1	3	2	1	3	2	2	–	1	2	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	4	7	7	10	13	23	32	35	19	16	9	2	–	1	–
Dysentery	6	1	2	1	3	3	4	7	8	8	4	3	–	–	–	–
Cholera	1	2	2	2	1	1	2	2	–	–	1	–	–	–	–	–
Influenza	1	2	–	–	3	2	7	3	7	7	3	1	–	–	–	–
Purpura	2	2	–	1	1	–	–	1	2	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	27	29	34	29	23	16	20	13	9	1	–	–	–	–	–	–
Enteric Fever	24	16	18	22	14	22	17	9	9	8	–	1	–	–	–	–
Relapsing Fever	4	2	7	5	5	1	2	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	4	2	3	4	1	1	2	1	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	9	4	3	4	2	2	2	–	2	–	–	–	–	–	–
Erysipelas	8	8	2	6	11	8	10	11	13	7	7	1	–	–	–	–
Pyæmia	2	1	2	1	2	–	2	–	1	–	–	–	–	–	–	–
Syphilis	–	2	3	1	2	1	4	1	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	3	2	–	3	2	5	3	4	1	–	–	1	–	–	–
Dropsy	1	4	8	6	14	26	32	25	31	17	16	2	–	–	–	–
Abscess	2	2	1	5	7	2	6	2	4	1	1	–	–	–	–	–
Ulcer	–	–	–	–	–	3	–	3	1	1	–	–	–	–	–	–
Fistula	–	1	–	–	2	–	2	1	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	5	2	4	8	7	6	8	2	1	1	–	–
Cancer	12	15	34	33	62	59	74	64	76	35	21	5	2	–	–	–
Gout	–	–	–	1	1	–	3	3	5	3	1	–	–	–	–	–
Scrofula	9	14	12	10	6	7	5	3	4	1	1	–	–	–	–	1
Tabes Mesenterica	1	5	5	–	2	2	2	1	–	–	–	–	–	–	–	–
Phthisis	411	317	254	194	179	136	103	62	24	12	2	1	–	–	–	1
Hydrocephalus	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	393	8	22	44	59	23	18	17	64	27	16	23	10	
Apoplexy	797	12	8	20	16	6	8	5	18	5	12	9	13	
Paralysis	968	2	–	–	1	1	4	1	4	2	9	8	7	
Delirium Tremens	50	–	–	–	–	–	–	–	–	–	–	1	1	
Chorea	4	–	–	–	1	–	–	–	1	–	–	–	–	
Epilepsy	140	–	–	–	–	–	–	–	1	12	14	9	11	
Tetanus	27	9	1	–	–	–	–	1	2	2	–	1	3	
Insanity	13	–	–	–	–	–	–	–	–	–	1	–	–	
Convulsions	616	246	83	98	107	34	20	9	18	–	–	–	–	
Brain Disease	507	11	8	19	17	5	12	9	46	29	18	22	19	
V. Pericarditis	46	–	1	1	–	–	–	3	3	4	2	2	3	
Aneurism	77	–	–	–	–	–	–	–	–	–	–	1	4	
Heart Disease	1854	7	1	2	3	1	2	3	15	28	45	34	57	
VI. Laryngitis	99	6	10	14	11	8	3	2	11	–	–	5	3	
Bronchitis	3947	394	307	576	539	176	93	41	94	25	19	24	31	
Pleurisy	134	3	1	2	2	3	–	1	4	8	7	9	6	
Pneumonia	1468	102	53	136	112	57	26	19	43	23	42	50	67	
Asthma	225	–	–	–	–	–	–	–	–	1	2	3	5	
Lung Disease	152	7	1	2	7	5	1	1	3	–	2	6	7	
VII. Teething	381	5	28	158	167	21	1	1	–	–	–	–	–	
Quinsey	27	2	3	2	7	–	1	1	1	1	–	–	2	
Gastritis	115	14	6	6	5	4	1	1	2	1	1	1	8	
Enteritis	482	156	72	48	47	15	8	3	15	14	9	8	3	
Peritonitis	134	16	5	3	3	3	–	–	7	5	16	10	7	
Ascites	25	–	–	1	–	–	–	1	1	3	–	–	1	
Ulceration of Intestines	122	1	–	2	–	1	–	1	–	–	4	6	7	
Hernia	52	2	1	1	1	–	–	–	1	–	–	2	1	
Ileus	147	23	5	1	3	2	1	–	5	2	4	9	1	
Intussusception	17	1	2	4	–	–	–	–	–	–	3	–	–	
Stricture of Intestines	19	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	326	36	32	20	13	5	3	5	11	1	5	5	4	
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	65	–	1	1	2	–	–	–	1	–	2	3	3	
Jaundice	105	38	3	1	3	2	1	1	–	1	–	2	1	
Liver Disease	389	5	3	1	3	4	4	–	5	9	5	7	10	
Spleen Disease	18	1	–	–	1	–	–	–	1	3	–	1	–	
VIII. Nephritis	67	1	1	1	2	4	2	5	9	4	2	6	–	
Nephria	197	1	–	2	1	3	3	4	11	11	11	8	7	
Addison's Disease	6	–	–	–	–	–	–	–	–	–	–	–	1	
Ischuria	51	1	–	–	2	–	1	–	2	–	1	2	–	
Diabetes	60	–	–	–	–	3	–	–	2	5	1	7	6	
Stone	51	–	–	–	–	–	–	–	3	–	1	2	1	
Cystitis	165	–	–	1	–	–	–	–	–	3	2	1	6	
Stricture of Urethra	14	–	–	–	–	–	–	–	–	1	–	1	2	
Kidney Disease	201	–	1	1	2	2	4	1	7	1	6	7	8	
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	
X. Bone Disease	86	–	–	–	1	1	3	–	11	12	15	6	7	
Rheumatism	70	–	–	–	–	–	–	–	2	–	2	3	–	
Joint Disease	90	–	–	1	2	2	–	2	13	17	12	10	9	
XI. Carbuncle	16	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	7	1	–	–	2	–	–	–	–	–	–	–	–	
Skin Disease	25	7	7	1	2	1	2	–	–	–	–	–	–	
XVII. Intemperance	99	–	–	–	–	–	–	–	–	2	5	3	11	
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	43	25	15	3	–	–	–	–	–	–	–	–	–	
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–	
Cold	11	1	–	–	–	–	–	–	–	–	–	2	–	
Poison	25	5	–	–	–	1	2	–	4	–	2	–	1	
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	136	–	–	4	28	23	15	8	15	5	4	2	5	
Hanging, etc.	24	–	–	–	–	–	–	–	–	–	1	2	1	
Suffocation	72	36	10	6	3	–	–	–	–	–	1	2	3	
Drowning	501	–	1	–	16	5	11	6	41	32	50	60	53	
Fracture and Contusion	878	2	1	–	3	10	7	5	42	54	82	101	77	
Gunshot Wounds	18	–	–	–	–	–	–	1	1	–	2	2	3	
Cuts and Stabs	28	–	–	–	–	–	–	–	1	–	2	1	–	
Other Violent Causes	95	14	–	2	–	–	–	1	2	6	12	16	9	
Not Specified	1145	370	82	72	70	35	27	12	53	20	30	42	36	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	12	5	5	8	6	7	5	5	4	–	3	1	1	–	–	–
Apoplexy	16	20	31	43	61	67	97	90	99	76	46	14	4	1	–	–
Paralysis	22	19	31	47	51	71	109	143	189	134	80	27	5	1	–	–
Delirium Tremens	10	10	7	4	7	3	3	3	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Epilepsy	11	14	14	13	6	7	6	8	6	5	1	1	–	–	–	1
Tetanus	1	1	–	1	3	–	1	–	1	–	–	–	–	–	–	–
Insanity	1	1	1	–	2	–	2	2	–	2	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	24	17	23	22	28	28	46	33	33	21	11	5	1	–	–	–
Pericarditis	8	2	1	2	5	2	3	1	1	–	2	–	–	–	–	–
Aneurism	9	7	7	9	11	5	11	8	2	1	1	–	1	–	–	–
Heart Disease	52	76	98	103	161	185	243	222	249	152	87	24	2	–	–	2
Laryngitis	3	2	3	6	3	4	–	1	2	1	1	–	–	–	–	–
Bronchitis	39	51	87	146	166	170	203	240	204	159	108	39	12	4	–	–
Pleurisy	4	9	12	14	6	16	8	9	6	5	4	1	–	–	–	–
Pneumonia	59	67	85	74	84	79	84	81	63	40	13	6	2	1	–	–
Asthma	9	8	19	15	19	21	38	32	28	13	8	3	–	–	–	1
Lung Disease	4	7	11	20	10	20	18	13	7	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	1	1	2	2	–	–	–	–	–	–	–	–
Gastritis	4	4	5	5	5	14	8	3	9	5	3	–	–	–	–	–
Enteritis	6	8	8	8	7	9	6	14	6	9	1	–	1	–	–	1
Peritonitis	9	8	8	4	5	4	6	3	7	5	–	–	–	–	–	–
Ascites	1	1	–	3	1	1	1	4	4	–	1	1	–	–	–	–
Ulceration of Intestines	6	7	10	11	9	17	9	10	16	3	1	–	–	–	–	1
Hernia	2	1	8	3	3	2	5	9	4	4	–	1	1	–	–	–
Ileus	2	6	3	6	14	9	14	14	9	8	4	1	1	–	–	–
Intussusception	–	1	–	–	1	1	2	–	2	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	3	2	4	2	5	1	1	1	–	–	–	–	–
Stomach Disease	14	6	5	16	15	27	35	20	28	13	5	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	6	6	3	3	7	9	4	8	1	1	–	–	–	–	–
Jaundice	1	–	3	9	2	4	5	6	12	5	4	–	–	–	–	1
Liver Disease	11	22	35	32	40	54	45	41	30	17	5	1	–	–	–	–
Spleen Disease	1	2	1	2	1	–	1	1	1	–	1	–	–	–	–	–
Nephritis	1	1	3	2	3	–	5	5	4	2	1	3	–	–	–	–
Nephria	17	18	13	13	19	12	14	8	7	9	2	2	1	–	–	–
Addison's Disease	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–
Ischuria	–	1	–	–	3	5	2	9	9	4	6	3	–	–	–	–
Diabetes	3	4	2	3	6	1	3	8	2	2	1	1	–	–	–	–
Stone	–	–	1	2	1	6	3	6	4	12	4	3	2	–	–	–
Cystitis	1	1	3	2	7	12	19	20	36	24	20	5	2	–	–	–
Stricture of Urethra	–	–	2	2	1	1	–	2	1	1	–	–	–	–	–	–
Kidney Disease	5	10	15	8	15	19	13	18	24	18	6	8	1	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	4	4	3	2	6	2	5	1	1	1	1	–	–	–	–	–
Rheumatism	5	3	4	1	5	6	12	7	8	7	3	2	–	–	–	–
Joint Disease	3	1	3	3	2	2	4	1	1	–	2	–	–	–	–	–
Carbuncle	–	–	2	–	3	1	–	3	3	3	1	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	2	–	–	1	–	1	–	–	–	–	–
Intemperance	3	13	10	16	14	9	4	5	4	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	2	–	1	1	–	–	2	–	–	–	–	–	1
Poison	–	2	3	1	1	2	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	4	3	2	2	6	1	1	–	1	3	1	–	–	–	–
Hanging, etc.	–	2	1	3	5	2	3	1	2	1	–	–	–	–	–	–
Suffocation	1	–	1	3	1	2	1	–	1	–	1	–	–	–	–	–
Drowning	38	40	35	28	19	21	19	11	4	4	1	–	–	–	–	6
Fracture and Contusion	74	49	70	82	55	35	42	29	30	13	3	5	1	–	–	6
Gunshot Wounds	1	2	1	1	3	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	4	2	4	3	2	1	3	3	–	1	1	–	–	–	–	–
Other Violent Causes	2	7	5	3	6	5	1	3	–	1	–	–	–	–	–	–
Not Specified	34	22	53	29	45	46	58	4	–	–	–	–	–	–	–	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	37855	3120	1202	2218	2924	1417	941	767	1789	1060	1298	1423	1413
SPECIFIED CAUSES	36887	2849	1131	2143	2863	1376	919	751	1742	1029	1264	1397	1389
I. Zymotic Class	8097	427	377	754	1260	716	547	445	927	360	323	306	278
II. Diseases of Uncertain Seat	1572	22	4	10	16	10	3	7	13	13	14	10	21
III. Tubercular Class	6425	74	148	363	462	220	135	122	373	392	648	757	655
IV. Brain and Nervous System	3115	189	82	124	132	86	45	35	117	51	52	42	62
V. Organs of Circulation	1956	3	3	1	4	2	–	2	23	32	46	46	61
VI. Respiratory Organs	5510	318	286	554	608	243	134	94	148	58	71	66	85
VII. Organs of Digestion	2397	217	112	245	257	41	21	11	51	47	31	43	56
VIII. Urinary Organs	432	4	3	1	7	7	3	6	8	14	23	21	28
IX. Organs of Generation	563	–	–	–	1	–	–	–	–	2	21	68	112
X. Organs of Locomotion	223	–	–	2	3	–	2	1	21	28	10	15	6
XI. Skin, etc.	53	7	3	7	6	1	–	1	2	–	–	3	4
XII. Malformation	106	94	5	4	2	1	–	–	–	–	–	–	–
XIII. Premature Debility	1555	1416	81	58	–	–	–	–	–	–	–	–	–
XIV. Atrophy	308	–	–	–	68	26	11	6	12	11	9	8	7
XV. Age	3857	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	80	9	7	3	2	1	1	–	3	–	–	1	1
XVII. Violent Deaths	638	69	20	17	35	22	17	21	44	21	16	11	13
I. Small Pox	1137	82	57	50	29	20	24	27	104	110	118	123	99
Measles	474	5	9	87	178	71	47	27	39	5	2	1	2
Scarlatina	1028	7	9	44	146	143	121	111	307	61	22	14	20
Diphtheria	540	8	8	25	81	73	70	76	133	27	11	10	6
Hooping Cough	1587	86	127	336	514	216	136	79	90	3	–	–	–
Croup	516	28	11	46	126	120	76	57	56	1	–	–	–
Thrush	19	16	1	1	–	1	–	–	–	–	–	–	–
Diarrhœa	782	117	104	109	116	27	15	5	15	6	4	5	8
Dysentery	113	1	5	3	12	4	1	3	2	–	2	–	–
Cholera	41	2	4	11	7	–	–	–	3	1	4	–	1
Influenza	44	1	1	1	1	3	1	2	1	2	–	–	1
Purpura	25	1	–	2	2	–	1	1	4	5	1	2	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	1	–	3	1	–	–	–	–
Typhus	396	–	3	7	4	6	8	8	35	35	46	30	34
Enteric Fever	633	1	4	7	21	16	25	27	98	79	81	55	24
Relapsing Fever	59	–	1	2	–	2	1	3	4	4	9	6	3
Simple Continued Fever	57	1	–	1	3	–	3	4	6	2	3	4	2
Infantile Remittent	62	2	2	4	7	6	14	9	18	–	–	–	–
Metria	219	–	–	–	–	–	–	–	–	–	5	42	59
Rheumatic Fever	81	–	–	–	–	–	1	–	8	16	13	6	4
Erysipelas	154	34	12	10	2	3	–	2	2	1	2	2	3
Pyæmia	24	1	–	1	–	–	1	1	–	2	–	2	4
Syphilis	95	38	19	7	11	2	–	–	–	–	–	4	2
Noma	6	1	–	–	–	2	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	29	6	–	2	–	–	–	–	–	–	–	1	–
Dropsy	334	1	–	1	4	6	3	5	5	7	5	1	6
Abscess	81	10	4	5	5	3	–	1	4	2	4	4	3
Ulcer	26	2	–	2	1	–	–	–	–	–	–	–	1
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	2
Mortification	58	2	–	–	4	1	–	–	1	1	–	1	1
Cancer	1033	1	–	–	2	–	–	1	3	3	5	3	8
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	343	8	9	16	36	17	10	14	37	34	29	28	11
Tabes Mesenterica	478	19	37	71	116	58	31	24	49	21	18	5	4
Phthisis	4680	10	22	48	92	54	35	40	163	309	591	719	640
Hydrocephalus	924	37	80	228	218	91	59	44	124	28	10	5	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
ALL CAUSES	1281	1306	1172	1171	1390	1365	1738	1743	2239	1911	1548	898	365	115	17	24
SPECIFIED CAUSES	1261	1282	1145	1140	1358	1324	1680	1737	2238	1911	1548	898	365	115	17	15
Zymotic Class	215	203	143	97	129	99	103	105	117	76	57	24	6	–	–	3
Uncertain Seat	45	63	80	123	181	167	204	176	150	125	69	38	7	–	–	1
Tubercular Class	520	459	332	245	188	118	112	48	28	12	7	3	1	–	–	3
Brain, etc.	64	75	98	122	152	184	246	288	358	267	160	63	13	6	–	2
Heart, etc.	95	98	94	124	185	156	224	208	257	173	85	29	4	1	–	–
Respiratory Organs	106	124	143	192	241	282	379	340	445	320	166	84	18	2	–	3
Digestive Organs	74	75	91	118	133	141	167	160	139	95	54	14	4	–	–	–
Urinary Organs	29	31	22	20	36	32	45	31	36	10	9	4	2	–	–	–
Generative Organs	72	106	80	28	23	12	12	11	8	5	2	–	–	–	–	–
Locomotive Organs	10	8	7	11	7	26	11	12	16	16	8	2	–	–	–	1
Skin	2	2	1	–	2	2	1	2	3	2	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	14	19	16	35	61	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	128	319	655	786	915	629	304	104	17	–
Sudden Deaths	5	1	3	5	9	4	9	9	5	2	–	–	–	–	–	–
Violent Deaths	20	23	32	39	37	40	38	28	21	22	15	7	6	2	–	2
Small Pox	78	70	40	28	33	23	9	6	5	–	1	–	–	–	–	1
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	6	5	2	–	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	3	3	1	–	3	–	2	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	11	5	11	16	16	27	32	47	29	31	18	4	–	–	–
Dysentery	2	3	4	1	8	3	6	17	14	12	8	1	1	–	–	–
Cholera	1	–	–	1	2	1	1	–	–	2	–	–	–	–	–	–
Influenza	1	1	–	2	–	2	5	3	7	6	1	2	–	–	–	–
Purpura	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	26	28	23	26	10	16	12	12	7	1	1	–	–	–	–
Enteric Fever	24	18	27	18	21	21	21	16	15	9	3	–	–	–	–	2
Relapsing Fever	4	3	1	2	4	6	2	–	1	1	–	–	–	–	–	–
Simple Cont. Fever	3	–	1	1	6	5	1	2	4	3	1	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	58	43	12	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	6	4	3	3	4	3	3	–	2	–	–	–	–	–	–
Erysipelas	4	5	7	4	4	5	8	10	11	5	11	1	1	–	–	–
Pyœmia	1	4	6	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	1	2	2	1	1	–	1	3	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	3	2	2	2	1	1	2	1	1	2	–	–	–	–	–
Dropsy	13	10	5	17	28	27	39	31	49	37	22	10	1	–	–	1
Abscess	5	4	6	3	–	5	1	3	2	4	1	2	–	–	–	–
Ulcer	–	2	–	1	3	2	1	3	4	3	1	–	–	–	–	–
Fistula	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	1	2	1	–	2	2	2	9	4	11	9	4	–	–	–	–
Cancer	21	41	65	100	146	130	158	126	90	68	34	22	6	–	–	–
Gout	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Scrofula	12	16	13	8	12	5	9	5	9	3	2	–	–	–	–	–
Tabes Mesenterica	7	4	6	1	1	2	2	–	1	–	1	–	–	–	–	–
Phthisis	501	439	313	236	175	111	101	43	18	9	4	3	1	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	287	10	20	34	30	24	15	11	58	14	20	8	8
Apoplexy	758	6	8	16	17	9	4	2	16	6	8	5	13
Paralysis	1063	–	–	2	–	1	1	1	–	2	5	5	5
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	6	–	–	–	–	–	–	–	2	4	–	–	–
Epilepsy	123	–	–	–	–	–	–	–	1	4	6	12	22
Tetanus	19	7	–	1	2	1	–	–	–	2	–	–	–
Insanity	13	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	417	160	49	60	68	36	17	16	11	–	–	–	–
Brain Disease	419	6	5	11	15	15	8	5	29	19	12	12	13
V. Pericarditis	31	–	–	1	–	–	–	1	3	3	3	3	1
Aneurism	26	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	1899	3	3	–	4	2	–	1	20	29	43	43	59
VI. Laryngitis	64	5	5	5	5	2	2	3	7	1	3	3	3
Bronchitis	3950	233	226	445	189	187	90	62	82	20	26	22	42
Pleurisy	97	3	–	3	1	1	1	–	4	4	7	2	6
Pneumonia	1102	72	54	99	108	51	39	26	52	28	30	29	26
Asthma	183	–	–	–	–	–	–	–	–	–	1	2	–
Lung Disease	114	5	1	2	5	2	2	3	3	5	4	8	8
VII. Teething	378	2	19	166	177	14	–	–	–	–	–	–	–
Quinsey	27	2	2	2	6	3	1	1	3	1	–	–	1
Gastritis	100	5	6	1	4	1	2	1	2	3	1	–	2
Enteritis	392	96	58	41	34	9	5	4	10	13	7	4	8
Peritonitis	185	11	2	5	11	–	1	–	4	9	12	15	13
Ascites	56	–	1	1	–	–	–	1	5	3	1	–	4
Ulceration of Intestines	105	1	1	2	1	–	1	1	3	3	–	7	4
Hernia	55	1	–	–	–	–	–	–	–	1	–	–	–
Ileus	134	12	3	–	–	1	1	–	5	2	2	1	2
Intussusception	21	1	2	2	–	–	1	–	2	1	1	–	–
Stricture of Intestines	12	–	–	–	1	–	–	–	2	–	–	–	–
Stomach Disease	376	32	16	17	18	9	4	1	6	4	3	10	9
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	75	2	1	–	–	–	1	1	1	3	1	1	1
Jaundice	112	39	–	2	4	1	2	–	2	1	1	2	–
Liver Disease	352	13	1	3	1	3	2	1	6	2	2	3	11
Spleen Disease	16	–	–	–	–	–	–	–	–	1	–	–	1
VIII. Nephritis	41	1	–	1	2	3	1	2	2	2	–	–	1
Nephria	156	–	–	–	2	1	–	2	4	4	12	11	14
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	11	–	–	–	–	–	–	–	–	–	–	–	2
Diabetes	35	1	–	–	2	–	–	–	–	1	2	4	3
Stone	7	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	27	–	1	–	–	–	–	–	–	3	2	1	2
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	152	2	2	–	1	3	2	2	2	4	7	5	4
IX. Paramenia	30	–	–	–	–	–	–	–	–	–	6	5	5
Ovarian Dropsy	76	–	–	–	–	–	–	–	–	1	–	2	3
Childbirth	391	–	–	–	–	–	–	–	–	–	14	59	99
Organs of Generation	66	–	–	–	1	–	–	–	–	1	1	2	5
X. Bone Disease	59	–	–	1	2	–	1	1	8	13	4	5	1
Rheumatism	98	–	–	–	–	–	–	–	–	4	–	3	2
Joint Disease	66	–	–	1	1	–	1	–	13	11	6	7	3
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	13	–	–	1	–	–	–	–	1	–	–	2	4
Skin Disease	33	7	3	6	6	1	–	1	1	–	–	1	–
XVII. Intemperance	52	–	–	–	–	–	–	–	–	–	–	1	5
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	35	23	7	5	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	8	1	1	–	–	–	–	–	–	–	–	–	–
Poison	24	2	–	2	–	–	–	2	1	–	1	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	127	–	1	4	22	20	7	12	13	3	5	–	–
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	65	29	10	3	2	1	–	2	3	1	–	–	–
Drowning	75	3	–	–	7	–	4	–	5	4	5	4	4
Fracture and Contusion	200	1	–	3	3	1	6	3	21	13	5	1	4
Gunshot Wounds	1	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	30	10	–	–	–	–	–	2	1	–	–	3	–
Not Specified	968	271	71	75	61	41	22	16	47	31	34	26	24

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	7	9	1	–	3	5	5	–	–	–	1	–	–	–	–
Apoplexy	16	24	30	44	49	73	67	79	117	72	51	19	4	2	–	1
Paralysis	14	11	27	39	62	77	131	166	199	167	96	39	9	3	–	1
Delirium Tremens	2	1	1	3	1	–	1	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	11	9	8	14	4	3	6	6	2	1	2	–	–	–	–
Tetanus	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	1	–	3	1	1	–	1	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	11	19	21	23	25	26	39	31	33	26	12	2	–	1	–	–
Pericarditis	3	3	–	1	1	2	1	1	3	–	1	–	–	–	–	–
Aneurism	2	–	–	4	3	4	6	3	1	1	–	1	–	–	–	–
Heart Disease	90	95	94	119	181	150	217	204	253	172	84	28	4	1	–	–
Laryngitis	1	2	2	4	2	1	4	1	1	1	–	1	–	–	–	–
Bronchitis	49	63	83	118	160	206	274	228	356	260	139	70	18	1	–	1
Pleurisy	8	3	3	8	11	6	3	7	8	2	4	2	–	–	–	–
Pneumonia	44	41	38	45	44	39	53	67	49	41	15	9	–	1	–	2
Asthma	1	4	6	12	16	21	37	32	28	14	7	2	–	–	–	–
Lung Disease	3	11	11	5	8	9	8	5	3	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	7	5	2	6	7	6	13	12	8	4	1	1	–	–	–	–
Enteritis	7	8	7	12	8	14	14	9	10	4	4	1	2	–	–	–
Peritonitis	18	19	12	5	6	5	9	8	5	8	4	3	–	–	–	–
Ascites	2	3	3	4	6	4	4	6	2	3	3	–	–	–	–	–
Ulceration of Intestines	3	6	6	7	12	10	10	7	12	5	3	–	–	–	–	–
Hernia	–	1	1	4	9	7	6	8	1	10	2	–	1	–	–	–
Ileus	2	3	4	7	12	10	11	20	13	14	7	1	1	–	–	–
Intussusception	1	–	2	–	3	1	2	–	2	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	2	–	3	–	1	1	–	–	1	–	–	–	–
Stomach Disease	14	12	16	20	23	24	34	37	35	18	11	3	–	–	–	–
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	3	5	6	4	6	15	6	8	6	–	–	–	–	–	–
Jaundice	2	–	4	4	5	5	7	7	11	5	7	1	–	–	–	–
Liver Disease	11	12	23	35	35	45	42	38	30	18	12	3	–	–	–	–
Spleen Disease	2	2	2	4	2	1	–	1	–	–	–	–	–	–	–	–
Nephritis	3	3	1	3	6	2	4	1	2	1	–	–	–	–	–	–
Nephria	18	11	10	4	12	10	14	9	12	3	2	1	–	–	–	–
Addison's Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	2	–	2	1	–	1	–	2	1	–	–	–	–	–	–
Diabetes	2	1	–	4	3	4	3	1	3	–	1	–	–	–	–	–
Stone	–	1	–	–	1	–	1	3	–	–	–	–	–	–	–	–
Cystitis	2	1	2	–	2	2	1	2	4	–	2	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	11	9	7	11	14	20	15	13	5	4	3	2	–	–	–
Paramenia	–	4	3	6	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	11	10	6	12	10	7	5	2	1	2	–	–	–	–	–
Childbirth	66	86	61	6	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	5	6	10	10	2	5	6	6	4	–	–	–	–	–	–
Bone Disease	1	2	3	2	1	6	1	2	2	1	2	–	–	–	–	–
Rheumatism	4	4	2	7	4	15	9	8	14	14	6	2	–	–	–	–
Joint Disease	5	2	2	2	2	5	1	2	–	1	–	–	–	–	–	1
Carbuncle	–	–	–	–	1	1	1	1	1	–	1	1	–	–	–	–
Phlegmon	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	1	2	2	–	–	–	–	–	–
Intemperance	5	5	9	5	7	6	7	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	1	–	3	–	–	1	–	–	–	–	–
Poison	1	1	2	5	3	1	2	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	2	3	3	3	6	3	4	7	4	2	–	–	–	–
Hanging, etc.	–	2	1	3	2	3	1	1	1	–	–	–	–	–	–	–
Suffocation	–	–	1	2	1	3	–	3	–	1	1	1	1	–	–	–
Drowning	4	1	4	3	5	8	7	3	4	–	–	–	–	–	–	–
Fracture and Contusion	9	9	11	14	13	13	13	12	12	11	9	4	5	2	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	3	–	2	2	2	2	1	–	2	–	–	–	–	–	–
Not Specified	20	24	27	31	32	41	58	6	1	–	–	–	–	–	–	9

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	30199	2941	1249	2292	2893	1415	904	707	1620	861	1058	1325	1194
SPECIFIED CAUSES	29927	2838	1224	2271	2873	1403	898	706	1610	859	1052	1318	1189
I. Zymotic Class	7431	432	375	795	1185	669	465	397	794	304	257	358	267
II. Diseases of Uncertain Seat	852	16	5	7	14	14	5	5	14	18	14	14	25
III. Tubercular Class	5315	77	149	339	479	258	156	125	367	273	484	599	466
IV. Brain and Nervous System	2580	238	109	170	170	89	60	43	100	52	40	42	52
V. Organs of Circulation	1433	4	2	3	2	2	2	4	16	27	38	36	60
VI. Respiratory Organs	5433	364	331	670	710	263	153	85	150	53	59	86	101
VII. Organs of Digestion	1781	194	118	214	221	45	17	9	43	30	37	40	44
VIII. Urinary Organs	507	1	2	2	8	10	8	11	17	19	23	22	26
IX. Organs of Generation	194	–	–	–	–	–	–	–	–	–	8	22	43
X. Organs of Locomotion	185	–	–	–	2	–	1	2	27	33	17	16	12
XI. Skin, etc.	33	6	4	5	2	1	1	–	1	–	–	–	–
XII. Malformation	105	88	8	4	3	1	–	–	1	–	–	–	–
XIII. Premature Debility	1454	1325	81	48	–	–	–	–	–	–	–	–	–
XIV. Atrophy	229	–	–	–	50	26	10	7	15	10	7	4	5
XV. Age	1218	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	90	9	8	2	3	–	1	–	3	1	1	–	3
XVII. Violent Deaths	1087	84	32	12	24	25	19	18	62	39	67	79	85
I. Small Pox	1555	113	86	48	34	24	30	35	173	143	142	200	160
Measles	340	5	7	75	115	57	38	25	15	–	2	–	–
Scarlatina	928	4	7	46	117	116	115	115	296	64	7	13	13
Diphtheria	412	10	5	32	81	75	59	45	78	11	4	5	1
Hooping Cough	1568	66	109	368	531	219	117	78	77	3	–	–	–
Croup	451	12	11	51	125	103	59	48	42	–	–	–	–
Thrush	15	10	2	1	2	–	–	–	–	–	–	–	–
Diarrhœa	690	123	107	122	121	31	6	5	8	5	3	3	6
Dysentery	50	–	3	5	4	1	1	–	1	–	–	–	1
Cholera	34	3	4	6	7	–	1	–	2	–	1	2	1
Influenza	22	2	1	1	1	–	1	1	1	1	–	–	–
Purpura	21	–	1	1	2	1	–	–	4	2	–	3	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	1	1	1	–	–	–	–
Typhus	413	–	–	5	3	7	8	6	15	26	34	43	28
Enteric Fever	400	1	1	9	18	17	17	19	56	32	47	53	20
Relapsing Fever	65	1	–	–	2	2	–	3	5	9	9	3	1
Simple Continued Fever	24	–	–	–	2	3	2	3	2	1	–	3	–
Infantile Remittent	53	2	3	6	8	10	8	10	6	–	–	–	–
Metria	90	–	–	–	–	–	–	–	–	–	2	23	22
Rheumatic Fever	43	–	–	–	–	–	–	–	8	4	4	3	5
Erysipelas	121	22	12	7	1	1	–	2	1	1	–	1	6
Pyæmia	17	–	–	1	–	–	–	1	1	2	2	1	1
Syphilis	108	57	16	11	11	1	–	–	1	–	–	2	2
Noma	8	1	–	–	–	1	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	30	1	–	1	1	–	–	–	–	–	–	2	2
Dropsy	186	3	–	–	5	8	3	4	9	8	4	–	6
Abscess	80	7	5	5	5	5	–	1	3	4	5	3	4
Ulcer	13	2	–	1	1	–	–	–	–	1	–	–	1
Fistula	8	–	–	–	–	–	–	–	–	–	–	–	3
Mortification	47	2	–	–	2	–	–	–	–	2	1	1	–
Cancer	485	1	–	–	–	1	2	–	2	3	4	8	8
Gout	3	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	327	9	9	19	50	27	15	18	48	47	28	19	10
Tabes Mesenterica	480	31	32	63	111	55	29	21	80	23	14	5	4
Phthisis	3593	13	19	51	88	64	47	34	135	185	434	573	450
Hydrocephalus	915	24	89	206	230	112	65	52	104	18	8	2	2

CAUSES OF DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
ALL CAUSES	1122	1090	1115	1067	1182	1118	1302	1068	1126	777	463	228	57	17	2	6
SPECIFIED CAUSES	1118	1082	1109	1062	1172	1108	1293	1067	1125	777	463	228	57	17	2	6
Zymotic Class	229	187	139	101	115	75	87	71	77	30	17	5	–	–	–	–
Uncertain Seat	30	38	56	66	111	92	100	73	58	40	27	10	–	–	–	–
Tubercular Class	396	338	292	177	129	99	65	24	12	9	1	1	–	–	–	–
Brain, etc.	64	66	87	111	139	141	192	198	195	137	63	17	4	1	–	–
Heart, etc.	82	93	103	118	169	145	180	138	117	63	23	5	1	–	–	–
Respiratory Organs	120	140	186	245	265	302	352	274	269	154	65	28	7	1	–	–
Digestive Organs	55	59	78	94	91	92	109	79	59	35	16	1	–	–	–	1
Urinary Organs	26	39	37	28	50	40	43	39	36	12	3	3	2	–	–	–
Generative Organs	29	32	25	8	6	4	8	4	4	1	–	–	–	–	–	–
Locomotive Organs	11	7	8	7	7	9	9	3	6	3	2	2	–	–	–	1
Skin	2	2	1	–	1	3	1	1	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	10	13	11	23	36	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	94	128	266	277	240	154	43	14	2	–
Sudden Deaths	6	4	6	11	9	5	7	5	5	1	–	–	–	–	–	–
Violent Deaths	66	67	78	85	57	65	46	30	21	13	6	2	–	1	–	4
Small Pox	122	97	49	37	27	12	9	8	5	–	1	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	2	1	2	–	1	1	1	1	–	–	–	–	–	–	–
Diphtheria	1	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	7	7	6	13	12	18	23	25	16	10	5	–	–	–	–
Dysentery	5	2	2	–	5	2	2	5	7	2	2	–	–	–	–	–
Cholera	–	1	–	1	1	–	1	2	–	1	–	–	–	–	–	–
Influenza	–	2	–	–	1	1	3	1	5	–	–	–	–	–	–	–
Purpura	2	2	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	36	43	36	35	15	20	12	10	3	–	–	–	–	–	–
Enteric Fever	13	10	18	6	12	17	15	5	10	4	–	–	–	–	–	–
Relapsing Fever	6	1	5	3	5	3	4	1	1	1	–	–	–	–	–	–
Simple Cont. Fever	1	–	2	–	1	3	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	25	13	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	2	1	2	3	2	2	2	–	–	–	–	–	–	–	–
Erysipelas	7	6	3	5	6	6	9	10	10	2	3	–	–	–	–	–
Pyæmia	–	3	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	1	1	–	2	–	1	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	5	4	1	1	4	1	3	1	3	–	–	–	–	–	–	–
Dropsy	7	6	4	12	18	21	24	17	14	6	5	2	–	–	–	–
Abscess	4	2	3	4	4	2	3	4	4	1	1	1	–	–	–	–
Ulcer	–	–	–	1	–	1	–	2	3	–	–	–	–	–	–	–
Fistula	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	1	–	4	4	2	6	4	9	6	2	–	–	–	–
Cancer	13	23	47	48	79	63	66	43	30	24	15	5	–	–	–	–
Gout	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Scrofula	2	8	7	4	1	3	–	1	–	2	–	–	–	–	–	–
Tabes Mesenterica	1	2	6	–	–	1	2	–	–	–	–	–	–	–	–	–
Phthisis	392	327	279	173	127	95	63	23	12	7	1	1	–	–	–	–
Hydrocephalus	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	312	7	24	43	52	32	20	16	43	17	14	10	8
Apoplexy	560	10	9	21	24	11	8	4	12	3	6	8	11
Paralysis	682	–	–	2	–	2	2	1	1	2	4	2	6
Delirium Tremens	32	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	3	–	–	–	–	–	–	–	1	2	–	–	–
Epilepsy	90	–	–	–	–	–	–	–	–	7	6	8	12
Tetanus	12	3	1	1	1	1	–	–	–	2	–	1	–
Insanity	11	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	515	211	68	83	74	33	19	15	12	–	–	–	–
Brain Disease	363	7	7	20	19	10	11	7	31	19	9	12	14
V. Pericarditis	36	–	1	2	–	–	–	1	2	4	3	3	1
Aneurism	50	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	1347	4	1	1	2	2	2	3	14	23	35	33	57
VI. Laryngitis	82	3	8	14	10	6	3	3	8	1	–	4	5
Bronchitis	3874	280	268	530	561	191	112	56	87	17	21	25	40
Pleurisy	78	1	1	3	1	1	1	–	2	3	2	5	6
Pneumonia	1149	72	54	120	128	61	34	23	51	28	32	42	39
Asthma	112	–	–	–	–	–	–	–	–	1	–	2	1
Lung Disease	138	8	–	3	10	4	3	3	2	3	4	8	10
VII. Teething	366	–	17	160	167	22	–	–	–	–	–	–	–
Quinsey	20	–	3	2	1	1	1	–	3	1	–	–	1
Gastritis	66	7	5	3	4	3	1	–	2	1	1	1	3
Enteritis	305	92	53	27	21	9	5	3	12	10	7	4	2
Peritonitis	110	3	4	1	1	–	1	–	5	4	11	14	8
Ascites	30	–	–	1	–	–	–	1	1	2	1	–	1
Ulceration of Intestines	48	–	–	1	–	–	–	1	–	1	1	2	4
Hernia	42	–	–	1	1	–	–	–	–	1	–	1	1
Ileus	103	24	4	–	1	1	1	–	5	3	4	3	1
Intussusception	14	2	3	2	–	–	1	–	2	–	2	–	–
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	263	27	27	14	17	7	3	3	8	3	4	7	6
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	48	1	1	–	1	–	–	–	1	–	2	2	3
Jaundice	80	30	–	2	6	–	2	–	–	–	1	2	–
Liver Disease	261	8	1	–	1	2	2	1	3	2	3	3	13
Spleen Disease	15	–	–	–	–	–	–	–	1	2	–	1	1
VIII. Nephritis	46	–	1	–	2	4	2	7	4	4	1	2	–
Nephria	157	–	–	1	3	2	2	3	4	4	14	9	13
Addison's Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	22	–	–	–	1	–	1	–	2	–	1	1	–
Diabetes	25	–	–	–	1	–	–	–	–	2	–	1	1
Stone	16	–	–	–	–	–	–	–	2	–	–	–	1
Cystitis	52	–	–	–	–	–	–	–	–	5	–	2	3
Stricture of Urethra	9	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	176	1	1	1	1	4	3	1	5	3	7	6	6
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	3	–	1
Ovarian Dropsy	33	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	133	–	–	–	–	–	–	–	–	–	4	22	39
Organs of Generation	22	–	–	–	–	–	–	–	–	–	1	–	2
X. Bone Disease	57	–	–	–	2	–	1	1	8	14	8	4	3
Rheumatism	47	–	–	–	–	–	–	–	2	1	–	3	2
Joint Disease	81	–	–	–	–	–	–	1	17	18	9	9	7
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	8	–	–	1	1	–	–	–	1	–	–	–	–
Skin Disease	20	6	4	4	1	1	1	–	–	–	–	–	–
XVII. Intemperance	84	–	–	–	–	–	–	–	–	–	5	3	13
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	44	23	17	4	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	3	1	1	–	–	–	–	–	–	–	–	–	–
Poison	23	2	–	–	–	1	1	–	3	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	112	–	–	3	19	17	10	9	16	4	4	–	2
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	1	1	1
Suffocation	71	39	13	2	1	1	–	1	1	–	–	–	2
Drowning	179	2	–	–	2	1	2	1	16	9	11	11	22
Fracture and Contusion	460	1	–	1	2	5	6	4	25	23	37	54	37
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	1	–	2
Cuts and Stabs	14	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	74	16	–	2	–	–	–	3	1	3	7	9	6
Not Specified	272	103	25	21	20	12	6	1	10	2	6	7	5

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	5	4	5	–	2	1	1	2	–	–	–	1	–	–	–
Apoplexy	13	17	26	29	53	51	58	61	59	44	14	5	2	1	–	–
Paralysis	17	13	26	40	50	62	98	113	115	80	37	8	1	–	–	–
Delirium Tremens	6	5	6	4	5	3	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	10	8	11	6	2	2	4	3	1	1	2	–	–	–	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	1	2	–	2	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	16	17	21	23	21	29	18	15	12	11	2	–	–	–	–
Pericarditis	4	2	1	2	5	3	1	1	–	–	–	–	–	–	–	–
Aneurism	8	5	5	8	6	3	6	5	–	1	–	1	–	–	–	–
Heart Disease	70	86	97	108	158	139	173	132	117	62	28	4	1	–	–	–
Laryngitis	3	4	3	2	1	2	1	1	–	–	–	–	–	–	–	–
Bronchitis	50	64	99	161	185	211	266	204	223	129	61	26	7	–	–	–
Pleurisy	5	5	6	10	4	8	3	6	3	–	1	1	–	–	–	–
Pneumonia	57	55	55	53	57	44	47	43	30	20	2	1	–	1	–	–
Asthma	2	4	13	9	11	18	22	15	9	4	1	–	–	–	–	–
Lung Disease	3	8	10	10	7	19	13	5	4	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	2	1	2	1	–	–	–	–	–	–	–	–
Gastritis	6	5	1	3	4	3	8	1	1	3	–	–	–	–	–	–
Enteritis	6	7	9	10	5	4	8	6	3	2	–	–	–	–	–	–
Peritonitis	11	11	10	4	5	2	6	2	2	3	1	1	–	–	–	–
Ascites	2	3	2	3	4	2	1	3	2	–	1	–	–	–	–	–
Ulceration of Intestines	2	1	7	7	4	2	6	3	3	2	1	–	–	–	–	–
Hernia	2	1	6	3	10	4	5	3	1	2	–	–	–	–	–	–
Ileus	3	4	4	5	6	7	9	6	6	4	2	–	–	–	–	–
Intussusception	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	2	1	1	–	3	1	–	–	–	–	–	–	–
Stomach Disease	12	9	6	17	11	17	27	18	9	9	2	–	–	–	–	–
Pancreas Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	4	1	2	5	5	6	5	5	2	–	–	–	–	–	–
Jaundice	1	–	4	5	5	2	5	4	8	–	2	–	–	–	–	1
Liver Disease	7	12	24	30	29	40	24	24	18	8	6	–	–	–	–	–
Spleen Disease	1	2	2	2	–	1	1	–	–	–	1	–	–	–	–	–
Nephritis	2	3	–	3	3	–	3	2	2	1	–	–	–	–	–	–
Nephria	17	17	13	11	16	5	11	5	6	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
Ischuria	–	2	–	–	3	3	–	1	6	–	1	–	–	–	–	–
Diabetes	3	2	–	3	3	2	2	1	3	–	–	1	–	–	–	–
Stone	–	–	1	1	1	3	1	3	2	1	–	–	–	–	–	–
Cystitis	–	2	2	1	7	5	7	4	9	3	1	–	1	–	–	–
Stricture of Urethra	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	13	19	9	16	19	17	22	8	6	1	2	1	–	–	–
Paramenia	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	6	7	2	5	4	4	1	1	–	–	–	–	–	–	–
Childbirth	26	23	16	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	2	2	2	1	–	4	3	3	1	–	–	–	–	–	–
Bone Disease	1	3	2	1	2	1	4	1	1	–	–	–	–	–	–	–
Rheumatism	6	3	2	3	3	6	4	2	4	2	2	2	–	–	–	–
Joint Disease	4	1	4	3	2	2	1	–	1	1	–	–	–	–	–	1
Carbuncle	–	–	1	–	1	1	–	–	–	2	–	–	–	–	–	–
Phlegmon	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Intemperance	3	12	11	10	11	5	6	2	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	4	4	2	3	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	2	2	3	7	2	1	1	4	2	–	–	–	–	–
Hanging, etc.	–	2	1	2	1	2	2	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	3	1	4	1	2	–	–	–	–	–	–	–	–
Drowning	12	22	16	17	7	13	9	4	1	1	–	–	–	–	–	–
Fracture and Contusion	44	23	37	38	26	26	21	18	16	6	3	2	–	1	–	4
Gunshot Wounds	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	2	4	1	–	1	–	–	–	1	–	–	–	–	–
Other Violent Causes	1	4	3	5	4	4	3	1	–	2	–	–	–	–	–	–
Not specified	4	8	6	5	10	10	9	1	1	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15192	1651	681	1194	1490	719	461	335	822	458	531	703	593
SPECIFIED CAUSES	15043	1589	668	1186	1481	713	457	334	817	457	529	700	589
I. Zymotic Class	3704	228	199	408	595	332	219	169	388	157	122	202	126
II. Diseases of Uncertain Seat	333	6	4	2	5	7	4	2	8	12	6	10	15
III. Tubercular Class	2573	45	72	173	253	136	90	72	189	131	226	272	205
IV. Brain and Nervous System	1377	141	66	89	109	39	36	21	51	31	23	27	28
V. Organs of Circulation	714	2	1	2	–	1	2	4	4	14	15	14	27
VI. Respiratory Organs	2780	218	184	369	363	134	76	36	76	25	29	55	62
VII. Organs of Digestion	879	116	57	104	108	26	7	6	21	12	21	22	23
VIII. Urinary Organs	318	–	1	2	4	8	6	9	14	13	10	11	13
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	104	–	–	–	–	–	–	1	15	20	13	8	9
XI. Skin, etc.	14	2	3	–	1	1	1	–	–	–	–	–	–
XII. Malformation	60	48	6	2	2	1	–	–	1	–	–	–	–
XIII. Premature Debility	811	735	49	27	–	–	–	–	–	–	–	–	–
XIV. Atrophy	102	–	–	–	25	14	5	4	8	7	2	2	2
XV. Age	417	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	49	5	5	–	2	–	–	–	2	1	1	–	2
XVII. Violent Deaths	808	43	21	8	14	14	11	10	40	34	61	77	77
I. Small Pox	828	59	49	15	16	10	14	13	93	77	71	128	83
Measles	177	3	5	43	60	27	20	9	8	–	1	–	–
Scarlatina	468	1	3	23	63	54	58	57	151	37	1	6	7
Diphtheria	209	4	2	20	48	37	32	13	40	5	4	1	–
Hooping Cough	709	35	56	176	232	107	47	29	26	1	–	–	–
Croup	249	6	7	30	79	52	30	23	22	–	–	–	–
Thrush	7	3	1	1	2	–	–	–	–	–	–	–	–
Diarrhœa	360	66	59	71	64	19	1	4	3	2	1	1	2
Dysentery	20	–	1	4	2	–	1	–	1	–	–	–	1
Cholera	21	3	2	2	3	–	1	–	2	–	–	2	–
Influenza	11	2	1	1	–	–	–	1	–	–	–	–	–
Purpura	8	–	1	–	–	1	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	1	1	1	–	–	–	–
Typhus	216	–	–	3	3	4	5	2	4	11	14	26	16
Enteric Fever	203	1	–	7	9	11	7	9	26	15	25	33	12
Relapsing Fever	32	1	–	–	2	–	–	1	3	6	–	–	1
Simple Continued Fever	13	–	–	–	1	3	1	–	1	1	–	2	–
Infantile Remittent	25	1	2	3	4	7	1	6	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	–	–	–	–	–	–	–	3	1	3	2	2
Erysipelas	58	10	5	1	1	–	–	1	1	–	–	–	1
Pyæmia	8	–	–	1	–	–	–	–	1	1	2	–	–
Syphilis	55	33	5	7	6	–	–	–	1	–	–	–	1
Noma	3	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	–	–	–	1	–	–	–	–	–	–	1	2
Dropsy	73	3	–	–	1	3	2	1	6	6	1	–	3
Abscess	42	–	4	2	1	3	–	1	1	3	2	2	3
Ulcer	5	1	–	–	1	–	–	–	–	1	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	25	2	–	–	1	–	–	–	–	1	1	–	–
Cancer	165	–	–	–	–	1	2	–	1	1	2	7	5
Gout	3	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	182	6	5	8	26	14	9	10	27	30	17	7	7
Tabes Mesenterica	253	20	17	29	56	25	17	12	45	11	7	4	4
Phthisis	1641	9	8	26	45	31	31	17	63	78	198	259	192
Hydrocephalus	497	10	42	110	126	66	33	33	54	12	4	2	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	556	515	584	557	586	561	646	517	462	296	184	69	13	2	1	5
SPECIFIED CAUSES	553	513	580	554	577	557	641	516	462	296	184	69	13	2	1	5
Zymotic Class	123	93	71	60	58	30	47	33	29	8	5	2	–	–	–	–
Uncertain Seat	14	13	21	16	38	31	47	26	23	10	12	1	–	–	–	–
Tubercular Class	169	133	143	79	72	58	30	14	6	4	–	1	–	–	–	–
Brain, etc.	41	42	46	58	66	78	103	98	86	63	29	4	2	–	–	–
Heart, etc.	33	50	53	64	77	76	106	71	53	31	12	2	–	–	–	–
Respiratory Organs	67	70	108	130	136	150	151	142	100	54	29	12	4	–	–	–
Digestive Organs	27	28	40	49	37	40	53	41	25	11	4	–	–	–	–	1
Urinary Organs	14	19	22	17	35	28	28	25	25	9	2	2	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	7	3	6	2	4	2	6	–	5	1	1	1	–	–	–	–
Skin	1	–	1	–	–	1	1	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	5	4	4	7	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	36	46	95	100	87	44	6	2	1	–
Sudden Deaths	3	3	3	8	3	4	4	1	1	1	–	–	–	–	–	–
Violent Deaths	52	54	62	67	44	48	29	19	14	2	3	–	–	–	–	4
Small Pox	71	50	26	24	14	3	5	6	1	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	2	5	2	5	6	11	12	10	5	2	2	–	–	–	–
Dysentery	4	–	1	–	2	–	1	1	–	–	1	–	–	–	–	–
Cholera	–	1	–	1	1	–	1	2	–	–	–	–	–	–	–	–
Influenza	–	2	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Purpura	1	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	19	25	19	17	7	12	5	4	–	–	–	–	–	–	–
Enteric Fever	6	7	6	4	5	8	6	1	4	1	–	–	–	–	–	–
Relapsing Fever	4	–	5	3	3	–	2	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	1	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	6	1	3	3	2	6	4	5	1	1	–	–	–	–	–
Pyæmia	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	1	–	2	–	3	–	2	–	–	–	–	–	–	–
Dropsy	1	1	2	1	3	10	11	8	6	2	2	–	–	–	–	–
Abscess	1	2	–	3	4	–	3	2	4	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	3	2	2	3	2	3	4	–	–	–	–	–
Cancer	10	6	18	12	24	19	26	12	8	5	5	1	–	–	–	–
Gout	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	3	5	3	1	2	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	3	–	–	–	2	–	–	–	–	–	–	–	–	–
Phthisis	167	128	135	76	70	56	28	13	6	4	–	1	–	–	–	–
Hydrocephalus	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	183	2	12	23	37	18	12	9	21	9	9	9	6
Apoplexy	283	6	5	9	11	3	5	2	5	1	4	5	6
Paralysis	318	–	–	–	–	1	1	1	1	1	1	1	3
Delirium Tremens	29	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	49	–	–	–	–	–	–	–	–	5	4	2	4
Tetanus	7	3	1	–	–	–	–	–	–	1	–	1	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	300	126	44	45	50	15	9	5	6	–	–	–	–
Brain Disease	203	4	4	12	11	2	9	4	18	14	5	8	9
V. Pericarditis	24	–	1	1	–	–	–	1	1	2	1	2	1
Aneurism	42	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	648	2	–	1	–	1	2	3	3	12	14	12	25
VI. Laryngitis	51	2	6	10	6	4	2	1	4	–	–	1	3
Bronchitis	1923	166	154	293	296	90	58	24	49	10	9	14	20
Pleurisy	43	1	1	–	1	1	–	–	–	2	–	5	3
Pneumonia	635	43	23	64	55	37	15	11	23	12	19	30	30
Asthma	57	–	–	–	–	–	–	–	–	1	–	2	1
Lung Disease	71	6	–	2	5	2	1	–	–	–	1	3	5
VII. Teething	179	–	7	77	81	14	–	–	–	–	–	–	–
Quinsey	11	–	1	1	–	–	–	–	1	1	–	–	1
Gastritis	38	6	1	2	4	2	1	–	–	–	–	1	3
Enteritis	159	55	26	10	10	6	3	2	6	4	5	3	–
Peritonitis	58	2	3	1	–	–	–	–	3	1	7	9	5
Ascites	8	–	–	–	–	–	–	1	–	1	–	–	1
Ulceration of Intestines	25	–	–	1	–	–	–	1	–	–	1	1	2
Hernia	17	–	–	1	1	–	–	–	–	–	–	1	1
Ileus	49	17	1	–	1	–	–	–	2	2	2	2	–
Intussusception	5	1	1	2	–	–	–	–	–	–	1	–	–
Stricture of Intestine	7	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	125	15	16	8	7	3	1	2	6	1	2	2	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	22	–	1	–	1	–	–	–	1	–	1	1	2
Jaundice	37	18	–	1	2	–	–	–	–	–	–	–	–
Liver Disease	131	2	–	–	1	1	2	–	1	1	2	1	7
Spleen Disease	7	–	–	–	–	–	–	–	1	1	–	1	–
VIII. Nephritis	34	–	1	–	1	4	1	5	3	3	1	2	–
Nephria	85	–	–	1	1	2	2	3	2	3	5	2	4
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	19	–	–	–	1	–	1	–	2	–	1	1	–
Diabetes	13	–	–	–	–	–	–	–	–	2	–	1	–
Stone	16	–	–	–	–	–	–	–	2	–	–	–	1
Cystitis	43	–	–	–	–	–	–	–	–	3	–	1	2
Stricture of Urethra	9	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	96	–	–	1	1	2	2	1	5	1	3	3	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	33	–	–	–	–	–	–	–	5	8	6	3	2
Rheumatism	22	–	–	–	–	–	–	–	2	–	–	1	–
Joint Disease	49	–	–	–	–	–	–	1	8	12	7	4	7
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	8	2	3	–	–	1	1	–	–	–	–	–	–
XVII. Intemperance	54	–	–	–	–	–	–	–	–	–	5	2	9
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	20	7	11	2	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	15	2	–	–	–	1	1	–	3	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	60	–	–	2	12	7	8	5	8	3	2	–	2
Hanging, etc.	10	–	–	–	–	–	–	–	–	–	1	1	1
Suffocation	41	23	9	2	1	–	–	–	–	–	–	–	2
Drowning	158	–	–	–	–	1	1	1	13	9	10	11	21
Fracture and Contusion	373	1	–	–	1	5	1	3	16	19	34	54	34
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	1	–	2
Cuts and Stabs	10	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	58	10	–	2	–	–	–	1	–	3	7	9	6
Not Specified	149	62	13	8	9	6	4	1	5	1	2	3	4

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	1	5	–	1	1	–	2	–	–	–	1	–	–	–
Apoplexy	7	8	11	14	26	27	35	34	26	24	7	1	1	–	–	–
Paralysis	11	10	14	19	18	34	48	54	47	33	18	2	–	–	–	–
Delirium Tremens	6	5	6	2	5	3	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	7	6	8	2	2	1	2	2	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	10	8	10	14	11	15	7	9	6	4	1	–	–	–	–
Pericarditis	3	1	1	1	4	2	1	1	–	–	–	–	–	–	–	–
Aneurism	7	5	5	7	6	3	5	3	–	–	–	–	–	–	–	–
Heart Disease	23	44	47	56	67	71	100	67	53	31	12	2	–	–	–	–
Laryngitis	3	2	2	2	1	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	22	26	48	81	92	95	105	107	76	45	27	12	4	–	–	–
Pleurisy	2	4	5	7	2	4	2	3	–	–	–	–	–	–	–	–
Pneumonia	36	33	40	32	34	29	25	21	15	7	1	–	–	–	–	–
Asthma	2	2	8	2	5	8	11	6	6	2	1	–	–	–	–	–
Lung Disease	2	3	5	6	2	13	8	4	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	1	1	2	1	–	–	–	–	–	–	–	–
Gastritis	2	3	–	2	2	2	4	–	1	2	–	–	–	–	–	–
Enteritis	3	4	6	5	2	2	3	3	–	1	–	–	–	–	–	–
Peritonitis	4	4	5	2	4	1	3	2	2	–	–	–	–	–	–	–
Ascites	1	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	5	4	1	1	3	2	1	–	–	–	–	–	–	–
Hernia	2	–	4	–	3	–	2	2	–	–	–	–	–	–	–	–
Ileus	2	2	2	2	2	2	4	2	2	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	2	1	–	–	3	1	–	–	–	–	–	–	–
Stomach Disease	6	3	2	7	3	7	16	10	3	3	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	–	1	3	2	1	2	3	–	–	–	–	–	–	–
Jaundice	–	–	2	4	1	1	2	1	4	–	–	–	–	–	–	1
Liver Disease	4	8	14	18	14	20	12	12	6	3	2	–	–	–	–	–
Spleen Disease	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
Nephritis	1	1	–	1	2	–	3	2	2	1	–	–	–	–	–	–
Nephria	11	10	7	8	12	3	5	2	1	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	2	3	–	1	5	–	1	–	–	–	–	–
Diabetes	1	1	–	1	2	1	1	1	1	–	–	1	–	–	–	–
Stone	–	–	1	1	1	3	1	3	2	1	–	–	–	–	–	–
Cystitis	–	1	1	1	6	4	7	4	9	3	–	–	1	–	–	–
Stricture of Urethra	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	1	5	11	5	9	11	10	11	5	3	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	2	1	–	1	1	3	–	–	–	–	–	–	–	–	–
Rheumatism	4	1	2	1	2	–	2	–	4	1	1	1	–	–	–	–
Joint Disease	2	–	3	1	1	1	1	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	8	5	9	7	3	2	1	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	3	1	1	2	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	1	1	1	5	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	1	1	1	1	2	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Drowning	11	21	15	16	7	12	6	2	–	1	–	–	–	–	–	–
Fracture and Contusion	35	19	32	32	21	20	16	14	11	–	1	–	–	–	–	4
Gunshot Wounds	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	1	2	1	–	1	–	–	–	1	–	–	–	–	–
Other Violent Causes	1	3	3	3	4	3	1	1	–	1	–	–	–	–	–	–
Not Specified	3	2	4	3	9	4	5	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15007	1290	568	1098	1403	696	443	372	798	403	527	622	601
SPECIFIED CAUSES	14884	1249	556	1085	1392	690	441	372	793	402	523	618	600
I. Zymotic Class	3727	204	176	387	590	337	246	228	406	147	135	156	141
II. Diseases of Uncertain Seat	519	10	1	5	9	7	1	3	6	6	8	4	10
III. Tubercular Class	2742	32	77	166	226	122	66	53	178	142	258	327	261
IV. Brain and Nervous System	1203	97	43	81	61	50	24	22	49	21	17	15	24
V. Organs of Circulation	719	2	1	1	2	1	–	–	12	13	23	22	33
VI. Respiratory Organs	2653	146	147	301	347	129	77	49	74	28	30	31	39
VII. Organs of Digestion	902	78	61	110	113	19	10	3	22	18	16	18	21
VIII. Urinary Organs	189	1	1	–	4	2	2	2	3	6	13	11	13
IX. Organs of Generation	194	–	–	–	–	–	–	–	–	–	8	22	43
X. Organs of Locomotion	81	–	–	–	2	–	1	1	12	13	4	8	3
XI. Skin, etc.	19	4	1	5	1	–	–	–	1	–	–	–	–
XII. Malformation	45	40	2	2	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	643	590	32	21	–	–	–	–	–	–	–	–	–
XIV. Atrophy	127	–	–	–	25	12	5	3	7	3	5	2	3
XV. Age	801	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	41	4	3	2	1	–	1	–	1	–	–	–	1
XVII. Violent Deaths	279	41	11	4	10	11	8	8	22	5	6	2	8
I. Small Pox	727	54	37	33	18	14	16	22	80	66	71	72	77
Measles	163	2	2	32	55	30	18	16	7	–	1	–	–
Scarlatina	460	3	4	23	54	62	57	58	145	27	6	7	6
Diphtheria	203	6	3	12	33	38	27	32	38	6	–	4	1
Hooping Cough	859	31	53	192	299	112	70	49	51	2	–	–	–
Croup	202	6	4	21	46	51	29	25	20	–	–	–	–
Thrush	8	7	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	330	57	48	51	57	12	5	1	5	3	2	2	4
Dysentery	30	–	2	1	2	1	–	–	–	–	–	–	–
Cholera	13	–	2	4	4	–	–	–	–	–	1	–	1
Influenza	11	–	–	–	1	–	1	–	1	1	–	–	–
Purpura	13	–	–	1	2	–	–	–	4	2	–	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	197	–	–	2	–	3	3	4	11	15	20	17	12
Enteric Fever	197	–	1	2	9	6	10	10	30	17	22	20	8
Relapsing Fever	33	–	–	–	–	2	–	2	2	3	9	3	–
Simple Continued Fever	11	–	–	–	1	–	1	3	1	–	–	1	–
Infantile Remittent	28	1	1	3	4	3	7	4	5	–	–	–	–
Metria	90	–	–	–	–	–	–	–	–	–	2	23	22
Rheumatic Fever	22	–	–	–	–	–	–	–	5	3	1	1	3
Erysipelas	63	12	7	6	–	1	–	1	–	1	–	1	5
Pyæmia	9	–	–	–	–	–	–	1	–	1	–	1	1
Syphilis	53	24	11	4	5	1	–	–	–	–	–	2	1
Noma	5	1	–	–	–	1	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	1	–	1	–	–	–	–	–	–	–	1	–
Dropsy	113	–	–	–	4	5	1	3	3	2	3	–	3
Abscess	38	7	1	3	4	2	–	–	2	1	3	1	1
Ulcer	8	1	–	1	–	–	–	–	–	–	–	–	1
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	2
Mortification	22	–	–	–	1	–	–	–	–	1	–	1	–
Cancer	320	1	–	–	–	–	–	–	1	2	2	1	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	145	3	4	11	24	13	6	8	21	17	11	12	3
Tabes Mesenterica	227	11	15	34	55	30	12	9	35	12	7	1	–
Phthisis	1952	4	11	25	43	33	16	17	72	107	286	314	258
Hydrocephalus	418	14	47	96	104	46	32	19	50	6	4	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	566	575	531	510	596	557	656	551	664	481	279	159	44	15	1	1
SPECIFIED CAUSES	565	569	529	508	595	551	652	551	663	481	279	159	44	15	1	1
Zymotic Class	106	94	68	41	57	45	40	38	48	22	12	3	–	–	–	–
Uncertain Seat	16	25	35	50	73	61	53	47	35	30	15	9	–	–	–	–
Tubercular Class	227	205	149	98	57	41	35	10	6	5	1	–	–	–	–	–
Brain, etc.	23	24	41	53	73	63	89	100	109	74	34	13	2	1	–	–
Heart, etc.	49	43	50	54	92	69	74	67	64	32	11	3	1	–	–	–
Respiratory Organs	53	70	78	115	129	152	201	132	169	100	36	16	3	1	–	–
Digestive Organs	28	31	38	45	54	52	56	38	34	24	12	1	–	–	–	–
Urinary Organs	12	20	15	11	15	12	15	14	11	3	1	1	1	–	–	–
Generative Organs	29	32	25	8	6	4	8	4	4	1	–	–	–	–	–	–
Locomotive Organs	4	4	2	5	3	7	3	3	1	2	1	1	–	–	–	1
Skin	1	2	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	5	9	7	16	25	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	58	82	171	177	153	110	37	12	1	–
Sudden Deaths	3	1	3	3	6	1	3	4	4	–	–	–	–	–	–	–
Violent Deaths	14	13	16	18	13	17	17	11	7	11	3	2	–	1	–	–
Small Pox	51	47	23	13	13	9	4	2	4	–	1	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Diphtheria	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	5	2	4	8	6	7	11	15	11	8	3	–	–	–	–
Dysentery	1	2	1	–	3	2	1	4	7	2	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	17	18	17	18	8	8	7	6	3	–	–	–	–	–	–
Enteric Fever	7	3	12	2	7	9	9	4	6	3	–	–	–	–	–	–
Relapsing Fever	2	1	–	–	2	3	2	–	1	1	–	–	–	–	–	–
Simple Cont. Fever	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	25	13	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	2	–	1	2	2	–	–	–	–	–	–	–	–
Erysipelas	1	–	2	2	3	4	3	6	5	1	2	–	–	–	–	–
Pyæmia	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	2	–	1	2	1	–	1	1	–	–	–	–	–	–	–
Dropsy	6	5	2	11	15	11	13	9	8	4	3	2	–	–	–	–
Abscess	3	–	3	1	–	2	–	2	–	1	–	1	–	–	–	–
Ulcer	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–
Fistula	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	2	–	3	2	6	2	2	–	–	–	–
Cancer	3	17	29	36	55	44	40	31	22	19	10	4	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	5	2	1	–	1	–	–	–	2	–	–	–	–	–	–
Tabes Mesenterica	1	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	225	199	144	97	57	39	35	10	6	3	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	129	5	12	20	15	14	8	7	22	8	5	1	2
Apoplexy	277	4	4	12	13	8	3	2	7	2	2	3	5
Paralysis	364	–	–	2	–	1	1	–	–	1	3	1	3
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	2	–	–	–
Epilepsy	41	–	–	–	–	–	–	–	–	2	2	6	8
Tetanus	5	–	–	1	1	1	–	–	–	1	–	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	215	85	24	38	24	18	10	10	6	–	–	–	–
Brain Disease	160	3	3	8	8	8	2	3	13	5	4	4	5
V. Pericarditis	12	–	–	1	–	–	–	–	1	2	2	1	–
Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	699	2	1	–	2	1	–	–	11	11	21	21	32
VI. Laryngitis	31	1	2	4	4	2	1	2	4	1	–	3	2
Bronchitis	1951	114	114	237	265	101	54	32	38	7	12	11	20
Pleurisy	35	–	–	3	–	–	1	–	2	1	2	–	3
Pneumonia	514	29	31	56	73	24	19	12	28	16	13	12	9
Asthma	55	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	67	2	–	1	5	2	2	3	2	3	3	5	5
Teething	187	–	10	83	86	8	–	–	–	–	–	–	–
VII. Quinsey	9	–	2	1	1	1	1	–	2	–	–	–	–
Gastritis	28	1	4	1	–	1	–	–	2	1	1	–	–
Enteritis	146	37	27	17	11	3	2	1	6	6	2	1	2
Peritonitis	52	1	1	–	1	–	1	–	2	3	4	5	3
Ascites	22	–	–	1	–	–	–	–	1	1	1	–	–
Ulceration of Intestines	23	–	–	–	–	–	–	–	–	1	–	1	2
Hernia	25	–	–	–	–	–	–	–	–	1	–	–	–
Ileus	54	7	3	–	–	1	1	–	3	1	2	1	1
Intussusception	9	1	2	–	–	–	1	–	2	–	1	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	138	12	11	6	10	4	2	1	2	2	2	5	5
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	1	–	–	–	–	–	–	–	–	1	1	1
Jaundice	43	12	–	1	4	–	2	–	–	–	1	2	–
Liver Disease	130	6	1	–	–	1	–	1	2	1	1	2	6
Spleen Disease	8	–	–	–	–	–	–	–	–	1	–	–	1
VIII. Nephritis	12	–	–	–	1	–	1	2	1	1	–	–	–
Nephria	72	–	–	–	2	–	–	–	2	1	9	7	9
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	12	–	–	–	1	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	2	–	1	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	80	1	1	–	–	2	1	–	–	2	4	3	2
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	3	–	1
Ovarian Dropsy	33	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	133	–	–	–	–	–	–	–	–	–	4	22	39
Organs of Generation	22	–	–	–	–	–	–	–	–	–	1	–	2
X. Bone Disease	24	–	–	–	2	–	1	1	3	6	2	1	1
Rheumatism	25	–	–	–	–	–	–	–	–	1	–	2	2
Joint Disease	32	–	–	–	–	–	–	–	9	6	2	5	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	5	–	–	1	–	–	–	–	1	–	–	–	–
Skin Disease	12	4	1	4	1	–	–	–	–	–	–	–	–
XVII. Intemperance	30	–	–	–	–	–	–	–	–	–	–	1	4
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	24	16	6	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	1	1	–	–	–	–	–	–	–	–	–	–
Poison	8	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	52	–	–	1	7	10	2	4	8	1	2	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	30	16	4	–	–	1	–	1	1	–	–	–	–
Drowning	21	2	–	–	2	–	1	–	3	–	1	–	1
Fracture and Contusion	87	–	–	1	1	–	5	1	9	4	3	–	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	16	6	–	–	–	–	–	2	1	–	–	–	–
Not Specified	123	41	12	13	11	6	2	–	5	1	4	4	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	3	3	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	6	9	15	15	27	24	23	27	33	20	7	4	1	1	–	–
Paralysis	6	3	12	21	32	28	50	59	68	47	19	6	1	–	–	–
Delirium Tremens	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	3	2	3	4	–	1	2	1	1	1	2	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	9	11	9	10	14	11	6	6	7	1	–	–	–	–
Pericarditis	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	1	–	–	1	2	–	1	–	1	–	–	–	–
Heart Disease	47	42	50	52	91	68	73	65	64	31	11	2	1	–	–	–
Laryngitis	–	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	28	38	51	80	93	116	161	97	147	84	34	14	3	–	–	–
Pleurisy	3	1	1	3	2	4	1	3	3	–	1	1	–	–	–	–
Pneumonia	21	22	15	21	23	15	22	22	15	13	1	1	–	1	–	–
Asthma	–	2	5	7	6	10	11	9	3	2	–	–	–	–	–	–
Lung Disease	1	5	5	4	5	6	5	1	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	2	1	1	2	1	4	1	–	1	–	–	–	–	–	–
Enteritis	3	3	3	5	3	2	5	3	3	1	–	–	–	–	–	–
Peritonitis	7	7	5	2	1	1	3	–	–	3	1	1	–	–	–	–
Ascites	1	2	2	3	4	2	1	2	–	–	1	–	–	–	–	–
Ulceration of Intestines	1	–	2	3	3	1	3	1	2	2	1	–	–	–	–	–
Hernia	–	1	2	3	7	4	3	1	1	2	–	–	–	–	–	–
Ileus	1	2	2	3	4	5	5	4	4	2	2	–	–	–	–	–
Intussusception	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	6	4	10	8	10	11	8	6	6	1	–	–	–	–	–
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	1	1	2	3	5	3	2	2	–	–	–	–	–	–
Jaundice	1	–	2	1	4	1	3	3	4	–	2	–	–	–	–	–
Liver Disease	3	4	10	12	15	20	12	12	12	5	4	–	–	–	–	–
Spleen Disease	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	6	7	6	3	4	2	6	3	5	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	1	–	2	1	1	1	–	2	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	1	1	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	8	8	4	7	8	7	11	3	3	–	1	1	–	–	–
Paramenia	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	6	7	2	5	4	4	1	1	–	–	–	–	–	–	–
Childbirth	26	23	16	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	2	2	2	1	–	4	3	3	1	–	–	–	–	–	–
Bone Disease	–	1	1	1	1	–	1	1	1	–	–	–	–	–	–	–
Rheumatism	2	2	–	2	1	6	2	2	–	1	1	1	–	–	–	–
Joint Disease	2	1	1	2	1	1	–	–	–	1	–	–	–	–	–	1
Carbuncle	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Intemperance	3	4	6	1	4	2	4	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	3	1	1	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	1	1	2	2	2	1	1	4	1	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	3	–	2	–	–	–	–	–	–	–	–
Drowning	1	1	1	1	–	1	3	2	1	–	–	–	–	–	–	–
Fracture and Contusion	3	4	5	6	5	6	5	4	5	6	2	2	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	2	–	1	2	–	–	1	–	–	–	–	–	–
Not Specified	1	6	2	2	1	6	4	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	8603	888	335	620	783	359	228	161	452	222	280	289	324
SPECIFIED CAUSES	8399	826	308	599	773	349	223	159	445	217	276	287	318
I. Zymotic Class	1729	94	88	202	316	184	133	75	184	57	54	44	59
II. Diseases of Uncertain Seat	223	9	–	–	4	2	1	2	2	4	2	2	4
III. Tubercular Class	1551	24	48	112	159	59	39	46	123	88	127	160	141
IV. Brain and Nervous System	842	71	26	45	44	20	12	7	39	18	13	10	23
V. Organs of Circulation	437	1	1	–	1	–	–	–	9	10	10	6	16
VI. Respiratory Organs	1391	124	86	160	162	57	24	14	34	11	18	15	27
VII. Organs of Digestion	540	66	25	49	58	12	5	3	16	7	7	8	13
VIII. Urinary Organs	113	1	2	–	1	–	1	4	6	2	7	9	7
IX. Organs of Generation	53	–	–	–	1	–	–	–	–	–	1	5	10
X. Organs of Locomotion	51	–	–	1	1	1	–	–	3	8	5	–	2
XI. Skin, etc.	9	2	1	–	–	–	–	–	–	–	–	–	1
XII. Malformation	25	21	2	–	–	–	–	1	–	1	–	–	–
XIII. Premature Debility	440	393	24	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	75	–	–	–	17	6	2	4	4	1	3	1	1
XV. Age	605	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	20	5	1	2	1	1	–	–	2	–	–	1	1
XVII. Violent Deaths	295	15	4	5	8	7	6	3	23	10	29	26	13
I. Small Pox	116	8	6	6	4	5	1	4	5	16	10	12	14
Measles	128	2	1	24	53	24	6	6	9	1	–	1	1
Scarlatina	244	1	4	16	30	41	38	21	71	11	4	1	3
Diphtheria	105	2	1	7	21	18	13	11	24	–	3	2	1
Hooping Cough	362	16	33	81	117	49	39	14	13	–	–	–	–
Croup	136	3	8	7	46	31	20	9	12	–	–	–	–
Thrush	6	5	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	209	37	22	39	37	8	2	2	5	1	3	1	1
Dysentery	21	–	2	2	–	1	–	–	1	–	1	–	1
Cholera	6	1	–	4	–	–	–	–	1	–	–	–	–
Influenza	8	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	7	–	–	1	–	–	–	–	1	1	1	–	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	87	–	2	2	1	1	1	2	12	5	10	6	11
Enteric Fever	130	1	–	2	2	4	7	4	25	15	16	10	6
Relapsing Fever	20	–	–	2	–	–	1	–	2	1	1	2	1
Simple Continued Fever	4	1	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	11	1	–	1	3	1	3	1	1	–	–	–	–
Metria	31	–	–	–	–	–	–	–	–	–	1	3	13
Rheumatic Fever	21	–	–	–	–	–	–	–	–	5	3	2	–
Erysipelas	36	8	3	6	–	–	–	–	2	–	1	1	1
Pyæmia	12	–	–	–	1	–	1	–	–	1	–	1	2
Syphilis	28	8	6	2	1	–	–	–	–	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	2	–	–	1	–	–	–	–	–	–	–	–
Dropsy	60	1	–	–	–	2	1	2	1	3	1	1	3
Abscess	11	5	–	–	2	–	–	–	1	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	129	–	–	–	1	–	–	–	–	1	1	1	1
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	87	3	6	4	4	5	2	1	14	7	12	6	1
Tabes Mesenterica	150	3	13	19	47	9	10	10	17	7	1	4	3
Phthisis	982	3	5	11	28	9	8	14	44	65	113	149	137
Hydrocephalus	332	15	24	78	80	36	19	21	48	9	1	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	279	286	283	280	322	305	375	376	436	307	222	136	32	13	3	7
SPECIFIED CAUSES	277	282	276	273	318	297	368	376	436	307	222	136	32	13	3	3
Zymotic Class	41	29	32	23	14	13	16	21	19	16	12	1	2	–	–	–
Uncertain Seat	5	7	15	15	27	15	31	21	34	14	6	1	–	–	–	–
Tubercular Class	113	89	58	55	43	20	21	16	4	3	1	1	–	–	–	1
Brain, etc.	25	32	33	33	43	55	63	67	74	51	26	11	–	–	–	1
Heart, etc.	16	23	27	35	49	44	60	44	50	19	12	4	–	–	–	–
Respiratory Organs	23	38	46	55	69	79	86	76	90	54	24	16	2	–	–	1
Digestive Organs	21	16	28	28	37	24	42	32	24	13	5	1	–	–	–	–
Urinary Organs	9	4	4	4	5	9	9	12	6	5	2	4	–	–	–	–
Generative Organs	5	15	7	1	3	1	1	2	–	1	–	–	–	–	–	–
Locomotive Organs	3	–	2	1	4	9	4	1	2	3	1	–	–	–	–	–
Skin	1	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	6	3	6	7	14	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	19	70	124	123	132	94	27	13	3	–
Sudden Deaths	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–
Violent Deaths	15	22	18	17	16	12	15	13	8	5	1	3	1	–	–	–
Small Pox	14	2	6	1	2	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	2	4	3	3	6	5	8	8	7	–	2	–	–	–
Dysentery	–	–	1	1	1	1	2	1	1	3	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	1	2	1	2	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	5	6	6	2	2	2	2	3	1	–	–	–	–	–	–
Enteric Fever	8	2	7	5	1	3	3	5	2	1	–	1	–	–	–	–
Relapsing Fever	–	3	1	3	2	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	10	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	5	1	–	–	–	1	2	–	2	–	–	–	–	–	–
Erysipelas	–	1	2	2	1	1	1	3	2	–	1	–	–	–	–	–
Pyæmia	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Dropsy	2	2	3	–	2	4	7	7	8	6	4	–	–	–	–	–
Abscess	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	3	–	–	2	2	1	–	–	–	–	–	–
Cancer	3	5	12	15	20	9	21	11	19	7	1	1	–	–	–	–
Gout	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
Scrofula	4	2	3	5	1	2	3	–	1	–	–	–	–	–	–	1
Tabes Mesenterica	1	3	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis	108	84	55	49	41	18	18	15	3	3	1	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	78	4	5	14	10	2	6	3	15	3	3	–	2
	Apoplexy	186	2	1	5	2	2	1	–	7	2	6	3	5
	Paralysis	244	–	–	–	–	–	–	–	2	1	2	1	3
	Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
	Epilepsy	34	–	–	–	–	–	–	–	–	3	1	–	8
	Tetanus	11	5	–	–	–	–	–	1	1	–	–	–	1
	Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	143	59	18	22	25	12	5	1	1	–	–	–	–
	Brain Disease	139	1	2	4	7	4	–	2	13	8	1	6	4
V.	Pericarditis	6	–	–	–	–	–	–	–	1	–	–	1	1
	Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	423	1	1	–	1	–	–	–	8	10	10	5	15
VI.	Laryngitis	13	2	–	1	2	–	1	1	1	–	–	–	–
	Bronchitis	974	94	74	117	138	47	15	8	19	4	5	5	11
	Pleurisy	19	1	–	1	1	–	–	–	1	–	2	–	2
	Pneumonia	307	25	12	41	21	7	8	4	13	6	10	8	14
	Asthma	47	–	–	–	–	–	–	–	–	–	–	1	–
	Lung Disease	31	2	–	–	–	3	–	1	–	1	1	1	–
VII.	Teething	76	–	6	33	36	1	–	–	–	–	–	–	–
	Quinsey	4	–	–	1	2	–	–	–	–	–	–	–	–
	Gastritis	31	3	2	–	2	1	1	1	2	1	–	–	4
	Enteritis	89	27	11	7	10	5	–	–	3	–	–	2	2
	Peritonitis	38	6	–	2	1	–	–	–	–	2	4	2	2
	Ascites	11	–	–	–	–	–	–	–	2	1	–	–	1
	Ulceration of Intestines	34	–	–	–	–	1	1	1	–	1	–	3	1
	Hernia	11	2	–	–	–	–	–	–	–	–	–	–	–
	Ileus	19	3	1	–	–	–	–	–	1	–	–	–	–
	Intussusception	2	–	–	1	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	6	–	–	–	1	–	–	–	2	–	–	–	–
	Stomach Disease	90	12	4	4	5	3	1	1	4	–	2	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	14	–	–	–	–	–	–	–	–	–	–	1	–
	Jaundice	17	11	–	–	–	1	–	–	–	–	–	–	–
	Liver Disease	93	2	1	1	1	–	2	–	2	2	1	–	3
	Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	13	–	–	–	1	–	1	–	2	1	1	1	1
	Nephria	28	–	–	–	–	–	–	2	2	1	1	3	1
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	8	1	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	7	–	–	–	–	–	–	–	–	–	1	1	1
	Stone	6	–	–	–	–	–	–	–	1	–	1	1	–
	Cystitis	22	–	1	–	–	–	–	–	–	–	–	–	2
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	28	–	1	–	–	–	–	2	1	–	3	3	2
IX.	Paramenia	3	–	–	–	–	–	–	–	–	–	–	1	1
	Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	36	–	–	–	–	–	–	–	–	–	1	4	9
	Organs of Generation	7	–	–	–	1	–	–	–	–	–	–	–	–
X.	Bone Disease	17	–	–	1	–	–	–	–	2	3	2	–	1
	Rheumatism	18	–	–	–	–	–	–	–	–	1	–	–	–
	Joint Disease	16	–	–	–	1	1	–	–	1	4	3	–	1
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1
	Skin Disease	7	2	1	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	15	–	–	–	–	–	–	–	–	–	–	1	1
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	11	8	1	2	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	11	4	–	1	–	–	–	1	1	–	1	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	24	–	–	2	5	5	1	1	4	–	1	–	1
	Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	7	1	2	–	1	–	–	–	1	–	–	1	–
	Drowning	67	1	1	–	1	–	3	1	8	3	9	8	3
	Fracture and Contusion	132	1	–	–	1	2	2	–	9	7	16	11	6
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	1	1	–
	Other Violent Causes	13	–	–	–	–	–	–	–	–	–	1	4	2
	Not Specified	204	62	27	21	10	10	5	2	7	5	4	2	6

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	1	–	1	2	1	3	–	–	–	–	–	–	–	–
Apoplexy	2	8	7	15	9	21	18	23	23	13	8	3	–	–	–	–
Paralysis	8	7	11	12	20	22	29	30	42	31	15	8	–	–	–	–
Delirium Tremens	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	4	4	3	2	2	1	1	–	–	–	–	–	–	–	1
Tetanus	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	10	9	2	10	8	14	10	8	7	3	–	–	–	–	–
Pericarditis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	2	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–
Heart Disease	12	23	26	34	48	43	58	43	50	19	12	4	–	–	–	–
Laryngitis	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	9	13	21	27	45	54	55	62	70	42	22	15	2	–	–	–
Pleurisy	1	3	2	2	–	–	–	1	1	1	–	–	–	–	–	–
Pneumonia	10	18	15	16	14	15	18	7	14	9	1	–	–	–	–	1
Asthma	2	1	4	5	3	8	10	5	4	2	1	1	–	–	–	–
Lung Disease	1	3	3	4	5	1	3	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	3	1	2	–	2	4	–	1	–	–	–	–	–	–
Enteritis	–	1	1	4	4	3	1	4	3	1	–	–	–	–	–	–
Peritonitis	4	4	1	1	3	1	–	3	–	2	–	–	–	–	–	–
Ascites	–	–	–	2	1	1	1	1	–	–	1	–	–	–	–	–
Ulceration of Intestines	3	6	–	1	3	1	4	3	5	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	1	2	3	1	–	–	–	–	–	–	–
Ileus	–	–	1	1	5	–	4	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Stomach Disease	5	1	7	1	6	7	8	3	8	4	4	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	4	–	1	1	4	–	–	1	–	–	–	–	–	–
Jaundice	–	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	6	4	9	10	10	8	15	8	5	2	–	1	–	–	–	–
Spleen Disease	–	–	–	2	2	–	–	–	1	–	–	–	–	–	–	–
Nephritis	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	2	1	1	1	4	3	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	1	–	3	1	1	–	–	–	–	–	–
Diabetes	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Cystitis	2	–	–	–	–	1	5	3	3	1	1	3	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	2	3	1	3	2	1	–	1	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	–	–	3	–	–	1	–	1	–	–	–	–	–	–
Childbirth	4	13	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	1	2	2	1	–	1	–	–	–	–	–	–	–
Rheumatism	2	–	1	–	1	6	2	–	1	3	1	–	–	–	–	–
Joint Disease	1	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Intemperance	–	1	2	3	2	2	1	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Poison	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	–	2	1	1	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Drowning	6	6	3	1	2	3	5	2	1	–	–	–	–	–	–	–
Fracture and Contusion	9	10	9	10	8	3	7	8	6	4	–	2	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	4	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Not Specified	2	4	7	7	4	8	7	–	–	–	–	–	–	–	–	4

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4363	515	198	349	400	172	126	74	246	113	152	157	137
SPECIFIED CAUSES	4252	480	183	340	392	168	123	74	243	111	150	155	132
I. Zymotic Class	842	49	52	108	147	85	72	33	88	29	26	20	19
II. Diseases of Uncertain Seat	89	5	–	–	2	1	1	1	–	1	1	1	3
III. Tubercular Class	760	15	25	57	84	32	22	22	72	42	57	81	54
IV. Brain and Nervous System	473	44	14	34	28	9	7	4	25	12	8	10	11
V. Organs of Circulation	211	1	–	–	–	–	–	–	6	4	8	2	7
VI. Respiratory Organs	759	76	51	106	89	27	13	6	16	3	12	6	14
VII. Organs of Digestion	263	37	19	21	31	5	1	2	7	4	4	4	5
VIII. Urinary Organs	75	1	–	–	–	–	1	1	5	2	4	7	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	25	–	–	–	1	1	–	–	2	3	2	–	2
XI. Skin, etc.	4	2	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	17	14	1	–	–	–	–	1	–	1	–	–	–
XIII. Premature Debility	252	222	18	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	29	–	–	–	4	4	–	2	3	1	2	–	1
XV. Age	217	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	2	–	1	1	–	–	–	1	–	–	–	1
XVII. Violent Deaths	226	12	3	1	5	4	6	2	18	9	26	24	12
I. Small Pox	68	5	5	2	2	3	–	1	2	10	6	6	11
Measles	57	2	–	10	17	13	4	4	4	1	–	1	1
Scarlatina	138	–	3	10	17	22	27	15	35	6	1	–	–
Diphtheria	52	2	1	5	11	8	3	3	10	–	3	–	–
Hooping Cough	158	7	17	45	51	14	12	5	7	–	–	–	–
Croup	75	1	7	3	26	17	13	3	5	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	106	20	11	22	17	5	–	1	3	–	2	–	–
Dysentery	8	–	1	1	–	–	–	–	1	–	–	–	1
Cholera	3	1	–	2	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	–	–	–	–	–	1	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	1	1	–	1	–	4	5	3	4	2
Enteric Fever	66	1	–	1	2	2	5	1	12	4	9	7	3
Relapsing Fever	8	–	–	–	–	–	–	–	2	1	1	1	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	6	–	–	1	2	1	2	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	17	3	3	4	–	–	–	–	2	–	–	–	–
Pyæmia	5	–	–	–	1	–	–	–	–	1	–	–	–
Syphilis	17	6	4	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	1	–	–	1	–	–	–	–	–	–	–	–
Dropsy	22	–	–	–	–	1	1	1	–	1	1	–	2
Abscess	5	3	–	–	1	–	–	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	45	–	–	–	–	–	–	–	–	–	–	1	1
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	53	2	5	3	4	2	1	1	8	4	8	3	1
Tabes Mesenterica	87	2	5	11	25	5	7	5	13	6	–	2	2
Phthisis	451	2	1	7	19	4	–	7	26	29	48	75	51
Hydrocephalus	169	9	14	36	36	21	14	9	25	3	1	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	129	136	138	137	175	151	188	185	198	122	101	54	4	2	–	4
SPECIFIED CAUSES	128	135	134	133	172	147	184	185	198	122	101	54	4	2	–	2
Zymotic Class	18	12	13	10	7	8	9	11	9	9	6	1	1	–	–	–
Uncertain Seat	–	2	6	3	9	7	12	10	18	3	3	–	–	–	–	–
Tubercular Class	48	43	24	23	24	9	9	12	3	1	–	–	–	–	–	1
Brain, etc.	16	15	18	22	26	23	37	30	36	24	15	4	–	–	–	1
Heart, etc.	5	10	14	11	25	27	26	26	24	9	5	1	–	–	–	–
Respiratory Organs	14	23	28	35	39	42	48	42	35	19	11	4	–	–	–	–
Digestive Organs	8	6	11	9	21	13	18	16	12	8	1	–	–	–	–	–
Urinary Organs	3	3	3	3	3	4	6	10	5	5	2	4	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	2	1	3	1	1	1	1	2	1	–	–	–	–	–
Skin	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	4	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	19	50	39	57	39	3	2	–	–
Sudden Deaths	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths	15	19	12	12	13	7	10	7	5	3	–	1	–	–	–	–
Small Pox	9	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	–	1	4	4	4	5	4	–	1	–	–	–
Dysentery	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	2	5	2	1	1	2	–	1	–	–	–	–	–	–
Enteric Fever	4	1	3	2	–	2	2	3	1	–	–	1	–	–	–	–
Relapsing Fever	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Pyæmia	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Dropsy	–	–	3	–	–	2	2	4	3	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	2	–	–	1	2	–	–	–	–	–	–	–
Cancer	–	2	3	3	6	3	8	5	9	3	1	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
Scrofula	2	–	1	3	1	1	2	–	–	–	–	–	–	–	–	1
Tabes Mesenterica	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis	46	41	23	20	22	8	7	11	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	48	2	4	11	7	–	2	2	9	8	–	–	–
Apoplexy	100	2	–	4	1	1	1	–	4	1	5	3	4
Paralysis	120	–	–	–	–	–	–	–	2	1	1	1	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	–	–	–	–	2	1	–	3
Tetanus	7	3	–	–	–	–	–	1	1	–	–	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	91	37	9	16	17	7	4	–	1	–	–	–	–
Brain Disease	86	–	1	3	3	1	–	1	8	5	1	6	2
V. Pericarditis	4	–	–	–	–	–	–	–	1	–	–	–	1
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	201	1	–	–	–	–	–	–	5	4	8	2	6
VI. Laryngitis	7	–	–	1	2	–	1	–	1	–	–	–	–
Bronchitis	515	61	45	77	75	22	9	3	9	1	4	2	3
Pleurisy	13	–	–	1	1	–	–	–	–	–	1	–	2
Pneumonia	181	15	6	27	11	2	3	2	6	2	7	4	9
Asthma	25	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	18	–	–	–	–	3	–	1	–	–	–	–	–
VII. Teething	36	–	4	17	16	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	19	3	2	–	1	1	–	1	2	–	–	–	2
Enteritis	50	15	8	4	9	1	–	–	2	–	–	1	–
Peritonitis	14	5	–	–	–	–	–	–	–	2	2	–	–
Ascites	3	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	21	–	–	–	–	1	–	–	–	–	–	2	1
Hernia	7	2	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	35	5	3	–	3	1	–	1	2	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	10	6	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	51	1	1	1	1	–	1	–	1	1	1	–	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	7	–	–	–	–	–	1	–	2	1	1	1	–
Nephria	16	–	–	–	–	–	–	1	2	1	1	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	1	–
Stone	6	–	–	–	–	–	–	–	1	–	1	1	–
Cystitis	18	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	–	–	–	–	–	–	–	1	3	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	11	–	–	–	–	–	–	–	1	1	2	–	1
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	8	–	–	–	1	1	–	–	1	2	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	–	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	7	1	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	3	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	1	3	3	1	1	2	–	–	–	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	1	1	–	1	–	–	–	–	–	–	1	–
Drowning	63	–	1	–	1	–	3	1	8	3	9	7	2
Fracture and Contusion	103	1	–	–	–	1	2	–	8	6	14	11	6
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	10	–	–	–	–	–	–	–	–	–	1	3	2
Not Specified	111	35	15	9	8	4	3	–	3	2	2	2	5

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the Year 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	–	1	1	1	2	–	–	–	–	–	–	–	–
Apoplexy	1	3	4	8	8	8	10	11	7	8	5	1	–	–	–	–
Paralysis	6	5	7	8	10	8	17	11	21	11	7	3	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	2	3	–	1	1	1	–	–	–	–	–	–	–	1
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	3	5	2	6	5	8	5	7	5	3	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	3	10	13	10	24	27	24	25	24	9	5	1	–	–	–	–
Laryngitis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	9	10	15	23	28	29	32	26	14	10	4	–	–	–	–
Pleurisy	1	2	2	1	–	–	–	1	–	1	–	–	–	–	–	–
Pneumonia	7	9	11	11	11	9	13	5	8	3	–	–	–	–	–	–
Asthma	2	1	4	4	–	4	4	3	1	1	1	–	–	–	–	–
Lung Disease	–	2	1	4	4	–	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	3	–	1	–	1	1	–	1	–	–	–	–	–	–
Enteritis	–	1	–	–	2	1	–	4	1	1	–	–	–	–	–	–
Peritonitis	–	–	–	1	1	1	–	–	–	2	–	–	–	–	–	–
Ascites	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	2	–	1	2	1	2	2	4	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	4	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	2	1	2	–	2	5	2	1	2	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	2	2	3	4	8	3	9	5	3	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	1	1	1	2	2	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	3	1	1	–	–	–	–	–	–
Diabetes	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	4	2	3	1	1	3	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	1	–	–	3	1	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	1	2	–	1	–	1	–	–	–	–	–	–	–
Rheumatism	1	–	1	–	–	1	–	–	–	2	1	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	2	2	1	1	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	6	2	1	2	3	5	2	1	–	–	–	–	–	–	–
Fracture and Contusion	9	9	6	7	7	–	5	3	4	3	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	4	4	3	4	4	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4240	373	137	271	383	187	102	87	206	109	128	132	187
SPECIFIED CAUSES	4147	346	125	259	381	181	100	85	202	106	126	132	186
I. Zymotic Class	887	45	36	94	169	99	61	42	96	28	28	24	40
II. Diseases of Uncertain Seat	134	4	–	–	2	1	–	1	2	3	1	1	1
III. Tubercular Class	791	9	23	55	75	27	17	24	51	46	70	79	87
IV. Brain and Nervous System	369	27	12	11	16	11	5	3	14	6	5	–	12
V. Organs of Circulation	226	–	1	–	1	–	–	–	3	6	2	4	9
VI. Respiratory Organs	632	48	35	54	73	30	11	8	18	8	6	9	13
VII. Organs of Digestion	277	29	6	28	27	7	4	1	9	3	3	4	8
VIII. Urinary Organs	38	–	2	–	1	–	–	3	1	–	3	2	4
IX. Organs of Generation	53	–	–	–	1	–	–	–	–	–	1	5	10
X. Organs of Locomotion	26	–	–	1	–	–	–	–	1	5	3	–	–
XI. Skin, etc.	5	–	1	–	–	–	–	–	–	–	–	–	1
XII. Malformation	8	7	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	188	171	6	11	–	–	–	–	–	–	–	–	–
XIV. Atrophy	46	–	–	–	13	2	2	2	1	–	1	1	–
XV. Age	388	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	3	1	1	–	1	–	–	1	–	–	1	–
XVII. Violent Deaths	69	3	1	4	3	3	–	1	5	1	3	2	1
I. Small Pox	48	3	1	4	2	2	1	3	3	6	4	6	3
Measles	71	–	1	14	36	11	2	2	5	–	–	–	–
Scarlatina	106	1	1	6	13	19	11	6	36	5	3	1	3
Diphtheria	53	–	–	2	10	10	5	3	14	–	–	2	1
Hooping Cough	204	9	16	36	66	35	27	9	6	–	–	–	–
Croup	61	2	1	4	20	14	7	6	7	–	–	–	–
Thrush	5	4	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	103	17	11	17	20	3	2	1	2	1	1	1	1
Dysentery	13	–	1	1	–	1	–	–	–	–	1	–	–
Cholera	3	–	–	2	–	–	–	–	1	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	3	–	–	1	–	–	–	–	–	1	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	46	–	2	1	–	1	–	2	8	–	7	2	9
Enteric Fever	64	–	–	1	–	2	2	3	13	11	7	3	3
Relapsing Fever	12	–	–	2	–	–	1	–	–	–	–	1	1
Simple Continued Fever	3	1	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	5	1	–	–	1	–	1	1	1	–	–	–	–
Metria	31	–	–	–	–	–	–	–	–	–	1	3	13
Rheumatic Fever	14	–	–	–	–	–	–	–	–	4	3	1	–
Erysipelas	19	5	–	2	–	–	–	–	–	–	1	1	1
Pyæmia	7	–	–	–	–	–	1	–	–	–	–	1	2
Syphilis	11	2	2	1	1	–	–	–	–	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	38	1	–	–	–	1	–	1	1	2	–	1	1
Abscess	6	2	–	–	1	–	–	–	1	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	84	–	–	–	1	–	–	–	–	1	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	34	1	1	1	–	3	1	–	6	3	4	3	–
Tabes Mesenterica	63	1	8	8	22	4	3	5	4	1	1	2	1
Phthisis	531	1	4	4	9	5	8	7	18	36	65	74	86
Hydrocephalus	163	6	10	42	44	15	5	12	23	6	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	150	150	145	143	147	154	187	191	238	185	121	82	28	11	3	3
SPECIFIED CAUSES	149	147	142	140	146	150	184	191	238	185	121	82	28	11	3	1
Zymotic Class	23	17	19	13	7	5	7	10	10	7	6	–	1	–	–	–
Uncertain Seat	5	5	9	12	18	8	19	11	16	11	3	1	–	–	–	–
Tubercular Class	65	46	34	32	19	11	12	4	1	2	1	1	–	–	–	–
Brain, etc.	9	17	15	11	17	32	26	37	38	27	11	7	–	–	–	–
Heart, etc.	11	13	13	24	24	17	34	18	26	10	7	3	–	–	–	–
Respiratory Organs	9	15	18	20	30	37	38	34	55	35	13	12	2	–	–	1
Digestive Organs	13	10	17	19	16	11	24	16	12	5	4	1	–	–	–	–
Urinary Organs	6	1	1	1	2	5	3	2	1	–	–	–	–	–	–	–
Generative Organs	5	15	7	1	3	1	1	2	–	1	–	–	–	–	–	–
Locomotive Organs	2	–	–	–	1	8	3	–	1	1	–	–	–	–	–	–
Skin	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	5	2	2	5	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	51	74	84	75	55	24	11	3	–
Sudden Deaths	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	–	3	6	5	3	5	5	6	3	2	1	2	1	–	–	–
Small Pox	5	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	1	3	3	2	2	1	4	3	3	–	1	–	–	–
Dysentery	–	–	1	1	1	–	2	1	–	2	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	4	1	–	1	1	–	3	–	–	–	–	–	–	–
Enteric Fever	4	1	4	3	1	1	1	2	1	1	–	–	–	–	–	–
Relapsing Fever	–	2	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	10	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	1	–	–	–	1	1	–	1	–	–	–	–	–	–
Erysipelas	–	–	2	2	–	–	–	3	1	–	1	–	–	–	–	–
Pyæmia	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	2	2	–	–	2	2	5	3	5	6	3	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Cancer	3	3	9	12	14	6	13	6	10	4	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	2	2	2	–	1	1	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	62	43	32	29	19	10	11	4	–	2	1	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	30	2	1	3	3	2	4	1	6	–	3	–	2
Apoplexy	86	–	1	1	1	1	–	–	3	1	1	–	1
Paralysis	124	–	–	–	–	–	–	–	–	–	1	–	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	16	–	–	–	–	–	–	–	–	1	–	–	5
Tetanus	4	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	52	22	9	6	8	5	1	1	–	–	–	–	–
Brain Disease	53	1	1	1	4	3	–	1	5	3	–	–	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	222	–	1	–	1	–	–	–	3	6	2	3	9
VI. Laryngitis	6	2	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	459	33	29	40	63	25	6	5	10	3	1	3	8
Pleurisy	6	1	–	–	–	–	–	–	1	–	1	–	–
Pneumonia	126	10	6	14	10	5	5	2	7	4	3	4	5
Asthma	22	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	13	2	–	–	–	–	–	–	–	1	1	1	–
VII. Teething	40	–	2	17	20	1	–	–	–	–	–	–	–
Quinsey	3	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	12	–	–	–	1	–	1	–	–	1	–	–	2
Enteritis	39	12	3	3	1	4	–	–	1	–	–	1	2
Peritonitis	24	1	–	2	1	–	–	–	–	–	2	2	2
Ascites	8	–	–	–	–	–	–	–	2	–	–	–	1
Ulceration of Intestines	13	–	–	–	–	–	1	1	–	1	–	1	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	13	3	–	–	–	–	–	–	1	–	–	–	–
Intussusception	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	–	–	–	1	–	–	–	2	–	–	–	–
Stomach Disease	55	7	1	4	2	2	1	–	2	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	42	1	–	–	–	–	1	–	1	1	–	–	1
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	–	–	1	–	–	–	–	–	–	–	1
Nephria	12	–	–	–	–	–	–	1	–	–	–	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	1	–	–	–	–	2	1	–	2	–	1
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	36	–	–	–	–	–	–	–	–	–	1	4	9
Organs of Generation	7	–	–	–	1	–	–	–	–	–	–	–	–
X. Bone Disease	6	–	–	1	–	–	–	–	1	2	–	–	–
Rheumatism	12	–	–	–	–	–	–	–	–	1	–	–	–
Joint Disease	8	–	–	–	–	–	–	–	–	2	3	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	3	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	–	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	1	–	1	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	11	–	–	1	2	2	–	–	2	–	1	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	1	–	–	–	–	–	1	–	–	–	–
Drowning	4	1	–	–	–	–	–	–	–	–	–	1	1
Fracture and Contusion	29	–	–	–	1	1	–	–	1	1	2	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	33	27	12	12	2	6	2	2	4	3	2	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	5	3	7	1	13	8	12	16	5	3	2	–	–	–	–
Paralysis	2	2	4	4	10	14	12	19	21	20	8	5	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	7	4	–	4	3	6	5	1	2	–	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	13	13	24	24	16	34	18	26	10	7	3	–	–	–	–
Laryngitis	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	4	11	12	22	26	26	30	44	28	12	11	2	–	–	–
Pleurisy	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	3	9	4	5	3	6	5	2	6	6	1	–	–	–	–	1
Asthma	–	–	–	1	3	4	6	2	3	1	–	1	–	–	–	–
Lung Disease	1	1	2	–	1	1	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	1	1	–	1	3	–	–	–	–	–	–	–	–
Enteritis	–	–	1	4	2	2	1	–	2	–	–	–	–	–	–	–
Peritonitis	4	4	1	–	2	–	–	3	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	1	1	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	4	–	–	1	–	2	1	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	1	–	3	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	3	–	5	1	4	2	6	2	6	3	3	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	2	–	1	1	3	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	2	6	6	2	5	6	3	2	–	–	1	–	–	–	–
Spleen Disease	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	3	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	–	–	3	–	–	1	–	1	–	–	–	–	–	–
Childbirth	4	13	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	1	5	2	–	1	1	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Poison	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	3	3	1	3	2	5	2	1	–	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	3	3	3	1	4	3	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	16815	1706	580	1034	1394	627	434	323	859	503	603	650	567
Specified Causes	16339	1561	546	1005	1365	609	419	315	836	488	591	638	552
I. Zymotic Class	3470	187	164	328	598	332	260	185	424	147	123	100	90
II. Diseases of Uncertain Seat	600	10	2	8	8	2	2	3	11	4	6	5	5
III. Tubercular Class	2991	50	67	193	228	95	60	56	193	197	314	357	285
IV. Brain and Nervous System	1495	88	36	50	71	26	24	15	64	22	32	27	20
V. Organs of Circulation	919	4	1	1	2	–	–	2	10	19	20	21	26
VI. Respiratory Organs	2282	164	132	252	247	103	45	33	54	23	23	26	30
VII. Organs of Digestion	1075	133	62	122	140	20	9	6	20	17	10	28	14
VIII. Urinary Organs	247	1	1	2	5	5	3	1	12	9	8	12	13
IX. Organs of Generation	129	–	–	–	–	–	–	–	–	–	4	13	28
X. Organs of Locomotion	92	–	–	2	1	–	3	–	7	6	11	7	3
XI. Skin, etc.	30	5	2	1	5	1	–	1	–	–	–	1	–
XII. Malformation	74	65	3	2	3	–	1	–	–	–	–	–	–
XIII. Premature Debility	922	819	65	38	–	–	–	–	–	–	–	–	–
XIV. Atrophy	112	–	–	–	28	12	6	2	8	4	2	3	2
XV. Age	1353	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	4	3	–	1	–	–	–	–	–	–	–	1
XVII. Violent Deaths	536	31	8	6	28	13	13	11	33	40	38	38	35
I. Small Pox	365	27	14	13	4	4	6	6	28	40	39	48	32
Measles	270	3	8	47	100	44	29	16	19	2	–	–	–
Scarlatina	481	2	4	26	90	77	50	53	136	20	5	4	7
Diphtheria	259	3	6	11	46	30	45	31	71	9	2	–	1
Hooping Cough	536	45	44	112	176	68	39	24	28	–	–	–	–
Croup	318	8	6	33	81	65	51	30	43	1	–	–	–
Thrush	9	5	2	2	–	–	–	–	–	–	–	–	–
Diarrhœa	350	54	52	59	55	17	5	4	7	5	2	–	1
Dysentery	64	2	3	5	9	–	1	5	1	–	2	–	2
Cholera	24	–	2	6	4	–	–	–	2	–	3	–	–
Influenza	23	–	–	–	1	3	–	–	–	–	–	–	–
Purpura	8	1	–	–	1	–	–	1	–	2	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	161	3	2	4	3	4	9	1	18	21	16	13	8
Enteric Fever	329	2	4	1	14	9	16	13	52	33	43	22	15
Relapsing Fever	14	–	–	–	–	–	1	–	3	1	2	2	1
Simple Continued Fever	29	–	–	–	–	–	1	–	5	4	1	2	–
Infantile Remittent	31	2	2	1	6	6	5	1	8	–	–	–	–
Metria	53	–	–	–	–	–	–	–	–	–	–	5	18
Rheumatic Fever	40	–	–	1	–	–	1	–	3	7	6	4	2
Erysipelas	51	14	3	2	3	2	1	–	–	1	–	–	–
Pyæmia	11	1	1	–	–	1	–	–	–	1	1	–	2
Syphilis	42	15	11	5	5	1	–	–	–	–	–	–	1
Noma	2	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	3	–	1	–	–	–	1	1	–	–	–	–
Dropsy	139	–	–	–	2	–	1	–	5	2	3	1	1
Abscess	36	4	1	6	3	1	–	–	1	2	2	1	1
Ulcer	13	1	–	1	1	–	–	–	1	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	32	2	1	–	2	–	–	1	2	–	–	–	1
Cancer	360	–	–	–	–	1	1	1	1	–	1	3	2
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	189	4	6	10	20	8	8	5	17	16	25	17	8
Tabes Mesenterica	244	11	18	33	70	24	19	9	27	12	7	2	2
Phthisis	2097	10	8	27	44	20	11	21	77	147	280	337	275
Hydrocephalus	461	25	35	123	94	43	22	21	72	22	2	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	495	504	484	525	565	558	741	777	972	827	605	316	133	28	3	2
Specified Causes	485	495	458	511	545	541	717	776	972	827	605	316	133	28	3	2
Zymotic Class	79	71	60	44	48	36	39	43	48	29	24	10	1	–	–	–
Uncertain Seat	14	27	24	37	61	60	77	72	68	55	27	9	3	–	–	–
Tubercular Class	206	176	125	111	92	73	53	31	17	6	4	1	1	–	–	–
Brain, etc.	32	25	48	61	55	82	135	134	190	147	72	27	10	2	–	–
Heart, etc.	38	39	36	41	75	68	103	108	139	101	47	14	3	–	–	1
Respiratory Organs	35	48	63	92	97	101	143	165	166	123	80	29	12	1	–	1
Digestive Organs	23	38	32	50	42	70	59	64	62	38	13	3	–	–	–	–
Urinary Organs	7	10	11	10	15	7	26	18	20	31	9	9	2	–	–	–
Generative Organs	15	29	17	9	6	2	1	–	2	3	–	–	–	–	–	–
Locomotive Organs	4	3	3	4	3	9	4	4	7	5	6	–	–	–	–	–
Skin	–	–	–	–	3	2	1	3	3	1	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	6	4	15	17	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	50	113	241	275	317	212	98	24	3	–
Sudden Deaths	2	1	2	3	3	1	5	1	2	3	–	–	–	–	–	–
Violent Deaths	28	27	31	45	30	13	21	20	13	10	5	2	3	1	–	–
Small Pox	25	21	22	16	6	6	4	3	1	–	–	–	–	–	–	–
Measles	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	5	1	4	5	1	9	14	18	8	13	8	–	–	–	–
Dysentery	2	1	1	1	1	–	3	8	8	5	3	1	–	–	–	–
Cholera	1	–	1	–	2	1	–	–	–	1	1	–	–	–	–	–
Influenza	1	–	–	1	1	1	4	1	5	4	1	–	–	–	–	–
Purpura	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	7	9	6	9	4	7	5	3	2	1	–	–	–	–	–
Enteric Fever	17	11	13	14	10	13	6	8	6	5	2	–	–	–	–	–
Relapsing Fever	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	1	–	4	2	1	1	3	1	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	15	14	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	5	2	–	4	2	1	–	–	1	–	–	–	–	–	–
Erysipelas	1	2	2	–	4	3	3	2	2	3	2	–	1	–	–	–
Pyæmia	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	2	1	–	1	1	1	–	1	–	–	1	–	–	–
Dropsy	3	5	3	8	8	8	16	14	23	20	12	4	–	–	–	–
Abscess	1	2	3	1	–	4	–	–	1	1	1	–	–	–	–	–
Ulcer	–	–	–	–	1	1	1	3	1	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	3	–	–	–	–	4	5	2	3	4	2	–	–	–	–
Cancer	8	17	16	27	52	46	54	48	40	27	10	3	2	–	–	–
Gout	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Scrofula	6	10	5	2	6	3	3	3	6	–	1	–	–	–	–	–
Tabes Mesenterica	4	1	2	–	–	1	1	–	1	–	–	–	–	–	–	–
Phthisis	196	164	118	109	86	69	49	28	10	6	3	1	1	–	–	–
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30	
IV. Cephalitis	132	3	7	9	20	9	6	6	26	5	9	7	3	
Apoplexy	391	4	4	7	5	2	2	2	6	4	4	1	8	
Paralysis	488	2	–	–	1	–	3	1	1	–	3	4	1	
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	1	
Chorea	4	–	–	–	1	–	–	–	2	–	–	–	–	
Epilepsy	49	–	–	–	–	–	–	–	–	3	5	7	2	
Tetanus	7	1	–	–	–	–	–	–	1	1	–	–	–	
Insanity	2	–	–	–	–	–	–	–	–	–	1	–	–	
Convulsions	200	74	22	31	40	14	8	3	8	–	–	–	–	
Brain Disease	208	4	3	3	4	1	5	3	20	9	10	8	5	
V. Pericarditis	15	–	–	–	–	–	–	2	3	2	2	1	–	
Aneurism	21	–	–	–	–	–	–	–	–	–	–	1	2	
Heart Disease	883	4	1	1	2	–	–	–	7	17	18	19	24	
VI. Laryngitis	25	2	2	3	2	2	–	–	3	–	1	1	–	
Bronchitis	1559	129	105	204	200	72	34	23	33	11	8	6	13	
Pleurisy	53	1	–	–	–	2	–	1	1	4	3	2	1	
Pneumonia	523	31	24	45	45	27	11	9	14	8	11	14	13	
Asthma	78	–	–	–	–	–	–	–	–	–	–	–	1	
Lung Disease	44	1	1	–	–	–	–	–	3	–	–	3	2	
VII. Teething	178	4	8	72	86	7	–	1	–	–	–	–	–	
Quinsey	9	–	–	–	5	–	–	1	1	–	–	–	–	
Gastritis	31	5	–	2	2	–	–	–	–	–	–	–	–	
Enteritis	237	70	39	32	33	5	4	2	6	6	2	4	2	
Peritonitis	75	12	2	–	7	3	–	–	2	1	3	5	3	
Ascites	15	–	–	1	–	–	–	–	3	1	–	–	–	
Ulceration of Intestines	51	1	1	1	–	–	–	–	2	–	3	3	3	
Hernia	22	–	–	–	–	–	–	–	1	–	–	1	–	
Ileus	54	4	2	1	1	–	1	–	–	1	–	4	–	
Intussusception	11	–	–	1	–	–	–	–	–	1	–	–	–	
Stricture of Intestines	12	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	133	16	9	10	3	2	1	1	3	–	1	6	5	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	28	–	–	–	–	–	1	1	–	1	–	–	–	
Jaundice	54	19	1	–	1	1	1	–	–	1	–	1	–	
Liver Disease	155	2	–	2	1	2	1	–	2	4	1	4	1	
Spleen Disease	10	–	–	–	1	–	–	–	–	1	–	–	–	
VIII. Nephritis	22	–	–	1	1	2	–	–	2	1	–	2	–	
Nephria	71	–	–	1	–	–	1	1	6	4	4	5	4	
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1	
Ischuria	15	–	–	–	1	–	–	–	–	–	–	–	1	
Diabetes	28	1	–	–	1	3	–	–	1	3	1	4	4	
Stone	8	–	–	–	–	–	–	–	–	–	–	–	1	
Cystitis	42	–	–	–	–	–	–	–	–	1	1	–	–	
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	58	–	1	–	2	–	2	–	3	–	2	1	2	
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	–	1	1	
Ovarian Dropsy	13	–	–	–	–	–	–	–	–	–	–	1	–	
Childbirth	94	–	–	–	–	–	–	–	–	–	4	9	25	
Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	2	2	
X. Bone Disease	32	–	–	–	1	–	2	–	2	3	7	3	2	
Rheumatism	29	–	–	–	–	–	–	–	–	–	–	1	–	
Joint Disease	31	–	–	2	–	–	1	–	5	3	4	3	1	
XI. Carbuncle	11	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	1	–	
Skin Disease	15	4	2	1	5	1	–	1	–	–	–	–	–	
XVII. Intemperance	26	–	–	–	–	–	–	–	–	1	–	–	2	
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	20	16	3	1	–	–	–	–	–	–	–	–	–	
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–	
Cold	4	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	11	–	–	–	–	–	1	1	1	–	1	1	1	
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	63	–	1	2	14	8	2	4	6	3	3	2	2	
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	24	13	3	2	1	–	–	–	–	–	–	–	–	
Drowning	123	–	–	–	10	3	1	3	9	9	14	9	11	
Fracture and Contusion	235	–	–	1	2	2	2	3	14	24	16	23	19	
Gunshot Wounds	4	–	–	–	1	–	–	–	1	–	–	–	–	
Cuts and Stabs	3	–	–	–	–	–	–	–	1	–	–	–	–	
Other Violent Causes	18	2	–	–	–	–	–	–	1	3	4	3	–	
Not Specified	476	145	34	29	29	18	15	8	23	15	12	12	15	

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	1	6	2	3	2	3	–	1	–	–	–	–	–	–	–
Apoplexy	7	9	16	23	24	34	48	36	61	47	22	9	5	1	–	–
Paralysis	6	4	12	18	16	29	60	78	101	82	45	16	5	–	–	–
Delirium Tremens	4	3	–	3	–	–	1	2	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	4	2	4	5	3	2	4	3	1	2	1	1	–	–	–	–
Tetanus	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	6	10	8	8	15	19	14	25	16	4	1	–	1	–	–
Pericarditis	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Aneurism	1	2	–	1	4	1	5	1	2	–	–	–	1	–	–	–
Heart Disease	35	36	36	40	71	67	97	107	137	101	46	14	2	–	–	1
Laryngitis	–	–	–	6	–	1	1	–	1	–	–	–	–	–	–	–
Bronchitis	12	22	31	49	51	58	85	95	115	100	69	22	11	1	–	–
Pleurisy	1	1	2	3	4	5	4	5	5	4	3	1	–	–	–	–
Pneumonia	19	18	24	24	30	23	29	48	29	15	6	5	1	–	–	–
Asthma	2	3	2	6	10	8	17	13	8	4	2	1	–	–	–	1
Lung Disease	1	4	4	4	2	6	7	4	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	2	3	1	4	2	4	3	1	–	–	–	–	–	–
Enteritis	2	4	1	–	3	5	6	1	1	5	4	–	–	–	–	–
Peritonitis	6	5	6	3	–	4	3	2	2	4	1	1	–	–	–	–
Ascites	–	–	1	–	1	1	1	3	2	1	–	–	–	–	–	–
Ulceration of Intestines	1	2	3	7	4	8	4	–	4	3	1	–	–	–	–	–
Hernia	–	1	2	1	1	2	2	6	2	3	–	–	–	–	–	–
Ileus	–	2	1	1	3	5	6	13	3	5	1	–	–	–	–	–
Intussusception	1	1	1	–	2	–	1	–	3	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	1	–	5	1	1	1	1	1	–	–	–	–	–
Stomach Disease	2	4	1	9	7	13	11	6	18	3	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	3	1	4	1	1	7	1	4	1	–	–	–	–	–	–
Jaundice	1	–	1	4	2	6	1	3	5	4	2	–	–	–	–	–
Liver Disease	5	12	11	15	16	16	14	22	14	7	1	2	–	–	–	–
Spleen Disease	1	2	1	1	1	–	–	2	–	–	–	–	–	–	–	–
Nephritis	–	–	1	1	2	–	2	1	2	–	1	3	–	–	–	–
Nephria	5	5	4	3	8	2	7	4	3	2	1	1	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	–	–	2	2	–	3	3	1	–	–	–	–
Diabetes	–	1	1	2	1	–	1	2	–	2	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	2	–	2	–	2	–	–	–	–
Cystitis	–	–	3	1	–	1	6	5	7	14	3	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	2	3	2	2	4	3	7	2	8	7	1	2	2	–	–	–
Paramenia	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	2	2	1	3	2	1	–	–	–	–	–	–	–	–	–
Childbirth	14	25	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	2	3	–	–	–	2	3	–	–	–	–	–	–
Bone Disease	1	1	–	1	1	4	–	1	1	1	1	–	–	–	–	–
Rheumatism	1	1	2	2	2	2	3	2	6	4	3	–	–	–	–	–
Joint Disease	2	1	1	1	–	3	1	1	–	–	2	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	3	3	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	1	3	5	4	3	6	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Poison	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	2	2	–	1	2	1	2	1	–	1	–	–	–	–
Hanging, etc.	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Suffocation	1	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–
Drowning	10	8	4	9	5	1	8	3	3	2	1	–	–	–	–	–
Fracture and Contusion	12	11	17	25	19	3	11	9	8	6	4	1	2	1	–	–
Gunshot Wounds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
Not Specified	10	9	26	14	20	17	24	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	8500	1012	319	576	707	323	217	153	476	254	305	332	269
SPECIFIED CAUSES	8224	929	302	561	696	315	209	150	463	244	297	323	256
I. Zymotic Class	1684	97	82	185	286	159	116	89	211	68	56	47	41
II. Diseases of Uncertain Seat	231	6	1	4	5	2	1	2	8	2	2	5	1
III. Tubercular Class	1461	28	43	101	127	52	36	25	117	86	144	166	126
IV. Brain and Nervous System	785	56	23	37	38	13	13	10	37	15	18	14	10
V. Organs of Circulation	462	4	–	1	2	–	–	1	4	9	13	11	15
VI. Respiratory Organs	1215	109	69	138	136	54	23	15	32	16	12	15	11
VII. Organs of Digestion	547	75	38	64	70	14	6	2	10	11	6	17	6
VIII. Urinary Organs	173	–	1	2	3	3	3	–	9	4	3	9	6
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	37	–	–	1	1	–	2	–	4	–	8	5	2
XI. Skin, etc.	15	3	2	–	1	–	–	–	–	–	–	–	–
XII. Malformation	46	41	1	1	2	–	1	–	–	–	–	–	–
XIII. Premature Debility	552	489	39	24	–	–	–	–	–	–	–	–	–
XIV. Atrophy	54	–	–	–	10	8	4	1	6	2	1	2	–
XV. Age	547	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	19	3	1	–	1	–	–	–	–	–	–	–	1
XVII. Violent Deaths	396	18	2	3	14	10	4	5	25	31	34	32	34
I. Small Pox	203	13	8	9	–	1	2	5	20	16	19	23	22
Measles	125	2	5	25	43	21	10	10	7	–	–	–	–
Scarlatina	241	–	2	17	39	42	25	26	70	10	4	2	1
Diphtheria	118	2	3	7	20	14	23	12	32	2	–	–	–
Hooping Cough	234	19	16	56	84	23	15	11	10	–	–	–	–
Croup	166	3	3	21	46	33	22	13	25	–	–	–	–
Thrush	5	2	2	1	–	–	–	–	–	–	–	–	–
Diarrhœa	185	31	29	32	31	11	2	2	2	3	1	–	1
Dysentery	34	2	3	5	5	–	1	2	–	–	1	–	2
Cholera	10	–	1	3	2	–	–	–	1	–	–	–	–
Influenza	15	–	–	–	1	1	–	–	–	–	–	–	–
Purpura	5	1	–	–	1	–	–	–	–	2	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	75	3	1	2	1	3	5	–	9	8	8	8	2
Enteric Fever	152	2	1	1	6	5	7	8	26	17	17	10	8
Relapsing Fever	7	–	–	–	–	–	1	–	1	1	2	1	–
Simple Continued Fever	11	–	–	–	–	–	–	–	2	3	1	1	–
Infantile Remittent	18	2	1	–	5	4	2	–	4	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	–	–	1	–	–	–	–	2	5	1	2	2
Erysipelas	30	8	–	2	2	–	1	–	–	1	–	–	–
Pyæmia	9	1	1	–	–	1	–	–	–	–	1	–	2
Syphilis	19	6	6	3	–	–	–	–	–	–	–	–	1
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	1	–	–	–	–	–	1	1	–	–	–	–
Dropsy	65	–	–	–	2	–	–	–	4	1	1	1	1
Abscess	19	3	–	4	3	1	–	–	–	1	1	1	–
Ulcer	5	–	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	13	2	1	–	–	–	–	1	1	–	–	–	–
Cancer	116	–	–	–	–	1	1	–	1	–	–	3	–
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	114	1	4	8	13	7	7	2	13	12	18	12	3
Tabes Mesenterica	142	10	12	15	44	11	11	2	21	8	2	2	1
Phthisis	941	6	4	14	17	10	5	10	33	53	123	152	122
Hydrocephalus	264	11	23	64	53	24	13	11	50	13	1	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	234	226	240	271	290	302	365	376	447	371	252	122	52	6	1	2
SPECIFIED CAUSES	225	218	221	263	280	290	353	376	447	371	252	122	52	6	1	2
Zymotic Class	36	25	32	23	21	20	20	24	23	13	8	2	–	–	–	–
Uncertain Seat	2	6	11	11	21	23	31	26	32	18	7	3	1	–	–	–
Tubercular Class	94	75	49	49	42	46	27	15	6	5	2	–	–	–	–	–
Brain, etc.	22	10	21	32	30	42	66	68	96	64	32	13	4	1	–	–
Heart, etc.	17	20	19	23	41	34	53	56	59	45	22	10	2	–	–	1
Respiratory Organs	16	27	40	61	60	59	70	84	60	55	34	10	4	1	–	1
Digestive Organs	9	22	15	20	21	37	30	22	34	14	3	1	–	–	–	–
Urinary Organs	2	5	7	6	9	6	14	14	17	31	9	9	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	2	1	2	1	1	2	2	–	–	–	–	–
Skin	–	–	–	–	2	2	–	2	2	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	–	2	7	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	23	51	110	116	130	72	40	4	1	–
Sudden Deaths	–	1	2	2	2	1	3	–	1	1	–	–	–	–	–	–
Violent Deaths	25	25	24	33	22	11	14	13	6	7	2	2	–	–	–	–
Small Pox	19	11	13	8	3	4	4	2	1	–	–	–	–	–	–	–
Measles	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	1	1	3	–	2	10	9	5	3	2	–	–	–	–
Dysentery	1	–	–	1	–	–	2	3	4	2	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Influenza	1	–	–	–	1	1	4	1	2	2	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	4	3	3	3	3	3	2	–	–	–	–	–	–	–
Enteric Fever	9	3	6	8	5	6	2	2	1	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	3	3	1	2	1	2	2	–	–	–	–	–
Pyæmia	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	1	–	–	1	1	1	–	1	–	–	1	–	–	–
Dropsy	–	2	2	4	6	7	10	6	10	4	3	1	–	–	–	–
Abscess	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	2	1	1	1	1	1	–	–	–	–
Cancer	–	3	7	6	15	12	18	16	20	9	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Scrofula	1	6	–	–	1	2	–	1	3	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	92	68	48	49	41	43	27	14	3	5	2	–	–	–	–	–
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

	DISEASES.	MALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	75	2	3	6	10	4	3	3	14	4	5	4	2
	Apoplexy	195	3	1	5	3	2	1	2	3	3	1	–	2
	Paralysis	236	2	–	–	1	–	3	–	1	–	3	3	1
	Delirium Tremens	12	–	–	–	–	–	–	–	–	–	–	–	1
	Chorea	3	–	–	–	1	–	–	–	1	–	–	–	–
	Epilepsy	28	–	–	–	–	–	–	–	–	3	2	3	1
	Tetanus	3	–	–	–	–	–	–	–	1	–	–	–	–
	Insanity	1	–	–	–	–	–	–	–	–	–	1	–	–
	Convulsions	126	46	16	25	20	7	4	2	6	–	–	–	–
	Brain Disease	106	3	3	1	3	–	2	3	11	5	6	4	3
V.	Pericarditis	7	–	–	–	–	–	–	1	1	1	1	–	–
	Aneurism	14	–	–	–	–	–	–	–	–	–	–	1	2
	Heart Disease	441	4	–	1	2	–	–	–	3	8	12	10	13
VI.	Laryngitis	15	1	1	2	1	2	–	–	2	–	–	1	–
	Bronchitis	781	90	56	112	105	39	17	9	18	8	2	1	4
	Pleurisy	34	–	–	–	–	1	–	1	1	3	2	2	–
	Pneumonia	305	17	11	24	30	12	6	5	9	5	8	9	8
	Asthma	49	–	–	–	–	–	–	–	–	–	–	–	1
	Lung Disease	31	1	1	–	–	–	–	–	2	–	–	2	1
VII.	Teething	91	3	5	34	43	5	–	1	–	–	–	–	–
	Quinsey	2	–	–	–	2	–	–	–	–	–	–	–	–
	Gastritis	14	3	–	2	–	–	–	–	–	–	–	–	–
	Enteritis	138	45	22	18	20	4	3	–	4	4	1	3	1
	Peritonitis	28	5	2	–	1	3	–	–	1	1	1	1	–
	Ascites	6	–	–	1	–	–	–	–	1	–	–	–	–
	Ulceration of Intestines	28	1	–	–	–	–	–	–	–	–	3	1	2
	Hernia	13	–	–	–	–	–	–	–	1	–	–	1	–
	Ileus	27	4	2	1	1	–	1	–	–	–	–	4	–
	Intussusception	4	–	–	1	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	68	8	6	7	1	1	1	1	2	–	1	2	3
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	13	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	25	6	1	–	1	–	1	–	–	1	–	1	–
	Liver Disease	76	–	–	–	–	1	–	–	1	4	–	4	–
	Spleen Disease	6	–	–	–	1	–	–	–	–	1	–	–	–
VIII.	Nephritis	13	–	–	1	1	–	–	–	1	–	–	2	–
	Nephria	41	–	–	1	–	–	1	–	5	2	2	3	2
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	11	–	–	–	1	–	–	–	–	–	–	–	–
	Diabetes	19	–	–	–	–	3	–	–	1	2	–	3	3
	Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	39	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	41	–	1	–	1	–	2	–	2	–	1	1	1
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Bone Disease	16	–	–	–	1	–	2	–	1	–	5	2	2
	Rheumatism	8	–	–	–	–	–	–	–	–	–	–	1	–
	Joint Disease	13	–	–	1	–	–	–	–	3	–	3	2	–
XI.	Carbuncle	8	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	2	1	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	5	2	2	–	1	–	–	–	–	–	–	–	–
XVII.	Intemperance	16	–	–	–	–	–	–	–	–	1	–	–	1
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	13	10	2	1	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	4	–	–	–	–	–	1	–	1	–	–	–	1
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	35	–	–	–	7	5	1	1	4	2	2	2	2
	Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	11	7	–	2	–	–	–	–	–	–	–	–	–
	Drowning	101	–	–	–	6	3	1	3	7	8	12	7	11
	Fracture and Contusion	193	–	–	–	1	2	1	1	10	17	16	22	19
	Gunshot Wounds	3	–	–	–	–	–	–	–	1	–	–	–	–
	Cuts and Stabs	3	–	–	–	–	–	–	–	1	–	–	–	–
	Other Violent Causes	13	1	–	–	–	–	–	–	1	3	4	1	–
	Not Specified	276	83	17	15	11	8	8	3	13	10	8	9	13

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	–	2	2	3	2	1	–	1	–	–	–	–	–	–	–
Apoplexy	2	3	8	11	15	17	28	18	28	20	10	5	3	1	–	–
Paralysis	4	1	6	11	7	15	24	36	55	37	19	6	1	–	–	–
Delirium Tremens	4	2	–	2	–	–	1	2	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	3	2	2	2	1	1	2	2	1	1	1	1	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	2	3	4	3	7	10	9	10	6	2	1	–	–	–	–
Pericarditis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	2	–	–	2	–	3	1	1	–	–	–	1	–	–	–
Heart Disease	14	17	19	23	39	34	50	55	58	45	22	10	1	–	–	1
Laryngitis	–	–	–	4	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	10	18	32	28	27	32	48	39	39	30	7	3	1	–	–
Pleurisy	–	1	2	2	1	4	3	3	3	3	2	–	–	–	–	–
Pneumonia	8	12	17	14	21	16	16	26	16	11	1	2	1	–	–	–
Asthma	2	2	1	5	8	6	12	6	1	2	1	1	–	–	–	1
Lung Disease	–	2	2	4	2	5	7	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	1	1	1	2	–	3	3	–	–	–	–	–	–	–
Enteritis	1	2	–	–	1	2	2	1	–	3	1	–	–	–	–	–
Peritonitis	1	3	2	1	–	1	2	–	1	2	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	1	4	2	7	1	–	2	2	–	–	–	–	–	–
Hernia	–	1	1	1	–	1	1	3	2	1	–	–	–	–	–	–
Ileus	–	1	–	–	2	3	3	3	1	1	–	–	–	–	–	–
Intussusception	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	3	1	1	–	1	1	–	–	–	–	–
Stomach Disease	1	1	–	4	5	7	6	1	9	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	1	1	–	–	5	1	1	–	–	–	–	–	–	–
Jaundice	1	–	1	2	1	3	–	–	3	2	1	–	–	–	–	–
Liver Disease	2	7	7	5	8	8	7	11	9	1	–	1	–	–	–	–
Spleen Disease	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	1	1	1	–	–	–	1	–	1	3	–	–	–	–
Nephria	1	3	2	2	4	1	4	2	2	2	1	1	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	2	–	3	3	1	–	–	–	–
Diabetes	–	1	1	–	1	–	–	2	–	2	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	2	–	2	–	2	–	–	–	–
Cystitis	–	–	2	1	–	1	6	5	7	14	3	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	1	1	1	2	3	3	2	1	7	7	1	2	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Rheumatism	–	1	1	–	1	–	1	1	1	1	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	–	2	2	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	3	2	1	2	5	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	2	1	–	–	1	–	–	1	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	9	8	2	8	3	1	5	3	1	2	1	–	–	–	–	–
Fracture and Contusion	12	11	15	22	16	3	8	7	5	3	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Not Specified	9	8	19	8	10	12	12	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8315	694	261	458	687	304	217	170	383	249	298	318	298
SPECIFIED CAUSES	8115	632	244	444	669	294	210	165	373	244	294	315	296
I. Zymotic Class	1786	90	82	143	312	173	144	96	213	79	67	53	49
II. Diseases of Uncertain Seat	369	4	1	4	3	–	1	1	3	2	4	–	4
III. Tubercular Class	1530	22	24	92	101	43	24	31	76	111	170	191	159
IV. Brain and Nervous System	710	32	13	13	33	13	11	5	27	7	14	13	10
V. Organs of Circulation	457	–	1	–	–	–	–	1	6	10	7	10	11
VI. Respiratory Organs	1067	55	63	114	111	49	22	18	22	7	11	11	16
VII. Organs of Digestion	528	58	24	58	70	6	3	4	10	6	4	11	8
VIII. Urinary Organs	74	1	–	–	2	2	–	1	3	5	5	3	7
IX. Organs of Generation	129	–	–	–	–	–	–	–	–	–	4	13	28
X. Organs of Locomotion	55	–	–	1	–	–	1	–	3	6	3	2	1
XI Skin, etc.	15	2	–	1	4	1	–	1	–	–	–	1	–
XII. Malformation	28	24	2	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	370	330	26	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	58	–	–	–	18	4	2	1	2	2	1	1	2
XV. Age	786	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	13	1	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	140	13	6	3	14	3	2	6	8	9	4	6	1
I. Small Pox	162	14	6	4	4	3	4	1	8	24	20	25	10
Measles	145	1	3	22	57	23	19	6	12	2	–	–	–
Scarlatina	240	2	2	9	51	35	25	27	66	10	1	2	6
Diphtheria	141	1	3	4	26	16	22	19	39	7	2	–	1
Hooping Cough	302	26	28	56	92	45	24	13	18	–	–	–	–
Croup	152	5	3	12	35	32	29	17	18	1	–	–	–
Thrush	4	3	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	165	23	23	27	24	6	3	2	5	2	1	–	–
Dysentery	30	–	–	–	4	–	–	3	1	–	1	–	–
Cholera	14	–	1	3	2	–	–	–	1	–	3	–	–
Influenza	8	–	–	–	–	2	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	86	–	1	2	2	1	4	1	9	13	8	5	6
Enteric Fever	177	–	3	–	8	4	9	5	26	16	26	12	7
Relapsing Fever	7	–	–	–	–	–	–	–	2	–	–	1	1
Simple Continued Fever	18	–	–	–	–	–	1	–	3	1	–	1	–
Infantile Remittent	13	–	1	1	1	2	3	1	4	–	–	–	–
Metria	53	–	–	–	–	–	–	–	–	–	–	5	18
Rheumatic Fever	19	–	–	–	–	–	1	–	1	2	5	2	–
Erysipelas	21	6	3	–	1	2	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	23	9	5	2	5	1	–	–	–	–	–	–	–
Noma	1	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	2	–	1	–	–	–	–	–	–	–	–	–
Dropsy	74	–	–	–	–	–	1	–	1	1	2	–	–
Abscess	17	1	1	2	–	–	–	–	1	1	1	–	1
Ulcer	8	1	–	1	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	19	–	–	–	2	–	–	–	1	–	–	–	1
Cancer	244	–	–	–	–	–	–	1	–	–	1	–	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	75	3	2	2	7	1	1	3	4	4	7	5	5
Tabes Mesenterica	102	1	6	18	26	13	8	7	6	4	5	–	1
Phthisis	1156	4	4	13	27	10	6	11	44	94	157	185	153
Hydrocephalus	197	14	12	59	41	19	9	10	22	9	1	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	261	278	244	254	275	256	376	401	525	456	353	194	81	22	2	–
SPECIFIED CAUSES	260	277	237	248	265	251	364	400	525	456	353	194	81	22	2	–
Zymotic Class	43	46	28	21	27	16	19	19	25	16	16	8	1	–	–	–
Uncertain Seat	12	21	13	26	40	37	46	46	36	37	20	6	2	–	–	–
Tubercular Class	112	101	76	62	50	27	26	16	14	1	2	1	1	–	–	–
Brain, etc.	10	15	27	29	25	40	69	66	94	83	40	14	6	1	–	–
Heart, etc.	21	19	17	18	34	34	50	52	80	56	25	4	1	–	–	–
Respiratory Organs	19	21	23	31	37	42	73	81	100	68	46	19	8	–	–	–
Digestive Organs	14	16	17	30	21	33	29	42	28	24	10	2	–	–	–	–
Urinary Organs	5	5	4	4	6	1	12	4	3	–	–	–	1	–	–	–
Generative Organs	15	29	17	9	6	2	1	–	2	3	–	–	–	–	–	–
Locomotive Organs	4	2	2	3	1	8	2	3	6	3	4	–	–	–	–	–
Skin	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	6	2	8	9	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	27	62	131	159	187	140	58	20	2	–
Sudden Deaths	2	–	–	1	1	–	2	1	1	2	–	–	–	–	–	–
Violent Deaths	3	2	7	12	8	2	7	7	7	3	3	–	3	1	–	–
Small Pox	6	10	9	8	3	2	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	–	3	2	1	7	4	9	3	10	6	–	–	–	–
Dysentery	1	1	1	–	1	–	1	5	4	3	3	1	–	–	–	–
Cholera	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	–	3	2	–	–	–	–	–	–
Purpura	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	4	5	3	6	1	4	2	1	2	1	–	–	–	–	–
Enteric Fever	8	8	7	6	5	7	4	6	5	3	2	–	–	–	–	–
Relapsing Fever	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	3	2	1	1	2	1	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	15	14	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	1	–	1	–	2	–	1	1	–	1	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	1	4	2	1	6	8	13	16	9	3	–	–	–	–
Abscess	1	2	2	–	–	2	–	–	1	–	1	–	–	–	–	–
Ulcer	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	–	–	2	4	1	2	3	1	–	–	–	–
Cancer	8	14	9	21	37	34	36	32	20	18	7	2	2	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	5	4	5	2	5	1	3	2	3	–	1	–	–	–	–	–
Tabes Mesenterica	3	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Phthisis	104	96	70	60	45	26	22	14	7	1	1	1	1	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	57	1	4	3	10	5	3	3	12	1	4	3	1
Apoplexy	196	1	3	2	2	–	1	–	3	1	3	1	6
Paralysis	252	–	–	–	–	–	–	1	–	–	–	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	21	–	–	–	–	–	–	–	–	–	3	4	1
Tetanus	4	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	74	28	6	6	20	7	4	1	2	–	–	–	–
Brain Disease	102	1	–	2	1	1	3	–	9	4	4	4	2
V. Pericarditis	8	–	–	–	–	–	–	1	2	1	1	1	–
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	442	–	1	–	–	–	–	–	4	9	6	9	11
VI. Laryngitis	10	1	1	1	1	–	–	–	1	–	1	–	–
Bronchitis	778	39	49	92	95	33	17	14	15	3	6	5	9
Pleurisy	19	1	–	–	–	1	–	–	–	1	1	–	1
Pneumonia	218	14	13	21	15	15	5	4	5	3	3	5	5
Asthma	29	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	13	–	–	–	–	–	–	–	1	–	–	1	1
VII. Teething	87	1	3	38	43	2	–	–	–	–	–	–	–
Quinsey	7	–	–	–	3	–	–	1	1	–	–	–	–
Gastritis	17	2	–	–	2	–	–	–	–	–	–	–	–
Enteritis	99	25	17	14	13	1	1	2	2	2	1	1	1
Peritonitis	47	7	–	–	6	–	–	–	1	–	2	4	3
Ascites	9	–	–	–	–	–	–	–	2	1	–	–	–
Ulceration of Intestines	23	–	1	1	–	–	–	–	2	–	–	2	1
Hernia	9	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	27	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	7	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	65	8	3	3	2	1	–	–	1	–	–	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	–	–	–	–	1	1	–	1	–	–	–
Jaundice	29	13	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	79	2	–	2	1	1	1	–	1	–	1	–	1
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	9	–	–	–	–	2	–	–	1	1	–	–	–
Nephria	30	–	–	–	–	–	–	1	1	2	2	2	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	9	1	–	–	1	–	–	–	–	1	1	1	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	3	–	–	–	–	–	–	–	–	1	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	17	–	–	–	1	–	–	–	1	–	1	–	1
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	13	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	94	–	–	–	–	–	–	–	–	–	4	9	25
Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	2	2
X. Bone Disease	16	–	–	–	–	–	–	–	1	3	2	1	–
Rheumatism	21	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	18	–	–	1	–	–	1	–	2	3	1	1	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	10	2	–	1	4	1	–	1	–	–	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	6	1	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	–	–	–	–	–	–	1	–	–	1	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	–	1	2	7	3	1	3	2	1	1	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	13	6	3	–	1	–	–	–	–	–	–	–	–
Drowning	22	–	–	–	4	–	–	–	2	1	2	2	–
Fracture and Contusion	42	–	–	1	1	–	1	2	4	7	–	1	–
Gunshot Wounds	1	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	–	–	–	2	–
Not Specified	200	62	17	14	18	10	7	5	10	5	4	3	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	4	–	–	–	2	–	–	–	–	–	–	–	–	–
Apoplexy	5	6	8	12	9	17	20	18	33	27	12	4	2	–	–	–
Paralysis	2	3	6	7	9	14	36	42	46	45	26	10	4	–	–	–
Delirium Tremens	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	3	2	1	2	1	–	1	–	–	–	–	–	–
Tetanus	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	4	7	4	5	8	9	5	15	10	2	–	–	1	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Aneurism	–	–	–	1	2	1	2	–	1	–	–	–	–	–	–	–
Heart Disease	21	19	17	17	32	33	47	52	79	56	24	4	1	–	–	–
Laryngitis	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–
Bronchitis	6	12	13	17	23	31	53	47	76	61	39	15	8	–	–	–
Pleurisy	1	–	–	1	3	1	1	2	2	1	1	1	–	–	–	–
Pneumonia	11	6	7	10	9	7	13	22	13	4	5	3	–	–	–	–
Asthma	–	1	1	1	2	2	5	7	7	2	1	–	–	–	–	–
Lung Disease	1	2	2	–	–	1	–	3	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	2	–	2	2	4	–	1	–	–	–	–	–	–
Enteritis	1	2	1	–	2	3	4	–	1	2	3	–	–	–	–	–
Peritonitis	5	2	4	2	–	3	1	2	1	2	1	1	–	–	–	–
Ascites	–	–	1	–	–	1	–	3	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	1	2	3	2	1	3	–	2	1	1	–	–	–	–	–
Hernia	–	–	1	–	1	1	1	3	–	2	–	–	–	–	–	–
Ileus	–	1	1	1	1	2	3	10	2	4	1	–	–	–	–	–
Intussusception	1	–	1	–	2	–	–	–	2	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	3	1	5	2	6	5	5	9	2	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	3	1	1	2	–	3	1	–	–	–	–	–	–
Jaundice	–	–	–	2	1	3	1	3	2	2	1	–	–	–	–	–
Liver Disease	3	5	4	10	8	8	7	11	5	6	1	1	–	–	–	–
Spleen Disease	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–
Nephria	4	2	2	1	4	1	3	2	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	1	–	1	–	5	1	1	–	–	–	1	–	–	–
Paramenia	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	2	2	1	3	2	1	–	–	–	–	–	–	–	–	–
Childbirth	14	25	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	2	3	–	–	–	2	3	–	–	–	–	–	–
Bone Disease	1	1	–	1	–	3	–	1	1	–	1	–	–	–	–	–
Rheumatism	1	–	1	2	1	2	2	1	5	3	3	–	–	–	–	–
Joint Disease	2	1	1	–	–	3	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	1	–	3	3	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	1	1	1	2	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–½	–	1	–	–	–	1	–	–	–	–	1	–	–	–
Drowning	1	–	2	1	2	–	3	–	2	–	–	–	–	–	–	–
Fracture and Contusion	–	–	2	3	3	–	3	2	3	3	3	–	2	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Not Specified	1	1	7	6	10	5	12	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	18093	1565	497	731	869	435	325	235	773	514	618	711	614
Specified Causes	17270	1325	441	689	820	413	308	221	725	493	590	686	591
I. Zymotic Class	2984	172	138	201	333	215	176	134	383	185	145	147	80
II. Diseases of Uncertain Seat	783	8	3	3	3	2	2	2	4	9	4	6	10
III. Tubercular Class	2515	21	42	112	132	57	54	29	138	143	257	339	293
IV. Brain and Nervous System	1616	69	33	40	47	20	11	11	67	33	33	29	27
V. Organs of Circulation	1087	1	1	–	2	1	–	2	6	8	24	20	20
VI. Respiratory Organs	2245	170	104	194	153	65	32	25	61	26	38	31	44
VII. Organs of Digestion	1324	120	67	103	92	17	10	6	20	32	26	20	29
VIII. Urinary Organs	348	4	–	1	–	4	1	–	6	9	9	9	13
IX. Organs of Generation	152	–	–	–	–	–	–	–	–	2	7	24	22
X. Organs of Locomotion	107	–	–	–	2	2	1	1	10	9	5	8	5
XI. Skin, etc.	28	2	2	2	3	–	1	–	1	–	–	2	3
XII. Malformation	63	56	1	2	1	2	–	–	–	–	1	–	–
XIII. Premature Debility	745	678	45	22	–	–	–	–	–	–	–	–	–
XIV. Atrophy	118	–	–	–	27	13	3	2	2	8	4	5	4
XV. Age	2545	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	20	2	1	–	1	–	–	–	1	–	1	–	–
XVII. Violent Deaths	590	22	4	9	24	15	17	9	26	29	36	46	41
I. Small Pox	393	25	18	12	10	1	5	1	19	29	37	54	18
Measles	170	4	7	31	55	19	19	7	21	4	1	1	–
Scarlatina	414	4	8	14	47	62	46	35	115	37	17	6	7
Diphtheria	259	5	3	11	26	15	31	26	74	23	13	8	6
Hooping Cough	350	36	45	69	91	43	22	15	27	2	–	–	–
Croup	214	16	4	15	49	46	26	23	33	2	–	–	–
Thrush	10	9	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	297	37	37	28	27	12	7	2	6	–	–	4	5
Dysentery	70	2	2	2	10	4	2	–	1	–	–	1	1
Cholera	17	3	2	2	2	–	–	–	–	1	–	–	–
Influenza	32	1	3	1	1	1	–	1	1	1	–	–	–
Purpura	12	1	1	–	–	1	2	–	2	2	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	1	–	2	2	–	–	–	–
Typhus	108	–	1	3	3	1	2	2	10	12	17	10	8
Enteric Fever	346	3	–	6	6	6	9	11	52	58	42	40	19
Relapsing Fever	15	–	1	–	–	–	–	1	–	1	2	1	2
Simple Continued Fever	43	–	–	1	2	1	1	2	4	3	4	2	2
Infantile Remittent	21	–	–	1	2	2	4	4	8	–	–	–	–
Metria	44	–	–	–	–	–	–	–	–	–	2	11	6
Rheumatic Fever	44	–	–	–	–	–	–	1	5	8	6	6	1
Erysipelas	89	18	3	2	2	–	–	1	1	–	2	2	3
Pyæmia	16	3	–	1	–	–	–	–	2	2	–	1	2
Syphilis	14	5	3	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	150	2	–	1	1	–	1	1	2	6	–	1	4
Abscess	32	1	3	2	–	1	1	1	–	1	1	3	1
Ulcer	9	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	25	2	–	–	1	1	–	–	–	–	–	–	–
Cancer	543	1	–	–	1	–	–	–	2	2	3	2	5
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	194	2	3	8	14	6	6	4	17	20	17	17	14
Tabes Mesenterica	162	9	14	18	32	18	14	6	13	9	7	5	3
Phthisis	1848	3	7	15	19	12	9	5	51	96	225	312	276
Hydrocephalus	311	7	18	71	67	21	25	14	57	18	8	5	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	526	486	484	494	639	725	903	1031	1376	1257	1183	678	292	83	16	33
Specified Causes	500	465	447	467	607	688	859	1025	1376	1257	1183	678	292	83	16	25
Zymotic Class	76	74	53	49	59	66	69	58	55	49	36	22	5	–	1	3
Uncertain Seat	12	14	29	43	72	85	108	105	107	72	47	23	8	1	–	1
Tubercular Class	202	174	115	96	99	65	76	39	18	6	4	1	–	–	–	3
Brain, etc.	37	36	40	52	76	89	119	164	224	163	129	50	9	5	–	3
Heart, etc.	25	28	31	43	67	84	131	143	194	139	85	28	3	1	–	–
Respiratory Organs	43	41	58	69	88	92	134	178	216	188	120	58	11	4	–	2
Digestive Organs	34	32	41	48	65	101	103	107	117	69	43	13	7	–	–	2
Urinary Organs	13	11	8	10	20	34	23	37	58	30	31	13	3	1	–	–
Generative Organs	16	21	26	10	8	5	2	5	2	–	2	–	–	–	–	–
Locomotive Organs	4	5	4	4	4	7	10	7	6	9	3	1	–	–	–	–
Skin	–	–	1	–	1	–	1	1	3	2	2	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	3	5	6	9	22	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	49	163	355	514	670	463	244	71	15	1
Sudden Deaths	–	–	–	2	1	3	3	2	3	–	–	–	–	–	–	–
Violent Deaths	34	26	36	35	38	35	30	16	18	16	11	5	2	–	–	10
Small Pox	35	27	17	17	23	23	13	5	1	2	–	–	–	–	–	1
Measles	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	1	5	4	2	–	2	1	–	1	–	–	–	–	–	–	–
Diphtheria	3	2	2	1	2	2	3	1	–	1	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	2	3	5	12	16	18	28	13	15	13	4	–	1	–
Dysentery	1	1	2	–	4	2	3	10	5	8	5	3	1	–	–	–
Cholera	1	1	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	1	2	4	3	1	5	1	3	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	6	3	4	3	3	4	6	3	2	–	1	–	–	–	–
Enteric Fever	10	11	6	11	10	10	13	7	6	7	1	–	–	–	–	2
Relapsing Fever	–	1	2	–	2	2	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	2	3	3	3	1	2	2	3	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	11	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	3	3	3	–	1	1	–	–	2	–	–	–	–	–	–
Erysipelas	4	3	1	3	4	3	4	5	8	6	12	2	–	–	–	–
Pyæmia	1	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–
Syphilis	–	2	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	1	–	–	–	2	2	–	1	2	–	–	–	–	–
Dropsy	–	1	2	3	13	15	16	13	29	19	13	5	1	–	–	1
Abscess	1	1	1	3	3	1	2	1	–	3	–	1	–	–	–	–
Ulcer	–	2	–	–	1	1	–	1	1	2	1	–	–	–	–	–
Fistula	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	4	3	4	6	1	1	1	–	–
Cancer	9	8	24	37	54	68	85	80	73	42	25	16	6	–	–	–
Gout	–	–	–	–	–	–	2	3	1	1	–	–	–	–	–	–
Scrofula	7	9	10	7	9	4	8	4	4	2	2	–	–	–	–	–
Tabes Mesenterica	2	3	3	–	2	2	1	–	–	–	1	–	–	–	–	–
Phthisis	193	162	102	89	88	59	67	35	14	4	1	1	–	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	152	3	6	12	6	4	1	3	37	15	10	13	5
Apoplexy	408	2	2	3	2	–	1	1	9	2	4	2	2
Paralysis	571	–	–	–	–	–	–	–	–	1	2	3	1
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	79	–	–	–	–	–	–	–	2	2	7	4	11
Tetanus	10	3	–	–	1	–	–	–	–	–	–	–	1
Insanity	9	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	169	57	24	22	36	11	5	5	8	–	–	–	–
Brain Disease	205	4	1	3	2	5	4	2	11	12	10	7	7
V. Pericarditis	19	–	–	–	–	–	–	1	–	1	–	–	2
Aneurism	23	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	1045	1	1	–	2	1	–	1	6	7	24	20	17
VI. Laryngitis	38	2	4	1	2	2	1	1	5	–	2	3	–
Bronchitis	1400	120	84	164	124	52	19	16	35	12	11	8	9
Pleurisy	72	1	–	1	1	1	–	–	4	4	6	3	3
Pneumonia	554	46	15	27	24	10	12	8	16	9	17	14	26
Asthma	134	–	–	–	–	–	–	–	–	–	1	2	3
Lung Disease	47	1	1	1	2	–	–	–	1	1	1	1	3
VII. Teething	132	2	16	55	55	3	1	–	–	–	–	–	–
Quinsey	16	4	2	–	4	2	1	–	–	1	–	–	–
Gastritis	80	4	4	2	1	–	1	1	–	2	1	–	3
Enteritis	236	61	27	26	17	5	4	2	4	11	7	2	4
Peritonitis	95	6	1	5	5	–	–	–	4	7	10	4	7
Ascites	24	–	1	–	–	–	–	1	–	2	–	–	2
Ulceration of Intestines	87	1	–	2	1	–	–	–	1	1	–	4	3
Hernia	30	1	1	–	–	–	–	–	–	–	–	–	–
Ileus	99	4	1	–	1	2	–	–	4	–	2	3	2
Intussusception	11	–	1	2	–	–	–	–	–	–	2	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	187	12	8	8	6	2	2	1	2	2	1	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	40	1	1	1	1	–	–	–	–	1	1	1	1
Jaundice	60	17	2	1	–	1	–	1	1	1	–	1	1
Liver Disease	219	6	2	1	1	2	1	–	4	3	2	3	4
Spleen Disease	4	1	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	24	2	–	–	–	1	–	–	3	–	–	–	–
Nephria	89	1	–	–	–	2	–	–	2	6	4	2	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	14	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	34	–	–	–	–	–	–	–	1	1	1	5	3
Stone	23	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	75	–	–	1	–	–	–	–	–	–	3	–	3
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	85	1	–	–	–	1	1	–	–	2	1	1	2
IX. Paramenia	13	–	–	–	–	–	–	–	–	–	2	3	1
Ovarian Dropsy	21	–	–	–	–	–	–	–	–	1	–	1	1
Childbirth	99	–	–	–	–	–	–	–	–	–	5	20	19
Organs of Generation	19	–	–	–	–	–	–	–	–	1	–	–	1
X. Bone Disease	39	–	–	–	–	1	1	–	7	5	2	4	2
Rheumatism	42	–	–	–	–	–	–	–	–	1	1	–	–
Joint Disease	26	–	–	–	2	1	–	1	3	3	2	4	3
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	6	–	–	–	1	–	–	–	–	–	–	1	3
Skin Disease	15	2	2	2	2	–	1	–	1	–	–	1	–
XVII. Intemperance	26	–	–	–	–	–	–	–	–	1	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	1	–	–	–	–	–	–	–	–	–	–	–
Poison	4	1	–	1	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	55	–	–	1	11	12	6	5	1	1	1	–	–
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	35	12	2	5	2	–	–	1	1	1	1	1	1
Drowning	178	–	–	–	10	1	8	1	12	14	16	29	19
Fracture and Contusion	233	1	1	1	1	2	3	1	11	12	16	12	19
Gunshot Wounds	7	–	–	–	–	–	–	1	–	–	1	1	1
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	6	–	–	–	–	–	–	1	–	–	2	1
Not Specified	823	240	56	42	49	22	17	14	48	21	28	25	23

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	5	3	2	2	4	5	5	1	–	3	2	–	–	–	–
Apoplexy	10	9	11	20	23	34	38	49	72	44	49	16	1	1	–	1
Paralysis	5	6	8	13	26	34	51	82	125	102	72	28	7	4	–	1
Delirium Tremens	1	2	2	–	3	–	1	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	9	7	2	9	5	1	4	6	3	–	–	–	–	–	–
Tetanus	–	2	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	1	–	1	–	2	1	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	9	2	8	14	11	10	22	21	18	12	5	4	1	–	–	–
Pericarditis	3	2	–	1	1	1	1	1	3	–	2	–	–	–	–	–
Aneurism	–	–	1	3	3	4	5	4	1	1	–	–	–	–	–	–
Heart Disease	22	26	30	39	63	79	125	138	190	138	83	28	3	1	–	–
Laryngitis	1	–	1	1	2	1	2	1	2	2	1	1	–	–	–	–
Bronchitis	15	14	18	24	42	49	64	94	141	139	88	44	10	3	–	1
Pleurisy	5	3	4	7	7	2	4	4	5	2	4	1	–	–	–	–
Pneumonia	16	17	28	25	25	31	40	47	38	33	18	9	1	1	–	1
Asthma	4	4	3	6	8	6	22	26	27	11	8	3	–	–	–	–
Lung Disease	2	3	4	6	4	3	2	6	3	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	2	2	1	4	5	12	9	6	11	4	4	1	–	–	–	–
Enteritis	5	4	2	6	2	11	5	11	9	5	1	1	3	–	–	1
Peritonitis	6	7	3	1	3	1	6	4	8	4	2	1	–	–	–	–
Ascites	1	1	–	2	1	1	2	3	2	2	2	1	–	–	–	–
Ulceration of Intestines	3	4	6	3	8	15	5	10	14	3	2	–	–	–	–	1
Hernia	–	–	3	2	1	2	2	4	1	9	1	1	2	–	–	–
Ileus	1	3	1	5	11	6	6	15	11	10	8	2	1	–	–	–
Intussusception	–	–	–	–	2	1	2	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Stomach Disease	9	4	7	8	11	10	22	21	26	10	6	4	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	4	1	–	6	6	4	5	2	1	–	–	–	–	–
Jaundice	1	–	1	2	–	1	5	5	7	4	7	1	–	–	–	–
Liver Disease	4	5	13	12	20	34	32	23	21	16	9	1	–	–	–	–
Spleen Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	1	3	2	3	3	2	2	–	–	–	–	–	–
Nephria	7	5	5	2	6	10	7	6	9	7	2	2	1	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	1	3	3	1	2	2	–	–	–	–
Diabetes	2	1	1	1	4	3	3	5	2	–	1	–	–	–	–	–
Stone	–	–	–	1	1	3	2	3	2	6	2	1	1	–	–	–
Cystitis	1	–	–	–	2	7	2	10	21	5	17	2	1	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	2	4	1	4	4	8	5	6	19	9	7	6	–	1	–	–
Paramenia	–	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	–	3	1	4	2	3	1	–	2	–	–	–	–	–
Childbirth	15	18	22	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	5	6	1	–	2	1	–	–	–	–	–	–	–
Bone Disease	3	2	3	1	2	1	1	1	–	1	2	–	–	–	–	–
Rheumatism	–	2	1	2	2	5	7	5	6	8	1	1	–	–	–	–
Joint Disease	1	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	1	–	–	1	1	1	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
Intemperance	4	2	1	4	5	2	4	2	1	–	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	1	–	2	–	–	–	–	–	1
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	–	1	1	–	2	1	1	3	4	2	–	–	–	–
Hanging, etc.	–	–	1	1	5	2	2	1	1	–	–	–	–	–	–	–
Suffocation	–	–	1	1	1	1	–	–	1	1	2	–	–	–	–	–
Drowning	11	3	14	4	7	12	4	4	3	1	–	–	–	–	–	5
Fracture and Contusion	18	14	16	22	15	16	15	5	11	7	5	3	2	–	–	4
Gunshot Wounds	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	1	–	–	1	2	2	–	1	–	–	–	–	–	–
Other Violent Causes	–	2	2	–	2	1	–	–	–	1	–	–	–	–	–	–
Not Specified	26	21	37	27	32	37	44	6	–	–	–	–	–	–	–	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	8876	892	273	374	446	233	156	108	407	236	303	395	328
SPECIFIED CAUSES	8425	749	242	353	418	220	149	101	377	231	289	378	316
I. Zymotic Class	1412	91	57	79	158	116	84	60	187	87	59	76	38
II. Diseases of Uncertain Seat	285	4	1	2	1	–	1	–	2	7	3	1	4
III. Tubercular Class	1251	10	20	66	74	32	28	16	71	53	114	187	157
IV. Brain and Nervous System	823	41	19	21	26	8	6	7	41	17	19	18	11
V. Organs of Circulation	553	–	1	–	1	–	–	1	4	5	10	10	14
VI. Respiratory Organs	1183	105	64	113	78	33	10	7	29	12	16	20	28
VII. Organs of Digestion	683	70	46	56	45	11	6	3	12	13	18	10	12
VIII. Urinary Organs	228	2	–	1	–	1	–	–	6	6	7	5	9
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	62	–	–	–	1	2	1	1	5	6	5	4	3
XI. Skin, etc.	14	1	1	1	2	–	1	–	–	–	–	–	–
XII. Malformation	38	33	1	1	1	1	–	–	–	–	1	–	–
XIII. Premature Debility	421	381	30	10	–	–	–	–	–	–	–	–	–
XIV. Atrophy	46	–	–	–	15	5	1	2	–	2	2	1	2
XV. Age	963	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	1	–	–	–	–	–	–	1	–	1	–	–
XVII. Violent Deaths	454	10	2	3	16	11	11	4	19	23	34	46	38
I. Small Pox	201	14	6	4	5	–	2	–	8	17	14	35	9
Measles	83	2	4	12	25	12	11	4	10	2	–	–	–
Scarlatina	204	3	6	8	20	38	19	16	60	19	5	2	2
Diphtheria	119	4	1	4	14	6	16	10	32	9	5	4	3
Hooping-cough	148	19	16	21	41	21	9	7	13	1	–	–	–
Croup	127	9	1	9	29	24	15	16	22	2	–	–	–
Thrush	8	7	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	126	17	15	14	13	6	2	1	3	–	–	2	2
Dysentery	31	1	–	1	4	2	1	–	–	–	–	1	1
Cholera	8	1	1	–	1	–	–	–	–	–	–	–	–
Influenza	16	–	2	–	1	–	–	–	1	–	–	–	–
Purpura	7	–	1	–	–	1	1	–	2	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever	54	–	1	1	1	1	1	1	5	6	9	4	4
Enteric Fever	163	2	–	2	2	2	5	2	23	26	18	21	13
Relapsing Fever	8	–	–	–	–	–	–	–	–	–	2	–	1
Simple Continued Fever	19	–	–	–	–	1	1	1	2	2	2	–	–
Infantile Remittent	6	–	–	1	1	2	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	22	–	–	–	–	–	–	1	3	1	2	4	1
Erysipelas	43	8	1	–	1	–	–	–	–	–	1	2	1
Pyæmia	10	2	–	–	–	–	–	–	2	2	–	1	1
Syphilis	7	2	2	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	66	2	–	–	1	–	–	–	2	4	–	1	2
Abscess	13	1	1	2	–	–	1	–	–	1	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	13	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	180	1	–	–	–	–	–	–	–	2	2	–	2
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	111	1	1	6	10	6	5	1	11	10	10	9	11
Tabes Mesenterica	82	3	6	9	19	9	7	3	9	5	3	3	1
Phthisis	890	2	5	9	7	7	4	1	23	27	98	174	145
Hydrocephalus	168	4	8	42	38	10	12	11	28	11	3	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	255	214	258	254	298	367	451	499	658	563	491	265	103	29	6	14
SPECIFIED CAUSES	241	207	234	242	281	347	425	498	658	563	491	265	103	29	6	12
Zymotic Class	34	31	28	32	25	36	36	24	24	25	14	9	1	–	1	–
Uncertain Seat	2	4	7	11	24	30	34	40	47	29	22	5	3	1	–	–
Tubercular Class	99	76	49	48	44	29	42	23	10	2	1	–	–	–	–	–
Brain, etc.	16	19	26	23	41	41	60	83	110	83	58	23	4	1	–	1
Heart, etc.	12	5	18	15	33	50	70	74	110	64	45	10	1	–	–	–
Respiratory Organs	19	24	37	46	47	49	77	95	105	82	56	22	6	3	–	–
Digestive Organs	16	15	24	26	26	59	47	51	58	32	18	4	3	–	–	2
Urinary Organs	8	7	6	6	7	21	11	26	38	23	24	10	3	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	4	1	2	3	5	8	3	1	2	1	–	–	–	–	–
Skin	–	–	1	–	1	–	1	1	2	1	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	3	1	3	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	18	62	136	210	247	180	81	23	5	1
Sudden Deaths	–	–	–	1	–	–	–	2	3	–	–	–	–	–	–	–
Violent Deaths	31	21	34	31	27	19	21	14	14	10	4	2	1	–	–	8
Small Pox	19	15	12	10	8	11	8	2	–	2	–	–	–	–	–	–
Measles	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–
Diphtheria	1	1	2	1	–	2	1	1	–	1	1	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	2	2	6	6	5	12	4	6	4	1	–	1	–
Dysentery	1	1	1	–	1	1	1	3	2	4	2	3	–	–	–	–
Cholera	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	2	2	–	4	1	1	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	4	3	2	1	3	1	3	1	–	–	–	–	–	–	–
Enteric Fever	5	5	2	7	4	6	7	3	3	5	–	–	–	–	–	–
Relapsing Fever	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	2	2	1	1	1	1	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	2	3	–	–	1	–	–	1	–	–	–	–	–	–
Erysipelas	2	–	–	3	4	2	2	4	4	3	4	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Dropsy	–	1	1	1	5	6	8	5	9	9	8	1	–	–	–	–
Abscess	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	3	2	2	3	1	1	1	–	–
Cancer	2	2	6	9	15	24	21	26	35	17	11	3	2	–	–	–
Gout	–	–	–	–	–	–	1	3	1	1	–	–	–	–	–	–
Scrofula	4	5	6	4	3	2	3	1	–	1	1	–	–	–	–	–
Tabes Mesenterica	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis	95	69	42	44	40	26	39	22	10	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	86	2	3	4	5	1	1	3	20	10	2	10	2
Apoplexy	213	1	2	2	1	–	1	1	6	–	2	1	1
Paralysis	264	–	–	–	–	–	–	–	–	–	2	1	1
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	40	–	–	–	–	–	–	–	1	2	7	3	3
Tetanus	6	1	–	–	–	–	–	–	–	–	–	–	1
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	96	34	14	12	20	5	3	2	5	–	–	–	–
Brain Disease	105	3	–	3	–	2	1	1	9	5	6	3	3
V. Pericarditis	11	–	–	–	–	–	–	1	–	1	–	–	1
Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	528	–	1	–	1	–	–	–	4	4	10	10	12
VI. Laryngitis	24	2	2	1	2	2	–	1	4	–	–	3	–
Bronchitis	690	75	51	92	59	25	8	5	17	6	4	6	4
Pleurisy	39	1	–	1	–	1	–	–	3	2	3	2	1
Pneumonia	325	27	11	19	15	5	2	1	4	4	7	7	19
Asthma	74	–	–	–	–	–	–	–	–	–	1	1	3
Lung Disease	31	–	–	–	2	–	–	–	1	–	1	1	1
VII. Teething	72	1	12	29	27	2	1	–	–	–	–	–	–
Quinsey	9	2	2	–	3	–	1	–	–	–	–	–	–
Gastritis	39	2	2	2	–	–	–	–	–	1	1	–	3
Enteritis	130	40	16	16	8	4	2	1	3	6	3	1	1
Peritonitis	33	4	–	2	2	–	–	–	3	1	6	–	2
Ascites	8	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	46	–	–	1	–	–	–	–	–	–	–	1	2
Hernia	14	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	61	2	1	–	1	2	–	–	3	–	2	3	1
Intussusception	7	–	1	1	–	–	–	–	–	–	2	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	85	8	7	4	2	–	1	1	1	–	1	1	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	22	–	–	1	1	–	–	–	–	–	1	1	1
Jaundice	31	8	2	–	–	1	–	1	–	–	–	1	1
Liver Disease	120	2	2	–	1	2	1	–	2	3	2	2	1
Spleen Disease	3	1	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	11	1	–	–	–	–	–	–	3	–	–	–	–
Nephria	51	1	–	–	–	1	–	–	2	5	3	2	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	12	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	22	–	–	–	–	–	–	–	1	1	1	2	3
Stone	18	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	64	–	–	1	–	–	–	–	–	–	2	–	2
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	47	–	–	–	–	–	–	–	–	–	1	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Uterus	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	26	–	–	–	–	1	1	–	4	3	2	1	2
Rheumatism	17	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	19	–	–	–	1	1	–	1	1	3	2	3	1
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	7	1	1	1	1	–	1	–	–	–	–	–	–
XVII. Intemperance	19	–	–	–	–	–	–	–	–	1	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	6	1	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	24	–	–	1	5	8	3	1	–	–	–	–	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	16	5	–	2	1	–	–	–	–	–	1	1	1
Drowning	153	–	–	–	9	1	5	1	12	11	15	29	17
Fracture and Contusion	196	–	1	–	1	2	3	1	6	11	16	12	18
Gunshot Wounds	7	–	–	–	–	–	–	1	–	–	1	1	1
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	12	3	–	–	–	–	–	–	1	–	–	2	1
Not Specified	451	143	31	21	28	13	7	7	30	5	14	17	12

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	2	1	2	3	2	3	1	–	3	1	–	–	–	–
Apoplexy	6	5	7	10	12	15	23	27	37	24	22	7	–	–	–	–
Paralysis	1	3	4	6	16	14	19	37	63	50	31	12	3	1	–	–
Delirium Tremens	–	2	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	3	4	–	3	3	1	3	2	3	–	–	–	–	–	–
Tetanus	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	–	–	–	1	–	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	4	2	7	6	4	5	13	11	7	4	2	3	1	–	–	–
Pericarditis	2	–	–	1	1	–	1	–	1	–	2	–	–	–	–	–
Aneurism	–	–	1	1	2	2	2	3	1	1	–	–	–	–	–	–
Heart Disease	10	5	17	13	30	48	67	71	108	63	43	10	1	–	–	–
Laryngitis	–	–	1	–	1	1	–	–	2	1	1	–	–	–	–	–
Bronchitis	6	6	10	17	22	20	34	45	59	59	38	15	5	2	–	–
Pleurisy	1	2	3	4	2	1	3	2	3	1	2	1	–	–	–	–
Pneumonia	7	13	17	16	16	22	28	28	23	18	10	4	1	1	–	–
Asthma	3	3	3	3	4	3	11	14	15	3	5	2	–	–	–	–
Lung Disease	2	–	3	6	2	2	1	6	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	1	–	1	2	1	9	3	2	4	2	3	–	–	–	–	–
Enteritis	2	1	1	3	1	4	1	5	5	4	–	–	1	–	–	1
Peritonitis	4	1	1	–	–	–	1	1	4	1	–	–	–	–	–	–
Ascites	–	–	–	2	–	–	–	3	–	–	1	1	–	–	–	–
Ulcer. of Intestines	1	3	4	2	4	8	3	5	9	1	1	–	–	–	–	1
Hernia	–	–	2	1	–	1	1	2	1	3	–	1	1	–	–	–
Ileus	–	3	1	3	5	4	6	9	5	5	4	1	–	–	–	–
Intussusception	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	1	5	3	5	11	7	12	4	3	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	3	–	–	5	2	1	3	–	1	–	–	–	–	–
Jaundice	–	–	–	2	–	–	2	4	4	2	3	–	–	–	–	–
Liver Disease	3	4	10	5	10	22	15	11	10	10	2	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	1	3	1	1	–	–	–	–	–	–
Nephria	4	3	3	2	2	6	3	3	3	4	1	1	1	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	1	3	3	–	2	2	–	–	–	–
Diabetes	2	1	1	1	2	–	2	4	1	–	–	–	–	–	–	–
Stone	–	–	–	1	–	3	1	–	2	6	2	1	1	–	–	–
Cystitis	–	–	–	–	1	6	2	9	17	5	16	2	1	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	2	3	1	1	2	5	1	3	11	7	3	4	–	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Uterus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	3	2	1	1	2	–	1	1	–	–	1	–	–	–	–	–
Rheumatism	–	1	–	–	1	4	5	2	1	2	–	–	–	–	–	–
Joint Disease	1	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	1	–	–	1	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Intemperance	3	1	1	4	4	–	2	2	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	1
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns, etc.	–	2	–	–	1	–	–	1	–	–	2	–	–	–	–	–
Hanging, etc.	–	–	–	1	3	–	1	1	1	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	1	–	–	1	–	1	–	–	–	–	–
Drowning	9	3	14	3	5	5	3	3	2	1	–	–	–	–	–	5
Fracture and Contusion	18	10	16	20	11	12	12	5	9	6	1	2	1	–	–	2
Gunshot Wounds	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	1	–	–	1	2	2	–	1	–	–	–	–	–	–
Other Violent Causes	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Not specified	14	7	24	12	17	20	26	1	–	–	–	–	–	–	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	9217	673	224	357	423	202	169	127	366	278	315	316	286
SPECIFIED CAUSES	8845	576	199	336	402	193	159	120	348	262	301	308	275
I. Zymotic Class	1572	81	81	122	175	99	92	74	196	98	86	71	42
II. Diseases of Uncertain Seat	498	4	2	1	2	2	1	2	2	2	1	5	6
III. Tubercular Class	1264	11	22	46	58	25	26	13	67	90	143	152	136
IV. Brain and Nervous System	793	28	14	19	21	12	5	4	26	16	14	11	16
V. Organs of Circulation	534	1	–	–	1	1	–	1	2	3	14	10	6
VI. Respiratory Organs	1062	65	40	81	75	32	22	18	32	14	22	11	16
VII. Organs of Digestion	641	50	21	47	47	6	4	3	8	19	8	10	17
VIII. Urinary Organs	120	2	–	–	–	3	1	–	–	3	2	4	4
IX. Organs of Generation	152	–	–	–	–	–	–	–	–	2	7	24	22
X. Organs of Locomotion	45	–	–	–	1	–	–	–	5	3	–	4	2
XI. Skin, etc.	14	1	1	1	1	–	–	–	1	–	–	2	3
XII. Malformation	25	23	–	1	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	324	297	15	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	72	–	–	–	12	8	2	–	2	6	2	4	2
XV. Age	1582	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	11	1	1	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	136	12	2	6	8	4	6	5	7	6	2	–	3
I. Small Pox	192	11	12	8	5	1	3	1	11	12	23	19	9
Measles	87	2	3	19	30	7	8	3	11	2	1	1	–
Scarlatina	210	1	2	6	27	24	27	19	55	18	12	4	5
Diphtheria	140	1	2	7	12	9	15	16	42	14	8	4	3
Hooping Cough	202	17	29	48	50	22	13	8	14	1	–	–	–
Croup	87	7	3	6	20	22	11	7	11	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	171	20	22	14	14	6	5	1	3	–	–	2	3
Dysentery	39	1	2	1	6	2	1	–	1	–	–	–	–
Cholera	9	2	1	2	1	–	–	–	–	1	–	–	–
Influenza	16	1	1	1	–	1	–	1	–	1	–	–	–
Purpura	5	1	–	–	–	–	1	–	–	2	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	1	–	2	1	–	–	–	–
Typhus	54	–	–	2	2	–	1	1	5	6	8	6	4
Enteric Fever	183	1	–	4	4	4	4	9	29	32	24	19	6
Relapsing Fever	7	–	1	–	–	–	–	1	–	1	–	1	1
Simple Continued Fever	24	–	–	1	2	–	–	1	2	1	2	2	2
Infantile Remittent	15	–	–	–	1	–	3	3	8	–	–	–	–
Metria	44	–	–	–	–	–	–	–	–	–	2	11	6
Rheumatic Fever	22	–	–	–	–	–	–	–	2	7	4	2	–
Erysipelas	46	10	2	2	1	–	–	1	1	–	1	–	2
Pyæmia	6	1	–	1	–	–	–	–	–	–	–	–	1
Syphilis	7	3	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	84	–	–	1	–	–	1	1	–	2	–	–	2
Abscess	19	–	2	–	–	1	–	1	–	–	–	3	1
Ulcer	9	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	2	–	–	1	1	–	–	–	–	–	–	–
Cancer	363	–	–	–	1	–	–	–	2	–	1	2	3
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	83	1	2	2	4	–	1	3	6	10	7	8	3
Tabes Mesenterica	80	6	8	9	13	9	7	3	4	4	4	2	2
Phthisis	958	1	2	6	12	5	5	4	28	69	127	138	131
Hydrocephalus	143	3	10	29	29	11	13	3	29	7	5	4	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	271	272	226	240	341	358	452	582	718	694	692	413	189	54	10	19
SPECIFIED CAUSES	259	258	213	225	326	341	434	527	718	694	692	413	189	54	10	13
Zymotic Class	42	43	25	17	34	30	33	34	31	24	22	13	4	–	–	3
Uncertain Seat	10	10	22	32	48	55	74	65	60	43	25	18	5	–	–	1
Tubercular Class	103	98	66	48	55	36	34	16	8	4	3	1	–	–	–	3
Brain, etc.	21	17	14	29	35	48	59	81	114	80	71	27	5	1	–	2
Heart, etc.	13	23	13	28	34	34	61	69	84	75	40	18	2	1	–	–
Respiratory Organs	24	17	21	23	41	43	57	83	111	106	64	36	5	1	–	2
Digestive Organs	18	17	17	22	39	42	56	56	59	37	25	9	4	–	–	–
Urinary Organs	5	4	2	4	13	13	12	11	20	7	7	3	–	–	–	–
Generative Organs	16	21	26	10	8	5	2	5	2	–	2	–	–	–	–	–
Locomotive Organs	–	1	3	2	1	2	2	4	5	7	2	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	2	2	5	6	14	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	31	101	219	304	423	283	163	48	10	–
Sudden Deaths	–	–	–	1	1	3	3	–	–	–	–	–	–	–	–	–
Violent Deaths	3	5	2	4	11	16	9	2	4	6	7	3	1	–	–	2
Small Pox	16	12	5	7	15	12	5	3	1	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	5	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	3	6	10	13	16	9	9	9	3	–	–	–
Dysentery	–	–	1	–	3	1	2	7	3	4	3	–	1	–	–	–
Cholera	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	1	2	1	1	1	–	2	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	–	2	2	–	3	3	2	2	–	1	–	–	–	–
Enteric Fever	5	6	4	4	6	4	6	4	3	2	1	–	–	–	–	2
Relapsing Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	1	2	2	–	1	1	2	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	11	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Erysipelas	2	3	1	–	–	1	2	1	4	3	8	1	–	–	–	–
Pyæmia	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	–	–	1	–	–	1	2	–	–	–	–	–
Dropsy	–	–	1	2	8	9	8	8	20	10	5	4	1	–	–	1
Abscess	1	1	1	2	–	1	–	1	–	3	–	1	–	–	–	–
Ulcer	–	2	–	–	1	1	–	1	1	2	1	–	–	–	–	–
Fistula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	1	1	2	3	–	–	–	–	–
Cancer	7	6	18	28	39	44	64	54	38	25	14	13	4	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	3	4	4	3	6	2	5	3	4	1	1	–	–	–	–	–
Tabes Mesenterica	2	1	2	–	1	1	1	–	–	–	1	–	–	–	–	–
Phthisis	98	93	60	45	48	33	28	13	4	3	1	1	–	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	66	1	3	8	1	3	–	–	17	5	8	3	3
Apoplexy	195	1	–	1	1	–	–	–	3	2	2	1	1
Paralysis	307	–	–	–	–	–	–	–	–	1	–	2	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	39	–	–	–	–	–	–	–	1	–	–	1	8
Tetanus	4	2	–	–	1	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	73	23	10	10	16	6	2	3	3	–	–	–	–
Brain Disease	100	1	1	–	2	3	3	1	2	7	4	4	4
V. Pericarditis	8	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	517	1	–	–	1	1	–	1	2	3	14	10	5
VI. Laryngitis	14	–	2	–	–	–	1	–	1	–	2	–	–
Bronchitis	710	45	33	72	65	27	11	11	18	6	7	2	5
Pleurisy	33	–	–	–	1	–	–	–	1	2	3	1	2
Pneumonia	229	19	4	8	9	5	10	7	12	5	10	7	7
Asthma	60	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	16	1	1	1	–	–	–	–	–	1	–	–	2
VII. Teething	60	1	4	26	28	1	–	–	–	–	–	–	–
Quinsey	7	2	–	–	1	2	–	–	–	1	–	–	–
Gastritis	41	2	2	–	1	–	1	1	–	1	–	–	–
Enteritis	106	21	11	10	9	1	2	1	1	5	4	1	3
Peritonitis	62	2	1	3	3	–	–	–	1	6	4	4	5
Ascites	16	–	1	–	–	–	–	1	–	1	–	–	2
Ulceration of Intestines	41	1	–	1	1	–	–	–	1	1	–	3	1
Hernia	16	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	38	2	–	–	–	–	–	–	1	–	–	–	1
Intussusception	4	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	102	4	1	4	4	2	1	–	1	2	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	18	1	1	–	–	–	–	–	–	1	–	–	–
Jaundice	29	9	–	1	–	–	–	–	1	1	–	–	–
Liver Disease	99	4	–	1	–	–	–	–	2	–	–	1	3
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	13	1	–	–	–	1	–	–	–	–	–	–	–
Nephria	38	–	–	–	–	1	–	–	–	1	1	–	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	12	–	–	–	–	–	–	–	–	–	–	3	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	11	–	–	–	–	–	–	–	–	–	1	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	38	1	–	–	–	1	1	–	–	2	–	1	–
IX. Paramenia	13	–	–	–	–	–	–	–	–	–	2	3	1
Ovarian Dropsy	21	–	–	–	–	–	–	–	–	1	–	1	1
Childbirth	99	–	–	–	–	–	–	–	–	–	5	20	19
Organs of Generation	19	–	–	–	–	–	–	–	–	1	–	–	1
X. Bone Disease	13	–	–	–	–	–	–	–	3	2	–	3	–
Rheumatism	25	–	–	–	–	–	–	–	–	1	–	–	–
Joint Disease	7	–	–	–	1	–	–	–	2	–	–	1	2
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	1	3
Skin Disease	8	1	1	1	1	–	–	–	1	–	–	1	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	31	–	–	–	6	4	3	4	1	1	1	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	19	7	2	3	1	–	–	1	1	1	–	–	–
Drowning	25	–	–	–	1	–	3	–	–	3	1	–	2
Fracture and Contusion	37	1	–	1	–	–	–	–	5	1	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	3	–	–	–	–	–	–	–	–	–	–	–
Not Specified	372	97	25	21	21	9	10	7	18	16	14	8	11

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	3	1	1	–	1	3	2	–	–	–	1	–	–	–	–
Apoplexy	4	4	4	10	11	19	15	22	35	20	27	9	1	1	–	1
Paralysis	4	3	4	7	10	20	32	45	62	52	41	16	4	3	–	1
Delirium Tremens	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	6	3	2	6	2	–	1	4	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	–	1	8	7	5	9	10	11	8	3	1	–	–	–	–
Pericarditis	1	2	–	–	–	1	–	1	2	–	–	–	–	–	–	–
Aneurism	–	–	–	2	1	2	3	1	–	–	–	–	–	–	–	–
Heart Disease	12	21	13	26	33	31	58	67	82	75	40	18	2	1	–	–
Laryngitis	1	–	–	1	1	–	2	1	–	1	–	1	–	–	–	–
Bronchitis	9	8	8	7	20	29	30	49	82	80	50	29	5	1	–	1
Pleurisy	4	1	1	3	5	1	1	2	2	1	2	–	–	–	–	–
Pneumonia	9	4	11	9	9	9	12	19	15	15	8	5	–	–	–	1
Asthma	1	1	–	3	4	3	11	12	12	8	3	1	–	–	–	–
Lung Disease	–	3	1	–	2	1	1	–	–	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	2	–	2	4	3	6	4	7	2	1	1	–	–	–	–
Enteritis	3	3	1	3	1	7	4	6	4	1	1	1	2	–	–	–
Peritonitis	2	6	2	1	3	1	5	3	4	3	2	1	–	–	–	–
Ascites	1	1	–	–	1	1	2	–	2	2	1	–	–	–	–	–
Ulceration of Intestines	2	1	2	1	4	7	2	5	5	2	1	–	–	–	–	–
Hernia	–	–	1	1	1	1	1	2	–	6	1	–	1	–	–	–
Ileus	1	–	–	2	6	2	–	6	6	5	4	1	1	–	–	–
Intussusception	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	3	6	3	8	5	11	14	14	6	3	3	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	1	–	1	4	3	2	2	–	–	–	–	–	–
Jaundice	1	–	1	–	–	1	3	1	3	2	4	1	–	–	–	–
Liver Disease	1	1	3	7	10	12	17	12	11	6	7	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	3	2	2	–	1	1	–	–	–	–	–	–
Nephria	3	2	2	–	4	4	4	3	6	3	1	1	–	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	2	3	1	1	1	–	1	–	–	–	–	–
Stone	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	1	1	–	1	4	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	3	2	3	4	3	8	2	4	2	–	–	–	–
Paramenia	–	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	–	3	1	4	2	3	1	–	2	–	–	–	–	–
Childbirth	15	18	22	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	5	6	1	–	2	1	–	–	–	–	–	–	–
Bone Disease	–	–	2	–	–	1	–	–	–	1	1	–	–	–	–	–
Rheumatism	–	1	1	2	1	1	2	3	5	6	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Intemperance	1	1	–	–	1	2	2	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	2	–	1	3	2	2	–	–	–	–
Hanging, etc.	–	–	1	–	2	2	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
Drowning	2	–	–	1	2	7	1	1	1	–	–	–	–	–	–	–
Fracture and Contusion	–	4	–	2	4	4	3	–	2	1	4	1	1	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Not Specified	12	14	13	15	15	17	18	5	–	–	–	–	–	–	–	6

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2084	184	27	71	58	49	25	18	68	41	70	100	76
Specified Causes	1746	93	16	37	35	35	19	15	56	33	56	78	65
I. Zymotic Class	247	13	4	18	20	23	10	9	33	17	14	7	10
II. Diseases of Uncertain Seat	90	–	–	–	–	–	–	–	1	–	–	1	–
III. Tubercular Class	224	–	3	4	5	3	2	2	6	6	23	34	31
IV. Brain and Nervous System	97	11	–	–	1	–	–	1	1	3	4	7	4
V. Organs of Circulation	57	–	–	–	–	–	–	–	–	–	1	–	3
VI. Respiratory Organs	184	8	5	8	7	4	3	1	4	2	5	5	2
VII. Organs of Digestion	102	4	1	6	1	4	–	1	2	1	–	1	4
VIII. Urinary Organs	29	–	–	1	–	–	–	–	1	–	–	3	–
IX. Organs of Generation	35	–	–	–	–	–	–	–	–	–	1	4	9
X. Organs of Locomotion	34	–	–	–	–	–	–	–	–	1	1	3	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	58	56	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	–	–	–	–	1	–	–	–	–
XV. Age	507	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Death	9	–	–	–	–	–	–	–	1	1	–	–	–
XVII. Violent Deaths	63	–	–	–	1	1	4	1	6	2	7	13	2
I. Small Pox	19	–	1	1	–	–	–	–	3	3	1	3	2
Measles	17	–	–	1	2	1	–	–	8	2	–	–	2
Scarlatina	34	1	–	3	4	9	1	3	7	3	3	–	–
Diphtheria	10	–	1	1	–	3	1	1	–	1	2	–	–
Hooping Cough	34	4	1	7	8	3	5	1	5	–	–	–	–
Croup	26	7	–	5	5	3	1	3	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	–	–	–	1	–	–	–	1	–	1	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	8	–	–	–	–	–	1	1	–	–	–	–	1
Purpura	4	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	1	–	–	–
Typhus	26	–	–	–	–	1	1	–	3	2	3	1	4
Enteric Fever	18	–	–	–	–	–	–	–	1	3	3	3	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	3	–	–	–	–	1	–	–	–	–	1	–	–
Infantile Remittent	2	–	–	–	–	2	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	11	1	1	–	–	–	–	–	2	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	38	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	42	–	–	–	–	–	–	–	–	–	–	–	–
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	–	–	–	2	–	1	–	2	1	1	–	–
Tabes Mesenterica	8	–	1	2	1	2	1	–	–	–	1	–	–
Phthisis	195	–	1	–	1	1	–	2	1	4	21	34	31
Hydrocephalus	8	–	1	2	1	–	–	–	3	1	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	66	55	49	49	62	74	105	132	171	180	185	98	40	23	3	5
SPECIFIED CAUSES	54	51	45	42	51	59	73	130	171	180	185	98	40	23	3	3
Zymotic Class	4	5	4	9	5	7	7	7	9	9	2	1	–	–	–	–
Uncertain Seat	3	4	1	7	4	9	14	14	11	8	9	4	–	–	–	–
Tubercular Class	25	20	13	10	13	6	7	4	5	1	–	–	–	–	–	1
Brain, etc.	3	3	2	3	3	1	6	10	8	7	12	6	1	–	–	–
Heart, etc.	3	–	3	1	2	7	7	6	9	4	8	2	–	–	–	1
Respiratory Organs	3	1	7	6	10	12	15	23	20	19	11	2	–	1	–	–
Digestive Organs	2	2	4	4	7	9	4	14	14	11	4	1	1	–	–	–
Urinary Organs	1	2	1	–	1	1	4	1	3	5	4	–	1	–	–	–
Generative Organs	7	9	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	2	2	5	6	5	4	2	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	1	–	–	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	37	85	110	132	80	36	22	3	–
Sudden Deaths	–	–	–	–	–	1	1	4	–	1	–	–	–	–	–	–
Violent Deaths	3	2	4	1	4	–	1	4	2	1	1	1	1	–	–	1
Small Pox	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	1	–	1	1	4	3	3	2	1	–	–	–	–
Dysentery	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–
Purpura	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	1	–	–	2	3	–	2	–	–	–	–	–	–	–
Enteric Fever	–	–	1	4	2	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	–	1	1	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	–	1	5	8	5	6	3	4	1	–	–	–	–
Abscess	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	–	3	–	6	3	3	6	8	4	3	4	2	–	–	–	–
Gout	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–	–
Scrofula	2	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	23	19	13	10	12	6	7	4	3	1	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	1	–	–	1	–	–	–	1	1	–	1	–
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	46	–	–	–	–	–	–	–	–	–	3	3	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	–	1	1	2	–
Tetanus	6	4	–	–	–	–	–	–	–	1	–	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	5	–	–	–	–	–	1	–	–	–	–	–
Brain Disease	11	1	–	–	–	–	–	–	–	–	–	1	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	–	–	–	–	–	–	–	–	–	1	–	3
VI. Laryngitis	5	2	1	–	–	–	–	–	1	–	–	–	1
Bronchitis	90	4	2	6	5	1	3	–	2	1	–	2	–
Pleurisy	9	2	–	–	–	–	–	–	–	1	1	1	–
Pneumonia	37	–	2	2	2	3	–	1	1	–	2	1	1
Asthma	37	–	–	–	–	–	–	–	–	–	2	–	–
Lung Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
Teething	7	1	–	4	–	2	–	–	–	–	–	–	–
Quinsey	5	–	–	1	1	–	–	1	–	–	–	–	2
Gastritis	7	–	1	–	–	1	–	–	–	–	–	–	–
Enteritis	7	2	–	–	–	–	–	–	–	–	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	7	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intnssusception.	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	29	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	–	–	–	–	–	–	1	1	–	–	–
Jaundice	6	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	13	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	1	–	–	–	–	–	–	–	1	–
Nephria	8	–	–	–	–	–	–	–	1	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	29	–	–	–	–	–	–	–	–	–	–	4	7
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	32	–	–	–	–	–	–	–	–	1	1	2	–
Joint Disease	2	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	2	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	1	1	3	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	29	–	–	–	–	–	1	–	1	1	5	7	2
Fracture and Contusion	18	–	–	–	–	–	–	–	4	1	2	2	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	338	91	11	34	23	14	6	3	12	8	14	22	11

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER.															
	35	40	45	50	55	60	65	70	75	80	85	60	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	1	–	2	–	1	–	4	–	–	–	–	–
Paralysis	–	–	1	3	1	1	2	6	5	6	7	6	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Heart Disease	3	–	3	1	2	7	7	6	8	4	7	2	–	–	–	1
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	1	3	3	4	7	13	11	9	7	2	–	1	–	–
Pleurisy	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	1	1	2	5	3	3	1	4	1	–	–	–	–	–
Asthma	–	–	3	1	3	2	4	5	8	6	3	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Enteritis	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	2	1	–	1	2	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	–	1	1	1	–	–	1	1	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	–	–	–	1	3	4	1	9	2	5	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	2	–	–	1	–	2	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–
Liver Disease	–	1	1	–	–	1	2	2	2	2	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	1	–	1	1	2	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	1	–	–	–	–	–	–	–	1	2	–	1	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	1	2	5	6	5	4	2	1	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	2	–	3	–	–	1	–	–	–	–	–	–	–	1
Fracture and Contusion	–	–	2	1	–	–	1	1	1	1	–	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	12	4	4	7	11	15	32	2	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1008	94	15	37	30	21	15	7	32	20	40	65	35
SPECIFIED CAUSES	850	47	9	18	16	17	10	6	30	18	36	54	33
I. Zymotic Class	122	6	2	10	6	15	6	4	17	9	7	5	4
II. Diseases of Uncertain Seat	38	–	–	–	–	–	–	–	1	–	–	1	–
III. Tubercular Class	126	–	1	–	3	–	–	1	5	3	16	26	19
IV. Brain and Nervous System	57	6	–	–	–	–	–	–	–	2	2	4	4
V. Organs of Circulation	37	–	–	–	–	–	–	–	–	–	1	–	1
VI. Respiratory Organs	88	4	4	4	5	1	1	–	2	1	3	1	1
VII. Organs of Digestion	53	2	1	4	1	1	–	1	–	–	–	1	2
III. Urinary Organs	18	–	–	–	–	–	–	–	–	–	–	2	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	18	–	–	–	–	–	–	–	–	–	1	2	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	28	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	–	–	–	1	–	–	–	–
XV. Age	207	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	1	–	–	–
XVII. Violent Deaths	49	–	–	–	1	–	3	–	4	2	6	12	2
I. Small Pox	11	–	–	–	–	–	–	–	1	1	1	2	2
Measles	9	–	–	1	2	1	–	–	4	1	–	–	–
Scarlatina	22	1	–	3	3	6	–	2	2	2	3	–	–
Diphtheria	7	–	1	1	–	3	–	–	–	1	1	–	–
Hooping Cough	14	1	–	3	1	1	3	1	4	–	–	–	–
Croup	12	4	–	2	–	2	1	1	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	–	–	–	–	–	–	–	1	–	1	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	1	–	–	–	–	–	1
Purpura	3	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	1	–	–	–
Typhus	13	–	–	–	–	–	1	–	1	1	–	1	1
Enteric Fever	6	–	–	–	–	–	–	–	1	–	1	2	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	2	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	–	1	–	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	20	–	–	–	–	–	–	–	–	–	–	–	–
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	1	–	–	–	2	1	1	–	–
Tabes Mesenterica	2	–	1	–	1	–	–	–	–	–	–	–	–
Phthisis	112	–	–	–	–	–	–	1	–	1	15	26	19
Hydrocephalus	5	–	–	–	1	–	–	–	3	1	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	33	24	23	25	31	34	38	64	77	85	82	48	17	10	2	4
SPECIFIED CAUSES	26	20	21	23	25	28	27	62	77	85	82	48	17	10	2	3
Zymotic Class	3	2	1	4	1	4	3	3	6	2	1	1	–	–	–	–
Uncertain Seat	1	2	–	4	2	3	2	7	8	4	3	–	–	–	–	–
Tubercular Class	12	11	6	5	6	3	2	2	3	1	–	–	–	–	–	1
Brain, etc.	2	1	1	3	1	–	3	6	5	4	8	4	1	–	–	–
Heart, etc.	2	–	2	1	1	5	2	4	6	4	6	1	–	–	–	1
Respiratory Organs	2	–	4	3	6	4	5	13	10	8	4	1	–	1	–	–
Digestive Organs	1	1	2	2	4	6	2	6	8	6	1	–	1	–	–	–
Urinary Organs	–	1	1	–	1	–	1	1	2	5	3	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	4	4	2	1	1	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	14	25	48	55	39	14	9	2	–
Sudden Deaths	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Violent Deaths	3	2	3	1	2	–	1	2	2	1	–	1	–	–	–	1
Small Pox	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–
Dysentery	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	–	–	2	3	–	2	–	–	–	–	–	–	–
Enteric Fever	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	2	3	2	2	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	2	–	3	2	1	1	5	4	1	1	–	–	–	–	–
Gout	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	11	6	5	6	3	2	2	2	1	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.		ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	1	–	–	–	–	–	–	–	–	1	–	–	–
	Apoplexy	6	–	–	–	–	–	–	–	–	–	–	–	–
	Paralysis	30	–	–	–	–	–	–	–	–	–	2	2	1
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	5	–	–	–	–	–	–	–	–	–	–	1	–
	Tetanus	4	2	–	–	–	–	–	–	–	1	–	–	1
	Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	3	3	–	–	–	–	–	–	–	–	–	–	–
	Brain Disease	7	1	–	–	–	–	–	–	–	–	–	1	2
V.	Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	36	–	–	–	–	–	–	–	–	–	1	–	1
VI.	Laryngitis	2	1	1	–	–	–	–	–	–	–	–	–	–
	Bronchitis	38	2	1	2	4	–	1	–	1	–	–	1	–
	Pleurisy	5	1	–	–	–	–	–	–	–	1	1	–	–
	Pneumonia	22	–	2	2	1	1	–	–	1	–	1	–	1
	Asthma	20	–	–	–	–	–	–	–	–	–	1	–	–
	Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Teething	3	1	–	2	–	–	–	–	–	–	–	–	–
	Quinsey	4	–	–	1	1	–	–	1	–	–	–	–	1
	Gastritis	5	–	1	–	–	1	–	–	–	–	–	–	–
	Enteritis	5	1	–	–	–	–	–	–	–	–	–	–	1
	Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–
	Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	18	–	–	1	–	–	–	–	–	–	–	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	2	–	–	–	–	–	1	–	–	–	–	–	–
	Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	–
	Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	2	–	–	–	–	–	–	–	–	–	–	1	–
	Nephria	4	–	–	–	–	–	–	–	–	–	–	–	–
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	2	–	–	–	–	–	–	–	–	–	–	1	–
	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Rheumatism	17	–	–	–	–	–	–	–	–	–	1	1	–
	Joint Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	–	–	–	–	–	–	–	–	2	–
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	4	–	–	–	1	–	2	–	1	–	–	–	–
	Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Drowning	26	–	–	–	–	–	1	–	1	1	4	6	2
	Fracture and Contusion	13	–	–	–	–	–	–	–	2	1	2	2	–
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
	Not Specified	158	47	6	19	14	4	5	1	2	2	4	11	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	–	–	1	–	1	–	2	–	–	–	–	–
Paralysis	–	–	–	3	–	–	1	5	3	3	5	4	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Heart Disease	2	–	2	1	1	5	2	4	6	4	5	1	–	–	–	1
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	1	1	–	3	8	4	2	3	1	–	1	–	–
Pleurisy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	1	2	3	2	1	1	1	1	–	–	–	–	–
Asthma	–	–	3	1	2	–	–	3	5	5	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	1	–	–	–	1	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	2	3	–	1	2	4	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	–	1	1	–	–	1	2	2	2	1	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	4	4	2	1	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	2	–	2	–	–	1	–	–	–	–	–	–	–	1
Fracture and Contusion	–	–	1	1	–	–	1	–	1	1	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	7	4	2	2	6	6	11	2	–	–	–	–	–	–	–	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER.											
		MONTHS.			2	3	4	5	10	15	20	25	30
		2	3	12									
ALL CAUSES	1076	90	12	34	28	28	10	11	36	21	30	35	41
SPECIFIED CAUSES	896	46	7	19	19	18	9	9	26	15	20	24	32
I. Zymotic Class	125	7	2	8	14	8	4	5	16	8	7	2	6
II. Diseases of Uncertain Seat	52	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	98	–	2	4	2	3	2	1	1	3	7	8	12
IV. Brain and Nervous System	40	5	–	–	1	–	–	1	1	1	2	3	–
V. Organs of Circulation	20	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs	96	4	1	4	2	3	2	1	2	1	2	4	1
VII. Organs of Digestion	49	2	–	2	–	3	–	–	2	1	–	–	2
VIII. Urinary Organs	11	–	–	1	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	35	–	–	–	–	–	–	–	–	–	1	4	9
X. Organs of Locomotion	16	–	–	–	–	–	–	–	–	1	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	30	28	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	300	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	14	–	–	–	–	1	1	1	2	–	1	1	–
I. Small Pox	8	–	1	1	–	–	–	–	2	2	–	1	–
Measles	8	–	–	–	–	–	–	–	4	1	–	–	2
Scarlatina	12	–	–	–	1	3	1	1	5	1	–	–	–
Diphtheria	3	–	–	–	–	–	1	1	–	–	1	–	–
Hooping Cough	20	3	1	4	7	2	2	–	1	–	–	–	–
Croup	14	3	–	3	5	1	–	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	–	–	–	1	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	5	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	–	1	–	–	2	1	8	–	3
Enteric Fever	12	–	–	–	–	–	–	–	–	3	2	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	5	1	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	–
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	1	–	1	–	–	–	–	–	–
Tabes Mesenterica	6	–	–	2	–	2	1	–	–	–	1	–	–
Phthisis	83	–	1	–	1	1	–	1	1	3	6	8	12
Hydrocephalus	3	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	33	31	26	24	31	40	67	68	94	95	103	50	23	13	1	1
Specified Causes	28	31	24	19	26	31	46	68	94	95	103	50	23	13	1	–
Zymotic Class	1	3	3	5	4	3	4	4	3	7	1	–	–	–	–	–
Uncertain Seat	2	2	1	3	2	6	12	7	3	4	6	4	–	–	–	–
Tubercular Class	13	9	7	5	7	3	5	2	2	–	–	–	–	–	–	–
Brain, etc.	1	2	1	–	2	1	3	4	3	3	4	2	–	–	–	–
Heart, etc.	1	–	1	–	1	2	5	2	3	–	2	1	–	–	–	–
Respiratory Organs	1	1	3	3	4	8	10	10	10	11	7	1	–	–	–	–
Digestive Organs	1	1	2	2	3	3	2	8	6	5	3	1	–	–	–	–
Urinary Organs	1	1	–	–	–	1	3	–	1	–	1	–	–	–	–	–
Generative Organs	7	9	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	1	1	1	2	3	3	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	23	60	62	77	41	22	13	1	–
Sudden Deaths	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	2	–	–	2	–	–	1	–	1	–	–	–
Small Pox	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	1	3	3	3	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	–	1	4	7	3	3	1	2	1	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	–	1	–	3	1	2	5	3	–	2	3	2	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Scrofula	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	8	7	5	6	3	5	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		2	3	12									
IV. Cephalitis	5	1	–	–	1	–	–	–	1	–	–	1	–
Apoplexy	4	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	16	–	–	–	–	–	–	–	–	–	1	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	1	1	–
Tetanus	2	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	2	–	–	–	–	–	1	–	–	–	–	–
Brain Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	–	–	–	–	–	–	–	–	–	2
VI. Laryngitis	3	1	–	–	–	–	–	–	1	–	–	–	1
Bronchitis	52	2	1	4	1	1	2	–	1	1	–	1	–
Pleurisy	4	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	15	–	–	–	1	2	–	1	–	–	1	1	–
Asthma	17	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	4	–	–	2	–	2	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	1
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	1	1	–	–	–
Jaundice	4	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	29	–	–	–	–	–	–	–	–	–	–	4	7
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	15	–	–	–	–	–	–	–	–	1	–	1	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	–	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	1	1	–
Fracture and Contusion	5	–	–	–	–	–	–	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	180	44	5	15	9	10	1	2	10	6	10	11	9

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER.															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–
Paralysis	–	–	1	–	1	1	1	1	2	3	2	2	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	1	–	1	2	5	2	2	–	2	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	–	2	2	4	4	5	7	7	4	1	–	–	–	–
Pleurisy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	2	1	2	–	3	–	–	–	–	–	–
Asthma	–	–	–	–	1	2	4	2	3	1	3	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	–	–	–	1	1	1	1	8	–	1	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	1	–	–	1	–	1	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	1	1	2	3	3	1	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	–	2	5	5	9	21	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	14053	1335	608	1255	1565	736	475	349	734	385	516	634	549
Specified Causes	13945	1288	598	1246	1559	731	470	348	732	384	515	630	547
I. Zymotic Class	2976	160	166	428	605	307	201	178	279	82	69	115	66
II. Diseases of Uncertain Seat	310	5	2	4	7	7	2	2	5	9	7	6	14
III. Tubercular Class	2883	37	84	174	262	147	94	74	230	162	275	330	249
IV. Brain and Nervous System	1121	108	48	106	93	49	32	20	54	28	17	18	17
V. Organs of Circulation	508	2	1	–	2	1	2	–	6	9	21	14	21
VI. Respiratory Organs	2971	152	165	398	406	152	107	47	77	26	40	56	67
VII. Organs of Digestion	905	105	71	101	136	27	8	6	22	15	19	20	25
VIII. Urinary Organs	214	–	1	–	2	8	4	5	9	9	11	10	14
IX. Organs of Generation	84	–	–	–	–	–	–	–	–	–	5	9	20
X. Organs of Locomotion	77	–	–	–	1	–	–	1	8	14	8	8	5
XI. Skin, etc.	12	4	2	1	1	–	1	–	–	–	–	–	–
XII. Malformation	49	41	3	2	1	1	–	–	1	–	–	–	–
XIII. Premature Debility	690	628	37	25	–	–	–	–	–	–	–	–	–
XIV. Atrophy	107	–	–	–	25	15	3	3	10	4	4	–	2
XV. Age	411	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	62	7	4	2	1	–	1	–	3	1	–	–	2
XVII. Violent Deaths	565	39	14	5	17	17	15	12	28	25	39	44	45
I. Small Pox	149	10	6	3	2	3	1	1	16	13	16	29	18
Measles	108	1	1	35	28	12	13	9	8	–	1	–	–
Scarlatina	362	1	1	23	49	46	38	55	108	23	2	6	7
Diphtheria	141	1	–	11	36	18	23	15	30	4	2	1	–
Hooping Cough	1026	37	73	244	330	151	79	56	54	2	–	–	–
Croup	184	5	4	25	60	45	19	15	11	–	–	–	–
Thrush	6	4	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	335	59	61	67	67	11	3	3	3	1	2	2	1
Dysentery	15	–	1	3	2	–	1	–	–	–	–	–	–
Cholera	14	1	1	2	3	–	–	–	1	–	1	2	1
Influenza	14	2	–	–	–	–	1	1	1	1	–	–	–
Purpura	6	–	–	–	1	–	–	–	1	–	–	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	1	–	–	–	–	–
Typhus	182	–	–	1	1	2	4	1	5	13	14	20	17
Enteric Fever	198	–	–	5	11	12	9	12	30	15	24	31	12
Relapsing Fever	34	–	–	–	2	2	–	2	3	5	4	2	–
Simple Continued Fever	13	–	–	–	2	2	1	3	2	1	–	–	–
Infantile Remittent	23	1	1	–	3	3	7	4	4	–	–	–	–
Metria	38	–	–	–	–	–	–	–	–	–	–	16	6
Rheumatic Fever	13	–	–	–	–	–	–	–	2	3	1	1	1
Erysipelas	48	9	6	4	–	–	–	–	–	–	–	–	3
Pyæmia	5	–	–	–	–	–	–	–	–	1	2	1	–
Syphilis	56	29	10	5	7	–	–	–	–	–	–	2	–
Noma	4	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	13	–	–	–	1	–	–	–	–	–	–	2	2
Dropsy	80	1	–	–	4	4	2	2	3	5	3	–	4
Abscess	29	2	2	4	2	3	–	–	1	1	2	–	3
Ulcer	4	2	–	–	–	–	–	–	–	1	–	–	1
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	14	–	–	–	–	–	–	–	–	1	1	1	–
Cancer	168	–	–	–	–	–	–	–	1	1	1	3	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	196	4	4	7	28	19	12	11	31	32	20	10	5
Tabes Mesenterica	270	19	17	30	57	28	20	14	54	14	5	3	4
Phthisis	1957	8	14	36	58	44	30	20	96	104	248	316	238
Hydrocephalus	460	6	49	101	119	56	32	29	49	12	2	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	502	496	536	511	523	496	532	407	400	275	153	60	16	4	1	–
Specified Causes	501	493	535	508	521	493	530	407	400	275	153	60	16	4	1	–
Zymotic Class	52	46	44	31	34	19	32	22	23	12	5	–	–	–	–	–
Uncertain Seat	11	13	23	30	41	32	34	18	17	12	8	1	–	–	–	–
Tubercular Class	212	173	149	79	69	41	21	13	4	4	–	–	–	–	–	–
Brain, etc.	30	29	32	46	57	56	72	69	67	50	14	7	1	1	–	–
Heart, etc.	36	41	37	45	61	52	51	40	34	24	6	2	–	–	–	–
Respiratory Organs	67	86	123	154	142	176	197	129	107	63	25	7	2	–	–	–
Digestive Organs	23	32	41	52	40	42	48	38	21	8	5	–	–	–	–	–
Urinary Organs	12	16	17	15	22	15	12	16	10	3	1	1	1	–	–	–
Generative Organs	13	13	14	3	2	2	2	1	–	–	–	–	–	–	–	–
Locomotive Organs	4	3	7	1	1	7	6	–	1	1	1	–	–	–	–	–
Skin	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	5	6	3	11	15	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	30	41	104	92	87	41	12	3	1	–
Sudden Deaths	6	3	3	9	6	3	3	5	3	–	–	–	–	–	–	–
Violent Deaths	34	33	38	40	35	31	22	15	9	6	1	1	–	–	–	–
Small Pox	8	8	6	4	2	1	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	3	4	6	5	7	9	6	8	3	–	–	–	–	–
Dysentery	1	1	–	–	1	–	1	2	1	–	1	–	–	–	–	–
Cholera	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	1	–	2	1	3	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	18	19	16	15	5	10	3	3	–	–	–	–	–	–	–
Enteric Fever	5	6	8	2	1	2	6	1	4	2	–	–	–	–	–	–
Relapsing Fever	5	1	2	–	3	–	2	1	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	3	1	2	4	3	2	5	3	1	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	3	–	1	–	1	–	–	–	–	–	–	–
Dropsy	4	1	2	5	8	8	7	6	3	3	4	1	–	–	–	–
Abscess	1	–	2	2	1	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	1	1	5	1	–	–	–	–	–
Cancer	6	11	18	22	28	23	23	11	11	4	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	3	4	1	1	–	–	1	–	2	–	–	–	–	–	–
Tabes Mesenterica	–	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	210	169	142	78	67	41	20	12	4	2	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	165	1	15	27	26	20	14	8	21	11	5	6	4
Apoplexy	230	5	4	13	14	5	2	2	6	–	4	4	5
Paralysis	253	–	–	1	–	1	–	–	–	2	2	–	1
Delirium Tremens	13	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	32	–	–	–	–	–	–	–	–	4	1	2	5
Tetanus	6	3	–	–	–	–	–	–	–	2	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	256	97	23	49	44	21	10	6	6	–	–	–	–
Brain Disease	163	2	6	16	9	2	6	4	20	8	5	6	1
V. Pericarditis	15	–	1	–	–	–	–	–	–	2	1	–	1
Aneurism	16	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	477	2	–	–	2	1	2	–	6	7	20	14	19
VI. Laryngitis	43	3	6	11	5	2	3	1	–	–	–	3	2
Bronchitis	2135	117	123	302	315	116	79	32	53	11	13	18	28
Pleurisy	30	–	1	1	1	–	–	–	1	1	–	3	4
Pneumonia	628	31	35	32	30	32	23	12	22	12	23	29	26
Asthma	48	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	87	1	–	2	5	2	2	2	1	2	4	3	6
VII. Teething	194	–	9	73	100	12	–	–	–	–	–	–	–
Quinsey	3	–	1	–	–	–	–	–	1	–	–	–	–
Gastritis	37	3	3	2	3	2	1	–	1	1	1	–	1
Enteritis	187	55	33	18	14	7	3	3	7	5	6	2	2
Peritonitis	40	–	1	–	1	–	–	–	1	1	5	6	3
Ascites	12	–	–	–	–	–	–	1	–	2	–	–	–
Ulceration of Intestines	17	–	–	–	–	–	–	1	–	–	–	–	1
Hernia	22	–	–	–	1	–	–	–	–	1	–	1	–
Ileus	50	16	1	–	1	–	1	–	4	1	–	2	1
Intussusception	2	1	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	143	15	22	8	13	5	1	1	4	2	3	6	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	24	–	1	–	1	–	–	–	1	–	1	–	3
Jaundice	34	13	–	–	1	–	–	–	–	–	1	2	–
Liver Disease	133	2	–	–	1	1	1	–	3	2	2	–	10
Spleen Disease	7	–	–	–	–	–	–	–	–	–	–	1	1
VIII. Nephritis	29	–	1	–	1	4	1	4	3	1	–	1	–
Nephria	49	–	–	–	–	1	1	1	1	1	7	1	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	13	–	–	–	–	–	1	–	2	–	1	1	–
Diabetes	10	–	–	–	1	–	–	–	–	1	–	–	1
Stone	4	–	–	–	–	–	–	–	1	–	–	–	1
Cystitis	19	–	–	–	–	–	–	–	–	3	–	1	3
Stricture of Urethra	5	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	84	–	–	–	–	3	1	–	2	2	3	5	4
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	63	–	–	–	–	–	–	–	–	–	3	9	18
Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	–	2
X. Bone Disease	16	–	–	–	1	–	–	1	1	5	2	1	1
Rheumatism	24	–	–	–	–	–	–	–	1	1	–	2	–
Joint Disease	37	–	–	–	–	–	–	–	6	8	6	5	4
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	9	4	2	1	–	–	1	–	–	–	–	–	–
XVII. Intemperance	44	–	–	–	–	–	–	–	–	–	2	1	7
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	24	11	11	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	–	–	–	–	–	–	–	–	–	–	–
Poison	17	2	–	–	–	1	1	–	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	67	–	–	–	13	10	8	7	6	3	3	–	2
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	26	13	3	1	1	1	–	–	1	–	–	–	2
Drowning	84	1	–	–	1	1	2	–	8	7	5	6	13
Fracture and Contusion	239	1	–	1	2	4	4	3	11	13	24	27	17
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	46	10	–	1	–	–	–	2	–	2	3	8	3
Not Specified	108	47	10	9	6	5	5	1	2	1	1	4	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	4	–	1	–	–	–	–	–	–	1	–	–	–
Apoplexy	8	10	8	13	19	22	21	22	23	13	4	2	–	1	–	–
Paralysis	10	4	10	16	22	23	40	41	39	33	6	2	–	–	–	–
Delirium Tremens	3	2	2	1	4	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	7	3	4	1	–	–	–	–	1	–	2	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	6	8	8	11	9	11	6	5	3	4	1	–	–	–	–
Pericarditis	2	2	1	1	1	2	–	1	–	–	–	–	–	–	–	–
Aneurism	3	1	4	3	1	1	1	1	–	–	–	–	–	–	–	–
Heart Disease	31	38	32	41	59	49	50	38	34	24	6	2	–	–	–	–
Laryngitis	1	1	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	36	42	70	112	108	130	154	99	93	54	22	6	2	–	–	–
Pleurisy	1	3	1	3	2	4	–	1	1	–	1	1	–	–	–	–
Pneumonia	24	30	31	29	24	22	21	21	10	8	1	–	–	–	–	–
Asthma	2	3	10	3	3	7	10	4	3	1	1	–	–	–	–	–
Lung Disease	3	7	9	7	4	13	11	3	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	2	3	1	2	2	1	4	1	1	2	–	–	–	–	–	–
Enteritis	4	3	6	7	3	3	2	2	2	–	–	–	–	–	–	–
Peritonitis	4	6	6	3	1	1	1	–	–	–	–	–	–	–	–	–
Ascites	1	2	1	1	2	2	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	2	4	1	1	2	2	1	1	–	–	–	–	–	–
Hernia	1	–	5	1	5	2	2	2	–	1	–	–	–	–	–	–
Ileus	1	2	3	2	3	2	6	3	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	4	3	11	5	6	11	8	3	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	–	2	3	3	4	–	1	–	–	–	–	–	–
Jaundice	–	–	2	3	2	–	2	2	5	–	1	–	–	–	–	–
Liver Disease	3	8	10	17	14	20	14	14	8	1	2	–	–	–	–	–
Spleen Disease	–	1	1	1	–	–	1	–	–	–	1	–	–	–	–	–
Nephritis	1	2	–	3	1	–	2	1	2	1	–	–	–	–	–	–
Nephria	6	5	4	6	6	2	2	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	2	2	–	1	2	–	1	–	–	–	–	–
Diabetes	2	1	–	–	–	1	–	1	1	–	–	1	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cystitis	–	1	2	–	4	–	1	2	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	7	10	6	9	8	7	9	3	1	–	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	3	2	1	2	2	–	–	–	–	–	–	–	–	–
Childbirth	12	10	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	3	2	2	1	–	6	3	–	1	1	1	–	–	–	–	–
Joint Disease	1	–	4	–	1	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	2	6	4	4	8	3	2	2	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	3	3	1	3	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	2	1	3	5	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–
Drowning	4	13	4	7	2	5	4	1	–	–	–	–	–	–	–	–
Fracture and Contusion	25	11	20	19	17	8	12	10	5	3	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	3	3	3	2	2	–	–	2	–	–	–	–	–	–
Not Specified	1	3	1	3	2	3	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Males.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	7171	749	330	671	804	380	248	167	362	200	251	333	284
Specified Causes	7116	723	326	668	801	376	245	166	361	200	251	332	282
I. Zymotic Class	1483	82	85	235	301	163	94	84	122	36	31	55	34
II. Diseases of Uncertain Seat	117	2	2	2	3	4	1	–	3	6	4	4	8
III. Tubercular Class	1407	17	41	97	139	72	57	39	117	78	122	154	109
IV. Brain and Nervous System	606	63	25	55	62	19	18	10	28	19	8	12	7
V. Organs of Circulation	261	1	1	–	–	1	2	–	2	4	7	5	11
VI. Respiratory Organs	1557	89	101	217	201	77	55	17	43	10	20	37	43
VII. Organs of Digestion	456	62	38	48	70	18	4	5	10	7	11	11	12
VIII Urinary Organs	137	–	1	–	1	6	3	4	8	6	5	7	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	43	–	–	–	–	–	–	–	4	9	6	4	4
XI. Skin, etc.	7	2	1	–	1	–	1	–	–	–	–	–	–
XII. Malformation	28	23	2	1	–	1	–	–	1	–	–	–	–
XIII. Premature Debility	393	360	21	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	41	–	–	–	11	8	1	1	5	3	1	–	2
XV. Age	132	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	3	1	–	1	–	–	–	2	1	–	–	2
XVII. Violent Deaths	416	19	7	3	11	7	9	6	16	21	36	43	40
I. Small Pox	84	3	2	1	1	1	–	1	12	6	7	21	13
Measles	64	1	1	21	16	6	10	3	5	–	1	–	–
Scarlatina	168	–	–	12	26	23	15	32	45	9	–	1	4
Diphtheria	79	1	–	7	20	10	15	6	16	2	2	–	–
Hooping Cough	475	17	37	129	143	77	34	19	19	–	–	–	–
Croup	110	2	3	15	39	26	11	8	6	–	–	–	–
Thrush	2	–	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	187	33	34	40	36	7	1	3	1	1	1	1	1
Dysentery	7	–	–	2	1	–	1	–	–	–	–	–	–
Cholera	9	1	1	–	2	–	–	–	1	–	–	2	–
Influenza	6	2	–	–	–	–	–	1	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	1	–	–	–	–	–
Typhus	91	–	–	1	1	2	2	1	–	5	5	11	8
Enteric Fever	107	–	–	3	6	7	3	6	14	9	12	18	8
Relapsing Fever	14	–	–	–	2	–	–	–	1	3	–	–	–
Simple Continued Fever	6	–	–	–	1	2	–	–	1	1	–	–	–
Infantile Remittent	9	–	1	–	1	2	1	3	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	22	4	3	–	–	–	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	2	–	–
Syphilis	30	18	2	4	5	–	–	–	–	–	–	–	–
Noma	3	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	–	1	–	–	–	–	–	–	1	2
Dropsy	33	1	–	–	1	2	1	–	2	4	1	–	2
Abscess	17	–	2	2	1	2	–	–	1	1	1	–	2
Ulcer	2	1	–	–	–	–	–	–	–	1	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	49	–	–	–	–	–	–	–	–	–	1	3	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	105	2	2	2	15	8	8	5	17	20	12	5	3
Tabes Mesenterica	151	11	10	15	29	13	12	9	32	7	4	2	4
Phthisis	902	4	6	20	31	20	18	10	45	43	105	146	100
Hydrocephalus	249	–	23	60	64	31	19	15	23	8	1	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	252	236	286	277	261	260	263	207	157	107	66	17	3	–	–	–
SPECIFIED CAUSES	251	235	285	276	260	260	261	207	157	107	66	17	3	–	–	–
Zymotic Class	28	22	25	16	16	11	14	10	11	4	4	–	–	–	–	–
Uncertain Seat	4	3	9	7	10	10	15	5	4	6	5	–	–	–	–	–
Tubercular Class	97	71	73	36	40	28	11	8	–	1	–	–	–	–	–	–
Brain, etc.	19	20	18	26	27	32	42	37	30	22	7	1	1	–	–	–
Heart, etc.	16	22	22	30	26	29	30	25	12	12	3	–	–	–	–	–
Respiratory Organs	37	46	74	84	79	90	90	71	38	21	13	4	–	–	–	–
Digestive Organs	13	13	18	29	15	18	21	20	9	1	3	–	–	–	–	–
Urinary Organs	6	6	10	8	14	10	8	10	9	3	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	1	5	1	1	1	3	–	1	–	1	–	–	–	–	–
Skin	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	–	–	2	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	10	36	36	28	11	2	–	–	–
Sudden Deaths	3	2	1	7	3	2	2	1	1	–	–	–	–	–	–	–
Violent Deaths	25	26	29	32	27	25	16	10	6	1	1	–	–	–	–	–
Small Pox	5	5	2	3	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	3	1	3	4	3	6	2	3	2	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cholera	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	7	12	8	8	3	4	–	2	–	–	–	–	–	–	–
Enteric Fever	3	5	5	1	–	1	4	–	2	–	–	–	–	–	–	–
Relapsing Fever	4	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	3	1	1	1	1	2	2	3	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Dropsy	–	–	1	1	1	4	3	3	2	2	2	–	–	–	–	–
Abscess	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	1	–	–	3	1	–	–	–	–	–
Cancer	4	3	7	5	6	6	8	2	–	1	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	96	70	69	35	38	28	10	7	–	1	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	99	1	9	16	18	11	7	4	9	7	3	5	2
Apoplexy	118	2	1	4	8	1	1	1	2	–	2	2	3
Paralysis	116	–	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	13	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	17	–	–	–	–	–	–	–	–	3	–	1	2
Tetanus	4	3	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	141	56	12	25	30	7	6	2	3	–	–	–	–
Brain Disease	98	1	3	8	6	–	4	3	14	7	3	4	–
V. Pericarditis	10	–	1	–	–	–	–	–	–	1	–	–	1
Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	237	1	–	–	–	1	2	–	2	3	7	5	9
VI. Laryngitis	27	2	4	8	4	1	2	–	–	–	–	–	2
Bronchitis	1086	70	79	165	163	53	41	12	32	5	6	11	15
Pleurisy	19	–	1	–	1	–	–	–	–	1	–	3	2
Pneumonia	357	17	17	43	31	22	11	5	11	4	13	22	20
Asthma	22	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	46	–	–	1	2	1	1	–	–	–	1	1	3
VII. Teething	101	–	5	37	51	8	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	20	3	1	1	3	1	1	–	–	–	–	–	1
Enteritis	92	32	15	6	5	5	1	2	3	3	4	2	–
Peritonitis	21	–	–	–	–	–	–	–	–	–	4	4	3
Ascites	3	–	–	–	–	–	–	1	–	1	–	–	–
Ulceration of Intestines	12	–	–	–	–	–	–	1	–	–	–	–	–
Hernia	9	–	–	–	1	–	–	–	–	–	–	1	–
Ileus	28	12	1	–	1	–	–	–	1	1	–	2	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	67	7	14	4	6	3	1	1	4	1	1	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	11	–	1	–	1	–	–	–	1	–	–	–	2
Jaundice	16	8	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	71	–	–	–	1	1	1	–	1	1	2	–	6
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	22	–	1	–	1	4	1	3	2	1	–	1	–
Nephria	32	–	–	–	–	1	1	1	1	1	3	1	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	12	–	–	–	–	–	1	–	2	–	1	1	–
Diabetes	4	–	–	–	–	–	–	–	–	1	–	–	–
Stone	4	–	–	–	–	–	–	–	1	–	–	–	1
Cystitis	15	–	–	–	–	–	–	–	–	2	–	1	2
Stricture of Urethra	5	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	42	–	–	–	–	1	–	–	2	–	1	2	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	9	–	–	–	–	–	–	–	1	3	2	1	–
Rheumatism	9	–	–	–	–	–	–	–	1	–	–	1	–
Joint Disease	25	–	–	–	–	–	–	–	2	6	4	2	4
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	5	2	1	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	27	–	–	–	–	–	–	–	–	–	2	1	4
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	3	6	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	13	2	–	–	–	1	1	–	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	36	–	–	–	9	1	6	3	4	3	1	–	2
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	15	8	1	1	1	–	–	–	–	–	–	–	2
Drowning	75	–	–	–	–	1	1	–	6	7	5	6	12
Fracture and Contusion	192	1	–	–	1	4	1	2	4	9	23	27	16
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	37	5	–	1	–	–	–	1	–	2	3	8	3
Not Specified	55	26	4	3	3	4	3	1	1	–	–	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	4	–	1	–	–	–	–	–	–	1	–	–	–
Apoplexy	5	6	5	6	8	12	16	13	10	7	2	1	–	–	–	–
Paralysis	6	4	4	7	7	13	18	20	18	14	4	–	–	–	–	–
Delirium Tremens	3	2	2	1	4	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	3	4	5	8	5	8	4	2	1	1	–	–	–	–	–
Pericarditis	1	1	1	1	–	2	–	1	–	–	–	–	–	–	–	–
Aneurism	2	1	4	2	1	1	1	1	–	–	–	–	–	–	–	–
Heart Disease	13	20	17	27	25	26	29	23	12	12	3	–	–	–	–	–
Laryngitis	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	16	19	35	56	58	60	68	55	34	17	12	4	–	–	–	–
Pleurisy	–	3	1	2	2	3	–	–	–	–	–	–	–	–	–	–
Pneumonia	16	19	27	20	15	16	11	11	3	3	–	–	–	–	–	–
Asthma	2	2	5	1	1	1	5	1	1	1	1	–	–	–	–	–
Lung Disease	2	3	5	5	2	10	6	3	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	2	1	1	1	–	1	1	–	–	–	–	–	–
Enteritis	3	2	3	3	1	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	1	1	3	2	1	1	1	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	4	–	1	1	2	1	–	–	–	–	–	–	–
Hernia	1	–	3	–	1	–	1	1	–	–	–	–	–	–	–	–
Ileus	1	1	2	–	2	1	2	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	1	5	1	1	5	6	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	1	2	–	–	1	–	3	–	–	–	–	–	–	–
Liver Disease	2	5	4	11	6	10	8	8	3	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Nephritis	1	–	–	1	–	–	2	1	2	1	–	–	–	–	–	–
Nephria	4	3	3	4	4	2	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	2	–	1	2	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	1	–	4	–	1	2	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	5	3	5	4	4	4	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	2	1	–	–	1	–	1	–	1	–	–	–	–	–
Joint Disease	1	–	3	–	1	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	4	1	4	5	2	–	1	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	2	1	1	2	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	–	1	4	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Drowning	4	13	4	6	2	5	3	–	–	–	–	–	–	–	–	–
Fracture and Contusion	18	8	17	17	14	8	10	8	3	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	3	3	3	2	1	–	–	1	–	–	–	–	–	–
Not Specified	1	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	6882	586	278	584	761	356	227	182	372	185	265	301	265
Specified Causes	6829	565	272	578	758	355	225	182	371	184	264	298	265
I. Zymotic Class	1493	78	81	193	304	144	107	94	157	46	38	60	32
II. Diseases of Uncertain Seat	193	3	–	2	4	3	1	2	2	3	3	2	6
III. Tubercular Class	1476	20	43	77	123	75	37	35	113	84	153	176	140
IV. Brain and Nervous System	515	45	23	53	31	30	14	10	26	9	9	6	10
V. Organs of Circulation	247	1	–	–	2	–	–	–	4	5	14	9	10
VI. Respiratory Organs	1414	63	64	181	205	75	52	30	34	16	20	19	24
VII. Organs of Digestion	449	43	33	53	66	9	4	1	12	8	8	9	13
VIII. Urinary Organs	77	–	–	–	1	2	1	1	1	3	6	3	4
IX. Organs of Generation	84	–	–	–	–	–	–	–	–	–	5	9	20
X. Organs of Locomotion	34	–	–	–	1	–	–	1	4	5	2	4	1
XI. Skin, etc.	5	2	1	1	–	–	–	–	–	–	–	–	–
XII. Malformation	21	18	1	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	297	268	16	13	–	–	–	–	–	–	–	–	–
XIV. Atrophy	66	–	–	–	14	7	2	2	5	1	3	–	–
XV. Age	279	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	30	4	3	2	–	–	1	–	1	–	–	–	–
XVIII. Violent Deaths	149	20	7	2	6	10	6	6	12	4	3	1	5
I. Small Pox	65	7	4	2	1	2	1	–	4	7	9	8	5
Measles	44	–	–	14	12	6	3	6	3	–	–	–	–
Scarlatina	194	1	1	11	23	23	23	23	63	14	2	5	3
Diphtheria	62	–	–	4	16	8	8	9	14	2	–	1	–
Hooping Cough	551	20	36	115	187	74	45	37	35	2	–	–	–
Croup	74	3	1	10	21	19	8	7	5	–	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	148	26	27	27	31	4	2	–	2	–	1	1	–
Dysentery	8	–	1	1	1	–	–	–	–	–	–	–	–
Cholera	5	–	–	2	1	–	–	–	–	–	1	–	1
Influenza	8	–	–	–	–	–	1	–	1	1	–	–	–
Purpura	4	–	–	–	1	–	–	–	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	91	–	–	–	–	–	2	–	5	8	9	9	9
Enteric Fever	91	–	–	2	5	5	6	6	16	6	12	13	4
Relapsing Fever	20	–	–	–	–	2	–	2	2	2	4	2	–
Simple Continued Fever	7	–	–	–	1	–	1	3	1	–	–	–	–
Infantile Remittent	14	1	–	–	2	1	6	1	3	–	–	–	–
Metria	38	–	–	–	–	–	–	–	–	–	–	16	6
Rheumatic Fever	9	–	–	–	–	–	–	–	2	3	–	1	1
Erysipelas	26	5	3	4	–	–	–	–	–	–	–	–	3
Pyæmia	3	–	–	–	–	–	–	–	–	1	–	1	–
Syphilis	26	11	8	1	2	–	–	–	–	–	–	2	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	47	–	–	–	3	2	1	2	1	1	2	–	2
Abscess	12	2	–	2	1	1	–	–	–	–	1	–	1
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	1
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	7	–	–	–	–	–	–	–	–	1	–	1	–
Cancer	119	–	–	–	–	–	–	–	1	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	91	2	2	5	13	11	4	6	14	12	8	5	2
Tabes Mesenterica	119	8	7	15	28	15	8	5	22	7	1	1	–
Phthisis	1055	4	8	16	27	24	12	10	51	61	143	170	138
Hydrocephalus	211	6	26	41	55	25	13	14	26	4	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Females.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	250	260	250	234	262	236	269	200	243	168	87	43	13	4	1	–
Specified Causes	250	258	250	232	261	233	269	200	243	168	87	43	13	4	1	–
Zymotic Class	24	24	19	15	18	8	18	12	12	8	1	–	–	–	–	–
Uncertain Seat	7	10	14	23	31	22	19	13	13	6	3	1	–	–	–	–
Tubercular Class	115	102	76	43	29	13	10	5	4	3	–	–	–	–	–	–
Brain, etc.	11	9	14	20	30	24	30	32	37	28	7	6	–	1	–	–
Heart, etc.	20	19	15	15	35	23	21	15	22	12	3	2	–	–	–	–
Respiratory Organs	30	40	49	70	63	86	107	58	69	42	12	3	2	–	–	–
Digestive Organs	10	19	23	23	25	24	27	18	12	7	2	–	–	–	–	–
Urinary Organs	6	10	7	7	8	5	4	6	1	–	–	–	1	–	–	–
Generative Organs	13	13	14	3	2	2	2	1	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	2	–	–	6	3	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	6	3	9	12	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	21	31	68	56	59	30	10	3	1	–
Sudden Deaths	3	1	2	2	3	1	1	4	2	–	–	–	–	–	–	–
Violent Deaths	9	7	9	8	8	6	6	5	3	5	–	1	–	–	–	–
Small Pox	3	3	4	1	1	1	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	3	3	1	4	3	4	5	1	–	–	–	–	–
Dysentery	–	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	11	7	8	7	2	6	3	1	–	–	–	–	–	–	–
Enteric Fever	2	1	3	1	1	1	2	1	2	2	–	–	–	–	–	–
Relapsing Fever	1	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	3	2	–	3	–	1	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	1	1	4	7	4	4	3	1	1	2	1	–	–	–	–
Abscess	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–
Cancer	2	8	11	17	22	17	15	9	11	3	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	1	2	2	–	–	–	–	–	–	2	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	114	99	73	43	29	13	10	5	4	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	66	–	6	11	8	9	7	4	12	4	2	1	2
Apoplexy	112	3	3	9	6	4	1	1	4	–	2	2	2
Paralysis	137	–	–	1	–	1	–	–	–	1	2	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	15	–	–	–	–	–	–	–	–	1	1	1	3
Tetanus	2	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	115	41	11	24	14	14	4	4	3	–	–	–	–
Brain Disease	65	1	3	8	3	2	2	1	6	1	2	2	1
V. Pericarditis	5	–	–	–	–	–	–	–	–	1	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	240	1	–	–	2	–	–	–	4	4	13	9	10
VI. Laryngitis	16	1	2	3	1	1	1	1	–	–	–	3	–
Bronchitis	1049	47	44	137	152	63	38	20	21	6	7	7	13
Pleurisy	11	–	–	1	–	–	–	–	1	–	–	–	2
Pneumonia	271	14	18	39	49	10	12	7	11	8	10	7	6
Asthma	26	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	41	1	–	1	3	1	1	2	1	2	3	2	3
VII. Teething	93	–	4	36	49	4	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–
Gastritis	17	–	2	1	–	1	–	–	1	1	1	–	–
Enteritis	95	23	18	12	9	2	2	1	4	2	2	–	2
Peritonitis	19	–	1	–	1	–	–	–	1	1	1	2	–
Ascites	9	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	13	–	–	–	–	–	–	–	–	1	–	–	–
Ileus	22	4	–	–	–	–	1	–	3	–	–	–	1
Intussusception	2	1	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	76	8	8	4	7	2	–	–	–	1	2	5	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	13	–	–	–	–	–	–	–	–	–	1	–	1
Jaundice	18	5	–	–	–	–	–	–	–	–	1	2	–
Liver Disease	62	2	–	–	–	–	–	–	2	1	–	–	4
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	7	–	–	–	–	–	–	1	1	–	–	–	–
Nephria	17	–	–	–	–	–	–	–	–	–	4	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	1	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	1	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	42	–	–	–	–	2	1	–	–	2	2	3	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	63	–	–	–	–	–	–	–	–	–	3	9	18
Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	–	2
X. Bone Disease	7	–	–	–	1	–	–	1	–	2	–	–	1
Rheumatism	15	–	–	–	–	–	–	–	–	1	–	1	–
Joint Disease	12	–	–	–	–	–	–	–	4	2	2	3	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	2	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	17	–	–	–	–	–	–	–	–	–	–	–	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	14	8	5	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	31	–	–	–	4	9	2	4	2	–	2	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	5	2	–	–	1	–	–	1	–	–	–	–
Drowning	9	1	–	–	1	–	1	–	2	–	–	–	1
Fracture and Contusion	47	–	–	1	1	–	3	1	7	4	1	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	9	5	–	–	–	–	–	1	–	–	–	–	–
Not Specified	53	21	6	6	3	1	2	–	1	1	1	3	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	4	3	7	11	10	5	9	13	6	2	1	–	1	–	–
Paralysis	4	–	6	9	15	10	22	21	21	19	2	2	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	1	1	1	–	–	–	–	1	–	2	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	3	4	3	3	4	3	2	3	2	3	1	–	–	–	–
Pericarditis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	18	18	15	14	34	23	21	15	22	12	3	2	–	–	–	–
Laryngitis	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	20	23	35	56	50	70	86	44	59	37	10	2	2	–	–	–
Pleurisy	1	–	–	1	–	1	–	1	1	–	1	1	–	–	–	–
Pneumonia	8	11	4	9	9	6	10	10	7	5	1	–	–	–	–	–
Asthma	–	1	5	2	2	6	5	3	2	–	–	–	–	–	–	–
Lung Disease	1	4	4	2	2	3	5	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	1	–	1	–	3	1	–	1	–	–	–	–	–	–
Enteritis	1	1	3	4	2	2	2	1	2	–	–	–	–	–	–	–
Peritonitis	3	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	2	1	1	2	2	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–
Hernia	–	–	2	1	4	2	1	1	–	1	–	–	–	–	–	–
Ileus	–	1	1	2	1	1	4	2	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	3	2	6	4	5	6	2	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	–	2	3	3	–	1	–	–	–	–	–	–
Jaundice	–	–	1	1	2	–	1	2	2	–	1	–	–	–	–	–
Liver Disease	1	3	6	6	8	10	6	6	5	1	1	–	–	–	–	–
Spleen Disease	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	2	1	2	2	–	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	4	5	3	4	4	3	5	1	–	–	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	3	2	1	2	2	–	–	–	–	–	–	–	–	–
Childbirth	12	10	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	–	–	–	6	2	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	2	3	–	3	1	2	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	1	2	1	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	7	3	3	2	3	–	2	2	2	3	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Not Specified	–	2	–	2	1	3	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2747	281	104	228	284	130	81	59	176	65	90	99	122
SPECIFIED CAUSES	2682	262	94	222	278	126	79	59	175	65	90	99	120
I. Zymotic Class	606	35	34	69	102	67	46	26	74	15	20	20	27
II. Diseases of Uncertain Seat	56	3	–	–	1	–	–	1	–	2	–	–	1
III. Tubercular Class	558	6	17	44	68	23	12	18	51	30	43	46	50
IV. Brain and Nervous System	274	20	8	21	28	7	3	3	15	3	6	3	7
V. Organs of Circulation	109	–	–	–	1	–	–	–	3	5	2	2	7
VI. Respiratory Organs	435	35	21	61	53	19	10	5	14	3	9	7	11
VII. Organs of Digestion	153	23	6	16	18	6	2	1	4	1	1	5	6
VIII. Urinary Organs	24	1	–	–	–	–	1	1	1	–	1	4	–
IX. Organs of Generation	21	–	–	–	–	–	–	–	–	–	1	3	5
X. Organs of Locomotion	10	–	–	–	–	–	–	–	–	2	1	–	1
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	12	10	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	138	123	6	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	28	–	–	–	8	4	2	2	1	–	1	–	1
XV. Age	158	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	1	–	1	1	–	–	–	1	–	–	–	–
XVII. Violent Deaths	90	5	–	1	–	–	3	2	11	4	5	9	4
I. Small Pox	26	1	–	2	1	1	1	–	–	6	1	5	4
Measles	14	–	–	4	6	3	–	1	–	–	–	–	–
Scarlatina	133	–	3	9	18	17	20	13	42	4	4	–	2
Diphtheria	39	1	1	4	9	10	1	4	4	–	1	1	1
Hooping Cough	147	5	16	33	41	23	18	6	5	–	–	–	–
Croup	32	1	3	2	9	8	2	1	6	–	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	60	11	7	9	14	3	–	–	1	–	2	–	1
Dysentery	3	–	–	–	–	–	–	–	–	–	1	–	1
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	5	–	–	1	–	–	–	–	1	1	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	38	–	–	1	–	–	1	–	1	2	4	3	6
Enteric Fever	24	1	–	1	1	1	3	–	10	1	3	1	–
Relapsing Fever	11	–	–	–	–	–	–	–	–	–	1	2	1
Simple Continued Fever	1	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	6	1	–	1	2	1	–	–	1	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	2	6
Rheumatic Fever	9	–	–	–	–	–	–	–	–	1	1	2	–
Erysipelas	15	4	2	1	–	–	–	–	2	–	1	1	–
Pyæmia	7	–	–	–	–	–	–	–	–	–	–	1	2
Syphilis	16	5	2	1	1	–	–	–	–	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	1	–	–	–	–	–	–	–	–
Dropsy	17	1	–	–	–	–	–	1	–	1	–	–	1
Abscess	3	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	31	2	2	1	2	3	1	–	6	2	2	2	1
Tabes Mesenterica	49	–	5	7	19	2	2	4	6	2	–	–	–
Phthisis	359	1	2	7	16	4	4	7	18	25	41	44	49
Hydrocephalus	119	3	8	29	31	14	5	7	21	1	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	102	122	89	95	98	91	99	101	97	69	41	15	3	4	1	1
Specified Causes	102	119	86	93	96	89	96	101	97	69	41	15	3	4	1	1
Zymotic Class	8	17	9	11	5	3	4	6	3	4	1	–	–	–	–	–
Uncertain Seat	–	4	2	5	9	3	8	5	8	4	–	–	–	–	–	–
Tubercular Class	47	35	21	14	16	7	7	1	–	2	–	–	–	–	–	–
Brain, etc.	15	17	14	14	16	20	15	14	13	8	5	1	–	–	–	–
Heart, etc.	2	10	7	10	11	12	15	12	6	2	2	–	–	–	–	–
Respiratory Organs	10	12	18	17	27	24	24	19	18	11	4	2	–	–	–	1
Digestive Organs	9	4	4	14	5	5	10	8	4	1	–	–	–	–	–	–
Urinary Organs	4	–	–	1	–	2	1	3	2	1	1	–	–	–	–	–
Generative Organs	–	6	3	–	1	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–
Skin	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	2	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	28	40	36	28	12	3	4	1	–
Sudden Deaths	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	6	12	6	5	2	4	4	4	3	–	–	–	–	–	–	–
Small Pox	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	3	1	–	–	2	1	2	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	3	4	2	1	2	1	1	1	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	3	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Erysipelas	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	–	2	2	2	2	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	3	1	5	6	1	5	3	4	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	45	35	19	12	15	6	6	1	–	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	35	3	3	7	7	1	1	1	8	–	1	–	–
Apoplexy	52	1	–	2	1	1	–	–	1	–	3	–	1
Paralysis	67	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	–	–	–	–	–	–	–	–	2	1	–	2
Tetanus	3	–	–	–	–	–	–	1	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	54	15	5	10	16	5	2	–	1	–	–	–	–
Brain Disease	47	1	–	2	2	–	–	1	5	1	–	3	3
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	108	–	–	–	1	–	–	–	3	5	2	1	7
VI. Laryngitis	4	2	–	–	–	–	1	1	–	–	–	–	–
Bronchitis	267	18	15	34	39	15	4	1	5	2	3	1	3
Pleurisy	7	1	–	1	1	–	–	–	1	–	–	–	–
Pneumonia	144	14	6	26	13	4	5	3	8	–	5	6	8
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	–	–	–	–	–	–	–	1	1	–	–
VII. Teething	22	–	–	11	11	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	5	–	–	–	–	–	1	–	1	–	–	–	–
Enteritis	31	10	2	1	6	4	–	–	1	–	–	1	1
Peritonitis	6	–	–	–	–	–	–	–	–	–	1	1	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	7	–	–	–	–	1	–	–	–	–	–	2	–
Hernia	3	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	1	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	24	5	3	4	1	1	–	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	9	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	29	1	1	–	–	–	1	–	–	1	–	–	3
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	1	–	1	–	–	–	–
Nephria	7	–	–	–	–	–	–	1	–	–	–	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	–	1	1	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	2	–	–	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	–	–	–	1	3	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	–	–	–	1	–	–	1	–
Drowning	28	1	–	–	–	–	1	–	2	2	2	4	1
Fracture and Contusion	39	1	–	–	–	–	2	–	4	2	3	3	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	65	19	10	6	6	4	2	–	1	–	–	–	2

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	6	1	6	3	9	2	7	4	2	1	–	–	–	–	–
Paralysis	5	3	8	5	9	6	8	3	8	5	4	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	4	3	–	4	4	5	3	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	10	7	10	11	12	15	12	6	2	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	3	13	8	21	20	15	14	13	10	4	2	–	–	–	–
Pleurisy	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	4	8	5	6	5	3	6	3	4	1	–	–	–	–	–	1
Asthma	1	–	–	2	–	1	2	1	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	3	3	–	5	–	3	3	3	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth	–	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	2	–	–	1	1	2	1	–	–	–	–	–	–	–
Fracture and Contusion	2	4	4	3	1	1	3	1	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	3	3	2	2	2	3	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1386	140	66	133	145	66	43	30	95	35	44	50	38
SPECIFIED CAUSES	1349	128	61	129	140	65	42	30	94	35	44	50	36
I. Zymotic Class	302	17	28	33	47	31	25	14	36	9	10	8	8
II. Diseases of Uncertain Seat	20	1	–	–	1	–	–	1	–	–	–	–	–
III. Tubercular Class	274	6	7	30	37	16	6	8	28	14	17	23	14
IV. Brain and Nervous System	152	9	5	14	16	8	3	3	10	2	3	3	1
V. Organs of Circulation	55	–	–	–	–	–	–	–	2	3	1	–	2
VI. Respiratory Organs	247	15	11	42	22	10	8	2	8	–	6	3	4
VII. Organs of Digestion	73	10	4	5	13	2	1	1	2	1	1	3	2
VIII. Urinary Organs	14	1	–	–	–	–	1	–	1	–	1	2	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	2	–	–	1
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	4	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	70	61	5	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	3	–	–	1	–	1	–	1
XV. Age	47	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	1	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	69	3	–	–	–	–	3	1	6	4	4	8	3
I. Small Pox	15	–	–	1	–	1	–	–	–	2	1	3	4
Measles	7	–	–	2	3	1	–	1	–	–	–	–	–
Scarlatina	76	–	3	3	9	10	14	10	21	4	1	–	–
Diphtheria	21	1	1	2	6	5	1	1	2	–	1	–	–
Hooping Cough	62	2	11	18	15	8	4	1	3	–	–	–	–
Croup	15	–	3	–	6	2	2	1	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	36	9	6	5	6	2	–	–	1	–	1	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	1	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	–	–	1	–	–	2	2	2	2
Enteric Fever	15	1	–	1	1	1	3	–	5	–	2	1	–
Relapsing Fever	4	–	–	–	–	–	–	–	–	–	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	1	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	6	–	2	–	–	–	–	–	2	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	3	2	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	1	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	1	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	19	2	1	–	2	1	–	–	3	1	1	1	1
Tabes Mesenterica	29	–	2	4	10	1	2	1	6	2	–	–	–
Phthisis	158	1	–	6	12	3	–	3	10	11	16	22	13
Hydrocephalus	68	3	4	20	13	11	4	4	9	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	49	56	46	45	50	55	51	56	48	29	12	3	–	1	–	–
SPECIFIED CAUSES	49	55	45	44	49	54	50	56	48	29	12	3	–	1	–	–
Zymotic Class	4	7	4	5	3	3	1	3	2	3	1	–	–	–	–	–
Uncertain Seat	–	1	1	2	4	1	3	2	3	–	–	–	–	–	–	–
Tubercular Class	18	17	10	6	7	5	3	1	–	1	–	–	–	–	–	–
Brain, etc.	10	6	8	9	8	10	10	8	5	5	1	–	–	–	–	–
Heart, etc.	–	5	3	4	6	10	6	8	3	2	–	–	–	–	–	–
Respiratory Organs	6	5	10	10	17	19	17	17	10	6	3	1	–	–	–	–
Digestive Organs	4	2	3	4	2	1	4	5	3	–	–	–	–	–	–	–
Urinary Organs	–	–	–	1	–	1	1	2	1	1	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	7	18	11	6	2	–	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	6	11	5	3	1	2	3	3	3	–	–	–	–	–	–	–
Small Pox	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	–	1	1	2	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	1	3	2	1	1	1	–	1	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	1	–	2	2	–	2	1	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	17	9	4	6	4	2	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—MALES. (*Continued.*)

	DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	22	2	2	4	4	–	1	1	5	–	–	–	–
	Apoplexy	27	1	–	2	1	–	–	–	1	–	2	–	–
	Paralysis	33	–	–	–	–	–	–	–	–	–	–	–	–
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	7	–	–	–	–	–	–	–	–	1	1	–	–
	Tetanus	2	–	–	–	–	–	–	1	–	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	33	6	3	7	11	3	2	–	1	–	–	–	–
	Brain Disease	28	–	–	1	–	–	–	1	3	1	–	3	1
V.	Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	55	–	–	–	–	–	–	–	2	3	1	–	2
VI.	Laryngitis	1	–	–	–	–	–	1	–	–	–	–	–	–
	Bronchitis	162	9	8	25	18	9	1	–	3	–	2	–	–
	Pleurisy	3	–	–	1	1	–	–	–	–	–	–	–	–
	Pneumonia	75	6	3	16	3	1	1	2	5	–	4	3	4
	Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Teething	10	–	–	4	6	–	–	–	–	–	–	–	–
	Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	3	–	–	–	–	–	–	–	1	–	–	–	–
	Enteritis	19	6	1	1	6	1	–	–	1	–	–	1	–
	Peritonitis	2	–	–	–	–	–	–	–	–	–	1	–	–
	Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	6	–	–	–	–	1	–	–	–	–	–	1	–
	Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
	Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	6	–	2	–	1	–	–	1	–	–	–	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	4	–	–	–	–	–	–	–	–	–	–	1	–
	Jaundice	4	2	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	15	1	1	–	–	–	1	–	–	1	–	–	2
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	2	–	–	–	–	–	1	–	1	–	–	–	–
	Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
	Stone	3	–	–	–	–	–	–	–	–	–	–	1	–
	Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Bone Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
	Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
	Joint Disease	2	–	–	–	–	–	–	–	–	1	–	–	1
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	3	–	–	–	–	–	–	1	1	–	–	–	–
	Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	1	–	–	–	–	–	–	–	–	–	–	1	–
	Drowning	26	–	–	–	–	–	1	–	2	2	2	4	–
	Fracture and Contusion	32	1	–	–	–	–	2	–	3	2	2	3	3
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Not Specified	37	12	5	4	5	1	1	–	1	–	–	–	2

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	3	2	4	2	4	1	2	–	–	–	–	–	–
Paralysis	5	2	5	3	4	3	4	1	3	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	1	1	–	2	2	4	2	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	5	3	4	6	10	6	8	3	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	9	6	12	15	12	12	7	6	3	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	3	3	1	2	4	3	5	3	3	–	–	–	–	–	–	–
Asthma	1	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	2	1	–	2	–	–	2	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	2	–	–	1	1	2	1	–	–	–	–	–	–	–
Fracture and Contusion	2	4	3	2	–	–	2	1	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1361	141	38	95	139	64	38	29	81	30	46	49	84
SPECIFIED CAUSES	1333	134	33	93	138	61	37	29	81	30	46	49	84
I. Zymotic Class	304	18	6	36	55	36	21	12	38	6	10	12	19
II. Diseases of Uncertain Seat	36	2	–	–	–	–	–	–	–	2	–	–	1
III. Tubercular Class	284	–	10	14	31	7	6	10	23	16	26	23	36
IV. Brain and Nervous System	122	11	3	7	10	4	–	–	5	1	3	–	6
V. Organs of Circulation	54	–	–	–	1	–	–	–	1	2	1	2	5
VI. Respiratory Organs	188	20	10	19	31	9	7	3	6	3	3	4	7
VII. Organs of Digestion	80	13	2	11	5	4	1	–	2	–	–	2	4
VIII. Urinary Organs	10	–	–	–	–	–	–	1	–	–	–	2	–
IX. Organs of Generation	21	–	–	–	–	–	–	–	–	–	1	3	5
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	7	6	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	68	62	1	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	18	–	–	–	5	1	2	2	–	–	–	–	–
XV. Age	111	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	21	2	–	1	–	–	–	1	5	–	1	1	1
I. Small Pox	11	1	–	1	1	–	1	–	–	4	–	2	–
Measles	7	–	–	2	3	2	–	–	–	–	–	–	–
Scarlatina	57	–	–	6	9	7	6	3	21	–	3	–	2
Diphtheria	18	–	–	2	3	5	–	3	2	–	–	1	1
Hooping Cough	85	3	5	15	26	15	14	5	2	–	–	–	–
Croup	17	1	–	2	3	6	–	–	5	–	–	–	–
Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	2	1	4	8	1	–	–	–	–	1	–	1
Dysentery	2	–	–	–	–	–	–	–	–	–	1	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	2	–	–	1	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	15	–	–	1	–	–	–	–	1	–	2	1	4
Enteric Fever	9	–	–	–	–	–	–	–	5	1	1	–	–
Relapsing Fever	7	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	1	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	1	–	–	1	–	–	–	1	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	2	6
Rheumatic Fever	6	–	–	–	–	–	–	–	–	–	1	1	–
Erysipelas	9	4	–	1	–	–	–	–	–	–	1	1	–
Pyæmia	6	–	–	–	–	–	–	–	–	–	–	1	2
Syphilis	7	2	–	1	1	–	–	–	–	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	1	–	–	–	–	–	–	–	1	–	–	1
Abscess	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	20	–	–	–	–	–	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	1	1	–	2	1	–	3	1	1	1	–
Tabes Mesenterica	20	–	3	3	9	1	–	3	–	–	–	–	–
Phthisis	201	–	2	1	4	1	4	4	8	14	25	22	36
Hydrocephalus	51	–	4	9	18	3	1	3	12	1	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	53	66	43	50	48	36	48	45	49	40	29	12	3	3	1	1
SPECIFIED CAUSES	53	64	41	49	47	35	46	45	49	40	29	12	3	3	1	1
Zymotic Class	4	10	5	6	2	–	3	3	1	1	–	–	–	–	–	–
Uncertain Seat	–	3	1	3	5	2	5	3	5	4	–	–	–	–	–	–
Tubercular Class	29	18	11	8	9	2	4	–	–	1	–	–	–	–	–	–
Brain, etc.	5	11	6	5	8	10	5	6	8	3	4	1	–	–	–	–
Heart, etc.	2	5	4	6	5	2	9	4	3	–	2	–	–	–	–	–
Respiratory Organs	4	7	8	7	10	5	7	2	8	5	1	1	–	–	–	1
Digestive Organs	5	2	1	10	3	4	6	3	1	1	–	–	–	–	–	–
Urinary Organs	4	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Generative Organs	–	6	3	–	1	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	2	2	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	21	22	25	22	10	3	3	1	–
Sudden Deaths	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	2	1	2	1	1	–	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	2	1	–	–	1	–	1	–	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	–	1	2	1	2	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	2	1	3	4	1	3	2	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	28	18	10	8	9	2	4	–	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	13	1	1	3	3	1	–	–	3	–	1	–	–
Apoplexy	25	–	–	–	–	1	–	–	–	–	1	–	1
Paralysis	34	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	1	–	–	2
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	21	9	2	3	5	2	–	–	–	–	–	–	–
Brain Disease	19	1	–	1	2	–	–	–	2	–	–	–	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	53	–	–	–	1	–	–	–	1	2	1	1	5
VI. Laryngitis	3	2	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	105	9	7	9	21	6	3	1	2	2	1	1	3
Pleurisy	4	1	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	69	8	3	10	10	3	4	1	3	–	1	3	4
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	1	1	–	–
VII. Teething	12	–	–	7	5	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	12	4	1	–	–	3	–	–	–	–	–	–	1
Peritonitis	4	–	–	–	–	–	–	–	–	–	–	1	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	5	1	4	–	1	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	4	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	14	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	–	–	–	–	–	–	1	–	–	–	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	1	–	–	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	–	–	–	2	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	1	–	–	–	–
Drowning	2	1	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	7	–	–	–	–	–	–	–	1	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	28	7	5	2	1	3	1	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	5	–	3	1	5	–	3	3	–	1	–	–	–	–	–
Paralysis	–	1	3	2	5	3	4	2	5	3	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	3	2	–	2	2	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	5	4	6	5	2	9	4	3	–	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	4	2	9	5	3	2	6	4	1	1	–	–	–	–
Pleurisy	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	5	4	4	1	–	1	–	1	1	–	–	–	–	–	1
Asthma	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	–	3	–	3	1	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth	–	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	2	2	1	1	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	5484	495	192	293	365	178	141	106	342	188	199	268	267
Specified Causes	5447	486	189	290	360	178	141	106	340	188	199	268	265
I. Zymotic Class	1718	102	76	118	146	92	91	67	247	120	84	119	103
II. Diseases of Uncertain Seat	200	5	–	–	1	–	1	1	4	3	4	3	6
III. Tubercular Class	743	18	14	41	59	34	20	14	36	17	64	74	78
IV. Brain and Nervous System	547	36	21	21	33	16	12	6	12	11	11	12	13
V. Organs of Circulation	363	2	–	–	–	1	–	–	3	7	7	10	16
VI. Respiratory Organs	745	54	43	71	92	29	8	13	15	6	5	13	8
VII. Organs of Digestion	276	36	18	28	16	3	4	–	5	6	8	9	5
VIII. Urinary Organs	120	1	1	2	2	–	2	4	2	5	8	5	5
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	–	4	12
X. Organs of Locomotion	46	–	–	–	1	–	1	–	9	9	4	3	3
XI. Skin, etc.	4	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	24	21	1	–	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	208	194	9	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	27	–	–	–	6	1	1	1	–	2	–	–	1
XV. Age	227	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	158	17	4	3	2	2	1	–	7	2	4	16	15
I. Small Pox	718	52	39	17	14	6	12	13	69	73	68	96	73
Measles	8	–	1	1	2	1	2	1	–	–	–	–	–
Scarlatina	343	1	3	13	32	37	47	34	129	27	4	5	5
Diphtheria	53	–	–	5	9	11	7	2	11	4	–	1	1
Hooping Cough	190	12	11	52	69	21	11	5	9	–	–	–	–
Croup	29	–	–	5	4	7	5	1	7	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	88	17	12	12	7	3	1	–	3	–	–	1	2
Dysentery	8	–	1	–	1	–	–	–	1	–	–	–	–
Cholera	9	1	2	1	1	–	–	–	–	–	–	–	–
Influenza	3	–	1	1	1	–	–	–	–	–	–	–	–
Purpura	6	–	1	–	–	–	–	–	2	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	101	–	–	3	1	2	3	3	5	7	8	7	3
Enteric Fever	63	1	1	2	2	2	3	4	6	5	4	5	6
Relapsing Fever	5	1	–	–	–	–	–	–	–	1	–	1	–
Simple Continued Fever	4	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	8	–	–	2	2	1	–	2	1	–	–	–	–
Metria	17	–	–	–	–	–	–	–	–	–	–	2	7
Rheumatic Fever	10	–	–	–	–	–	–	–	3	–	–	–	2
Erysipelas	29	5	3	1	–	–	–	1	1	1	–	1	1
Pyæmia	7	–	–	1	–	–	–	1	–	1	–	–	1
Syphilis	18	11	1	2	1	–	–	–	–	–	–	–	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	20	1	–	–	–	–	–	–	2	1	–	–	1
Abscess	20	2	–	–	–	–	–	1	1	1	2	1	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	17	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	136	1	–	–	–	–	1	–	1	1	2	2	3
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	46	2	2	3	6	3	2	3	4	2	3	4	3
Tabes Mesenterica	59	7	5	8	18	9	–	1	6	1	2	–	–
Phthisis	501	1	–	1	4	4	7	4	5	12	57	69	75
Hydrocephalus	137	8	7	29	31	18	11	6	21	2	2	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	237	221	210	194	242	208	263	245	237	197	111	66	15	3	1	–
Specified Causes	235	219	209	194	240	205	260	245	237	197	111	66	15	3	1	–
Zymotic Class	85	69	39	31	40	16	25	17	18	9	3	1	–	–	–	–
Uncertain Seat	3	6	14	14	26	20	27	23	13	12	10	4	–	–	–	–
Tubercular Class	63	60	50	33	22	18	19	5	3	–	–	1	–	–	–	–
Brain, etc.	10	14	22	21	23	28	42	51	52	51	21	6	2	–	–	–
Heart, etc.	18	15	27	27	49	33	52	41	31	14	7	2	1	–	–	–
Respiratory Organs	20	23	16	33	38	42	37	59	56	40	15	6	3	–	–	–
Digestive Organs	10	6	16	10	16	20	24	8	10	12	6	–	–	–	–	–
Urinary Organs	8	8	6	7	10	9	8	10	9	5	1	2	–	–	–	–
Generative Organs	4	6	5	1	2	1	1	1	1	–	–	–	–	–	–	–
Locomotive Organs	5	1	1	1	5	–	–	2	1	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	2	3	3	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	15	22	39	48	47	43	9	3	1	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	8	10	11	13	6	11	10	6	4	4	1	1	–	–	–	–
Small Pox	64	47	21	22	19	3	6	3	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	1	–	2	2	3	5	5	6	2	1	–	–	–	–
Dysentery	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	10	9	7	10	4	5	4	6	–	–	–	–	–	–	–
Enteric Fever	3	3	4	–	4	4	1	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	1	–	1	4	1	3	1	1	–	–	–	–	–
Pyæmia	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Dropsy	–	1	1	1	1	2	3	2	2	1	1	–	–	–	–	–
Abscess	–	–	–	1	2	2	1	3	2	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	2	1	2	1	3	3	1	–	–	–	–
Cancer	2	4	12	11	22	14	20	16	7	8	6	3	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	4	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	62	55	47	32	22	16	19	5	3	–	–	1	–	–	–	–
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	67	5	4	7	14	4	3	2	6	1	5	4	1
Apoplexy	134	–	–	2	3	3	2	–	2	2	–	3	2
Paralysis	152	–	–	–	–	–	1	–	–	–	1	1	1
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	25	–	–	–	–	–	–	–	–	2	3	2	3
Tetanus	3	–	1	–	1	1	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	79	31	16	11	10	5	3	2	1	–	–	–	–
Brain Disease	79	–	–	1	5	3	3	2	3	6	2	2	6
V. Pericarditis	9	–	–	–	–	–	–	–	1	1	–	3	–
Aneurism	19	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	335	2	–	–	–	1	–	–	2	6	7	7	15
VI. Laryngitis	15	–	–	1	3	2	–	1	–	1	–	1	1
Bronchitis	488	35	41	58	69	18	5	6	5	–	1	3	1
Pleurisy	22	–	–	1	–	–	–	–	1	–	2	1	1
Pneumonia	176	17	2	11	17	7	3	5	8	4	2	4	3
Asthma	17	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	27	2	–	–	3	2	–	1	1	1	–	3	2
VII. Teething	34	–	2	21	11	–	–	–	–	–	–	–	–
Quinsey	3	–	1	–	–	–	–	–	1	–	–	–	–
Gastritis	11	3	1	–	–	–	–	–	–	–	–	–	1
Enteritis	35	12	6	1	2	1	–	–	–	3	–	1	–
Peritonitis	30	1	2	–	–	–	1	–	2	1	3	3	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	14	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	7	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	18	6	1	–	–	–	–	–	–	–	2	1	–
Intussusception	7	–	2	1	–	–	–	–	2	–	1	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	39	5	3	4	2	1	–	–	–	1	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	15	8	–	–	1	–	2	–	–	–	–	–	–
Liver Disease	57	1	–	–	–	1	1	–	–	–	1	2	2
Spleen Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	7	–	–	–	–	–	–	2	1	1	–	1	–
Nephria	59	–	–	1	1	–	1	1	1	3	6	4	5
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	11	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	27	1	1	1	–	–	1	1	–	–	2	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	26	–	–	–	–	–	–	–	–	–	–	4	12
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	22	–	–	–	1	–	1	–	5	5	2	2	1
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	18	–	–	–	–	–	–	–	4	4	2	1	2
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	12	–	–	–	–	–	–	–	–	–	1	1	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	7	2	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	5	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	2	2	1	–	–	2	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	8	7	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	88	–	–	–	–	1	1	–	5	2	3	15	10
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	3	–	1	–	–	–	–	–	–	–	–	1
Not Specified	37	9	3	3	5	–	–	–	2	–	–	–	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	3	1	–	–	1	–	1	–	–	–	–	–	–	–
Apoplexy	1	3	9	6	9	14	14	14	15	22	5	2	1	–	–	–
Paralysis	1	2	4	7	8	8	17	29	29	26	13	3	1	–	–	–
Delirium Tremens	2	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	4	2	4	–	–	2	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	4	1	5	2	6	8	6	5	3	3	1	–	–	–	–
Pericarditis	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Aneurism	3	1	–	3	4	–	3	3	–	–	–	1	–	–	–	–
Heart Disease	15	14	27	23	43	32	49	38	31	14	7	1	1	–	–	–
Laryngitis	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	8	4	14	24	24	24	44	42	32	15	6	3	–	–	–
Pleurisy	2	2	2	3	1	2	1	2	1	–	–	–	–	–	–	–
Pneumonia	10	11	9	9	10	9	10	10	8	7	–	–	–	–	–	–
Asthma	–	–	1	5	1	2	2	2	3	–	–	–	–	–	–	–
Lung Disease	–	1	–	1	2	4	–	1	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–
Enteritis	–	1	–	1	1	–	4	–	1	1	–	–	–	–	–	–
Peritonitis	3	1	1	–	3	–	3	–	–	3	1	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	1	1	3	2	1	1	2	–	–	1	1	–	–	–	–	–
Hernia	1	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	2	2	1	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	2	1	3	1	5	4	2	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	9	3	6	10	3	3	6	4	3	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	6	5	4	4	6	2	2	3	3	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Diabetes	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	1	1	–	3	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	3	–	3	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	2	–	2	4	2	4	–	2	–	2	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Childbirth	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Bone Disease	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	1	2	2	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	1	1	–	2	1	–	–	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	1	–	2	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	6	8	6	3	6	4	5	4	2	–	1	–	–	–	–
Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	1	–	2	3	3	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Males.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2710	279	103	146	191	85	65	47	175	96	104	156	128
Specified Causes	2693	273	102	146	190	85	65	47	175	96	104	156	126
I. Zymotic Class	845	57	42	52	67	43	42	26	126	62	38	72	42
II. Diseases of Uncertain Seat	81	2	–	–	1	–	1	1	3	2	2	3	3
III. Tubercular Class	385	12	5	18	33	17	8	8	19	8	37	37	43
IV. Brain and Nervous System	266	20	14	11	18	7	9	1	5	4	7	9	7
V. Organs of Circulation	180	1	–	–	–	–	–	–	1	4	3	4	6
VI. Respiratory Organs	373	35	19	41	55	15	1	6	7	2	1	9	5
VII. Organs of Digestion	135	25	9	16	8	1	1	–	2	1	5	3	1
VIII. Urinary Organs	71	–	–	2	1	–	2	4	1	4	4	1	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	31	–	–	–	–	–	–	–	6	6	3	3	3
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	17	14	1	–	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	109	99	7	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	4	–	1	1	–	1	–	–	–
XV. Age	71	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	109	8	3	3	1	2	–	–	5	2	4	15	14
I. Small Pox	371	30	24	5	7	4	4	4	33	39	32	61	32
Measles	5	–	1	1	1	1	1	–	–	–	–	–	–
Scarlatina	172	1	1	4	17	16	25	14	71	15	–	3	2
Diphtheria	29	–	–	3	8	5	4	1	5	2	–	–	–
Hooping Cough	78	6	6	21	26	10	4	2	3	–	–	–	–
Croup	16	–	–	3	2	3	1	1	6	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	39	7	7	7	3	2	–	–	–	–	–	–	1
Dysentery	2	–	–	–	1	–	–	–	1	–	–	–	–
Cholera	6	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	1	1	–	–	–	–	–	–	–	–	–
Purpura	2	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	55	–	–	2	1	–	2	1	2	3	4	4	3
Enteric Fever	27	1	–	2	–	1	1	2	3	1	2	4	3
Relapsing Fever	4	1	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	3	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	1	1	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	16	4	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	3	–	–	1	–	–	–	–	–	1	–	–	–
Syphilis	8	6	–	1	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	1	–	–	–	–	–	–	2	1	–	–	–
Abscess	12	–	–	–	–	–	–	1	–	1	1	1	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	53	–	–	–	–	–	1	–	1	–	1	2	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	26	1	1	1	4	2	–	2	1	2	2	1	2
Tabes Mesenterica	29	5	1	2	9	5	–	–	4	1	1	–	–
Phthisis	255	1	–	1	2	2	4	–	2	3	33	35	41
Hydrocephalus	75	5	3	14	18	8	4	6	12	2	1	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Males.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	123	108	116	98	116	94	133	111	95	73	43	19	4	1	1	–
Specified Causes	122	107	116	98	114	93	131	111	95	73	43	19	4	1	1	–
Zymotic Class	46	30	23	19	19	4	14	8	7	4	1	1	–	–	–	–
Uncertain Seat	2	2	6	5	11	8	14	7	6	1	3	1	–	–	–	–
Tubercular Class	28	27	31	16	11	10	10	3	3	–	–	1	–	–	–	–
Brain, etc.	7	9	12	9	7	11	19	23	21	24	9	2	1	–	–	–
Heart, etc.	7	8	12	13	26	17	31	17	17	7	5	1	–	–	–	–
Respiratory Organs	14	11	8	17	19	24	15	31	15	13	5	3	2	–	–	–
Digestive Organs	4	5	11	5	5	7	13	5	4	3	1	–	–	–	–	–
Urinary Organs	4	3	4	5	9	4	5	6	5	4	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	1	1	–	3	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	7	13	15	18	9	1	1	1	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	6	10	8	8	2	6	4	4	3	–	1	–	–	–	–	–
Small Pox	35	20	13	14	9	1	3	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	–	2	3	3	2	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	7	4	4	2	4	2	2	–	–	–	–	–	–	–
Enteric Fever	2	2	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	1	–	–	3	–	2	1	1	–	–	–	–	–
Pyæmia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Abscess	–	–	–	1	2	–	1	1	2	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	1	1	–	2	–	–	–	–	–
Cancer	2	2	6	4	8	6	9	4	2	1	1	1	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	2	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	24	29	15	11	8	10	3	3	–	–	1	–	–	–	–
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	38	1	1	3	9	3	2	1	4	–	3	4	1	
Apoplexy	63	–	–	2	–	–	2	–	–	–	–	2	1	
Paralysis	60	–	–	–	–	–	1	–	–	–	–	1	–	
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	15	–	–	–	–	–	–	–	–	1	3	1	1	
Tetanus	1	–	1	–	–	–	–	–	–	–	–	–	–	
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	48	19	12	5	7	3	1	–	1	–	–	–	–	
Brain Disease	35	–	–	1	2	1	3	–	–	3	1	1	4	
V. Pericarditis	5	–	–	–	–	–	–	–	1	–	–	2	–	
Aneurism	15	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	160	1	–	–	–	–	–	–	–	4	3	2	6	
VI. Laryngitis	11	–	–	1	1	2	–	–	–	–	–	1	1	
Bronchitis	238	20	18	35	46	10	–	2	2	–	–	1	1	
Pleurisy	8	–	–	–	–	–	–	–	–	–	–	1	–	
Pneumonia	98	13	1	5	7	2	1	4	5	2	1	3	2	
Asthma	8	–	–	–	–	–	–	–	–	–	–	1	–	
Lung Disease	10	2	–	–	1	1	–	–	–	–	–	2	1	
VII. Teething	17	–	1	9	7	–	–	–	–	–	–	–	–	
Quinsey	2	–	–	–	–	–	–	–	1	–	–	–	–	
Gastritis	7	2	–	–	–	–	–	–	–	–	–	–	1	
Enteritis	22	9	5	1	–	1	–	–	–	–	–	–	–	
Peritonitis	13	1	2	–	–	–	–	–	1	–	1	2	–	
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	
Hernia	4	–	–	1	–	–	–	–	–	–	–	–	–	
Ileus	11	4	–	–	–	–	–	–	–	–	2	–	–	
Intussusception	2	–	–	1	–	–	–	–	–	–	1	–	–	
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	22	4	1	4	1	–	–	–	–	–	1	–	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Jaundice	5	4	–	–	–	–	–	–	–	–	–	–	–	
Liver Disease	24	1	–	–	–	–	1	–	–	–	–	1	–	
Spleen Disease	1	–	–	–	–	–	–	–	–	1	–	–	–	
VIII. Nephritis	6	–	–	–	–	–	–	2	1	1	–	1	–	
Nephria	29	–	–	1	–	–	1	1	–	2	2	–	2	
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	3	–	–	–	1	–	–	–	–	–	–	–	–	
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	10	–	–	–	–	–	–	–	–	1	–	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	15	–	–	1	–	–	1	1	–	–	2	–	–	
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	
X. Bone Disease	16	–	–	–	–	–	–	–	4	4	1	2	1	
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–	
Joint Disease	11	–	–	–	–	–	–	–	2	2	2	1	2	
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	1	–	3	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	5	3	2	–	–	–	–	–	–	–	–	–	–	
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–	
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	7	–	–	2	1	1	–	–	1	–	–	–	–	
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–	
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–	
Fracture and Contusion	70	–	–	–	–	1	–	–	4	2	3	15	9	
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1	
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	7	3	–	1	–	–	–	–	–	–	–	–	1	
Not Specified	17	6	1	–	1	–	–	–	–	–	–	–	2	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Apoplexy	1	1	5	2	3	6	8	9	8	11	1	–	1	–	–	–
Paralysis	1	1	2	3	3	4	7	12	8	10	6	1	–	–	–	–
Delirium Tremens	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	3	2	1	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	1	–	1	2	1	4	3	2	1	–	–	–	–
Pericarditis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	1	–	3	4	–	2	2	–	–	–	–	–	–	–	–
Heart Disease	4	7	12	10	20	17	29	15	17	7	5	1	–	–	–	–
Laryngitis	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	2	3	8	11	13	8	25	8	11	5	3	2	–	–	–
Pleurisy	–	1	1	2	–	1	1	1	–	–	–	–	–	–	–	–
Pneumonia	8	7	3	6	8	5	5	5	3	2	–	–	–	–	–	–
Asthma	–	–	1	–	–	2	1	–	3	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Enteritis	–	1	–	1	–	–	3	–	–	1	–	–	–	–	–	–
Peritonitis	1	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	–	2	3	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	6	3	3	4	1	1	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	3	2	4	5	1	–	1	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	1	1	–	3	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	3	–	3	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	–	2	–	2	2	–	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	5	6	6	4	2	3	3	4	3	–	–	–	–	–	–	–
Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	–	–	2	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2774	216	89	147	174	93	76	59	167	92	95	112	139
Specified Causes	2754	213	87	144	170	93	76	59	165	92	95	112	139
I. Zymotic Class	873	45	34	66	79	49	49	41	121	58	46	47	61
II. Diseases of Uncertain Seat	116	3	–	–	–	–	–	–	1	1	2	–	3
III. Tubercular Class	358	6	9	23	26	17	12	6	17	9	27	37	35
IV. Brain and Nervous System	281	16	7	10	15	9	3	5	7	7	4	3	6
V. Organs of Circulation	183	1	–	–	–	1	–	–	2	3	4	6	10
VI. Respiratory Organs	372	19	24	30	37	14	7	7	8	4	4	4	3
VII. Organs of Digestion	141	11	9	12	8	2	3	–	3	5	3	6	4
VIII. Urinary Organs	49	1	1	–	1	–	–	–	1	1	4	4	3
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	–	4	12
X. Organs of Locomotion	15	–	–	–	1	–	1	–	3	3	1	–	–
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	7	7	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	99	95	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	2	1	–	–	–	1	–	–	1
XV. Age	156	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	49	9	1	–	1	–	1	–	2	–	–	1	1
I. Small Pox	347	22	15	12	7	2	8	9	36	34	36	35	41
Measles	3	–	–	–	1	–	1	1	–	–	–	–	–
Scarlatina	171	–	2	9	15	21	22	20	58	12	4	2	3
Diphtheria	24	–	–	2	1	6	3	1	6	2	–	1	1
Hooping Cough	112	6	5	31	43	11	7	3	6	–	–	–	–
Croup	13	–	–	2	2	4	4	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	49	10	5	5	4	1	1	–	3	–	–	1	1
Dysentery	6	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	1	1	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	4	–	–	–	–	–	–	–	2	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	–	–	1	–	2	1	2	3	4	4	3	–
Enteric Fever	36	–	1	–	2	1	2	2	3	4	2	1	3
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	1	1	1	–	1	1	–	–	–	–
Metria	17	–	–	–	–	–	–	–	–	–	–	2	7
Rheumatic Fever	6	–	–	–	–	–	–	–	2	–	–	–	2
Erysipelas	13	1	3	1	–	–	–	1	–	1	–	1	1
Pyæmia	4	–	–	–	–	–	–	1	–	–	–	–	1
Syphilis	10	5	1	1	1	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	1
Abscess	8	2	–	–	–	–	–	–	1	–	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	8	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	83	1	–	–	–	–	–	–	–	1	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	1	1	2	2	1	2	1	3	–	1	3	1
Tabes Mesenterica	30	2	4	6	9	4	–	1	2	–	1	–	–
Phthisis	246	–	–	–	2	2	3	4	3	9	24	34	34
Hydrocephalus	62	3	4	15	13	10	7	–	9	–	1	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	114	113	94	96	126	114	130	134	142	124	68	47	11	2	–	–
SPECIFIED CAUSES	113	112	93	96	126	112	129	134	142	124	68	47	11	2	–	–
Zymotic Class	39	39	16	12	21	12	11	9	11	5	2	–	–	–	–	–
Uncertain Seat	1	4	8	9	15	12	13	16	7	11	7	3	–	–	–	–
Tubercular Class	35	33	19	17	11	8	9	2	–	–	–	–	–	–	–	–
Brain, etc.	3	5	10	12	16	17	23	28	31	27	12	4	1	–	–	–
Heart, etc.	11	7	15	14	23	16	21	24	14	7	2	1	1	–	–	–
Respiratory Organs	6	12	8	16	19	18	22	28	41	27	10	3	1	–	–	–
Digestive Organs	6	1	5	5	11	13	11	3	6	9	5	–	–	–	–	–
Urinary Organs	4	5	2	2	1	5	3	4	4	1	1	1	–	–	–	–
Generative Organs	4	6	5	1	2	1	1	1	1	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	2	1	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	15	26	33	29	34	8	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	3	5	4	5	6	2	1	4	–	1	–	–	–	–
Small Pox	29	27	8	8	10	2	3	2	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	1	–	2	2	1	2	2	4	2	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	4	2	3	6	2	1	2	4	–	–	–	–	–	–	–
Enteric Fever	1	1	4	–	2	4	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	1	1	1	1	1	2	1	1	1	1	–	–	–	–	–
Abscess	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	1	–	1	–	3	1	1	–	–	–	–
Cancer	–	2	6	7	14	8	11	12	5	7	5	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	35	31	18	17	11	8	9	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Females. (*Continued.*)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	29	4	3	4	5	1	1	1	2	1	2	–	–	
Apoplexy	71	–	–	–	3	3	–	–	2	2	–	1	1	
Paralysis	92	–	–	–	–	–	–	–	–	–	1	–	1	
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	10	–	–	–	–	–	–	–	–	1	–	1	2	
Tetanus	2	–	–	–	1	1	–	–	–	–	–	–	–	
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	31	12	4	6	3	2	2	2	–	–	–	–	–	
Brain Disease	44	–	–	–	3	2	–	2	3	3	1	1	2	
V. Pericarditis	4	–	–	–	–	–	–	–	–	1	–	1	–	
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	1	
Heart Disease	175	1	–	–	–	1	–	–	2	2	4	5	9	
VI. Laryngitis	4	–	–	–	2	–	–	1	–	1	–	–	–	
Bronchitis	250	15	23	23	23	8	5	4	3	–	1	2	–	
Pleurisy	14	–	–	1	–	–	–	–	1	–	2	–	1	
Pneumonia	78	4	1	6	10	5	2	1	3	2	1	1	1	
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–	
Lung Disease	17	–	–	–	2	1	–	1	1	1	–	1	1	
VII. Teething	17	–	1	12	4	–	–	–	–	–	–	–	–	
Quinsey	1	–	1	–	–	–	–	–	–	–	–	–	–	
Gastritis	4	1	1	–	–	–	–	–	–	–	–	–	–	
Enteritis	13	3	1	–	2	–	–	–	–	3	–	1	–	
Peritonitis	17	–	–	–	–	–	1	–	1	1	2	1	2	
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ulceration of Intestines	10	–	–	–	–	–	–	–	–	–	–	1	–	
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	7	2	1	–	–	–	–	–	–	–	–	1	–	
Intussusception	5	–	2	–	–	–	–	–	2	–	–	–	–	
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	17	1	2	–	1	1	–	–	–	1	–	–	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	1	–	
Jaundice	10	4	–	–	1	–	2	–	–	–	–	–	–	
Liver Disease	33	–	–	–	–	1	–	–	–	–	1	1	2	
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	30	–	–	–	1	–	–	–	1	1	4	4	3	
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–	
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	12	1	1	–	–	–	–	–	–	–	–	–	–	
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	26	–	–	–	–	–	–	–	–	–	–	4	12	
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–	
X. Bone Disease	6	–	–	–	1	–	1	–	1	1	1	–	–	
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–	
Joint Disease	7	–	–	–	–	–	–	–	2	2	–	–	–	
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	1	–	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	4	4	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–	
Poison	4	–	–	–	–	–	–	–	–	–	–	–	–	
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	6	–	–	–	1	–	–	–	1	–	–	–	–	
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	6	5	–	–	–	–	–	–	–	–	–	–	–	
Drowning	4	–	–	–	–	–	–	–	–	–	–	–	–	
Fracture and Contusion	18	–	–	–	–	–	1	–	1	–	–	–	1	
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	
Not Specified	20	3	2	3	4	–	–	–	2	–	–	–	–	

CAUSES of DEATH in EDINBURGH, at different Periods of Life in 1872.—Females. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	4	4	6	8	6	5	7	11	4	2	–	–	–	–
Paralysis	–	1	2	4	5	4	10	17	21	16	7	2	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	3	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	4	2	5	6	5	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
Heart Disease	11	7	15	13	23	15	20	23	14	7	2	–	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	6	1	6	13	11	16	19	34	21	10	3	1	–	–	–
Pleurisy	2	1	1	1	1	1	–	1	1	–	–	–	–	–	–	–
Pneumonia	2	4	6	3	2	4	5	5	5	5	–	–	–	–	–	–
Asthma	–	–	–	5	1	–	1	2	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	1	2	2	–	1	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	1	–	2	–	–	3	1	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	1	–	1	2	1	1	1	–	–	1	1	–	–	–	–	–
Hernia	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	3	1	3	1	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	3	–	3	6	2	2	5	4	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	2	2	–	1	1	2	2	3	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	–	–	4	–	2	–	1	–	1	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Childbirth	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	2	2	1	3	1	1	1	2	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	3491	390	163	267	358	186	101	101	176	83	99	138	111
Specified Causes	3464	385	158	265	357	186	100	101	174	83	98	137	111
I. Zymotic Class	963	64	50	100	156	108	57	67	99	36	26	43	25
II. Diseases of Uncertain Seat	104	2	–	2	3	1	1	1	1	1	–	2	4
III. Tubercular Class	552	6	10	41	51	33	8	11	25	25	47	69	38
IV. Brain and Nervous System	269	38	14	17	13	8	7	4	6	1	3	2	8
V. Organs of Circulation	192	–	1	2	–	–	–	3	3	3	4	2	10
VI. Respiratory Organs	681	67	55	79	103	29	23	11	24	7	5	6	6
VII. Organs of Digestion	156	17	10	19	16	4	2	1	3	2	1	4	5
VIII. Urinary Organs	38	–	–	–	3	–	–	–	–	1	3	1	2
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	2	2	5
X. Organs of Locomotion	16	–	–	–	–	–	–	–	3	4	1	1	1
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	14	13	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	182	168	11	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	30	–	–	–	8	2	2	2	1	–	1	2	1
XV. Age	149	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	1	1	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	93	9	5	1	3	1	–	1	9	3	5	3	6
I. Small Pox	300	26	18	17	15	9	9	15	53	27	17	36	18
Measles	124	2	2	25	42	28	8	12	5	–	–	–	–
Scarlatina	8	–	1	1	–	–	1	2	1	1	1	–	–
Diphtheria	103	3	2	10	17	27	11	14	15	1	1	–	–
Hooping Cough	84	5	5	16	26	11	9	7	5	–	–	–	–
Croup	87	3	4	7	23	16	12	12	10	–	–	–	–
Thrush	2	1	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	109	18	15	18	29	11	2	1	1	1	–	–	1
Dysentery	12	–	–	1	–	–	–	–	–	–	–	–	1
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	5	–	–	1	1	1	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	–	–	–	–	–	–	1	2	2	–	–
Enteric Fever	48	–	–	1	1	2	3	2	4	4	5	1	1
Relapsing Fever	13	–	–	–	–	–	–	1	1	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	–	–	–	–	2	–
Infantile Remittent	5	–	–	1	1	2	1	–	–	–	–	–	–
Metria	10	–	–	–	–	–	–	–	–	–	–	3	3
Rheumatic Fever	3	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	7	–	1	–	–	–	–	1	–	–	–	–	1
Pyæmia	2	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	11	5	2	2	–	–	–	–	–	–	–	–	–
Noma	3	1	–	–	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	29	–	–	–	1	1	1	1	1	–	–	–	–
Abscess	5	1	–	1	2	–	–	–	–	–	–	–	–
Ulcer	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	4	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	59	–	–	–	–	–	–	–	–	–	–	2	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	–	1	5	*5	4	1	1	4	1	1	2	–
Tabes Mesenterica	56	2	3	10	20	10	2	–	3	2	1	–	–
Phthisis	385	–	–	6	6	4	3	4	9	20	45	67	38
Hydrocephalus	84	4	6	20	20	15	2	6	9	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	113	131	131	136	141	124	165	112	132	65	38	24	5	1	–	–
Specified Causes	113	129	130	134	139	123	164	112	132	65	38	24	5	1	–	–
Zymotic Class	25	15	18	19	13	14	9	5	8	3	2	1	–	–	–	–
Uncertain Seat	2	7	5	13	18	14	9	5	8	2	3	–	–	–	–	–
Tubercular Class	50	41	27	26	12	14	11	2	3	2	–	–	–	–	–	–
Brain, etc.	5	8	14	16	22	15	17	23	15	6	7	–	–	–	–	–
Heart, etc.	10	12	22	17	14	22	30	15	17	3	2	–	–	–	–	–
Respiratory Organs	12	16	20	24	41	22	48	23	33	17	3	5	1	1	–	–
Digestive Organs	1	9	8	7	7	10	10	8	5	4	2	1	–	–	–	–
Urinary Organs	3	7	3	1	3	3	3	3	2	–	–	–	–	–	–	–
Generative Organs	–	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	1	–	1	–	–	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	3	2	–	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	20	24	37	28	19	17	4	–	–	–
Sudden Deaths	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	5	6	9	9	5	3	5	3	2	–	–	–	–	–	–	–
Small Pox	14	9	9	6	1	–	–	–	–	–	1	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	1	–	2	1	1	3	1	–	–	1	–	–	–	–
Dysentery	3	–	2	–	1	2	–	–	1	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	3	5	1	1	2	1	–	1	–	–	–	–	–	–
Enteric Fever	1	–	–	3	5	7	5	1	2	–	–	–	–	–	–	–
Relapsing Fever	1	–	2	3	2	1	–	–	1	1	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	–	4	5	5	3	2	2	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	1	4	9	12	9	5	3	5	2	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	49	40	27	25	12	13	10	2	3	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	19	–	2	2	3	3	1	2	2	–	1	–	1
	Apoplexy	63	1	2	3	2	1	3	–	2	–	1	–	2
	Paralysis	75	–	–	1	–	1	1	–	–	–	1	–	2
	Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	6	–	–	–	–	–	–	–	–	1	–	–	–
	Tetanus	2	–	–	–	–	–	–	–	–	–	–	1	–
	Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	72	36	10	10	7	3	2	2	2	–	–	–	–
	Brain Disease	27	1	–	1	1	–	–	–	–	–	–	1	3
V.	Pericarditis	2	–	–	2	–	–	–	–	–	–	–	–	–
	Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	188	–	1	–	–	–	–	3	3	3	4	2	10
VI.	Laryngitis	7	–	–	2	–	1	–	–	4	–	–	–	–
	Bronchitis	505	63	50	67	85	20	17	7	10	1	2	1	3
	Pleurisy	6	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia	146	4	5	10	18	8	6	4	10	5	3	5	3
	Asthma	14	–	–	–	–	–	–	–	–	1	–	–	–
	Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII	Teething	31	–	1	15	12	3	–	–	–	–	–	–	–
	Quinsey	4	–	1	–	1	–	–	–	–	–	–	–	–
	Gastritis	5	–	–	–	1	–	–	–	–	–	–	1	–
	Enteritis	20	10	5	–	–	–	1	–	–	–	–	–	–
	Peritonitis	8	–	–	–	–	–	–	–	–	–	–	3	–
	Ascites	8	–	–	1	–	–	–	–	1	–	–	–	1
	Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
	Hernia	5	–	–	–	–	–	–	–	–	–	–	–	1
	Ileus	13	1	2	–	–	1	–	–	1	1	1	–	–
	Intussusception	4	1	1	1	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	16	3	–	–	–	–	1	–	1	–	–	–	1
	Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	9	1	–	2	2	–	–	–	–	–	–	–	–
	Liver Disease	17	1	–	–	–	–	–	1	–	–	–	–	1
	Spleen Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
VIII.	Nephritis	3	–	–	–	1	–	–	–	–	–	1	–	–
	Nephria	17	–	–	–	2	–	–	–	–	–	1	1	2
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	5	–	–	–	–	–	–	–	–	1	–	–	–
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	10	–	–	–	–	–	–	–	–	–	1	–	–
IX.	Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
	Childbirth	10	–	–	–	–	–	–	–	–	–	1	2	4
	Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X.	Bone Disease	6	–	–	–	–	–	–	–	1	1	1	–	–
	Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
	Joint Disease	9	–	–	–	–	–	–	–	2	3	–	1	1
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	2	–	–	1	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	15	–	–	–	–	–	–	–	–	–	1	–	2
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	2	–	1	1	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	12	–	–	–	2	1	–	1	6	–	1	–	–
	Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	14	9	4	–	–	–	–	–	–	–	–	–	–
	Drowning	20	–	–	–	1	–	–	–	1	1	2	1	3
	Fracture and Contusion	23	–	–	–	–	–	–	–	1	2	1	2	1
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	6	–	–	–	–	–	–	–	1	–	–	–	–
	Not Specified	27	5	5	2	1	–	1	–	2	–	1	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Apoplexy	–	2	3	3	9	2	6	13	5	1	2	–	–	–	–	–
Paralysis	1	4	6	5	8	12	7	10	8	5	3	–	–	–	–	–
Delirium Tremens	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	4	4	4	–	3	–	1	–	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	10	11	22	17	13	22	30	15	17	3	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	8	9	15	26	17	33	19	26	15	3	5	1	–	–	–
Pleurisy	–	–	1	3	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	10	8	8	6	10	2	10	4	5	1	–	–	–	1	–	–
Asthma	–	–	1	–	5	2	3	–	1	1	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	1	–	–	–	2	–	–	1	–	–	–	–	–
Ascites	–	–	–	–	2	–	–	2	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	2	–	1	–	1	–	–	–	–	–	–	–
Hernia	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	2	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	–	1	2	–	–	2	3	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	1	1	1	4	–	1	2	1	–	–	–	–	–
Spleen Disease	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	3	4	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	2	–	1	–	1	3	–	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	5	3	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	2	2	1	1	2	1	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	3	4	1	1	3	–	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Not Specified	–	2	1	2	2	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—Males.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1660	208	91	136	179	90	42	57	81	45	46	63	49
Specified Causes	1644	206	89	134	178	90	41	57	80	45	46	62	49
I. Zymotic Class	474	29	26	49	81	51	19	34	52	19	16	20	12
II. Diseases of Uncertain Seat	37	1	–	–	–	–	1	–	–	1	–	2	3
III. Tubercular Class	231	4	5	21	26	20	4	10	9	12	16	27	13
IV. Brain and Nervous System	151	24	9	11	8	6	3	2	2	1	3	2	5
V. Organs of Circulation	77	–	–	1	–	–	–	3	–	2	2	1	2
VI. Respiratory Organs	332	40	31	41	51	9	13	5	10	4	2	3	3
VII. Organs of Digestion	73	8	4	8	6	2	1	–	1	1	–	3	4
VIII. Urinary Organs	21	–	–	–	1	–	–	–	–	–	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	6	–	–	–	–	–	–	–	1	2	1	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	98	87	8	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	4	1	–	2	1	–	–	1	–
XV. Age	56	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	68	7	5	–	1	1	–	1	4	3	5	3	5
I. Small Pox	157	13	9	4	6	2	4	7	29	15	13	19	9
Measles	62	1	2	15	22	13	2	6	1	–	–	–	–
Scarlatina	7	–	1	–	–	–	1	2	1	1	1	–	–
Diphtheria	48	–	2	7	10	9	4	4	10	–	1	–	–
Hooping Cough	44	3	3	7	14	7	3	5	2	–	–	–	–
Croup	44	1	1	4	15	9	4	6	4	–	–	–	–
Thrush	2	1	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	51	8	8	9	13	6	–	1	1	–	–	–	–
Dysentery	6	–	–	1	–	–	–	–	–	–	–	–	1
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	21	–	–	1	–	2	1	1	1	2	1	–	1
Relapsing Fever	9	–	–	–	–	–	–	1	1	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	3	–	–	1	–	2	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	–	1	–	–	–	–	1
Pyæmia	1	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	10	–	–	–	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	3	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	2	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	2	2	4	1	1	3	–	–	1	–
Tabes Mesenterica	28	1	3	6	10	4	–	–	1	1	–	–	–
Phthisis	144	–	–	2	2	3	3	4	2	11	16	26	13
Hydrocephalus	45	3	2	11	12	9	–	5	3	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	53	55	62	60	58	50	75	53	60	24	16	6	1	–	–	–
SPECIFIED CAUSES	53	55	61	58	56	49	75	53	60	24	16	6	1	–	–	–
Zymotic Class	15	9	10	12	6	6	5	2	1	–	–	–	–	–	–	–
Uncertain Seat	–	5	1	3	2	3	5	4	5	–	1	–	–	–	–	–
Tubercular Class	15	10	10	10	7	5	3	1	1	2	–	–	–	–	–	–
Brain, etc.	5	4	6	7	11	9	10	10	8	2	3	–	–	–	–	–
Heart, etc.	3	5	8	4	4	6	18	8	7	2	1	–	–	–	–	–
Respiratory Organs	6	7	11	13	18	12	16	8	16	8	3	1	1	–	–	–
Digestive Organs	1	5	4	3	2	5	5	5	3	2	–	–	–	–	–	–
Urinary Organs	3	5	2	–	1	1	2	2	2	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	12	15	8	8	5	–	–	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	4	6	6	5	2	3	1	1	–	–	–	–	–	–	–
Small Pox	10	7	6	3	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Dysentery	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	2	1	–	2	1	–	–	–	–	–	–	–	–
Enteric Fever	1	–	–	2	1	5	1	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	2	3	2	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	–	3	2	2	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	3	1	–	2	2	4	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	15	9	10	10	7	5	2	1	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	11	–	1	1	2	1	1	1	1	–	1	–	1
Apoplexy	28	1	1	1	1	1	1	–	1	–	1	–	–
Paralysis	42	–	–	–	–	1	–	–	–	–	1	–	2
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	47	22	7	8	5	3	1	1	–	–	–	–	–
Brain Disease	13	1	–	1	–	–	–	–	–	–	–	1	2
V. Pericarditis	1	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	74	–	–	–	–	–	–	3	–	2	2	1	2
VI. Laryngitis	3	–	–	1	–	–	–	–	2	–	–	–	–
Bronchitis	241	39	28	35	41	4	11	4	4	1	1	1	–
Pleurisy	4	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	71	1	3	5	10	5	2	1	4	2	1	2	3
Asthma	11	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	12	–	–	6	4	2	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	1	–	–	–	–	–	–	1	–
Enteritis	12	5	3	–	–	–	1	–	–	–	–	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	–	–	2	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	5	1	–	–	–	–	–	–	1	1	–	–	–
Intussusception	3	1	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	9	–	–	–	1	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	4	–	–	–	–	–	–	–	1	2	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	1	1	–	1	3	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	7	4	–	–	–	–	–	–	–	–	–	–
Drowning	17	–	–	–	–	–	–	–	1	1	2	1	3
Fracture and Contusion	17	–	–	–	–	–	–	–	–	2	1	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	16	2	2	2	1	–	1	–	1	–	–	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Apoplexy	–	–	–	2	6	2	1	5	2	–	2	–	–	–	–	–
Paralysis	1	3	4	3	2	6	6	5	5	2	1	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	4	3	4	3	6	18	8	7	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	4	9	12	8	6	7	12	7	3	1	1	–	–	–
Pleurisy	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	6	5	5	2	2	1	6	1	4	–	–	–	–	–	–	–
Asthma	–	–	1	–	4	2	2	–	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	–	–	1	2	–	1	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	3	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	3	3	1	–	1	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1831	182	72	131	179	96	59	44	95	38	53	75	62
Specified Causes	1820	179	69	131	179	96	59	44	94	38	52	75	62
I. Zymotic Class	489	35	24	51	75	57	38	33	47	17	10	23	13
II. Diseases of Uncertain Seat	67	1	–	2	3	1	–	1	1	–	–	–	1
III. Tubercular Class	321	2	5	20	25	13	4	1	16	13	31	42	25
IV. Brain and Nervous System	118	14	5	6	5	2	4	2	4	–	–	–	3
V. Organs of Circulation	115	–	1	1	–	–	–	–	3	1	2	1	3
VI. Respiratory Organs	349	27	24	38	52	20	10	6	14	3	3	3	3
VII. Organs of Digestion	83	9	6	11	10	2	1	1	2	1	1	1	1
VIII. Urinary Organs	17	–	–	–	2	–	–	–	–	1	2	1	1
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	2	2	5
X Organs of Locomotion	10	–	–	–	–	–	–	–	2	2	–	1	–
XI Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	9	8	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	84	81	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	18	–	–	–	4	1	2	–	–	–	1	1	1
XV. Age	93	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	2	–	1	2	–	–	–	5	–	–	–	1
I. Small Pox	143	13	9	13	9	7	5	8	24	12	4	17	9
Measles	62	1	–	10	20	15	6	6	4	–	–	–	–
Scarlatina	1	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	55	3	–	3	7	18	7	10	5	1	–	–	–
Hooping Cough	40	2	2	9	12	4	6	2	3	–	–	–	–
Croup	43	2	3	3	8	7	8	6	6	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	58	10	7	9	16	5	2	–	–	1	–	–	1
Dysentery	6	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	1	1	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	–	–	–	–	–	–	–	1	1	2	–	–
Enteric Fever	27	–	–	–	1	–	2	1	3	2	4	1	–
Relapsing Fever	4	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	2	–	–	–	1	–	1	–	–	–	–	–	–
Metria	10	–	–	–	–	–	–	–	–	–	–	3	3
Rheumatic Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	4	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	3	2	2	–	–	–	–	–	–	–	–	–
Noma	3	1	–	–	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	19	–	–	–	1	1	–	1	1	–	–	–	–
Abscess	5	1	–	1	2	–	–	–	–	–	–	–	–
Ulcer	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	41	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	–	1	3	3	–	–	–	1	1	1	1	–
Tabes Mesenterica	28	1	–	4	10	6	2	–	2	1	1	–	–
Phthisis	241	–	–	4	4	1	–	–	7	9	29	41	25
Hydrocephalus	39	1	4	9	8	6	2	1	6	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	60	76	69	76	83	74	90	59	72	41	22	18	4	1	–	–
SPECIFIED CAUSES	60	74	69	76	83	74	89	59	72	41	22	18	4	1	–	–
Zymotic Class	10	6	8	7	7	8	4	3	7	3	2	1	–	–	–	–
Uncertain Seat	2	2	4	10	16	11	4	1	3	2	2	–	–	–	–	–
Tubercular Class	35	31	17	16	5	9	8	1	2	–	–	–	–	–	–	–
Brain, etc.	–	4	8	9	11	6	7	13	7	4	4	–	–	–	–	–
Heart, etc.	7	7	14	13	10	16	12	7	10	1	1	–	–	–	–	–
Respiratory Organs	6	9	9	11	23	10	32	15	17	9	–	4	–	1	–	–
Digestive Organs	–	4	4	4	5	5	5	3	2	2	2	1	–	–	–	–
Urinary Organs	–	2	1	1	2	2	1	1	–	–	–	–	–	–	–	–
Generative Organs	–	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	12	22	20	11	12	4	–	–	–
Sudden Deaths	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	–	2	3	3	–	1	2	2	1	–	–	–	–	–	–	–
Small Pox	4	2	3	3	–	–	–	–	–	–	1	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	1	1	–	2	1	–	–	1	–	–	–	–
Dysentery	–	–	1	–	1	2	–	–	1	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	3	3	–	1	–	–	–	1	–	–	–	–	–	–
Enteric Fever	–	–	–	1	4	2	4	1	1	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	4	5	2	1	–	1	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	1	3	6	11	9	3	1	1	2	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	34	31	17	15	5	8	8	1	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

	DISEASES.	FEMALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	8	–	1	1	1	2	–	1	1	–	–	–	–
	Apoplexy	35	–	1	2	1	–	2	–	1	–	–	–	2
	Paralysis	33	–	–	1	–	–	1	–	–	–	–	–	–
	Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	25	14	3	2	2	–	1	1	2	–	–	–	–
	Brain Disease	14	–	–	–	1	–	–	–	–	–	–	–	1
V.	Pericarditis	1	–	–	1	–	–	–	–	–	–	–	–	–
	Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	114	–	1	–	–	–	–	–	3	1	2	1	8
VI.	Laryngitis	4	–	–	1	–	1	–	–	2	–	–	–	–
	Bronchitis	264	24	22	32	44	16	6	3	6	–	1	–	3
	Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia	75	3	2	5	8	3	4	3	6	3	2	3	–
	Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Teething	19	–	1	9	8	1	–	–	–	–	–	–	–
	Quinsey	2	–	1	–	1	–	–	–	–	–	–	–	–
	Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
	Enteritis	8	5	2	–	–	–	–	–	–	–	–	–	–
	Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
	Ascites	5	–	–	1	–	–	–	–	1	–	–	–	–
	Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	8	–	2	–	–	1	–	–	–	–	1	–	–
	Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	11	2	–	–	–	–	1	–	1	–	–	–	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	4	1	–	1	1	–	–	–	–	–	–	–	–
	Liver Disease	7	1	–	–	–	–	–	1	–	–	–	–	–
	Spleen Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
VIII.	Nephritis	1	–	–	–	1	–	–	–	–	–	–	–	–
	Nephria	8	–	–	–	1	–	–	–	–	–	1	1	1
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	2	–	–	–	–	–	–	–	–	1	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
IX.	Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
	Childbirth	10	–	–	–	–	–	–	–	–	–	1	2	4
	Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X.	Bone Disease	5	–	–	–	–	–	–	–	1	1	–	–	–
	Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Joint Disease	5	–	–	–	–	–	–	–	1	1	–	1	–
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	2	–	–	1	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	1
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	4	–	–	–	1	–	–	–	3	–	–	–	–
	Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	3	2	–	–	–	–	–	–	–	–	–	–	–
	Drowning	3	–	–	–	1	–	–	–	–	–	–	–	–
	Fracture and Contusion	6	–	–	–	–	–	–	–	1	–	–	–	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	2	–	–	–	–	–	–	–	1	–	–	–	–
	Not Specified	11	3	3	–	–	–	–	–	1	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	3	1	3	–	5	8	3	1	–	–	–	–	–	–
Paralysis	–	1	2	2	6	6	1	5	3	3	2	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	3	2	–	1	–	1	–	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	7	14	13	10	16	12	7	10	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	6	5	6	14	9	27	12	14	8	–	4	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	4	3	3	4	8	1	4	3	1	1	–	–	–	1	–	–
Asthma	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Ascites	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	2	–	–	1	2	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–
Spleen Disease	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2119	198	79	116	144	93	63	38	124	68	72	81	91
Specified Causes	2110	195	78	116	143	93	63	38	124	67	72	80	91
I. Zymotic Class	531	36	23	35	68	46	40	20	55	20	27	24	25
II. Diseases of Uncertain Seat	85	2	2	1	1	4	–	–	–	2	2	1	–
III. Tubercular Class	330	1	5	22	26	12	11	5	34	25	29	30	36
IV. Brain and Nervous System	202	24	14	3	9	4	4	5	10	2	2	5	6
V. Organs of Circulation	124	–	–	1	–	–	–	–	1	4	2	5	5
VI. Respiratory Organs	321	26	19	33	26	15	4	6	12	3	1	5	9
VII. Organs of Digestion	127	9	5	15	12	6	1	–	4	3	3	3	3
VIII. Urinary Organs	63	–	–	–	–	1	1	1	1	1	1	3	3
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	1	–
X. Organs of Locomotion	20	–	–	–	–	–	–	–	4	5	–	–	1
XI. Skin, etc.	5	2	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	8	6	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	91	80	7	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	1	1	1	–	–	1	1	–	–
XV. Age	114	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	60	9	2	1	–	3	1	1	3	1	3	3	3
I. Small Pox	130	11	7	1	–	1	–	1	5	5	20	13	20
Measles	51	–	2	10	17	9	8	2	2	–	–	–	–
Scarlatina	67	1	2	5	11	7	7	3	19	7	–	1	–
Diphtheria	66	4	2	1	9	11	11	8	16	2	–	2	–
Hooping Cough	31	–	2	5	11	4	5	1	2	1	–	–	–
Croup	42	–	1	5	11	10	8	2	5	–	–	–	–
Thrush	5	3	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa	44	7	4	5	4	1	–	–	1	–	–	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	1	1	–	1	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	1	–	–	–	–	–	2	–	2	–
Enteric Fever	28	–	–	–	2	–	–	–	3	2	3	5	–
Relapsing Fever	5	–	–	–	–	–	–	–	–	1	2	–	1
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	7	1	–	–	1	2	–	3	–	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	1	–	3
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	8	4	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	11	5	2	–	1	1	–	–	1	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	12	1	–	–	–	2	–	–	–	–	–	–	–
Abscess	14	–	2	–	1	2	–	–	–	2	1	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	49	–	–	–	–	–	–	–	–	–	1	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	24	1	–	–	2	1	–	–	8	5	2	1	1
Tabes Mesenterica	25	–	2	2	8	3	2	–	4	2	1	–	–
Phthisis	222	–	–	4	5	2	4	1	10	17	25	29	35
Hydrocephalus	59	–	3	16	11	6	5	4	12	1	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	68	69	56	69	78	86	100	111	116	85	65	35	8	6	–	–
Specified Causes	68	69	56	69	77	85	100	111	116	85	65	35	8	6	–	–
Zymotic Class	20	21	12	9	9	8	6	11	8	1	5	2	–	–	–	–
Uncertain Seat	3	3	3	2	12	8	10	10	9	4	2	4	–	–	–	–
Tubercular Class	21	20	13	13	6	8	9	1	–	2	1	–	–	–	–	–
Brain, etc.	4	2	7	8	9	7	14	20	19	13	9	2	–	–	–	–
Heart, etc.	4	5	3	8	17	13	16	13	14	10	3	–	–	–	–	–
Respiratory Organs	5	3	5	12	8	20	21	30	24	16	12	5	1	–	–	–
Digestive Organs	3	2	2	4	5	7	8	10	12	8	2	–	–	–	–	–
Urinary Organs	1	4	5	3	5	6	8	6	8	3	1	–	1	–	–	–
Generative Organs	4	2	2	–	2	–	2	1	2	1	–	–	–	–	–	–
Locomotive Organs	1	1	–	1	1	–	1	1	1	1	1	1	–	–	–	–
Skin	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	7	18	24	29	21	6	5	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	1	5	3	7	3	6	1	1	1	1	–	–	–	1	–	–
Small Pox	13	11	6	3	4	4	1	2	2	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	1	1	1	–	3	3	4	–	4	2	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	2	2	1	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever	1	–	3	1	1	4	1	–	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	2	3	1	2	–	–	–	–	–	–	–
Abscess	1	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Cancer	1	2	3	1	11	5	7	6	4	4	2	2	–	–	–	–
Gout	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	21	19	12	12	6	7	9	1	–	2	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	16	1	1	–	1	1	–	3	7	1	–	–	–	
Apoplexy	33	–	1	–	–	–	1	–	–	–	–	1	1	
Paralysis	50	–	–	–	–	–	–	–	–	–	–	1	–	
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	1	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	10	–	–	–	–	–	–	–	–	–	1	1	3	
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	48	20	12	3	7	2	2	2	–	–	–	–	–	
Brain Disease	38	3	–	–	1	1	1	–	3	1	1	1	2	
V. Pericarditis	3	–	–	–	–	–	–	–	1	–	–	–	–	
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	115	–	–	1	–	–	–	–	–	4	2	5	5	
VI. Laryngitis	8	–	2	–	–	1	–	1	2	–	–	–	–	
Bronchitis	232	18	14	29	23	13	3	5	7	1	–	2	4	
Pleurisy	7	–	–	–	–	–	–	–	–	2	–	–	1	
Pneumonia	51	8	3	4	2	1	1	–	3	–	1	1	2	
Asthma	13	–	–	–	–	–	–	–	–	–	–	–	–	
Lung Disease	10	–	–	–	1	–	–	–	–	–	–	2	2	
VII. Teething	30	–	2	13	11	4	–	–	–	–	–	–	–	
Quinsey	3	–	–	–	–	1	–	–	–	–	–	–	1	
Gastritis	5	–	–	–	–	1	–	–	–	–	–	–	1	
Enteritis	8	1	1	1	1	–	–	–	1	–	–	1	–	
Peritonitis	7	–	–	1	–	–	–	–	1	1	1	1	–	
Ascites	3	–	–	–	–	–	–	–	–	–	1	–	–	
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	1	–	1	–	
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	14	–	–	–	–	–	–	–	–	1	1	–	–	
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	22	1	2	–	–	–	1	–	1	–	–	–	1	
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–	
Jaundice	8	4	–	–	–	–	–	–	–	–	–	–	–	
Liver Disease	14	2	–	–	–	–	–	–	–	–	–	–	–	
Spleen Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	17	–	–	–	–	–	–	1	–	–	–	2	2	
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	5	–	–	–	–	–	–	–	–	1	–	–	–	
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	9	–	–	–	–	–	–	–	–	–	–	1	–	
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	26	–	–	–	–	1	1	–	1	–	1	–	1	
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–	
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	5	–	–	–	–	–	–	–	–	–	–	1	–	
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	–	
X. Bone Disease	6	–	–	–	–	–	–	–	1	2	–	–	1	
Rheumatism	7	–	–	–	–	–	–	–	1	–	–	–	–	
Joint Disease	7	–	–	–	–	–	–	–	2	3	–	–	–	
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	3	2	–	–	–	1	–	–	–	–	–	–	–	
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	1	
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	5	–	–	1	–	3	–	–	1	–	–	–	–	
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	8	5	2	–	–	–	–	1	–	–	–	–	–	
Drowning	14	–	–	–	–	–	–	–	1	1	2	1	1	
Fracture and Contusion	19	–	–	–	–	–	1	–	1	–	–	2	–	
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1	
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	4	3	–	–	–	–	–	–	–	–	1	–	–	
Not Specified	9	3	1	–	1	–	–	–	–	1	–	1	–	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	4	3	5	4	5	3	1	–	–	–	–	–
Paralysis	2	–	2	2	3	2	5	10	9	6	6	2	–	–	–	–
Delirium Tremens	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	2	3	1	1	3	4	4	4	2	–	–	–	–	–
Pericarditis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	4	4	2	6	15	12	15	13	14	10	3	–	–	–	–	–
Laryngitis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	3	5	2	11	16	20	20	14	12	5	1	–	–	–
Pleurisy	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	5	4	4	2	3	1	1	–	–	–	–	–	–
Asthma	–	–	–	–	1	3	2	5	1	1	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	1	–	–	–	–	2	2	1	3	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	–	–	3	2	1	3	4	1	–	–	–	–	–
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Liver Disease	–	1	–	2	3	1	1	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	2	2	–	–	–	4	–	3	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Stone	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	1	1	1	–	1	1	1	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	1	2	2	1	4	3	3	2	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	2	–	2	1	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	–	–	–	1	1	–	1	1	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	3	–	2	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	4	2	3	–	–	1	1	–	–	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Males.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1040	116	47	56	71	52	32	14	66	43	38	39	47
Specified Causes	1033	115	46	56	70	52	32	14	66	42	38	38	47
I. Zymotic Class	262	23	11	17	35	23	19	5	24	17	13	13	13
II. Diseases of Uncertain Seat	29	1	1	–	–	2	–	–	–	1	–	1	–
III. Tubercular Class	161	1	3	6	14	8	6	2	22	12	18	13	15
IV. Brain and Nervous System	110	16	10	1	4	3	2	3	2	1	2	2	3
V. Organs of Circulation	62	–	–	1	–	–	–	–	–	2	1	2	3
VI. Respiratory Organs	153	15	10	18	11	9	3	3	9	2	1	1	6
VII. Organs of Digestion	56	5	2	8	6	3	–	–	4	1	1	2	3
VIII. Urinary Organs	39	–	–	–	–	1	1	1	1	1	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	11	–	–	–	–	–	–	–	2	3	–	–	1
XI. Skin, etc.	2	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	6	4	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	55	45	6	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	–	–	1	–	–	1	–	–	–
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	45	5	2	–	–	2	–	–	2	1	2	3	3
I. Small Pox	68	7	3	–	–	–	–	1	2	4	9	8	12
Measles	24	–	1	5	8	3	4	–	2	–	–	–	–
Scarlatina	35	–	1	4	6	4	2	–	8	7	–	1	–
Diphtheria	30	3	–	–	6	8	4	2	6	1	–	–	–
Hooping Cough	12	–	2	1	4	1	3	–	–	1	–	–	–
Croup	21	–	1	3	5	5	5	–	2	–	–	–	–
Thrush	2	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	19	5	1	2	2	1	–	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	1	1	–	1	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	–	–	–	–	–	–	–	–	2	–	1	–
Enteric Fever	12	–	–	–	1	–	–	–	1	1	3	2	–
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	–	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	1	–	–	1	1	–	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	4	2	–	1	–	–	–	1	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	1	–	–	–	1	–	–	–	–	–	–	–
Abscess	7	–	1	–	–	1	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	15	1	–	–	1	–	–	–	5	4	1	–	1
Tabes Mesenterica	13	–	1	1	5	2	1	–	2	–	1	–	–
Phthisis	102	–	–	1	3	1	2	–	6	7	15	13	14
Hydrocephalus	31	–	2	4	5	5	2	2	9	1	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	30	28	27	38	44	47	42	55	44	31	19	9	4	1	–	–
SPECIFIED CAUSES	30	28	27	38	43	46	42	55	44	31	19	9	4	1	–	–
Zymotic Class	9	10	6	5	4	2	4	5	3	–	–	1	–	–	–	–
Uncertain Seat	2	1	1	–	6	3	3	3	3	–	1	–	–	–	–	–
Tubercular Class	10	6	5	7	4	3	4	1	–	1	–	–	–	–	–	–
Brain, etc.	2	1	3	3	8	6	5	13	10	7	3	–	–	–	–	–
Heart, etc.	–	2	2	5	10	9	8	7	4	5	1	–	–	–	–	–
Respiratory Organs	3	2	3	5	3	8	6	15	10	5	3	1	1	–	–	–
Digestive Organs	–	–	–	2	2	3	6	4	2	2	–	–	–	–	–	–
Urinary Organs	1	1	4	2	3	6	4	4	4	2	1	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	6	8	10	7	2	1	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	1	4	2	7	3	5	1	1	1	–	–	–	–	–	–	–
Small Pox	6	5	3	2	2	–	1	2	1	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	–	2	1	1	–	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Abscess	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	–	1	–	5	2	2	1	1	–	1	–	–	–	–	–
Gout	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	6	4	6	4	3	4	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	1	–	1	1	–	3	2	–	–	–	–
Apoplexy	18	–	1	–	–	–	1	–	–	–	–	1	1
Paralysis	25	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	1	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	15	8	1	3	1	–	–	–	–	–	–	–
Brain Disease	19	1	–	–	–	1	1	–	–	1	1	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	54	–	–	1	–	–	–	–	–	2	1	2	3
VI. Laryngitis	6	–	2	–	–	1	–	1	1	–	–	–	–
Bronchitis	103	10	7	17	9	8	3	2	6	1	–	1	3
Pleurisy	3	–	–	–	–	–	–	–	–	1	–	–	1
Pneumonia	28	5	1	1	1	–	–	–	2	–	1	–	1
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	–	–	1	–	–	–	–	–	–	–	1
VII. Teething	14	–	–	7	5	2	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	–	–	–	1
Gastritis	4	–	–	–	–	1	–	–	–	–	–	–	1
Enteritis	4	–	1	–	1	–	–	–	1	–	–	1	–
Peritonitis	6	–	–	1	–	–	–	–	1	1	1	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	1	1	–	–	–	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	–	–	1	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	1	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	–	1	1	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	–	1	–	–	1
Rheumatism	4	–	–	–	–	–	–	–	1	–	–	–	–
Joint Disease	4	–	–	–	–	–	–	–	1	2	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	2	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	2	–	–	–	–	–	–	–	–	–	–
Drowning	13	–	–	–	–	–	–	–	1	1	1	1	1
Fracture and Contusion	15	–	–	–	–	–	–	–	1	–	–	2	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	2	–	–	–	–	–	–	–	–	1	–	–
Not Specified	7	1	1	–	1	–	–	–	–	1	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	3	3	2	3	1	2	–	–	–	–	–	–
Paralysis	1	–	1	–	3	1	1	8	5	3	2	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	2	1	1	1	1	3	2	1	–	–	–	–	–
Pericarditis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	3	8	8	7	7	4	5	1	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	1	1	1	3	4	9	6	4	3	1	1	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	2	2	2	3	1	2	1	1	–	–	–	–	–	–
Asthma	–	–	–	–	–	2	1	3	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	2	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	2	1	–	1	1	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	–	2	–	–	–	2	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	1	–	1	–	1	1	1	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	4	1	1	1	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	3	–	2	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	4	2	2	–	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1079	82	32	60	73	41	31	24	58	25	34	42	44
SPECIFIED CAUSES	1077	80	32	60	73	41	31	24	58	25	34	42	44
I. Zymotic Class	269	13	12	18	33	23	21	15	31	3	14	11	12
II. Diseases of Uncertain Seat	56	1	1	1	1	2	–	–	–	1	2	–	–
III. Tubercular Class	169	–	2	16	12	4	5	3	12	13	11	17	21
IV. Brain and Nervous System	92	8	4	2	5	1	2	2	8	1	–	3	3
V. Organs of Circulation	62	–	–	–	–	–	–	–	1	2	1	3	2
VI. Respiratory Organs	168	11	9	15	15	6	1	3	3	1	–	4	3
VII. Organs of Digestion	71	4	3	7	6	3	1	–	–	2	2	1	–
VIII. Urinary Organs	24	–	–	–	–	–	–	–	–	–	1	2	3
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	1	–
X. Organs of Locomotion	9	–	–	–	–	–	–	–	2	2	–	–	–
XI. Skin, etc.	3	2	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	36	35	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	1	–	–	–	–	1	–	–
XV. Age	78	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	15	4	–	1	–	1	1	1	1	–	1	–	–
I. Small Pox	62	4	4	1	–	1	–	–	3	1	11	5	8
Measles	27	–	1	5	9	6	4	2	–	–	–	–	–
Scarlatina	32	1	1	1	5	3	5	3	11	–	–	–	–
Diphtheria	36	1	2	1	3	3	7	6	10	1	–	2	–
Hooping Cough	19	–	–	4	7	3	2	1	2	–	–	–	–
Croup	21	–	–	2	6	5	3	2	3	–	–	–	–
Thrush	3	2	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	2	3	3	2	–	–	–	–	–	–	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	–	–	1	–	–	–	–	–	–	–	1	–
Enteric Fever	16	–	–	–	1	–	–	–	2	1	–	3	–
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	2	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	–	1	–	1	–	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	1	–	3
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	1	–	–	–	–	–	–	–
Abscess	7	–	1	–	1	1	–	–	–	1	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	35	–	–	–	–	–	–	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	1	1	–	–	3	1	1	1	–
Tabes Mesenterica	12	–	1	1	3	1	1	–	2	2	–	–	–
Phthisis	120	–	–	3	2	1	1	1	4	10	10	16	21
Hydrocephalus	28	–	1	12	6	1	3	2	3	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	38	41	29	31	34	39	58	56	72	54	46	26	4	5	–	–
SPECIFIED CAUSES	38	41	29	31	34	39	58	56	72	54	46	26	4	5	–	–
Zymotic Class	11	11	6	4	5	6	2	6	5	1	5	1	–	–	–	–
Uncertain Seat	1	2	2	2	6	5	7	7	6	4	1	4	–	–	–	–
Tubercular Class	11	14	8	6	2	5	5	–	–	1	1	–	–	–	–	–
Brain, etc.	2	1	4	5	1	1	9	7	9	6	6	2	–	–	–	–
Heart, etc.	4	3	1	3	7	4	8	6	10	5	2	–	–	–	–	–
Respiratory Organs	2	1	2	7	5	12	15	15	14	11	9	4	–	–	–	–
Digestive Organs	3	2	2	2	3	4	2	6	10	6	2	–	–	–	–	–
Urinary Organs	–	3	1	1	2	–	4	2	4	1	–	–	–	–	–	–
Generative Organs	4	2	2	–	2	–	2	1	2	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	1	–	1	1	1	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	5	12	16	19	14	4	4	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	–	–	1	–	–	–	1	–	–	–	1	–	–
Small Pox	7	6	3	1	2	4	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	1	–	1	2	3	–	4	1	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	–	2	1	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever	1	–	3	–	–	2	1	–	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	2	–	2	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Cancer	–	2	2	1	6	3	5	5	3	4	1	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	11	13	8	6	2	4	5	–	–	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	1	–	–	–	–	–	–	5	1	–	–	–
Apoplexy	15	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	25	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	20	5	4	2	4	1	2	2	–	–	–	–	–
Brain Disease	19	2	–	–	1	–	–	–	3	–	–	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	61	–	–	–	–	–	–	–	–	2	1	3	2
VI. Laryngitis	2	–	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	129	8	7	12	14	5	–	3	1	–	–	1	1
Pleurisy	4	–	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	23	3	2	3	1	1	1	–	1	–	–	1	1
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	2	1
VII. Teething	16	–	2	6	6	2	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	4	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	3	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	1	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	12	–	–	–	–	–	–	–	–	1	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	1	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	9	–	–	–	–	–	–	–	–	–	–	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	–	–	–	–	–	–	1	–	1
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	–	–	–	–	–	–	–	–	–	–	1	–
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	1	–	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	2	–	–	–	–	–	1	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	4	–	–	–	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	1	–	3	1	4	1	1	–	–	–	–	–
Paralysis	1	–	1	2	–	1	4	2	4	3	4	2	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	1	–	–	2	3	1	2	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	3	1	3	7	4	8	6	10	5	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	2	4	1	8	12	11	14	10	9	4	–	–	–	–
Pleurisy	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Pneumonia	–	1	–	3	2	1	1	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	1	1	2	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	1	–	–	–	–	2	1	1	2	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	–	–	1	–	1	3	3	1	–	–	–	–	–
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	2	1	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	–	–	–	–	2	–	2	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	1	1	–	2	2	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	2	–	2	1	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1697	192	76	157	186	95	44	39	87	47	53	45	52
Specified Causes	1636	167	71	151	181	90	44	39	84	47	50	45	51
I. Zymotic Class	349	20	12	48	81	43	26	21	34	9	6	4	7
II. Diseases of Uncertain Seat	48	1	1	–	1	1	–	–	2	1	1	1	–
III. Tubercular Class	291	5	11	24	33	15	7	8	14	16	24	29	21
IV. Brain and Nervous System	142	10	2	9	4	6	4	2	10	6	3	1	4
V. Organs of Circulation	89	–	–	–	–	–	–	1	1	2	–	3	3
VI. Respiratory Organs	251	28	23	37	36	17	5	4	5	3	3	–	4
VII. Organs of Digestion	105	7	7	25	17	2	–	1	6	1	2	1	4
VIII. Urinary Organs	23	–	–	–	–	–	–	1	1	1	–	1	–
IX. Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	7	–	–	–	–	–	–	1	1	–	–	–	1
XI. Skin, etc.	7	–	2	2	1	–	–	–	1	–	–	–	–
XII. Malformation	3	1	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	103	93	7	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	25	–	–	–	6	5	1	–	3	2	–	1	–
XV. Age	79	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	1	–	1
XVII. Violent Deaths	99	2	5	2	2	1	1	–	6	6	10	3	4
I. Small Pox	9	1	–	1	1	–	–	–	3	1	1	–	1
Measles	6	–	–	–	3	1	2	–	–	–	–	–	–
Scarlatina	43	–	–	1	8	7	8	6	12	1	–	–	–
Diphtheria	21	1	–	1	5	6	4	2	2	–	–	–	–
Hooping Cough	110	5	8	26	43	16	5	4	3	–	–	–	–
Croup	44	2	–	5	10	10	6	8	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	37	6	3	9	4	1	–	1	–	2	–	–	1
Dysentery	7	–	–	1	1	–	–	–	–	–	–	–	–
Cholera	5	1	1	2	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	1	1	–	–	1	1	2	2	3
Enteric Fever	19	–	–	–	1	–	–	–	8	4	2	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	1	1	2
Erysipelas	6	–	–	2	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	6	4	–	–	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	1	–	–	2	1	1	–	–
Abscess	3	1	1	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	19	2	2	2	7	–	–	1	–	4	–	1	–
Tabes Mesenterica	15	–	–	2	1	2	1	1	4	1	1	1	–
Phthisis	193	1	3	3	8	6	1	3	5	11	21	27	21
Hydrocephalus	64	2	6	17	17	7	5	3	5	–	2	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	65	54	68	53	65	69	77	45	51	39	20	8	3	1	–	6
Specified Causes	64	53	67	53	64	68	75	44	51	39	20	8	3	1	–	6
Zymotic Class	7	2	8	2	6	2	4	1	4	2	–	–	–	–	–	–
Uncertain Seat	6	4	5	–	4	7	7	3	–	3	–	–	–	–	–	–
Tubercular Class	13	20	23	8	8	8	2	–	2	–	–	–	–	–	–	–
Brain, etc.	11	2	3	8	10	11	15	6	7	5	3	–	–	–	–	–
Heart, etc.	5	9	3	9	14	10	12	8	2	5	2	–	–	–	–	–
Respiratory Organs	4	5	5	7	10	16	12	7	12	5	2	1	–	–	–	–
Digestive Organs	3	2	4	5	2	3	5	3	3	–	1	–	–	–	–	1
Urinary Organs	–	–	2	1	5	3	3	2	2	1	–	–	–	–	–	–
Generative Organs	4	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1
Skin	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	13	16	17	12	7	3	1	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	10	6	12	9	3	7	3	1	2	–	–	–	–	–	–	4
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	2	2	2	–	2	1	–	–	–	–	–	–
Dysentery	1	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	4	1	2	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	–	–	1	2	2	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Cancer	1	3	4	–	3	4	4	1	–	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	20	22	8	8	8	2	–	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	22	–	2	4	1	2	2	–	4	3	–	–	1
Apoplexy	33	2	–	–	–	–	–	1	2	–	1	–	1
Paralysis	37	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	1	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	15	7	–	3	1	1	2	–	1	–	–	–	–
Brain Disease	23	1	–	1	2	3	–	1	3	3	1	1	–
V. Pericarditis	3	–	–	–	–	–	–	1	–	1	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	84	–	–	–	–	–	–	–	1	1	–	3	3
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	181	22	18	30	29	13	4	3	2	1	–	–	1
Pleurisy	6	1	–	–	–	1	1	–	–	–	–	–	–
Pneumonia	55	5	5	6	6	3	–	1	3	2	3	–	3
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	34	–	2	18	13	1	–	–	–	–	–	–	–
Quinsey	3	–	–	2	–	–	–	–	1	–	–	–	–
Gastritis	3	–	–	1	–	–	–	–	1	–	–	–	–
Enteritis	21	5	3	3	3	1	–	–	3	–	–	–	–
Peritonitis	11	–	1	–	–	–	–	–	–	1	2	1	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	–	1	–	–	–	1	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	9	1	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	1	–	–	1	–
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	–	1	2
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	1
Joint Disease	3	–	–	–	–	–	–	1	1	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	1	–	–	–	–	1	–	–	–	–
Skin Disease	4	–	2	1	1	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	2	1	1	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	2	3	1	–	–	–	–	–	–	–	–	–
Drowning	23	–	–	–	–	–	–	–	1	–	1	–	–
Fracture and Contusion	45	–	–	–	–	–	–	–	4	4	6	2	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	–	–	–	1	2	–	1
Not Specified	61	25	5	6	5	5	–	–	3	–	3	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	–	1	4	4	3	3	3	1	3	1	–	–	–	–	–
Paralysis	2	1	1	3	1	6	10	3	6	2	1	–	–	–	–	–
Delirium Tremens	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	4	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	8	3	9	14	10	11	8	2	5	2	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	2	5	7	10	10	6	10	4	2	–	–	–	–	–
Pleurisy	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	3	2	1	3	3	1	–	2	–	–	1	–	–	–	–
Asthma	–	–	–	–	–	2	1	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1
Liver Disease	1	–	1	1	–	2	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	1	1	–	2	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Carbuncle	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	4	1	8	2	2	3	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	3	3	4	–	3	–	1	2	–	–	–	–	–	–	4
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	–	1	1	2	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1430	137	53	102	158	51	32	25	57	33	52	68	43
Specified Causes	1411	126	52	101	156	50	32	25	56	33	52	68	43
I. Zymotic Class	301	14	17	35	76	30	17	12	17	4	10	16	3
II. Diseases of Uncertain Seat	60	1	–	–	–	–	–	1	1	1	–	1	1
III. Tubercular Class	258	8	10	14	29	9	8	7	18	15	28	34	23
IV. Brain and Nervous System	132	11	3	7	6	1	–	2	2	3	3	3	4
V. Organs of Circulation	46	–	–	–	–	–	–	–	–	1	2	–	–
VI. Respiratory Organs	212	12	14	23	28	7	4	2	6	4	3	3	4
VII. Organs of Digestion	110	11	4	15	14	1	1	–	2	3	3	1	1
VIII. Urinary Organs	16	–	–	–	–	1	–	–	1	1	–	1	–
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	–	–	3	2
X. Organs of Locomotion	11	–	–	–	–	–	–	–	1	–	3	3	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	74	66	1	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	2	1	2	1	1	1	–	1	1
XV. Age	117	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	1	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	3	1	–	–	–	–	–	7	–	–	2	4
I. Small Pox	9	1	–	–	–	1	–	–	2	2	1	1	1
Measles	31	–	–	3	18	5	3	1	–	–	1	–	–
Scarlatina	12	1	–	1	2	2	1	2	2	1	–	–	–
Diphtheria	13	–	–	2	5	1	3	1	1	–	–	–	–
Hooping Cough	96	7	8	20	37	9	7	5	3	–	–	–	–
Croup	26	1	2	2	6	7	2	2	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	31	3	4	4	6	2	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	37	–	–	–	–	1	1	–	1	1	4	7	2
Enteric Fever	13	–	–	–	1	1	–	–	1	–	–	6	–
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	9	–	2	3	1	1	–	1	1	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	1	2	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	4	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	–	–	–	–	1	1	1	–	–	1
Abscess	5	1	–	–	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	2	1	2	1	–	–
Tabes Mesenterica	36	3	2	3	6	3	4	2	6	3	3	1	–
Phthisis	168	3	1	1	5	4	1	2	7	10	23	33	23
Hydrocephalus	48	2	7	10	18	2	3	1	4	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	54	44	51	45	55	56	77	67	80	41	33	10	4	2	–	–
Specified Causes	54	44	50	45	54	56	77	67	80	41	33	10	4	2	–	–
Zymotic Class	7	9	4	4	6	4	2	3	8	2	–	1	–	–	–	–
Uncertain Seat	3	3	1	4	4	9	8	10	5	5	1	1	–	–	–	–
Tubercular Class	16	10	12	7	6	3	1	–	–	–	–	–	–	–	–	–
Brain, etc.	3	6	4	3	10	8	20	14	15	2	2	–	–	–	–	–
Heart, etc.	3	2	7	1	5	7	3	9	5	–	1	–	–	–	–	–
Respiratory Organ	6	5	9	8	12	13	22	11	11	3	2	–	–	–	–	–
Digestive Organs	9	4	5	11	5	4	5	6	5	–	–	–	–	–	–	–
Urinary Organs	1	1	2	–	1	3	2	–	2	–	–	–	–	–	–	–
Generative Organs	3	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	–	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	12	28	29	26	7	4	2	–	–
Sudden Deaths	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	3	1	3	5	1	3	2	1	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	1	–	1	–	1	5	1	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	3	1	3	3	2	1	1	1	1	–	–	–	–	–	–
Enteric Fever	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	2	3	5	3	3	2	–	1	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	1	2	1	2	2	6	3	5	2	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	10	12	7	6	3	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	1	–	–	–	2	–	2	–	1
Apoplexy	33	2	2	3	4	1	–	–	–	1	–	–	–
Paralysis	57	–	–	–	–	–	–	1	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	–	–	1	3	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	9	1	4	1	–	–	1	–	–	–	–	–
Brain Disease	10	–	–	–	–	–	–	–	–	1	–	–	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	43	–	–	–	–	–	–	–	–	1	1	–	–
VI. Laryngitis	5	–	–	–	1	–	–	–	1	–	–	–	2
Bronchitis	161	9	13	20	24	5	2	2	4	2	3	–	2
Pleurisy	1	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	37	3	1	2	3	2	1	–	1	2	–	2	–
Asthma	6	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	2	–	–	–	–	–	1	–	–	–	–	–	–
VII. Teething	26	–	1	12	12	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	1	–	–	–
Gastritis	4	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	25	7	2	3	1	–	1	–	1	2	1	–	–
Peritonitis	4	–	–	–	–	–	–	–	1	–	–	–	–
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	–	–	1	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	7	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	1	–	–	–
Nephria	4	–	–	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	3	2
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	1	–
Joint Disease	4	–	–	–	–	–	–	–	1	–	1	2	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	3	–	–	–	2
Fracture and Contusion	18	–	–	–	–	–	–	–	3	–	–	2	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	11	1	1	2	1	–	–	1	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	2	–	3	3	4	2	4	–	–	–	–	–	–	–
Paralysis	1	2	2	3	5	3	13	11	11	2	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	2	2	7	1	5	7	3	8	5	–	1	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	6	6	10	10	18	6	11	3	2	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	5	1	2	1	2	3	2	4	–	–	–	–	–	–	–	–
Asthma	–	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	2	1	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	1	1	1	1	3	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
Liver Disease	1	–	1	5	–	2	–	1	1	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	1	1	1	2	2	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2.	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1338	147	66	73	94	63	39	43	88	45	44	57	54
Specified Causes	1333	147	66	73	94	62	39	43	88	45	43	56	54
I. Zymotic Class	497	29	28	23	46	36	30	30	59	30	26	27	31
II. Diseases of Uncertain Seat	30	–	–	–	1	1	–	–	1	–	–	–	–
III. Tubercular Class	162	2	13	16	16	6	5	5	8	10	7	16	9
IV. Brain and Nervous System	112	10	7	7	9	4	–	2	5	–	–	1	–
V. Organs of Circulation	64	–	–	–	–	–	–	–	2	1	2	2	3
VI. Respiratory Organs	172	18	9	21	15	12	2	2	8	2	1	2	2
VII. Organs of Digestion	60	8	3	6	5	1	–	1	1	–	1	1	1
VIII. Urinary Organs	23	–	–	–	1	–	1	–	3	1	–	–	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	2	1
X. Organs of Locomotion	6	–	–	–	–	–	–	–	1	1	–	–	1
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	74	69	5	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	1	–	–	–	–	1	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	50	5	1	–	–	1	1	3	–	–	5	5	5
I. Small Pox	223	10	16	9	2	4	8	5	25	21	16	21	27
Measles	12	2	1	1	5	1	2	–	–	–	–	–	–
Scarlatina	87	–	–	2	14	15	13	11	25	4	–	–	1
Diphtheria	9	1	1	2	–	–	–	3	1	–	1	–	–
Hooping Cough	30	–	2	5	15	6	1	–	1	–	–	–	–
Croup	31	1	–	2	8	7	4	8	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	26	9	6	1	2	2	–	–	–	1	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	–	–	–	1	–	2	1	–	2	2	1
Enteric Fever	24	–	–	1	–	–	2	1	4	1	6	3	1
Relapsing Fever	4	–	–	–	–	–	–	–	1	1	1	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	16	3	2	–	–	–	–	–	–	–	–	–	1
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	3	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	4	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	5	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	1	1	–	–	–	–	1	–	–	–
Tabes Mesenterica	13	–	2	5	1	–	–	2	3	–	–	–	–
Phthisis	95	–	1	–	2	–	1	–	2	8	7	16	9
Hydrocephalus	51	2	10	10	12	6	4	3	3	1	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	62	59	44	36	52	48	47	46	53	42	20	13	3	–	–	–
Specified Causes	62	59	43	36	52	48	46	46	53	42	20	13	3	–	–	–
Zymotic Class	30	24	11	4	5	9	5	9	4	–	1	–	–	–	–	–
Uncertain Seat	1	1	3	1	4	2	3	3	4	2	3	–	–	–	–	–
Tubercular Class	14	8	11	7	3	4	1	1	–	–	–	–	–	–	–	–
Brain, etc.	1	4	4	3	5	9	7	10	11	7	3	2	1	–	–	–
Heart, etc.	3	7	2	8	5	6	6	4	6	5	1	1	–	–	–	–
Respiratory Organs	5	1	7	5	10	9	10	7	15	6	2	1	–	–	–	–
Digestive Organs	3	2	–	2	13	4	2	3	1	2	–	–	–	–	–	–
Urinary Organs	–	3	1	–	3	–	5	2	2	–	–	–	–	–	–	–
Generative Organs	1	4	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	5	8	19	8	9	2	–	–	–
Sudden Deaths	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	4	2	1	2	3	2	2	2	1	2	–	–	–	–	–
Small Pox	22	22	5	2	1	3	1	2	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	4	1	2	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	2	1	2	1	–	1	–	–	–	–	–
Pyæmia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Abscess	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Cancer	–	–	3	1	1	2	2	1	–	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	8	11	7	3	4	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	–	–	3	4	1	–	–	–	–	–	–	–
Apoplexy	20	–	–	–	–	1	–	1	–	–	–	–	–
Paralysis	35	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	27	10	6	3	4	1	–	1	2	–	–	–	–
Brain Disease	16	–	1	1	1	1	–	–	2	–	–	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	60	–	–	–	–	–	–	–	2	1	1	2	3
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	119	10	6	17	12	5	2	1	6	–	1	1	1
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	39	3	3	4	2	7	–	1	2	2	–	1	1
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	5	–	–	1	–	–	–	–	–	–	–	–
VII. Teething	8	–	–	3	4	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	2	3	1	–	–	–	–	–	–	–	–	–
Peritonitis	8	2	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	2	–	1	–	–	–	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	11	1	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	1	–	–	1	–	–	–
Nephria	4	–	–	–	–	–	–	–	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	1	–	–	–	2	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	1
Joint Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	3	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	18	1	–	–	–	–	–	1	–	–	1	2	3
Fracture and Contusion	16	–	–	–	–	–	–	–	–	–	3	3	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	–	–	–	–	1	–	–	1	–	1
Not Specified	5	–	–	–	–	1	–	–	–	–	1	1	–

AUSES of DEATH in LEITH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ephalitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
poplexy	–	–	1	1	3	2	3	1	4	1	–	1	1	–	–	–
aralysis	–	–	1	2	2	5	3	6	6	5	3	1	–	–	–	–
elirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
horea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
pilepsy	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
etanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
nsanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
onvulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
rain Disease	–	3	1	–	–	1	1	2	–	1	–	–	–	–	–	–
ericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
neurism	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
leart Disease	2	7	2	8	5	6	5	4	6	4	1	1	–	–	–	–
aryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
ronchitis	1	1	4	4	8	7	8	5	12	4	2	1	–	–	–	–
leurisy	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
neumonia	4	–	1	1	1	1	1	–	2	2	–	–	–	–	–	–
sthma	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
ung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
eething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
uinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
astritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
nteritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
eritonitis	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
scites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
lceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
lernia	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
leus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
ntussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
tricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
tomach Disease	1	–	–	–	4	1	1	–	–	1	–	–	–	–	–	–
ancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
lepatitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
aundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
iver Disease	–	–	–	1	3	2	–	2	1	–	–	–	–	–	–	–
pleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
lephritis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
lephria	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
ddison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
schuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
tone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
tricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	1	–	3	1	1	–	–	–	–	–	–	–
aramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
varian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
rgans of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ntemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	1	4	1	1	1	–	–	1	–	1	–	–	–	–	–	–
Fracture and Contusion	2	–	1	–	–	2	–	–	2	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.											
	ALL AGES.	AGE UNDER										
		MONTHS.			2	3	4	5	10	15	20	25
		3	6	12								
All Causes	587	47	12	29	23	13	9	6	12	12	23	34
Specified Causes	581	44	12	29	23	13	9	6	12	12	23	34
I. Zymotic Class	96	7	3	8	7	7	3	2	4	3	9	10
II. Diseases of Uncertain Seat	15	–	–	–	–	–	1	–	–	1	–	–
III. Tubercular Class	96	–	2	7	3	2	3	1	2	3	10	17
IV. Brain and Nervous System	55	1	–	–	3	1	1	2	1	1	1	–
V. Organs of Circulation	47	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs	80	7	3	8	4	2	–	–	3	2	1	1
VII. Organs of Digestion	42	1	–	5	5	1	1	–	–	–	–	1
VIII. Urinary Organs	10	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	1	1
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	27	4	1	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	1	–	–	–	–	–	–	–
XV. Age	66	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	–	–	–	–	–	–	1	2	2	1	3
I. Small Pox	17	2	–	–	–	–	–	–	–	1	3	4
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	–	–	–	1	2	–	2	–	–	–	1
Diphtheria	6	–	–	–	–	1	–	–	2	–	–	1
Hooping Cough	1	–	–	–	–	1	–	–	–	–	–	–
Croup	8	–	–	–	3	1	3	–	1	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	4	2	6	2	–	–	–	–	–	1	–
Dysentery	3	–	1	–	–	1	–	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	–	–	–	–	–	1	–	2	3
Enteric Fever	7	–	–	–	–	–	–	–	–	1	3	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	1	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	1	–	–	–	–	–	1	1
Tabes Mesenterica	6	–	1	3	–	–	–	1	–	–	1	–
Phthisis	72	–	–	–	–	–	–	–	1	3	8	16
Hydrocephalus	12	–	1	3	2	2	3	–	1	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	21	16	19	23	26	31	41	35	57	33	23	12	3	–	–	–
SPECIFIED CAUSES	21	16	19	23	25	30	41	35	56	33	23	12	3	–	–	–
Zymotic Class	3	1	3	1	2	3	4	3	4	1	1	–	–	–	–	–
Uncertain Seat	1	1	2	2	2	–	2	1	2	–	–	–	–	–	–	–
Tubercular Class	7	6	7	4	3	3	1	2	–	1	–	–	–	–	–	–
Brain, etc.	–	1	1	6	3	7	5	5	9	3	4	–	–	–	–	–
Heart, etc.	3	2	2	3	4	2	10	8	8	2	1	–	–	–	–	–
Respiratory Organs	1	1	1	2	4	4	5	8	11	4	4	3	–	–	–	–
Digestive Organs	3	2	2	3	3	2	7	3	2	1	–	–	–	–	–	–
Urinary Organs	1	–	1	1	1	1	2	–	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	4	16	20	12	9	3	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Violent Deaths	2	2	–	1	2	1	1	1	1	1	1	–	–	–	–	–
Small Pox	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	–	–	1	–	2	–	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	1	1	2	1	1	–	1	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	2	2	–	–	2	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	6	6	4	3	3	1	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	–	–	–	2	1	–	1	1	1	1	–	–
Apoplexy	14	–	–	–	1	–	–	–	–	–	–	–	–
Paralysis	23	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	1	–	–	–	–	–	1	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	1	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	45	–	–	–	–	–	–	–	–	–	–	–	2
VI. Laryngitis	1	–	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	53	6	3	7	4	1	–	–	–	1	1	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	17	1	–	1	–	1	–	–	2	1	–	–	1
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	9	–	–	5	4	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	2	–	–	1	–
Fracture and Contusion	12	–	–	–	–	–	–	1	–	2	–	1	3
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	6	3	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	2	2	2	2	2	1	1	–	–	–	–	–
Paralysis	–	–	–	2	1	3	3	3	7	1	3	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	1	–	2	–	–	–	1	–	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	2	3	4	1	10	8	8	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	–	–	2	3	5	9	3	3	3	–	–	–	–
Pleurisy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	1	3	–	–	1	2	1	1	–	–	–	–	–
Asthma	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	2	–	–	4	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	1	–	2	2	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

	DEATHS in 1872.												
	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
MEAN TEMPERATURE in 1872	39°·0	41°·2	41°·8	45°·2	47°·4	55°·1	59°·3	56°·5	51°·5	45°·8	41°·3	38°·2	46°·9
SCOTLAND	7700	6774	6771	7062	6385	5598	5951	5572	5169	5909	5941	6906	75,741
PRINCIPAL TOWN DISTRICTS	3176	2781	2663	2773	2613	2209	2301	2237	2106	2391	2322	2611	30186
LARGE TOWN DISTRICTS	808	726	781	886	676	603	710	614	600	665	709	821	8,625
SMALL TOWN DISTRICTS	1686	1474	1499	1505	1412	1307	1320	1246	1193	1298	1372	1643	16955
MAINLAND-RURAL DISTRICTS	1830	1620	1643	1691	1521	1302	1466	1308	1148	1403	1386	1615	17939
INSULAR-RURAL DISTRICTS	200	173	185	204	160	177	154	167	122	152	164	210	2068
DIVISIONS.													
1 NORTHERN	186	174	172	175	164	140	165	139	111	135	156	191	1908
2 NORTH-WESTERN	272	249	263	257	228	180	183	206	190	228	216	287	2759
3 NORTH-EASTERN	768	700	684	663	628	493	532	477	436	544	516	644	7085
4 EAST-MIDLAND	1323	1088	1008	1018	922	793	946	844	826	941	954	1165	11828
5 WEST-MIDLAND	533	443	483	479	450	432	472	464	401	491	429	518	5595
6 SOUTH-WESTERN	2979	2640	2708	2949	2660	2423	2505	2386	2232	2485	2531	2829	31327
7 SOUTH-EASTERN	1272	1119	1106	1142	1012	844	855	796	723	810	854	936	11469
8 SOUTHERN	367	361	347	379	321	293	293	260	250	275	288	336	3770
COUNTIES.													
I. NORTHERN.													
1 Shetland	55	41	45	41	40	41	40	29	23	30	31	53	469
2 Orkney	27	37	34	50	40	36	31	37	25	29	42	47	435
3 Caithness	56	49	64	46	57	54	62	52	47	49	53	66	635
4 Sutherland	48	47	29	38	27	29	32	21	16	27	30	25	369
II. NORTH-WESTERN.													
5 Ross and Cromarty	124	110	123	97	104	81	85	95	84	102	92	135	1232
6 Inverness	148	139	140	160	124	99	98	111	106	126	124	152	1527
III. NORTH-EASTERN.													
7 Nairn	11	8	6	9	11	10	18	14	8	7	17	17	136
8 Elgin (or Moray)	85	72	77	71	71	51	62	42	53	45	54	63	746
9 Banff	85	76	101	93	89	77	66	76	59	98	79	110	1009
10 Aberdeen	507	489	447	435	408	316	329	308	279	354	321	406	4599
11 Kincardine	80	55	53	55	49	39	57	37	37	40	45	48	595
IV. EAST MIDLAND.													
12 Forfar	715	543	451	451	421	350	408	424	416	466	461	574	5680
13 Perth	229	231	213	216	214	166	225	180	168	187	193	235	2457
14 Fife	322	261	299	285	240	228	254	198	207	244	245	305	3091
15 Kinross	8	10	9	12	14	10	18	6	7	10	16	17	137
16 Clackmannan	49	40	36	54	33	39	41	36	28	34	39	34	463
V. WEST MIDLAND.													
17 Stirling	199	168	196	192	183	149	204	162	172	199	187	233	2244
18 Dumbarton	145	127	113	119	129	121	119	105	107	148	104	122	1459
19 Argyll	165	120	138	133	105	133	114	138	91	110	114	133	1494
20 Bute	24	28	36	35	33	29	35	59	31	34	24	30	398
VI. SOUTH-WESTERN.													
21 Renfrew	477	398	403	456	428	370	415	408	410	420	426	449	5060
22 Ayr	453	383	426	418	339	337	339	300	266	311	358	423	4353
23 Lanark	2049	1859	1879	2075	1893	1716	1751	1678	1556	1754	1747	1957	21914
VII. SOUTH-EASTERN.													
24 Linlithgow	74	71	62	79	68	64	71	64	63	80	78	96	870
25 Edinburgh	985	899	871	884	799	641	636	589	540	598	614	652	8708
26 Haddington	83	51	72	74	59	53	54	50	38	52	58	70	714
27 Berwick	54	51	58	46	35	39	46	45	41	42	41	53	554
28 Peebles	29	18	12	20	21	22	13	19	14	14	21	17	220
29 Selkirk	47	29	31	39	30	25	35	29	27	24	39	48	403
VIII. SOUTHERN.													
30 Roxburgh	81	77	75	82	57	53	61	75	67	53	59	75	815
31 Dumfries	146	140	135	151	118	108	126	90	88	112	116	121	1481
32 Kirkcudbright	72	60	75	81	70	71	57	50	44	57	68	68	773
33 Wigtown	68	84	62	65	46	61	49	45	51	53	45	72	701

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

No	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and Part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenriness	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222b	Millbrex	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar, and part of Udny.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249b	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
321	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328b	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
402	Anstruther-Easter	Parts of Anstruther and Kilrenny.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, &c., and Inishail.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698b	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774a	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddom.
853b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie	*Fortrose.	
130	Drainie		*Lossiemouth.
164	Rathven		*Buckie.
167	Seafield	Cullen.	
211	Kinnellar	Kintore.	
213	Kintore	Inverurie.	
251 [1]	Banchory-Devenick	Aberdeen.	
253	Benholm	Inverbervie.	
255	Dunnottar		Stonehaven.
258 [1]	Fetteresso		Do.
262	Kinneff, etc.	Inverbervie.	
274	Barry		Carnoustie.
280	Craig	Montrose.	
282 [4]	St Andrews (Dundee)		Broughty-Ferry.
310	Monifieth		Do.
316	Panbride		Carnoustie.
371	Lecropt		Bridge of Allan.
374	Logie	Stirling.	Do.
385	Muckhart		Dollar.
386 *a*	Muthill		Crieff.
389	Rattray		Blairgowrie
400	Abdie		Suburban of Newburgh.
405	Auchterderran		Lochgelly.
408	Ballingry		Do.
427	Elie		Suburban of Earlsferry.
436	Kilconquhar	*Earlsferry.	Do.
438	Kilrenny	Anstruther-Easter.	
456	Scoonie		*Leven.
459	Wemyss		Buckhaven.
466	Clackmannan		Alloa.
475	Campsie		*Lennoxtown.
478	Dunipace		Denny.
488	St Ninians		Bannockburn.
493	Bonhill		*Alexandria.
494	Cardross		*Renton.
500	New or East Kilpatrick		*Milngavie.
503	Row		*Helensburgh.
523	Kilmore and Kilbride	*Oban.	
559 [1]	Abbey	Paisley.	
559 [2]	Do. (Landward)		Barrhead.
560	Cathcart		{Busby. {Crosshill (Suburban of Glasgow).
562	Eastwood		*Pollokshaws and Thornliebank.
564	Greenock (East)	Port-Glasgow.	
571	Mearns		Busby.
576 [1]	Old Ardrossan		Saltcoats.
577	Auchinleck		Cumnock.
593	Galston		Newmilns.
597	Kilmarnock		Hurlford.
603	Loudoun		Galston and Newmilns.
611	Riccarton	Kilmarnock.	Hurlford.
613	Sorn		*Catrine.
615	Stevenston		Saltcoats.
621	Avondale		*Strathaven.
622 [2]	Shettleston		Tollcross.
625 [1]	Bothwell		*Bellshill.
625 [2]	Holytown		Calderbank.
628	Cambusnethan		*Newmains and Wishaw.
639	Dalziel		Motherwell.
643	East Kilbride		Busby.
646 [1]	Govan Church		Suburban of Glasgow.
646 [2]	Partick		{Hillhead, Whiteinch, and Suburban { of Glasgow,
647	Hamilton		Larkhall and Motherwell.
651 [2]	New Monkland (Landward)		Suburban of Airdrie.
652	Old Monkland		
	(1) Western District		Baillieston, and Tollcross.
	(2) Middle District		Coatbridge and Rosehall.
	(3) Eastern District		Do. do. and Calderbank.
654	Rutherglen		Cambuslang.
664	Carriden		Bo'ness.
673 [2]	Fauldhouse		*Crofthead.
689	Inveresk	*Musselburgh.	
691	Lasswade		Penicuik.
727	Ayton		Eyemouth.
776 *b*	Ladhope	Galashiels.	
810	Wilton	Hawick.	
813 *b*	Brydekirk	Annan.	
863	Crossmichael		Castle-Douglas.
868	Kells	*New Galloway.	
869	Kelton		Castle-Douglas.
876	Minnigaff		Newton-Stewart.
880	Terregles	Dumfries.	
882	Troqueer	Do.	
895	Penninghame		Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 *to* 901.*

Abbey, . 559
„ St Bathans, 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Abernemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 90*a*
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, . 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328*b*
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Ban.-Ternan 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 586
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Caddonfoot, 774*a*
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Central (Glasg.) 644
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 128*b*
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbrae, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682
Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries, . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96*b*
Dyce, . . 190
Dyke, . . 133
Dysart, . 426
Eaglesham, 561
Earlsferry, 436
Earlston, . 736

* The actual number of Districts is 1021—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddleston, . 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . 135
Elie, . . 427
Ellon, . 192
Enzie, . 152
Errol, . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry(Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingal, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenlivat, . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, 512
Glenrinnes, 155*b*
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Govan Church, 646
Graitney (or Gretna), 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
High (Glasgow) 644
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch(Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberdn), 203
Inverallen 93
Inveraray 513
Inverarity, 292
Inveravon, 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . . 833
Keith, . 159
Keith-hall, . 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrennan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, . 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, . 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, . 73
Knoydart, . 97
Ladhope, . 776*b*
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, and Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Loglealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . . 499
Lyne, . . 765

Madderty, . 378
Mains, . 307

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, . 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222*a*
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, . 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, 695
Newburgh, . 450
Newburn, . 451
Newbyth, . 210
New Cumnock, 608
New Deer, . 225
New Galloway, 868
Newhills, . 226
Newington . 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, . 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Park, . . 646
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Portmoak, 464
Portnahaven, 547
Portobello, 684
Port of Menteith, . 388
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 96*b*
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clements, 282
St Cyrus, . 267
St Fergus, . 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Marys, . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peters, . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay and Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, . 112
Stenton, . 721
Stevenston, 615
Stewarton, . 616
Stirling, . 490
Stitchel, . 808
Stobhill, . 698*b*
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, . 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, . 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, . 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree (Argyll), 551
Tyrie (Aberd'n.), 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, . 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, . 900
Whitsome, . 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660
Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells 249

EDINBURGH: PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

TWENTY-FIRST
ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
ON THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED IN
SCOTLAND
DURING THE
YEAR 1875;
AND
ELEVENTH ANNUAL REPORT
ON
VACCINATION.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1876

[C.—1488.]—*Price* 6*d.*

CONTENTS.

PAGE

Report of the Registrar-General to the Secretary of State for the Home Department, . . 5
Report to the Registrar-General, by Dr. Robertson 7

SCOTLAND.

Births registered in Scotland during the year 1875; the Average Scottish Birth-rate; the Proportion of Births in the Town and Rural Districts; Illegitimate Births; Proportion of Boys to Girls, etc.; with relative Tables, ... 8

Deaths registered in Scotland during the year 1875; the Average Scottish Death-rate; the Proportion of Deaths in the Town and Rural Districts; with relative Tables, . 11

Marriages registered in Scotland during the year 1875; the Average Scottish Marriage-rate; the Proportion of Marriages in the Town and Rural Districts, . . 12

EIGHT PRINCIPAL TOWNS.

Births in the Eight Principal Towns of Scotland during the year 1875, with the Mean Annual Proportion of Births, and the relative Birth-rate in each Town; the Proportion of Illegitimate Births, and the Sexes at Birth; with relative Tables, . . 13

Deaths in the Eight Towns during the year 1875, with the Mean Death-rate in these Towns, and the Proportional Death-rate in each Town; the Deaths in each Town, and the Diseases which proved fatal; with relative Tables, ... 14

Marriages in the Eight Towns during the year 1875, ... 19

Weather, and its Influence on the Mortality; with relative Tables, . . . 19

VACCINATION IN SCOTLAND—1874.

Tenth Report on Vaccination in Scotland applicable to the Children born and registered during the year 1874; showing the Number and Proportion who were successfully vaccinated; the Number whose Vaccination had been postponed, etc. . . 27

ABSTRACTS.

PAGE

I. Births registered in Scotland and its Counties during each Month of the year 1875, conform to Act 17 and 18 Vict. cap. 80, ... 34

II. Deaths registered in Scotland and its Counties during each Month of the year 1875, . 35

III. Marriages registered in Scotland and its Counties during each Month of the year 1875, . 36

IV. Summary of Deaths from All Causes at Four Periods of Life in the Eight Principal Towns of Scotland during 1875, ... 37

V. Deaths in each of the Eight Principal Towns of Scotland at Four Periods of Life in 1875, 38

VI. Monthly Deaths from All Causes in the Eight Principal Towns during 1875, . . 42

VII. Births in each of the Eight Principal Towns during each Month of the year 1875, and Aggregate Monthly Births for each of the Six previous years, ... 44

VIII. Illegitimate Births in each of the Eight Principal Towns during each Month of the year 1875, and Aggregate Monthly Illegitimate Births for each of the Six previous years, . 45

IX. Marriages in each of the Eight Towns during each Month of the year 1875, and Aggregate Monthly Marriages during each of the Nine previous years, ... 45

X. Deaths in each of the Eight Principal Towns during each Month of 1875, and Aggregate Monthly Deaths during each of the Six previous years, ... 46

XI. Meteorology of the Eight Principal Towns during each Month of the year 1875, . . 47

XII. Part I.—Births, Deaths, and Marriages in every County and District in Scotland during the year 1875, ... 48

Part II.—Vaccinations in every County and District of Scotland during the year 1874, pursuant to the Act 26 and 27 Vict. cap. 108, ... 48

Annual Average of Vaccinations in Scotland during the Ten years 1864–1873, . . . 76

Registrars' Notes relative to Vaccination, ... 77

Constitution of the Compound Districts, ... 81

List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, . 83

Index to Registration Districts, ... 83

REPORT.

TO THE

RIGHT HON$^{BLE.}$ R. ASSHETON CROSS, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, Etc,
EDINBURGH, 17*th April* 1876.

SIR,

I HAVE the honour to submit to you, in accordance with the requirements of the Scottish Registration Act (17 and 18 Vict. cap. 80), a General Abstract of the Births, Deaths, and Marriages registered in Scotland during the year 1875, which has been prepared in the usual form, with a view to its being laid before Parliament.

In accordance, also, with the 19th Section of the Scottish Vaccination Act (26 and 27 Vict. cap. 108), I have the honour to submit the Eleventh Annual Report on Vaccination, which refers to the Vaccination of children whose Births were registered in Scotland during the year 1874. Accompanying this Report will be found the usual Tables giving full information regarding the operation of the Vaccination Act from 1864 to 1875 inclusive, and showing the number of Deaths from Small-pox that have been registered in Scotland during each year from 1855 to 1872, and the *estimated* numbers of such Deaths during the three years terminating with 1875. Happily, during these three years, the Deaths from Small-pox have been progressively becoming far less numerous; but the recent experience derived from the epidemic of 1871–1872 forbids

the belief that Small-pox may not again, from time to time, prove formidable as a cause of Death in Scotland.

That the Vaccination Act has worked well in Scotland, and has produced much benefit to the population will be generally admitted; still there are reasons for believing that the Statute would be considerably improved by the introduction of one very simple and yet important amendment. I allude to the proposal for abridging to four months the period during which newly-born children may be legally suffered to remain unvaccinated—a proposal not now made for the first time, and to which I have deemed it my duty to direct attention very strongly in the course of this Report. To the adoption of this proposal it seems to me difficult to imagine any serious objection.

I have the honour to be,

SIR,

Your most obedient Servant,

W. PITT DUNDAS,

Registrar-General.

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

THE following Report embraces the usual details regarding the Births, Deaths, and Marriages registered during 1875 in the 1028 Districts into which Scotland was then divided for the purposes of Registration. In the Report is likewise included the usual information as to the Vaccination of the children born during the year 1874.

There have been recorded in Scotland during 1875, 123693 Births, 81785 Deaths, and 25921 Marriages; consequently, in every thousand of the estimated population there have been 35·4 births, 23·4 deaths, and 7·4 marriages. On comparing these numbers with the results of recent experience in Scotland, it is found that the birth-rate of 1875 has been considerably above the mean of the last ten years, and a mere trifle below the birth-rates of 1865 and of 1874—that the death-rate has slightly exceeded that of 1874, and is considerably above the ten years' mean,—that the marriage-rate is above the mean of the decennium, but has been several times exceeded, as, for example, in each of the last three years.

TABLE I.—Population estimated to the middle of each year, with the number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855 to 1875, and their proportion to the Population; also the excess of Births over Deaths, the number of Illegitimate Births, and their proportion to the total Births.

YEAR.	Estimated Population.	BIRTHS.		DEATHS.	MARRIAGES.	Excess of Births over Deaths.	Percentage to Population.			Per cent. of Illeg. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,623	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,668	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,856	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,226	118,873	10,817	75,741	25,580	43,132	3·4971	2·2282	0·7525	9·1
1873	3,430,923	119,738	10,804	76,857	26,730	42,881	3·4897	2·2401	0·7791	9·0
1874	3,462,916	123,795	10,837	80,676	26,247	43,119	3·5749	2·3297	0·7579	8·7
1875	3,495,214	123,693	10,640	81,785	25,921	41,908	3·5389	2·3389	0·7416	8·6

123693 Births were registered in Scotland in 1875, being at the rate of 3·54 per cent., or of 354 for every ten thousand of the estimated population of the whole country. The marriage-rate having been very high during the last few years, an increase in the number of births is a natural result.

TABLE II.—Number of Births, Deaths, and Marriages in Scotland and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1865 to 1875 inclusive.

	1865.		1866.		1867.		1868.		1869.		1870.		1871.		1872.		1873.		1874.		Mean per cent. Ten Years.	1875.	
	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.		No.	Per cent.
FIRST QUARTER.																							
Births,	28594	3·60	28883	3·59	27952	3·44	28697	3·50	28428	3·44	28665	3·44	28902	3·43	29506	3·47	30210	3·52	29837	3·45	3·488	31096	3·56
Deaths,	20804	2·62	19095	2·37	19977	2·46	18042	2·20	20429	2·47	22198	2·66	19756	2·34	21245	2·50	21443	2·50	20775	2·40	2·452	25116	2·87
Marriages,	5416	0·68	5642	0·70	5356	0·67	5287	0·64	5307	0·64	5647	0·67	5415	0·64	5820	0·68	6618	0·77	6777	0·78	0·687	6369	0·73
Mean Temperat.	35°·3		38°·0		36°·5		40°·6		40°·0		36°·9		39°·1		40°·7		38°·1		40°·9		38°·61	38°·7	
SECOND QUARTER.																							
Births,	30318	3·81	29808	3·71	30375	3·74	30983	3·78	29450	3·56	30636	3·67	30583	3 63	30726	3·61	31283	3·64	32295	3·73	3·688	32294	3·70
Deaths,	17074	2·15	18575	2·31	17475	2·15	16958	2·07	19192	2·35	18027	2·15	18715	2·22	19045	2·24	19931	2·32	19640	2·27	2·223	19518	2·24
Marriages,	5707	0·72	6034	0·75	5627	0·69	5661	0·69	5611	0·67	5770	0·69	5946	0·70	6398	0·75	6690	0·78	6730	0·78	0·722	6638	0·76
Mean Temperat.	51°·5		49° 3		49°·0		51°·0		48°·4		51°·0		48°·7		49°·2		49°·2		49°·53		49°·68	50°·73	
THIRD QUARTER.																							
Births,	27306	3·40	27204	3·38	27870	3·43	28354	3·46	27637	3·33	28263	3·39	28689	3·40	29181	3·43	28975	3·38	30702	3·55	3·415	30123	3·45
Deaths,	15924	2·00	15470	1·92	15125	1·86	16659	2·03	16528	2·00	16573	2·03	16835	2·00	16692	1·96	17072	1·99	18099	2·09	1·988	18050	2·07
Marriages,	5343	0·67	5104	0·63	5071	0·62	4704	0·57	4885	0·59	5318	0·65	5424	0·64	5891	0·69	5816	0·68	5582	0·64	0·646	5723	0·65
Mean Temperat.	57°·5		54°·4		55°·2		57°·4		56°·4				56°·3		55°·8		55°·4		56°·03		56°·15	57°·27	
FOURTH QUARTER.																							
Births,	26852	3·38	27772	3·45	27847	3·43	27480	3·35	27339	3·37	27826	3·26	27953	3·32	29460	3·46	29270	3·41	30961	3·58	3·401	30180	3·45
Deaths,	17089	2·15	18210	2·26	16491	2·03	17757	2·17	19426	2·34	17367	2·08	19338	2·29	18759	2·20	18411	2·15	22162	2·54	2·221	19101	2·19
Marriages,	7145	0·89	6908	0·85	6564	0·81	6203	0·77	6341	0·76	7119	0·85	7181	0·85	7471	0·88	7606	0·88	7158	0·83	0·837	7191	0·82
Mean Temperat.	43°·4		43°·5		42°·3		41°·5		40°·9		39°·6		41°·3		41°·8		42°·7		39°·5		41°·65	41°·7	
YEAR.																							
Population,	3185437		3215129		3245098		3275350		3305885		3336707		3367922		3399226		3430923		3462916			3495214	
Births,	113070	3·56	113667	3·53	114044	3·51	115514	3·53	113354	3·42	115390	3·46	116127	3·45	118873	3·49	119738	3·49	123795	3·57	3·502	123693	3·54
Deaths,	70891	2·23	71350	2·22	69068	2·13	69416	2·12	75875	2 29	74165	2·22	74644	2·22	75741	2·22	76857	2·24	80676	2·33	2·222	81785	2·34
Marriages,	23611	0·74	23688	0·73	22618	0·69	21855	0·66	22144	0·67	23854	0 71	23966	0·71	25580	0·75	26730	0·78	26247	0·76	0·718	25921	0·74

Tables IV. and V. exhibit the numbers and proportion of births in each of the Five New Groups of Registration Districts. 43633 births were registered in the Eight Principal Towns, 14659 in the Large Towns, 29020 in the Small Towns, 33099 in the Mainland-Rural Districts, and 3282 in the Insular-Rural Districts. From these numbers, and from the estimated population of the several Groups of Districts, it is found that during 1875, the birth-rate was highest in the Large Towns, where it amounted to 4·26 per cent.; that it was 3·72 per cent. in the Principal Towns, 3·64 per cent. in the Small Towns, 3·14 per cent. in the Mainland-Rural, and only 2·52 per cent. in the Insular-Rural Districts. It is curious, and at present not clearly explicable, that the birth-rate in the Large Towns should for the last four years have been uniformly higher than that in the Principal Towns, although the frequency of Marriages is more considerable among the inhabitants of the Principal Towns.

Out of 123693 births, 10640 were illegitimate; that is to say, 8·6 per cent. of the births in all Scotland were illegitimate. In the Insular-Rural Districts the percentage of illegitimate births was 6·1; in the Large Towns it was 6·8; in the Small Towns, 7·9; in the Principal Towns, 8·7; and in the Mainland-Rural Districts, 10·2 per cent.

The relative frequency of illegitimate births in the different counties of Scotland is illustrated in Table VI. In Ross and Cromarty, 4·3 per cent. of the births were illegitimate; in Shetland, 5 per cent.; in Dumbarton, 5·2 per cent.; and in Sutherland, 5·7 per cent. Hence, in only four counties was the proportion of illegitimacy less than 6 per cent. of the total births. In twenty-two counties the illegitimate births constituted between 6 and 12 per cent. of the total births. Of these counties, Bute shows the lowest proportion, namely, 6·1 per cent.; and Berwick the highest, being 10·8 per cent. In seven counties the rate of 12 per cent. was exceeded; thus in Dumfries the proportion of illegitimates was 14 per cent.; in Aberdeen, 14·2; in Kirkcudbright, 14·6; in Kincardine, 14·9; in Elgin, 15·7; in Banff, 15·9; and in Wigtown, 16·9 per cent.

Of 123693 children whose births were registered, 63436 were males and 60257 females. For every 100 female births there were consequently 105·3 male births. The largest proportion of male births was in the Insular-Rural Districts, where it was 106·8 to every 100 females born,

TABLE III.—Births, Deaths, and Marriages in each of the Eight Divisions of Scotland during the Year 1875, and their Proportion to the estimated Population.

DIVISIONS.	POPULATION.		BIRTHS.		DEATHS.		MARRIAGES.	
	Census 1861.	Census 1871.	Number.	Per Cent. to Pop.	Number.	Per Cent to Pop.	Number.	Per Cent. to Pop.
Northern . .	130,422	127,191	3068	2·44	2258	1·79	630	0·50
North-Western .	167,242	166,351	4167	2·51	3329	2·01	731	0·44
North-Eastern .	366,870	393,199	13028	3·22	6959	1 72	2462	0·61
East Midland .	523,822	559,676	19360	3·37	12284	2·14	4201	0·73
West Midland .	242,487	251,088	8559	3·36	6034	2·37	1630	0·64
South-Western .	1,008,273	1,183,218	52700	4·17	35312	2·79	10977	0·87
South-Eastern .	413,216	475,523	16672	3·31	11071	2·20	4002	0·79
Southern . .	210,062	203,772	6139	3·05	4538	2·25	1288	0·64

while the smallest proportion, 104·3 to 100, was observed in the Principal Towns. These proportions seem subject to considerable variations in different years, and being deduced from small numbers will only become

TABLE IV.—Births, Illegitimate Births, Deaths, and Marriages, in the Five New Registration Groups of Town, Rural, and Insular Districts in Scotland in 1875.

FIVE NEW GROUPS OF DISTRICTS.	POPULATION estimated to the Middle of 1875.			BIRTHS.			ILLEGITIMATE BIRTHS	DEATHS.			MARRIAGES.
	Males.	Females.	Both Sexes.	Males.	Fem.	Both Sexes.		Males.	Fem.	Both Sexes.	
Principal Towns . .	554,721	616,507	1,171,228	22,274	21,359	43,633	3,792	15,272	15,686	30,958	10,665
Large Towns . .	165,532	178,108	343,640	7,558	7,101	14,659	1,002	5,014	4,816	9,830	3,004
Small Towns . . .	381,028	415,569	796,597	14,941	14,079	29,020	2,281	9,043	9,251	18,294	5,580
Mainland-Rural . .	511,654	542,064	1,053,718	16,968	16,131	33,099	3,363	9,951	10,340	20,291	6,125
Insular-Rural . .	60,170	69,861	130,031	1,695	1,587	3,282	202	1,134	1,278	2,412	547
SCOTLAND . .	1,673,105	1,822,109	3,495,214	63,436	60,257	123,693	10,640	40,414	41,371	81,785	25,921

N.B.—The Principal Town Districts contain towns with above 25,000 inhabitants; the Large Town Districts contain towns with from 10,000 to 25,000 inhabitants, and also the suburbs of Glasgow; the Small Town Districts contain towns with from 2,000 to 10,000 inhabitants; and the Mainland Rural and Insular-Districts contain the remainder of the inhabitants of Scotland.

TABLE V.—Percentage of Births, Deaths, and Marriages to the Population, distinguishing the Sexes; Percentage of Illegitimate to Total Births, and Proportion of Boys to Girls at Birth, in the Five New Groups of Registration Districts in 1875.

NEW REGISTRATION GROUPS OF DISTRICTS.	Percentage to Population in 1875.							Percentage of Illegitimate to Total Births.	Proportion of Boys to every 100 Girls at Birth.
	BIRTHS.			DEATHS.			MARRIAGES.		
	Males.	Females	Both Sexes.	Males.	Females	Both Sexes.			
Principal Towns . .	4·01	3·46	3·72	2·75	2·54	2·64	0·91	8·7	104·3
Large Towns . . .	4·57	3·99	4·26	3·03	2·70	2·86	0·87	6·8	106·4
Small Towns . . .	3·92	3·39	3·64	2·37	2·23	2·30	0·70	7·9	106·1
Mainland-Rural .	3·32	2·97	3·14	1·94	1·91	1·92	0·58	10·2	105·2
Insular-Rural . .	2·82	2·27	2·52	1·88	1·83	1·85	0·42	6·1	106·8
SCOTLAND . . .	3·79	3·31	3·54	2·41	2·27	2·34	0·74	8·6	105·3

TABLE VI.—Proportion of Illegitimate to every 100 Births in Scotland, its Divisions and Counties, in 1875.

DIVISIONS.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.
SCOTLAND.	8·6	Shetland	5·0	Forfar	10·3	Lanark	7·1
		Orkney	7·8	Perth	9·2	Linlithgow	7·6
NORTHERN DIVISION	7·5	Caithness	9·7	Fife	7·8	Edinburgh	7·8
NORTH-WESTERN Do.	6·4	Sutherland	5·7	Kinross	8·4	Haddington	7·3
NORTH-EASTERN Do.	14·6	Ross & Cromarty	4·3	Clackmannan	7·1	Berwick	10·8
EAST-MIDLAND Do.	9·7	Inverness	8·2	Stirling	6·9	Peebles	9·6
WEST-MIDLAND Do.	6·5	Nairn.....	10·0	Dumbarton	5·2	Selkirk	7·8
SOUTH-WESTERN Do.	7·1	Elgin	15·7	Argyll	7·4	Roxburgh	10·6
SOUTH-EASTERN Do.	8·0	Banff	15·9	Bute	6·1	Dumfries	14·0
SOUTHERN Do.	13·8	Aberdeen	14·2	Renfrew	6·5	Kirkcudbright	14·6
		Kincardine.....	14·9	Ayr	7·4	Wigtown.....	16·9

valuable when it may be in our power to unite the numbers of many years, as a basis for our computations.

Births occurred with greatest frequency during the month of April, when they averaged 364 per diem. They were least frequent in September, when the average daily number of registrations was only 315.

DEATHS.

The Deaths registered during 1875 were 81785, being in the proportion of 234 to every ten thousand of estimated population, or at the rate of 2·34 per cent. This death-rate is very high, considerably exceeding the average death-rate of the last ten years. Since the year 1864 the death-rate of Scotland has been usually about 2·22 per cent. In 1874 it, however, amounted to 2·33 per cent., and in 1875, even this heavy mortality was exceeded. The explanation of this mortality must be reserved for the Detailed Annual Report for 1875; but the tables relative to the causes of the Deaths in the Eight Principal Towns, which accompany the present Report, render it highly probable that an unusual prevalence of diseases of the Respiratory System, due to Meteorological influence, has most effectively contributed to swell the death-rate of 1875 throughout the whole of Scotland. During January there were on an average fully 300 deaths registered every day, but in September the registrations little exceeded 191 deaths per diem.

In the Large Towns the death-rate was 286 for every ten thousand of estimated population—a rate exceeding that experienced during 1874. In the Principal Towns the rate was 264 to every ten thousand inhabitants—a mortality considerably lower than that of the year immediately preceding. In the Small Towns, Mainland-Rural, and Insular-Rural Districts, the rates were 230, 192, and 185 for each ten thousand of their respective populations—numbers indicating a rate of mortality decidedly above that which has been recorded for 1874.

TABLE VII.—Births, Deaths, and Marriages, and their Proportion to the Population, in the Eight Principal Towns of Scotland, during each of the Years 1855–1875.

YEARS.	Population estimated to the middle of each year.	BIRTHS.		DEATHS.		MARRIAGES.	
		Number.	Per cent. to Population.	Number.	Per cent. to Population.	Number.	Per cent. to Population.
1855	827,558	28,113	3·39	22,706	2·74	6,937	0·84
1856	837,540	31,719	3·78	22,254	2·65	7,507	0 89
1857	847,522	32,764	3·85	23,363	2·75	7,476	0·88
1858	857,504	32,563	3·79	23,445	2·73	6,865	0·80
1859	867,486	33,027	3·80	22,352	2·56	7,554	0·87
1860	877,468	32,958	3·75	26,066	2·97	7,688	0·87
1861	889,133	34,351	3·86	23,149	2·60	7,753	0·87
1862	906,042	34,436	3·81	24,960	2·76	7,724	0·87
1863	923,276	35,888	3·88	27,045	2·93	8,544	0·85
1864	940,840	37,058	3·94	28,845	3·07	8,897	0·92
1865	958,731	38,109	3·97	28,515	2·90	9,347	0·94
1866	976,986	38,541	3·94	27,466	2·81	9,458	0·96
1867	995,583	39,012	3·96	26,519	2·69	8,870	0·90
1868	1,014,536	39,492	3·89	28,037	2·76	8,589	0·86
1869	1,033,853	39,517	3·82	31,477	3·04	9,156	0·88
1870	1,053,542	40,452	3·83	28,508	2·70	9,733	0·92
1871	1,073,608	40,442	3·77	31,426	2·93	9,819	0·91
1872	1,094,061	41,657	3·81	30,186	2·76	10,445	0·95
1873	1,114,907	41,504	3·73	30,004	2·69	10,596	0·95
1874	1,136,154	42,641	3·75	32,118	2·83	10,491	0·92
1875	1,171,228	43,633	3·72	30,958	2·64	10,665	0·91

The numbers for 1872, 1873, 1874, and 1875, are made up from the Quarterly Returns; the remainder from the Detailed Annual Reports, where the figures are corrected.

MARRIAGES.

25921 Marriages were registered during the year, being at the rate of 74 marriages for every ten thousand of estimated population. This proportion is far above the average of the last ten years, and is only slightly below the very high marriage-rates of 1872, 1873, and 1874.

The frequency of marriages in different localities is no doubt determined by a variety of circumstances, among which may be specified the amount of wealth and of commercial prosperity existing among the people, the relative proportions of the numbers of the unmarried of either sex living at any particular time, the degree in which habits of provident thrift and of industry prevail, and perhaps, not least, the degree in which the population is aggregated in the larger cities and centres of industrial operations. It has been before remarked in similar reports that the marriage-rate in Scotland is highest in the Groups of Registration Districts where the population is most aggregated. Thus, it is seen in Table V. that the marriage-rate in 1875 was 91 per ten thousand inhabitants in the Principal Towns, 87 per ten thousand in the Great Towns, 70 per ten thousand in the Small Towns, 58 per ten thousand in the Mainland-Rural, and only 42 per ten thousand in the Insular-Rural Districts.

EIGHT PRINCIPAL TOWNS OF SCOTLAND.

Before proceeding to make the usual commentary upon the Births, Marriages, and Deaths in these towns it is necessary to explain a very important change which we have been obliged to introduce into column 1 of Table VIII. in our statement of the estimated populations of Glasgow and of Edinburgh. At the 1st January 1875, the registration area of Glasgow was, by authority of the Sheriff, so materially extended that the estimated population for the middle of the year is now stated at 534564, instead of 517658, the number estimated for the more contracted area. At the same time, an alteration of opposite nature was made in Edinburgh, by means of which the registration area was contracted, and the estimated population for the middle of 1875 was perforce diminished from 215114 to 211626. On statistical grounds these changes are of course to be deplored, but there are considerations of public utility to which mere statistical convenience must defer. It seems only necessary here to point out the nature of the disturbance of our population estimates, which the changes above mentioned have created. Nearly 17000 inhabitants of Small Towns have been nominally transferred to Glasgow, and will be henceforth presumed to increase in numbers, from year to year, at the rate of increase calculated for Glasgow from the date of last Census, and not at the average and lower rate calculated for Small Towns. Then nearly 3500 persons have been transferred from the registration area of Edinburgh to the Group of Mainland-Rural Districts, and will henceforth be considered liable from year to year to a slight *decrease* in numbers, such as was taking place in the Mainland-Rural Districts between 1861 and 1871. Had these 3500 persons been suffered to remain within the registration boundaries of Edinburgh, their numbers would have been, of course, supposed to *augment* from year to year in the same proportion as the population of the city was annually increasing between 1861 and 1871. At the middle of the year 1875, fully $33\frac{1}{2}$ per cent. of the whole population of Scotland were living in the Eight Principal Towns. It is to

this fraction of the population that the numbers in most of the following Tables apply. For the collection of the numbers relative to the whole of Scotland some time is requisite; for not only must the details which they embrace be carefully analyzed, but errors must be corrected and deficiencies supplied, especially in connection with the recorded causes of deaths. The Detailed Annual Reports furnish the most correct information which this Department can collect regarding the movement of the population in the whole of Scotland. The Ordinary Annual Reports, which are framed by means of combining and correcting the ordinary Weekly, Monthly, and Quarterly Reports are, however, more promptly available, and furnish a sufficiently correct guide to the conditions affecting the inhabitants of the whole country, and must supply valuable hints to those who direct sanitary reform in various localities. Seldom indeed does an epidemic disorder attain considerable proportions in any part of the country without having its approach indicated by the statistics of one or other of our Principal Towns.

BIRTHS IN THE EIGHT TOWNS.

During the year 1875, there were registered in the Eight Towns 43633 Births,—that is 372 births for every ten thousand of population. The birth-rate was lowest in Edinburgh and highest in Greenock; but the difference between these extreme rates was hardly so considerable as in 1874. For every ten thousand inhabitants of Edinburgh, the rate was 319 births; in Perth, the rate was 327; in Paisley, 349; in Aberdeen, 353; in Glasgow and in Leith, 390; in Dundee, 391; and in Greenock, 4·06.

Of 43633 births in the Eight Towns, 3792, or 8·7 per cent. were illegitimate. The illegitimate births constituted 5·6 per cent. of the total births in Leith and in Greenock; 7·5 per cent. in Paisley; 8·4 per cent. in Edinburgh and in Glasgow; 9·3 per cent. in Perth; 10·5 per cent. in Dundee; and 13·2 per cent. in Aberdeen.

The records of last Census make it very plain that the proportion of

---

TABLE VIII.—Births, Deaths, and Marriages, and their Proportion to the Population, during the Year 1875, in each of the Principal Towns of Scotland; also the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Population estimated to the middle of 1875.	BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
		Number.	Per Cent. to Pop.	Number.	Per Cent. to Total Births.	Number.	Per Cent. to Pop.	Number.	Per Cent. to Pop.
Glasgow	534,564	20828	3·90	1745	8·4	15357	2·87	4979	0·93
Edinburgh	211,626	6754	3·19	570	8·4	5042	2·38	2051	0·97
Dundee	135,401	5291	3·91	555	10·5	3306	2·44	1234	0·91
Aberdeen	94,846	3344	3·53	442	13·2	2010	2·12	700	0·74
Greenock	68,074	2761	4·06	154	5·6	2179	3·20	565	0·83
Paisley	48,598	1792	3·49	135	7·5	1364	2·81	464	0·95
Leith	51,614	2011	3·90	112	5·6	1062	2·06	472	0·91
Perth	26,505	867	3·27	81	9·3	635	2·39	211	0·80

N.B.—The Tables referring to the Eight Towns are made up from the Monthly Returns, and we have not the means of correcting the discrepancies between them and the Quarterly Returns, as the Registration Books are not received at this office till many months after the close of the year.

unmarried and widowed females, aged between 15 and 45, and residing in each of the Eight Principal Towns, varies exceedingly. It appears hardly fair to omit mention of this circumstance when stating the amount of illegitimacy in each of the towns. On computing for the year 1875 the percentage of illegitimate children born in each town by the unmarried and widowed females between the ages of 15 and 45, we find that in Edinburgh the rate was 1·59 per cent.; in Paisley, 1·87 per cent.; in Leith, 1·97 per cent.; in Greenock, 2·13 per cent.; in Perth, 2·25 per cent.; in Dundee, 2·36 per cent.; in Glasgow, 2·43 per cent.; and in Aberdeen, 3·39 per cent.

Of the children born in the Eight Towns, 22274 were males and 21359 females. These numbers are equivalent to a rate of 104·3 males for every 100 females. The excess of male births was most considerable in the Insular-Rural Districts and in the Large Towns, but decidedly less marked in the Principal Towns.

DEATHS IN THE EIGHT TOWNS.

The Deaths registered in the Principal Towns during 1875 were 30955, or in the proportion of 264 to every ten thousand of estimated population. This rate is considerably below the average rate of the last ten years, which was 283.

The mortality varied considerably in the different Principal Towns. For each ten thousand persons residing in Leith there were 206 deaths; for the like number of inhabitants in Aberdeen, 212; in Edinburgh, 238; in Perth, 239; in Dundee, 244; in Paisley, 281; in Glasgow, 287; and

TABLE IX.—Percentage of Deaths to the Population in each of the Eight Principal Towns of Scotland, during each of the Years 1865-1875.

TOWNS.	Percentage of Deaths to the Population.											
	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	Mean of Ten Years.	1875.
Glasgow	3·25	2·93	2·82	3·04	3·37	2·96	3·29	2·87	2·91	3·12	3·06	2·87
Edinburgh	2·65	2·58	2·52	2·48	2·77	2·37	2·69	2·67	2·19	2·36	2·53	2·38
Dundee	2·91	2·95	2·71	2·60	3·09	2·69	2·74	2·79	2·56	3·16	2·82	2·44
Aberdeen	2·48	2·86	2·20	2·41	2·09	2 21	2·25	2·35	2·31	2·22	2·34	2·12
Greenock	3·34	2·88	2·69	3·02	3·09	2·86	3·01	2·73	3·47	2·56	2·96	3·20
Paisley	2·95	2·81	2·78	2·54	3·01	2·80	2·94	2·95	3·28	2·86	2·89	2·81
Leith	2·36	2·24	2·51	2·24	2·63	2·32	2·31	2·79	2·21	2·49	2·41	2·06
Perth	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·22	2·41	2·64	2·40	2·39

TABLE X.—Deaths of Children under 5 Years of age in each of the Eight Principal Towns of Scotland during the Year 1875.

TOWNS.	Number of Living Children under 5 years in 1875.	Deaths under 5 years of age.	Percentage of Deaths under 5 years.	Percentage of Deaths under 5 years to the Total Deaths.
Glasgow	72,959	6990	9·58	45·5
Edinburgh	26,106	1955	7·49	38·8
Dundee	18,433	1408	7·64	42·6
Aberdeen	13,093	674	5·15	33·5
Greenock	10,137	1072	10·57	49·2
Paisley	6,448	489	7·58	35·8
Leith	7,646	472	6·17	44·4
Perth	3,179	207	6·51	32·6

in Greenock, 320. Reference to the last two columns of Table IX. will show that during 1875 the average mortality of the preceding ten years has been exceeded in Greenock only, that in all the other Principal Towns the mortality has been well within the average, and that this has been especially the case in Dundee, Aberdeen, and Leith, where the death-rates of 1875 were lower than that recorded for any of the years embraced in Table IX.

In estimating the relative salubrity of the Principal Towns, one of the chief points to which attention must be directed is the amount of infantile mortality in each. By means of Table X. this subject receives a two-fold illustration. It enables us, firstly, to compare the numbers of children living under five years of age with the numbers who died at this early age; and, secondly, it enables us to contrast the deaths at all ages with the deaths at ages under five years. Infantile mortality was least felt in the population of Aberdeen, and was most considerable in Greenock. For every thousand children living and under five years of age at the middle of 1875, there died, during that year, in Aberdeen, 51·5; in Leith, 61·7; in Perth, 65·1; in Edinburgh, 74·9; in Paisley, 75·8; in Dundee, 76·4; in Glasgow, 95·8; and in Greenock, 105·7. The percentage of deaths at ages under five years, to the deaths at all ages in each Town, was 32·6 per cent. in Perth, 33·5 per cent. in Aberdeen, 35·8 per cent. in Paisley, 38·8 per cent. in Edinburgh, 42·6 per cent. in Dundee, 44·4 per cent. in Leith, 45·5 per cent. in Glasgow, and 49·2 per cent. in Greenock.

Tables XI. and XII. give all the information at present available regarding the causes of deaths that were registered in the Principal Towns; and in calculating the percentages for these Tables, due allowance has been made for the small proportion of deaths that were recorded without a clearly specified cause assigned.

Zymotic Diseases, including all those commonly termed Epidemic, Contagious or Infectious, proved fatal to 55·0 per ten thousand of the population of the Eight Towns, and caused 20·83 per cent. of the total deaths. The mortality from this class of diseases has, upon the whole, not been so severe in the Eight Towns as the experience of former years might have prepared us to find it. As usual, the different Towns have suffered in very different proportions from these causes. Thus, the proportion of the total deaths, which was due to Zymotics, was only 15·44 per cent. in Aberdeen, 16·22 in Perth, 18·03 in Dundee, 19·01 in Paisley, 20·82 in Glasgow, 21·72 in Leith, 22·87 in Edinburgh, and 27·53 in Greenock.

In Glasgow, 4·78 per cent. of the deaths were due to Hooping-cough, 4·68 per cent. to Scarlatina. The mortality from Fevers, and generally from all other Zymotics Diseases, was certainly lower than usual.

In Edinburgh the prevailing epidemic was Scarlatina, which caused 10·24 per cent. of the total deaths, and proved fatal to fully 24 out of every ten thousand inhabitants. The number of deaths from Hooping-cough amounted to 3·75 of all deaths registered. The deaths from Fever and from other Zymotics were remarkably few in number.

In Dundee the prevalent epidemics seem to have been Diarrhœa, causing 5·21 per cent. of the deaths; Hooping-cough, with 4·32 per cent. of deaths; and Scarlatina, with 3·81 per cent. of deaths. The mortality from other epidemics was trifling.

In Aberdeen, Hooping-cough caused 4·1 per cent. of the deaths, and Small-pox, 1·30 per cent.

In Greenock, 6·64 per cent. of the deaths were due to Hooping-cough,

5·52 per cent. to Fevers, 4·73 per cent. to Measles, 3·95 per cent. to Scarlatina, and 1·07 per cent. to Diphtheria.

In Paisley, 4·73 per cent of the deaths were due to Measles, 3·11 per cent. to Scarlatina, 3·11 per cent. to Fevers, and nearly 1·0 per cent. to Small-pox.

In Leith, of the total deaths, 6·14 per cent. were from Scarlatina, 3·78 per cent. from Diarrhœa, 3·40 per cent. from Hooping-cough, and 3·12 per cent. from Croup, a disease which appears to be more fatal in Leith than in any other of the Principal Towns of Scotland.

In Perth, Scarlatina caused 3·02 per cent. of the deaths; Diarrhœa, 3·34 per cent.; Measles, 2·38 per cent.; Diphtheria, 1·27 per cent.

When the returns from the whole Group of Eight Principal Towns are united, it is seen that the epidemic which has during 1875 been most destructive to life is Scarlatina, the deaths from which, 1581 in number, have constituted 5·14 per cent. of the total deaths, and have removed 13·6 out of every ten thousand members of the population of the Group. Next in order of fatality has been Hooping-cough, the deaths from which were 4·37 per cent. of the whole mortality; Diarrhœa causing 3·13 per cent. of deaths; Fevers causing only 2·44 per cent. of deaths; and Measles, with a mortality of 1·83 per cent. of the total deaths. Croup, Diphtheria, and Small-pox caused respectively 1·11, 0·80, and 0·16 per cent. of the total deaths; and

---

TABLE XI.—Percentage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1875, allowing for the causes not specified.

DISEASES CAUSING DEATH.	Total Eight Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS .	2·643	2·873	2·382	2·442	2·120	3 200	2·807	2·058	2·396
I. Zymotic Diseases .	0·550	0·598	0·545	0·440	0·327	0·881	0·533	0·447	0·388
III. Tubercular Diseases	0·434	0·512	0·332	0·392	0·333	0·478	0·469	0·291	0·354
IV. Brain Diseases . .	0·239	0·237	0·253	0·215	0·234	0·269	0·295	0·188	0·217
V. Heart, etc., Diseases	0·120	0·099	0·160	0·126	0·119	0·141	0·091	0·115	0·198
VI. Respiratory Organs .	0·588	0·699	0·454	0·581	0·433	0·587	0·544	0·447	0·377
VII. Digestive Organs .	0·181	0·212	0·147	0·127	0·145	0·220	0·220	0·132	0·152
XIII. Urinary Diseases .	0·038	0·038	0·045	0·036	0·046	0·033	0·025	0·019	0·053
XII. Premature Debility	0·132	0·138	0·095	0·165	0·107	0·165	0·118	0·126	0·187
XV. Old Age . . .	0·106	0·078	0·107	0·116	0·153	0·120	0·228	0·078	0·225
XVII. Violent Deaths .	0·089	0·101	0·081	0·077	0·057	0·113	0·079	0·076	0·076
Small-pox. . .	0·004	0·002	0·000	0·000	0·027	0·001	0·027	0·002	0·000
Measles . . .	0·048	0·066	0·012	0·003	0·000	0·152	0·133	0·002	0·057
SCARLATINA . .	0·136	0·135	0·244	0·093	0·020	0·126	0·087	0·126	0·072
Diphtheria . .	0·021	0·020	0·031	0·015	0·019	0·034	0·006	0·012	0·030
HOOPING-COUGH .	0·115	0·137	0·089	0·106	0·087	0·212	0·033	0·070	0·023
Croup . . .	0·029	0·031	0·028	0·011	0·025	0·049	0·025	0·064	0·038
DIARRHŒA . .	0·082	0·084	0·061	0·127	0·062	0·098	0·081	0·078	0·080
Dysentery . .	0·004	0·004	0·002	0·002	0·001	0·001	0·006	0·010	0·011
Cholera . . .	0·002	0·002	0·002	0·001	0·000	0·012	0·004	0·000	0·004
All FEVERS . .	0·065	0·071	0·035	0·042	0·043	0·177	0·087	0·049	0·049
Viz. Typhus . .	0·018	0·018	0·013	0·011	0·010	0·055	0·021	0·022	0·034
Enteric . .	0·030	0·047	0·018	0·030	0·031	0·111	0·052	0·017	0·008
Relapsing .	0·001	0·000	0·000	0·000	0·001	0·000	0·002	0·002	0·004
Simple Cont.	0·002	0·002	0·001	0·000	0·001	0·009	0·002	0·006	0·003
Infantile .	0·003	0·004	0·003	0·001	0·000	0·002	0·010	0·002	0 000
Dropsy . . .	0·028	0·032	0·019	0·033	0·016	0·034	0·039	0·031	0·015
Cancer . . .	0·045	0·036	0·063	0·042	0·061	0·033	0·048	0·031	0·076
PHTHISIS . .	0·308	0·367	0·211	0·303	0·239	0·355	0·332	0·163	0·267
Apoplexy . . .	0·054	0·051	0·052	0·060	0·054	0·061	0·087	0·039	0·057
Paralysis . . .	0·060	0·052	0·075	0·050	0·057	0·067	0·100	0·062	0·088
Convulsions . .	0·046	0·052	0·038	0·055	0·038	0·045	0·039	0·035	0·019
BRONCHITIS . .	0·414	0·494	0·295	0·413	0·335	0·404	0·417	0·309	0·259
Pneumonia . .	0·134	0·160	0·116	0·150	0·065	0·128	0·100	0·101	0·088
Teething . . .	0·043	0·057	0·022	0·023	0·034	0·073	0·037	0·017	0·034
Liver Diseases .	0·036	0·038	0·036	0·027	0·037	0·025	0·048	0·043	0·042

the mortality ascribed to the remaining diseases of the Zymotic class was not such as to require detailed notice here.

The form of Fever which has been most destructive is the Enteric or Typhoid. This disease caused at least two deaths for every one ascribed to Typhus. In Leith and Perth only the deaths from Typhus were more numerous than those from Typhoid Fever.

The deaths from Erysipelas were 151; from Metria, 95; from Syphilis, 91; from Rheumatic Fever, 52; from Pyæmia, 18; and from Noma, 4.

Diseases of Uncertain Seat caused 1029 deaths. Of these, 518 were due to Cancer, and the populations of Perth, Edinburgh, and Aberdeen appear to have suffered far more frequently from this cause than the inhabitants of the other Principal Towns. Thus, while the mortality due to Cancer was in Leith only 3·1 out of ten thousand inhabitants, it amounted in Edinburgh to 6·3, in Aberdeen to 6·1, and in Perth to 7·6. The deaths ascribed to Dropsy were 330. It is a pity that so many deaths should in these returns be necessarily grouped under this vague heading; but, in the absence of medical certificate as to the precise pathological cause of the *symptom* Dropsy in any given case, we are not at liberty to refer it to Disease of the Heart, Kidneys, Liver or Ovary, but must include it under the old-fashioned heading provided among the Diseases of Uncertain Seat.

From Tubercular Diseases there were 5046 deaths. This is equivalent to a rate of 43·4 deaths to every ten thousand inhabitants of the Eight

TABLE XII.—Percentage of Deaths from different Diseases to the Total Deaths in each of the Eight Principal Towns of Scotland during the Year 1875, allowing for the causes of Death not specified.

DISEASES CAUSING DEATH.	Total Eight Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
I. Zymotic Diseases	20·83	20·82	22·87	18·03	15·44	27·53	19·01	21·72	16·22
III. Tubercular Diseases	16·42	17·82	13·93	16·05	15·69	14·95	16·72	14·16	14·78
IV. Brain, etc., Diseases	9·03	8·26	10·60	8·80	11·04	8·40	10·50	9·16	9·06
V. Heart, etc., Diseases	4·55	3·47	6·73	5·18	5·60	4·41	3·25	5·57	8·27
VI. Respiratory Organs	22·26	24·32	19·04	23·81	20·44	18·34	19·38	21·71	15·74
VII. Digestive Organs	6·85	7·39	6·17	5·21	6·85	6·87	7·84	6·42	6·36
VIII. Urinary Organs	1·46	1·33	1·90	1·49	2·15	1·02	0·89	0·95	2·23
XIII. Debility, Premat. Birth	5·00	4·80	4·00	6·76	5·05	5·15	4·22	4·63	7·79
XV. Old Age	4·01	2·73	4·51	4·75	7·20	3·76	8·14	3·78	9·38
XVII. Violent Deaths	3·88	3·53	3·41	3·14	2·70	3·45	2·81	3·68	3·13
Small-pox	0·16	0·06	0·00	0·00	1·30	0·05	0·96	0·09	0·00
Measles	1·83	2·31	0·50	0·12	0·00	4·73	4·73	0·09	2·38
SCARLATINA	5·14	4·68	10·24	3·81	0·95	3·95	3·11	6·14	3·02
Diphtheria	0·80	0·68	1·28	0·61	0·90	1·07	0·22	0·57	1·27
HOOPING-COUGH	4·37	4·78	3·75	4·32	4·10	6·64	1·18	3·40	0·95
Croup	1·11	1·07	1·18	0·46	1·20	1·21	0·89	3·12	1·59
DIARRHŒA	3·13	2·92	2·55	5·21	2·95	2·74	2·88	3·78	3·34
Dysentery	0·14	0·14	0·10	0·09	0·05	0·05	0·22	0·47	0·48
Cholera	0·09	0·08	0·10	0·03	0·00	0·37	0·15	0·09	0·16
All FEVERS	2·44	2·50	1·46	1·74	2·05	5·52	3·11	2·36	2·07
Viz. Typhus	0·70	0·63	0·54	0·46	0·50	1·72	0·74	1·04	1·43
Enteric	1·53	1·65	0·74	1·22	1·45	3·48	1·85	0·85	0·32
Relapsing	0·03	0·02	0·02	0·00	0·05	0·00	0·07	0·09	0·16
Simple Cont.	0·08	0·07	0·04	0·00	0·05	0·28	0·07	0·28	0·16
Infantile	0·10	0·12	0·12	0·06	0·00	0·04	0·38	0·09	0·00
Dropsy	1·07	1·11	0·78	1·34	0·75	1·07	1·40	1·51	0·64
Cancer	1·69	1·24	2·65	1·74	2·90	1·02	1·70	1·51	3·18
PHTHISIS	11·57	12·76	8·86	12·42	11·29	11·10	11·83	7·93	11·13
Apoplexy	2·04	1·78	2·18	2·37	2·55	1·90	3·11	1·89	2·38
Paralysis	2·29	1·81	3·17	2·04	2·70	2·09	3·55	3·02	3·66
Convulsions	1·74	1·80	1·58	2·25	1·80	1·39	1·40	1·70	0·79
BRONCHITIS	15·66	17·18	12·39	16·90	15·79	12·63	14·87	15·01	10·81
Pneumonia	5·09	5·56	4·85	6·15	3·05	3·99	3·55	4·91	3·66
Teething	1·62	2·00	0·92	0·94	1·60	2·27	1·33	0·85	1·43
Liver Diseases	1·36	1·31	1·50	1·10	1·75	0·79	1·70	2·08	1·75

Towns. It constitutes 16·42 per cent. of the total deaths in these Towns. Pulmonary Consumption alone was the cause of 3577 deaths, being 11·57 per cent. of the whole recorded mortality, and 30·8 deaths to every ten thousand persons living. Again it is found that, of the Eight Towns, Leith appears to suffer least from Consumption. Only 16·3 out of every ten thousand inhabitants succumbed in Leith to Phthisis in 1875, and only 7·93 per cent. of the total deaths were from this cause; while in Glasgow 36·7 out of every ten thousand persons died of Phthisis, and the percentage of total deaths due to this one disease was 12·76. Of the remaining Tubercular Diseases, Hydrocephalus caused 783; Tabes Mesenterica, 444; and Scrofula, 242 deaths.

Diseases of the Brain and Nervous System caused 2776 deaths, being 9·03 per cent. of the total deaths. This is equivalent to a death-rate of 23·9 for every ten thousand inhabitants of the Eight Towns. The percentage of deaths due to Brain Diseases was 11·04 in Aberdeen, 10·60 in Edinburgh, 10·50 in Paisley, 9·16 in Leith, 9·06 in Perth, 8·8 in Dundee, 8·4 in Greenock, and 8·26 in Glasgow. The proportion of the population that was removed by these causes, out of ten thousand living in each town, was 29·5 in Paisley, 26·9 in Greenock, 25·3 in Edinburgh, 23·7 in Glasgow, 23·4 in Aberdeen, 21·7 in Perth, 21·5 in Dundee, and 18·8 in Leith.

Diseases of the Heart and Circulatory System caused 1397 deaths, or 4·55 per cent. of the total mortality. The deaths from these causes were most numerous in Perth, where they removed 19·8 out of every ten thousand inhabitants, and constituted 8·17 per cent. of the total deaths. In Paisley, on the other hand, the mortality from Heart Diseases was, during 1875, comparatively light, constituting only 3·25 per cent. of the total deaths, and removing only 9·1 from every ten thousand inhabitants. The rates given in Tables XI. and XII. for Glasgow do not materially differ from those for Paisley, which have just been quoted.

Diseases of the Respiratory System always furnish a very large number of deaths in these Annual Statements. In 1874, it was remarked that these diseases had been unusually prevalent; and, for 1875, we have now to record a mortality from Lung Diseases beyond all recent precedent. The deaths from these causes were 6839, being 22·26 per cent. of the whole deaths of the year. Out of every ten thousand inhabitants, the Eight Towns lost from these causes, 58·8. To these Pulmonary Complaints 24·32 per cent. of all deaths were ascribed in Glasgow, 23·81 per cent. in Dundee, 21·71 per cent. in Leith, 20·44 per cent. in Aberdeen, 19·38 per cent. in Paisley, 19·04 per cent. in Edinburgh, and 15·74 per cent. in Perth. Out of every ten thousand persons in Glasgow, there died from Lung Diseases 69·9; in Greenock, 58·7; in Dundee, 58·1; in Paisley, 54·4; in Edinburgh, 45·4; in Leith, 44·7; in Aberdeen, 43·3; and in Perth, 37·7.

The number of deaths referred to Bronchitis alone was 4811; while from Pneumonia the deaths were 1563; from Pleurisy, 80; from Laryngitis, 75; from Asthma, 151; and from Pulmonary Complaints (not otherwise defined), 159.

From Diseases of the Digestive System the deaths were 2106, being 6·85 per cent. of the total deaths, or 18·1 deaths to every ten thousand persons living. Diseases of this class appear to have been most fatal in Paisley and in Glasgow, and least frequent in Edinburgh and Dundee.

From Diseases of the Kidneys and of the Urinary System the deaths were 448. Deaths from these causes were more frequent in Perth, Aberdeen, and Edinburgh than in any of the other towns.

From Diseases of the Uterus (not including Metria) the deaths were 253; from Diseases of the Bones, Joints, and Apparatus of Locomotion, 220; from the Debility of Infancy or Premature Birth, 1537; from Skin Diseases, 36; from Malformations, 89; from Atrophy, 184; from Sudden Causes (not otherwise defined), 98; and from Violence or Privation, 1038.

There were besides 1232 deaths ascribed to Old Age. Of these, as in former years, a very large proportion were returned from Paisley.

Of the Violent Deaths, 49 were registered as Suicidal. From the direct effects of Intemperance there died 93; or, if 17 cases of Delirium Tremens (registered under the heading 'Diseases of the Brain') be taken into account, 66 persons may be said to died from poisoning with alcohol.

Of the 90 persons who died during 1875 at ages exceeding 90 years, 18 were males and 72 females. Two of the males were registered as 102 years old at the period of their deaths. One of them is stated to have been a tailor, the other a superannuated night-watchman.

MARRIAGES IN THE EIGHT TOWNS.

The number of Marriages during the year 1875 in the Eight Principal Towns was 10665. The estimated population of this Group of Towns at the middle of 1875 was 1171228; consequently for every ten thousand persons living in these towns there have been 91·15 marriages registered. This rate is below that deduced from the observations of the last ten years, which was very nearly 92 marriages for every ten thousand inhabitants. The marriage-rate of 1875 was lowest in Aberdeen and highest in Edinburgh. The rate for ten thousand persons was 74 in Aberdeen, 80 in Perth, 83 in Greenock, 91 in Leith and likewise in Dundee, 93 in Glasgow, 95 in Paisley, and 97 in Edinburgh.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

That extremes of temperature have a very decided influence upon the health of the people is a proposition the truth of which is very generally admitted. Extreme heat is but seldom found to occur in this country; and when it does prevail, it is only for a brief period, and consequently without very decided detriment to the public health. In fact, its lethal influence might pass almost unnoticed in our statements of the causes of death, were it not for the circumstance that the Diarrhœas and Bowel Complaints of children are commonly observed to become more frequent and fatal during a long-continued hot season. If, even for a week or two, during July or August, the temperature of the air is from 3 to 5 degrees above the mean, we are tolerably sure to find a corresponding increase in the number of deaths of children from Diarrhœa. It must, however, be noted that the increase of mortality is, in such cases, not sharply limited by the periods of time within which an excessive degree of heat has prevailed. On the contrary, the mischief due to the rise of temperature continues to be felt, it may even be for some weeks, after the air has resumed its normal condition. Extreme cold is, however, far more readily studied in connection with the frequency of deaths in Scotland. The spread and fatality of most of the Zymotic Diseases, of Diseases of the Brain, of Consumption, of the whole class of diseases of Respiratory System, are manifestly promoted by any considerable fall of temperature, or, at all events, by such a fall as causes the mean temperature of a particular month to be 3 to 5 degrees lower than

that observed as the average temperature of the same month during previous years. And as the diseases which we have instanced as promoted in intensity by low temperature actually comprise those which cause at least 50 per cent. of the deaths registered in Scotland, it is only natural to find that in average years the mortality of the seasons seems chiefly regulated by the amount of cold and wet. Hence, it may be roughly asserted that most of our deaths take place during our coldest months.

TABLE XIII.—Monthly Mortality and Mean Temperature in Scotland during 1875, compared with the Mean of the Ten Years 1855–1864.

MONTHS.	YEAR 1875. Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	1855–1864. Proportion.	Mean Temperature.
	°					°
January	39·7	9316	9316	1340	1134	37·2
February	36·3	7493	8296	1193	1193	37·4
March	40·0	8307	8307	1196	1145	39·8
April	46·5	6902	7132	1026	1083	44·1
May	51·7	6383	6383	918	1010	49·5
June	54·0	6233	6441	926	956	55·6
July	57·1	6121	6121	880	895	57·6
August	58·1	6188	6188	890	856	57·3
September	54·4	5741	5932	853	843	52·8
October	47·0	5723	5723	823	858	47·2
November	39·2	6366	6578	946	954	40·2
December	38·9	7012	7012	1009	1073	38·6
YEAR	46·9	81,785	83,429	12,000	12,000	46·7

TABLE XIV.—Meteorology of Scotland for 1875, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1875.

1875.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	61°·3	55°·0	62°·2	79°·2	73°·8	77°·9	83°·7	79°·9	79°·7	68°·0	67°·0	57°·5	83°·7
Lowest Temp. in do	4° 0	11°·0	15°·1	23° 0	31°·0	22°·0	33°·0	37°·0	27°·0	25°·5	10°·0	11°·0	4°·0
Mean Day Temp.	41°·6	41°·1	45°·8	55°·2	59°·4	62°·0	65°·6	65° 0	61°·5	52°·1	44°·3	43°·5	53°·3
Mean Night Temp	34°·9	31°·6	34°·3	37°·9	44°·1	46°·1	48°·6	51°·3	47°·1	41°·9	34°·1	34°·2	40°·8
Daily Range	9°·7	9°·5	11°·5	17° 3	15°·3	15°·9	16°·9	13°·7	14°·4	10°·2	10°·2	9°·3	12°·8
Mean Temperature	39°·7	36°·3	40°·0	46°·5	51°·7	54°·0	57°·1	58°·1	54°·4	47°·0	39°·2	38° 9	46°·9
Highest Temperature in sun	85°·0	83°·0	108° 0	131°·7	119°·0	135°·2	136°·4	136°·4	126°·0	113°·0	98°·0	79°·0	136°·4
Lowest on grass at night	1°·0	5°·0	14°·0	14°·0	18°·0	20°·0	25°·0	29°·0	23°·0	17°·5	3°·0	5°·0	1°·0
Wet-bulb Temperature	38°·7	34°·0	37°·3	42°·9	48°·2	51°·5	54°·1	55°·0	51°·9	44°·8	37°·0	37°·6	44°·4
Dew-point Temperature	37°·4	31°·9	34°·9	39°·8	45°·1	48°·7	51°·5	52°·9	50°·0	42°·8	35° 2	36°·0	42°·2
Humidity of Air	92	88	85	81	81	81	82	86	87	88	89	90	86
Elastic force of Vapour (inches)	0·224	0·181	0·204	0·246	0·302	0·344	0·382	0·403	0·362	0·276	0 206	0·213	0·279
Number of Rainy Days	22	11	10	8	14	17	12	17	13	21	18	16	179
Amount of Rain (inch.)	5·63	1·72	1 68	1·41	2·03	3·14	2·90	2·97	4·34	4·72	4·87	3·67	39·08
Amount of Cloud	7·5	6·6	6·7	5·3	6·0	6·3	5·4	6·9	6·3	6·9	6·2	6·6	6·6
Hours of Sunshine	48	75	119	198	203	192	250	174	143	90	74	61	1627
Mean Barometer (in.)	29·678	30·090	30·151	30·026	29·884	29·807	29·985	29·968	29·981	29·752	29·826	29·958	29·925
Easterly Winds (number of days)	8	12	13	9	5	6	10	8	11	17	13	5	117
Westerly Winds (do.)	14	9	12	13	20	17	13	16	12	9	9	18	162
Births	10559	9366	11171	10913	10816	10565	10661	10017	9445	9862	9809	10509	123693
Deaths	9316	7493	8307	6902	6383	6233	6121	6188	5741	5723	6366	7012	81785
Marriages	3381	1424	1564	1526	1284	3828	2669	1582	1472	1673	2571	2947	25921
Daily Births	341	334	360	364	349	352	344	323	315	318	327	339	339
Daily Deaths	305	268	268	230	206	208	197	200	191	185	212	226	224

In the tabular statement exhibited in Table XIII., the nature of which has been fully explained in former Reports, the chief facts regarding the mean monthly temperature, and average monthly mortality of 1875, and of the ten years 1855–64, are epitomized. We see that the coldest month of 1875 was February, and that next in order of rigour followed December, November, and January; the greatest deviation from the decennial mean being in January, the temperature of which was 2°·5 degrees above the average. The warmest month of the whole year was August. The temperatures of April, May, and September were very decidedly above the average of the corresponding months of former years.

In tracing the connection between temperature and mortality during the several months of 1875, it is necessary to make frequent reference to Table XIV., and it is right that our reader should be here reminded that the year 1874 had closed with a December of unprecedented severity, during which the daily average of deaths was 296.

In regard to the meteorological phenomena of the successive months of 1875, the following particulars are extracted from the Astronomer-Royal's Notes appended to our Quarterly Reports.

In *January*, the most notable feature was the high mean temperature, greater than the average (of 1856–74) by 2°·5, and even more marked in physiological effects by coming immediately after the very low temperature of December 1874. January was further marked by a low and variable barometric pressure, large humidity of the air, large rainfall, and superabundance of south-west wind. The daily number of deaths was 305.

In *February*, the leading characteristic was the return of cold weather —almost as much below the average as January had been above it—and 3°·4 absolutely lower than January. This cold was further accompanied by an extravagantly high barometer, scanty rain, and a most unusual amount of north-east wind. The daily number of deaths was 268.

TABLE XV.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1875.

1875.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	40°·2	37°·2	41° 0	47°·3	52°·3	54°·9	58°·1	58°·9	54°·8	47° 7	39°·8	39°·4
Highest Temperature	57°·3	54°·0	58°·2	76°·2	73°·8	74°·0	79°·3	77°·3	76°·1	68°·0	67°·0	53°·5
Lowest Temperature	5°·0	18°·8	23°·0	27°·0	38°·8	38°·0	40°·0	41°·5	36°·0	28°·0	18°·0	16°·0
Rainfall in inches	4·52	1·66	1·79	1·13	1·18	2·72	2·34	1·99	4·39	4·50	4·68	2·42
Easterly Winds (days)	9	13	14	12	7	9	14	10	12	17	12	5
Westerly Winds (days)	16	12	15	14	22	18	14	17	15	12	12	24
Total Deaths	3564	2737	3020	2564	2398	2509	2341	2394	2137	2146	2465	2680
Daily Deaths	115	98	97	85	77	84	76	77	71	69	82	86
Zymotic Diseases	624	482	493	453	446	490	545	663	623	546	566	470
Small-pox	14	12	6	4	5	2	1	1	3	–	2	–
Measles	23	17	47	54	60	71	69	42	43	49	55	34
Scarlatina	227	140	125	107	77	98	87	124	141	163	177	115
Diphtheria	25	25	27	17	13	12	16	23	17	22	29	20
Hooping-Cough	152	136	119	98	121	114	123	90	90	77	104	118
Croup	24	30	23	25	18	19	22	25	21	51	44	40
All Fevers	51	55	56	66	66	77	58	54	65	63	76	64
Diarrhœa	37	33	34	36	41	51	126	253	197	84	35	34
Dysentery	3	2	5	3	2	3	4	3	4	4	3	6
Cholera	–	–	1	–	1	3	6	12	3	1	2	–
Consumption	322	320	363	343	335	359	327	273	198	231	235	271
Diseases Respiratory Organs	1195	775	762	553	469	466	343	300	278	400	531	767
Heart, etc., Diseases	148	119	158	123	95	109	106	110	82	103	121	123
Brain, etc., Diseases	263	231	260	268	254	235	208	215	179	193	233	237
Debility and Premat. Birth	128	131	156	148	125	112	136	118	119	101	134	129
Age	219	128	141	74	81	89	94	68	77	60	93	108

In *March* the barometric pressure was higher than ever noted before, except in 1856, the first year of these records. It was accompanied also by dry air, scanty rainfall, and preponderance of north-east wind, though not to the degree of the previous month. The temperature was improved up to the average, or even a little beyond it. The daily death-rate continued at 268.

April was generally dry, sunshiny, and fine; but while in temperature there was very little difference between north and south, or east and west, in the depth of rainfall, there was a very marked deficiency along the east and north-east coasts of the country. The daily number of deaths was 230.

May was a month of high mean temperature, and was generally pleasant and salubrious, owing largely to the absence of north-east winds and the universal prevalence of west winds,—so high a number for west wind never having been registered for this month in any former year. That circumstance tended to increase the rainfall at westerly stations, but the drought of April still prevailed along the east coast. The daily number of deaths had fallen to 206.

June was a month of low barometric pressure, excessive variations of pressure, low temperature, large rainfall, and unusual preponderance of south-west winds. The daily deaths were 208.

July differed little from an ordinary July of former years. The mean temperature was slightly lower than the average, but the day temperature was higher, and the amount of sunshine greater. The daily number of deaths was 197.

In *August*, a rather late period, the highest mean temperature was reached in 1875; but the month was not otherwise remarkable, and differed little from its predecessor, though evidently having, with its greater amount of west wind, a less amount of sunshine, more cloud, less

---

TABLE XVI.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1875.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 9	1215	40·5	52·2	29·0	1·31	27	July 10	517	59 3	79·0	42·7	0·35
2	16	868	43·1	55·0	34·0	1·08	28	17	529	55·2	77·0	38·5	0·20
3	23	691	39·9	57·3	26·8	1·63	29	24	581	59 8	78·0	43·1	1·09
4	30	618	38·9	53·9	26·0	0·70	30	31	519	57·3	77·0	40·0	0·49
5	February 6	631	37·7	55·0	18·8	0·16	31	August 7	521	57·2	75·0	41·5	0·24
6	13	739	35·7	54·0	24·0	1·03	32	14	519	58·9	73·0	50·0	0·45
7	20	699	39·9	53·0	26·0	0·52	33	21	567	61·5	77·0	41·0	0·65
8	27	668	35·1	44·0	24·0	0·28	34	28	542	59·7	72·0	47·1	1·09
9	March 6	666	35·7	48·0	24·0	0·12	35	September 4	515	56·0	72·0	38·0	1·08
10	13	704	41·0	58·2	29·0	1·46	36	11	489	57·6	72·5	40·0	0·86
11	20	666	37·5	48·0	23·0	0·03	37	18	505	56·6	76·1	40·0	0·07
12	27	650	45·4	56·0	30·0	0·25	38	25	510	51·4	63·0	32·0	0·82
13	April 3	601	46·7	58·2	32·5	0·44	39	October 2	510	52·1	66·1	39·2	1·84
14	10	581	43·6	57·0	29·0	0·64	40	9	492	52·2	62·5	38 6	1·11
15	17	600	47·7	66·0	31·0	0·00	41	16	499	44·1	60·0	28·0	1·18
16	24	587	48·2	76·2	26·0	0·00	42	23	489	48·0	56·0	40·0	1·95
17	May 1	603	50·2	67·1	34·5	0·36	43	30	419	45·4	57·4	37·4	0·49
18	8	534	51·7	66·2	40·7	0·20	44	November 6	480	47·1	61·0	37·0	1·68
19	15	529	54·9	73·8	42·3	0·50	45	13	548	35·9	55·0	18·0	0·92
20	22	559	51·4	67·0	38 0	0·37	46	20	620	42·5	67·0	30·0	1·51
21	29	557	51·8	68·5	38 8	0·54	47	27	545	36·7	51·0	30·0	0·58
22	June 5	578	54·4	72·0	39 5	0·16	48	December 4	620	34·5	41·5	22·2	0·54
23	12	587	54·1	69·6	40·0	0·70	49	11	619	34·5	48·0	16·0	0·33
24	19	581	53·9	68·0	38·0	0 94	50	18	611	40·2	48·0	21·5	0·41
25	26	597	56·5	74·0	41·4	0·80	51	25	584	42·6	53·8	32·0	2 07
26	July 3	509	56·3	71·0	42·0	1 18	52	January 1	523	44·2	51·6	29·4	1·00

range of temperature between night and day, more days on which rain fell, but less depth of rainfall. The daily deaths numbered 200.

In *September* the weather was generally fine and warm, with a mean temperature 1°·5 higher than the average, but with much humidity in the air, a less number of days on which rain fell, but heavier rainfall, and rather less sunshine than the average. The daily deaths were 191.

In *October* the most salient characteristic of the weather was the long-continued, steady, unmitigated blow of south-east winds. The barometer was low, but very steady; the mean temperature rather above the average, as were likewise the number of rainy days and the depth of rainfall. The daily number of deaths was at its minimum, being 185.

In *November* the chief points in the weather to note are, first, the large quantity of north-east wind in place of the usual W.S.W., and then the sudden influx of steady cold, with snow towards the end of the month, producing so marked an effect on the mean temperature of the whole month as to bring it sensibly below the average of former years. There was a heavy rainfall, and the winds were stormy. The daily deaths were 212.

In *December* the weather suddenly came back to its normal type; for, although the month began with very low temperature, ice, and snow, the west and south-west winds presently set in, and made the latter part of the month comparatively mild in temperature. The amount of rain, wind, and cloud was about the average. The daily number of deaths was 226.

The influence of weather upon the fatality of various diseases and classes of diseases is illustrated by Table XV., but it must be noted that the details of that table apply only to the Eight Principal Towns. Similar information relative to the whole of Scotland cannot be given till the materials for constructing the Detailed Annual Report for 1875 are received and arranged in this office.

The most remarkable feature of Table XV. is the extraordinary mortality which it shows for the month of January. The deaths in January exceeded those in March—the next month in order of fatality—in the proportion of about 7 to 6. This excess may be traced in the number of deaths from the more frequent Zymotic Diseases, especially Scarlatina

---

TABLE XVII.—Monthly Deaths at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1875, and proportion at each Age in every hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1875.					Proportion at each Age in every Hundred Deaths per Month.				
	0–5 years.	5–20.	20–60.	60 and above.	Total Deaths.	0–5 years.	5–20.	20–60.	60 and above.	Total.
January . .	1265	334	1159	806	3564	35·5	9·4	32·5	22·6	100·0
February . .	1124	263	828	522	2737	41·1	9·6	30·3	19·0	100·0
March . . .	1179	284	931	626	3020	39·0	9·4	30·9	20·7	100·0
April . . .	1083	320	741	420	2564	42·2	12·5	28·9	16·4	100·0
May . . .	1006	304	718	370	2398	41·9	12·7	30·0	15·4	100·0
June . . .	1079	332	743	355	2509	43·0	13·2	29·6	14·2	100·0
July . . .	1048	282	673	338	2341	44·8	12·0	28·7	14·5	100·0
August . .	1199	272	615	308	2394	50·0	11·4	25·7	12·9	100·0
September .	1039	218	552	328	2137	48·6	10 2	25·8	15·4	100·0
October . .	988	256	618	284	2146	46·1	11·9	28·8	13·2	100·0
November .	1083	296	676	410	2465	43·9	12·0	27·5	16·6	100·0
December .	1174	259	760	487	2680	43·8	9·7	28·4	18·1	100·0
YEAR .	13,267	3,420	9,014	5,254	30,955	42·9	11·0	29·1	17·0	100·0

and Hooping-cough, in the number of persons who perished by the ill-defined complaints of Old Age, but, above all, in the unusual prevalence of the whole class of Diseases of the Respiratory System. Yet the month of January, as has been already stated, should not, from its meteorological features, have appeared to be more unhealthy than an average January. The cause of the unusual mortality is found in the inclemency of the month of December 1874, which had favoured the spread and increased the malignancy of several epidemic diseases, and had caused a vast number of cases of Bronchitis, Pneumonia, &c., which had not run their fatal course till after the conclusion of 1874, and, of course, serve to swell the fatal account of January 1875.

Proceeding to examine the recorded incidence of the more common diseases, we find that Small-pox numbered very few victims during 1875, and that by the end of the year its presence in the Principal Towns was rarely marked by a death.

Scarlatina had been very destructive towards the end of 1874. In January 1875 it caused 227 deaths; but the violence of the epidemic seemed thereafter rapidly to decline, so that in May the deaths from this cause were only 77. During the autumn months the force of the epidemic was revived; during October and November it caused 163 and 177 deaths, and in December 115.

Hooping-cough, as might naturally have been expected of a disease the danger of which is much aggravated by complication with Bronchitis and Pneumonia, was most destructive during January, when it caused 152 deaths. As the year advanced, the deaths from Hooping-cough, although fluctuating a little in frequency, on the whole decidedly decreased; but after October, the approach of winter, no doubt, caused them to become again more numerous.

The mortality from Measles had its maximum in June and July; but this disease cannot be said to have been very prevalent at any time during 1875.

The deaths from Fevers were not numerous, and in June and Novem-

---

TABLE XVIII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1875.

MONTHS.	Relative Number of Deaths in 1875.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0–5 years.	5–20.	20–60.	60 and above.	Total.	
January . . .	1265	334	1159	806	3564	1341
February . .	1244	291	917	578	3030	1140
March . . .	1179	284	931	626	3020	1136
April . . .	1155	342	790	448	2735	1029
May . . .	1006	304	718	370	2398	902
June . . .	1151	355	792	378	2676	1007
July . . .	1048	282	673	338	2341	881
August . . .	1199	272	615	308	2394	901
September . .	1108	234	588	349	2279	858
October . . .	988	256	618	284	2146	807
November . .	1155	316	721	437	2629	989
December . .	1174	259	760	487	2680	1009
YEAR .	13,672	3,529	9,282	5,409	31,892	12,000

ber—the most fatal months—only amounted to 77 and 76. In the month of January there were only 51 deaths from Fevers of all kinds.

The deaths from Diarrhœa were as usual obviously connected with the prevalence of hot weather. They were 253 in August, when the mean temperature was 58°·9; 197 in September, with the temperature of 54°·8; and 126 in July, with a temperature of 58°·1. The minimum number of deaths from Diarrhœa was 33, and was observed in February, the coldest month of the year.

Consumption was more than usually fatal. The deaths ascribed to it were 363 in March, 359 in June, but only 231 in October, and 198 in September.

The deaths from Diseases of the Respiratory System amounted in January to 1195, being more than double the number registered during January 1874, and only 63 less than the unprecedented mortality from Pulmonary Complaints recorded in December 1874. In February the deaths had fallen to 775, and they continued to fall in each successive month till in September they had reached the minimum of 278. During the last three months of the year, no doubt in consequence of the cold, ungenial weather, so trying to the "poitrinaire," the number of deaths from Lung Diseases began again to mount, being 400 in October, 531 in November, and 767 in December. That the whole year, 1875, was marked by a most unusual frequency of death from Chest Complaints is plain from the fact that in the Eight Principal Towns the deaths from Diseases of the Respiratory System were in 1874, 6344, but in 1875, 6839, or more numerous by 495.

The influence of season upon the number of deaths at each of four periods of life is illustrated by Tables XVII. and XVIII.; but it must be understood that the numbers refer only to the Principal Towns of Scotland.

Of those who died before completing the first five years of life, 1265 were cut off in January, which was the most fatal month to persons of this early age. The deaths in February were 1244, 1179 in March, and 1155 in April. In August and September the usual prevalence of Diarrhœa among children caused the deaths to mount to 1199 and 1108. October was decidedly the most healthy month of the whole year for children, the deaths having numbered only 988. In the above statements, as well as in those which follow, the monthly deaths in the short months have the necessary correction applied, so that the months are comparable as of the uniform length of 31 days.

Of those who died at ages between five and twenty years, 355 perished in June, 342 in April, 334 in January, 316 in November, and 305 in May. December with 259 deaths, October with 256, and September with 234, were decidedly the most healthy months for adolescents.

To adults, that is to persons aged between 20 and 60, January was the most fatal month, the equalized number of deaths being 1159. Next in order of fatality were March with 931, and February with 917 deaths. August, October, but especially September, appears to have been the months most favourable to adult life, the number of deaths in these months, taken in the above order, having been 615, 618, and 588. The deaths in the winter months, November and December, were among adults rather less frequent than those registered in May and April.

To the aged, under which term are included all persons above the age of 60 years, January was very trying; the deaths amounting to 806, not much less than the unusual mortality registered in December 1874. As in

the case of adults, the months of March and February, with 626 and 578 deaths respectively, were likewise marked by very numerous deaths among the aged. From April to October the mortality among the aged became gradually mitigated, the number of deaths falling from 448 in April to 284 in October. It is not unnatural to find that the setting in of cold weather in November and December caused an immediate and decided increase in the number of the deaths of aged people. 437 perished in November and 487 in December.

ELEVENTH ANNUAL REPORT

ON THE

VACCINATION OF CHILDREN

BORN IN SCOTLAND DURING 1874.

In the following Report it is our duty to present information regarding the vaccination of the children born in Scotland during 1874, to point out the amount of protection that has been afforded to these children by the working of the Scottish Vaccination Act, and to call attention to certain circumstances

TABLE XIX.—VACCINATIONS in SCOTLAND, 1864–1874, and proportion to the Births each year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
10 Years.	Average .	101152·4	811·8	296·2	53·1	231·8	9769·9	2620·0	114935·2
1874	Numbers .	108022	1229	206	33	205	11288	2878	123861
1864	Percentage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Percentage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0 014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100 000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
10 Years.	Percentage	88·008	0·706	0·258	0·046	0·202	8·500	2·280	100·000
1874	Percentage	87·213	0·992	0·166	0·027	0·165	9·114	2·323	100·000

which have prevented the full benefits of the process of vaccination from being extented to a larger proportion of the infant population of the country.

It is customary to explain why our Vaccination Report always appears to be twelve months in arrear of the Report of the Births, Deaths, and Marriages, along with which it is published. The fact is, that the Vaccination Report must always bear reference to children born a year before it can be constructed. The performance of vaccination is not enforced by law till six months after the birth of a child; the collection and tabulation of the facts contributed by the various Registrars require some time, and it is consequently quite impossible to publish in April 1876 any proper account of the working of the Scottish Vaccination Act during the last few months of 1875. It is far better to confine attention to the children born during 1874, regarding whose vaccination it may be assumed that all necessary details are forthcoming.

The number of children whose births were registered in Scotland during 1874 was 123861. Of these children, 108022, or 87·213 per cent. of all born, have been successfully vaccinated. In 1229 instances, or in 0·992 per cent. of those born, vaccination was on medical authority postponed. In 444 children, or 0·358 per cent. of the total births, insusceptibility of vaccination was certified. In 238 of these cases there can be little doubt that the insusceptibility was real, 33 of the children having already had Small-pox, and 205 having been already vaccinated, though not in strict accordance with the provisions of the Vaccination Act. But regarding the alleged insusceptibility of 206 children, or 0·166 per cent. of

---

TABLE XX.—VACCINATIONS in SCOTLAND, 1864–1874, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	986	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
10 Years.	Average .	101152·4	811·8	296·2	53·1	231·8	2620·0	105165·3
1874	Numbers .	108022	1229	206	33	205	2878	112573
1864	Percentage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Percentage	96·089	0 694	0·457	0·033	0·199	2·528	100·000
1866	Percentage	96·329	0 556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96 027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96 362	0·797	0 203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
10 Years.	Percentage	96·184	0·772	0·282	0·051	0·220	2·491	100·000
1874	Percentage	95·958	1·092	0·183	0·029	0·182	2·556	100·000

all born, we shall presently offer a few remarks. 11288 children, or 9·114 per cent. of all born, died unvaccinated before the age at which vaccination becomes obligatory. 2878 children, or 2·323 per cent. of all born, are presumed to have remained unvaccinated after the expiry of the statutory period of six months after birth, and in their cases the intentions of those who framed the Vaccination Act were defeated.

From Table XX., we exclude all account of the 11288 children who died unvaccinated under six months of age, and we then attempt by means of the remaining figures (which are of course easily obtained from Table XIX.) to ascertain the number and proportion of living children to whom, before they had arrived at the age of six months, the Vaccination Act has been the means of securing the benefits of vaccination.

By means of Table XX., we learn that during the year 1874, out of 112573 children who were alive six months after their births, 108022 had received certificates of successful vaccination, or in other words, 95·958 per cent. of children six months old had been vaccinated. In 1229 cases, or in 1·092 per cent. of those living at the age of six months, the performance of the operation had, for medical reasons, been postponed. In 444 cases, or 0·395 per cent., insusceptibility was certified. In 238 cases this alleged insusceptibility was no doubt real, being in 205 instances due to the previous performance of the operation of vaccination by irregular practitioners whose certificates could not be held as valid, and in 33 instances being due to the children having had attacks of Small-pox. But in 206 cases, *i.e.* in 0·183 per cent. of all who arrived at the age of six months, "Constitutional Insusceptibility" was certified to exist. Now, it is important to observe that in the experience of those who conduct vaccinations on the largest scale in our dispensaries and vaccine institutions, the existence of "Constitutional Insusceptibility" has no place. The general belief among such authorities is that after an apparent failure of the operation, or indeed after two or three successive failures to vaccinate the same child, renewed attempts will be finally rewarded with success. Whether "Constitutional Insuscepti-

---

TABLE XXI.—Deaths from Small-pox in Scotland, 1855–1875.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1866	200
1856	1306	1867	100
1857	845	1868	15
1858	332	1869	64
1859	682	1870	114
1860	1495	1871	1442
1861	766	1872	2446
1862	426	1873	866*
1863	1646	1874	661*
1864	1741	1875	93*
1865	383		

* For 1873, 1874, and 1875, the Small-pox Deaths are estimated from the ascertained Small-pox Deaths in the Principal Towns, as compared with the Total Small-pox Deaths in all Scotland during the eighteen years, 1855–1872.

bility" has any real existence or not, there cannot be the least doubt that it is a term rather loosely employed in our vaccination certificates, and that it should merely be received as record of the fact that, a qualified practitioner has made two or three unsuccessful attempts to vaccinate a child. It is to be feared that these certificates of "Constitutional Insusceptibility" do positive mischief by deluding parents and guardians into the belief that their children are protected against Small-pox, and that in their cases attempts at re-vaccination would be superfluous.

In 2878 cases, or in 2·556 per cent. of those that attained the age of six months, no record of vaccination was obtained. It would perhaps be too much to assert that none of these 2878 children have received, or are likely hereafter to receive, the protection which vaccination confers. But it is our duty to give this as the number of instances in which, during 1874, the provisions of the Vaccination Act were found insufficient to secure the vaccination of children born during the previous year. The principal causes that interfere with the operation of the Act in these cases is the nomadic life of the class of tramps and vagrants, in consequence of which a certain number of children are annually removed from the observation of the Registrars before the lapse of the period during which their vaccination is not obligatory upon parents or guardians. To reduce the number of those "unaccounted for," and, therefore, probably "unvaccinated," it seems of the utmost importance to curtail the period during which children may remain unvaccinated. We have repeatedly expressed our opinion that the period should be reduced from six months to four, and we once more record here our conviction that the Legislature has it in its power, by fixing on the shorter period, considerably to diminish the frequency of the failure of the Vaccination Act, consequent upon removals of parents and guardians. In order to quiet the scruples of those who may hesitate to authorize the vaccination of very young children, it is merely necessary to remark that the statutory limit of time is in *England* "three" months; and that if we suggest "four" months as the limit in Scotland, it is chiefly from considering the geographical position of many of the more sparsely-peopled districts of the country, in which the transport of a very young child to a distant station for the purpose of having it vaccinated might involve some degree of danger, or at least of hardship.

On examining, in Table XX. the columns headed Vaccination Post-

---

TABLE XXII.—SMALL-POX DEATHS in the Eight Principal Towns of Scotland at different Ages in 1875, also during the Ten Years, 1865–1874, compared with those of the Ten Years, 1855–1864, in the same Towns before the Vaccination Act came into operation.

AGES.	SMALL-POX DEATHS, 1875.		SMALL-POX DEATHS, 1865–1874.		SMALL-POX DEATHS, 1855–1864.	
	Number.	Percentage at each Age.	Number.	Percentage at each Age.	Number.	Percentage at each Age.
0–5	18	36·00	1039	28·41	4062	75·03
5–20	14	28·00	1059	28·96	660	12·19
20–60	17	34·00	1519	41·54	687	12·67
60 and above.	1	2·00	40	1·09	6	0·11
Total . .	50	100·00	3657	100·00	5415	100·00

poned, it may be seen that, in 1874, the vaccination of 1229 children was postponed. This number is far too large, and a glance at the Table will show that of late years it has been manifestly increasing. In 1866 the proportion of "postponements" to the number of children surviving six months after birth was only 0·556 per cent., while in 1874 it was 1·092 per cent.

The most frequent cause of these postponements is the indisposition of the child in consequence of some of the infantile disorders connected with teething. Now, if parents and guardians could be induced to have their children vaccinated before the completion of the fourth month of life, a most fruitful source of postponements would at once be removed. But it is to be feared that, at all events among the poorer classes, there exist habits of procrastination, which induce them too often to take no steps to have their children vaccinated till the last legal moment, and to wait in fact till they receive a statutory reminder from the Registrar, calling attention to the penalties which further delay will occasion. In such circumstances it is believed that no small number of children six months old are presented for vaccination, and in consequence of the presence of some teething-rash or other infantile complaint, are judged not in fit condition to be subjected to the operation of vaccination, and hence tend to swell the list of "postponements." It is quite plain that by curtailment of the period during which the vaccination of children is not obligatory, almost all the postponements that are at present due to the disorders connected with teething might be got rid of; and, were it merely in order that postponements should become less frequent, we should be disposed to advocate the period of four months as the maximum during which a child should be permitted to remain unvaccinated.

In reference to the mortality due to Small-pox in 1875, it is satisfactory to observe that it was small, probably not exceeding 93 deaths in the whole of Scotland. It must, however, be remarked that the numbers given for the years 1873–4–5 in the fourth column of Table XXI. are merely *estimated* numbers, the accuracy of which rests on the supposition that the relative frequency of death by Small-pox in the Eight Principal Towns, and in the whole country, remained during 1873–4–5 the same as during the eighteen immediately preceding years, the corrected returns for which have appeared in our Detailed Annual Reports.

In the Eight Principal Towns the Small-pox deaths during 1875 were only 50 in number. In Table XXII., these deaths will be found arranged so as to exhibit the proportionate numbers that occurred at each of four periods of life; and in succeeding columns these numbers are contrasted, first with the Small-pox deaths in the Eight Towns during 1865–74, and finally with the Small-pox deaths recorded in the same Group of Towns between 1855 and 1864, *i.e.* before the Vaccination Act came into operation.

The number of Small-pox deaths for 1875 is far too small to warrant any very confident conclusions from the details of Table XXII. But the very fact that these numbers are so small is probably the best proof that could be adduced that the working of the Scottish Vaccination Act continues very satisfactory.

At page 76 of the Appendix, we again insert the Table which was for the first time given in our Report for 1874, and which affords a sufficiently comprehensive view of the working of the Vaccination Act

for the ten years terminating with 1873. Its statements are in the form of an annual average, applicable to the whole of Scotland, and to each of the Eight Divisions and Thirty-three Counties into which it is divided.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON, M.D.

STATISTICAL DEPARTMENT,
4th April 1876.

ABSTRACTS

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN EVERY

COUNTY AND REGISTRATION DISTRICT

OF

SCOTLAND

IN

1875;

ALSO OF

THE VACCINATIONS

IN EVERY COUNTY AND DISTRICT

OF THE CHILDREN BORN IN

SCOTLAND

IN

1874.

I.—BIRTHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1875.

		Popula-tion.	BIRTHS.														
		1871.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Births.	Males	Fem.
	SCOTLAND,	3,360,018	10559	9366	11171	10913	10516	10565	10661	10017	9445	9862	9809	10509	123693	63436	60257
	GROUPS OF DISTRICTS.																
1	PRINCIPAL TOWNS, .	1,079,211	3702	3257	3947	3833	3837	3797	3764	3436	3308	3402	3545	3805	43633	22274	21359
2	LARGE TOWNS, .	318,740	1246	1094	1387	1311	1263	1244	1252	1189	1094	1198	1129	1252	14659	7558	7101
3	SMALL TOWNS, .	767,487	2459	2179	2647	2588	2564	2488	2489	2441	2267	2212	2267	2419	29020	14941	14079
4	MAINLAND-RURAL, .	1,062,576	2840	2564	2921	2959	2919	2792	2881	2688	2495	2753	2564	2723	33099	16968	16131
5	INSULAR-RURAL, .	132,004	312	272	269	222	233	244	275	263	281	297	304	310	3282	1695	1587
	DIVISIONS.																
1	NORTHERN, . .	127,191	245	230	232	256	246	280	260	251	259	252	267	290	3068	1560	1508
2	NORTH-WESTERN, .	166,351	371	304	353	337	312	318	345	348	394	377	322	386	4167	2107	2060
3	NORTH-EASTERN, .	393,199	1053	983	1131	1223	1113	1100	1154	1059	993	1085	1039	1095	13028	6676	6352
4	EAST-MIDLAND, .	559,676	1607	1445	1696	1638	1711	1636	1726	1579	1543	1587	1535	1657	19360	10028	9332
5	WEST-MIDLAND, .	251,088	763	677	797	723	756	752	742	685	581	667	692	724	8559	4433	4126
6	SOUTH-WESTERN, .	1,183,218	4556	4046	4962	4733	4670	4538	4458	4279	3831	4084	4094	4449	52700	27036	25664
7	SOUTH-EASTERN, .	475,523	1442	1233	1475	1433	1429	1436	1456	1300	1358	1312	1392	1406	16672	8500	8172
8	SOUTHERN, . .	203,772	522	448	525	570	579	505	520	516	486	498	468	502	6139	3096	3043
	I. NORTHERN.																
1	Shetland, . . .	31,608	57	28	29	50	46	59	57	66	66	66	79	78	681	349	332
2	Orkney, . . .	31,274	66	75	69	64	62	61	62	54	56	47	62	69	747	379	368
3	Caithness, . .	41,011	74	77	87	93	102	97	93	96	91	87	91	107	1095	546	549
4	Sutherland, . .	23,298	48	50	47	49	36	63	48	35	46	52	35	36	545	286	259
	II. NORTH-WESTERN.																
5	Ross and Cromarty, .	82,093	179	132	156	146	141	149	163	159	189	182	140	188	1924	953	971
6	Inverness, . .	84,258	192	172	197	191	171	169	182	189	205	195	182	198	2243	1154	1089
	III. NORTH-EASTERN.																
7	Nairn, . . .	8,372	15	13	16	27	29	14	28	16	23	23	15	19	238	136	102
8	Elgin (or Moray), .	44,549	106	97	108	121	117	103	112	100	100	124	103	102	1293	665	628
9	Banff, . . .	58,883	156	134	139	189	144	183	175	133	144	158	145	157	1857	972	885
10	Aberdeen, . .	246,298	679	657	777	777	741	703	759	723	628	697	680	734	8555	4344	4211
11	Kincardine, . .	35,097	97	82	91	109	82	97	80	87	98	83	96	83	1085	559	526
	IV. EAST-MIDLAND.																
12	Forfar, . . .	240,049	765	668	787	769	825	758	820	760	715	730	745	789	9131	4811	4320
13	Perth, . . .	128,550	270	267	307	300	307	314	329	265	316	279	275	296	3525	1811	1714
14	Fife, . . .	160,924	478	432	505	479	503	477	482	458	416	488	458	480	5656	2861	2795
15	Kinross, . . .	7,918	14	12	8	20	18	22	18	18	16	18	13	19	191	95	96
16	Clackmannan, . .	22,235	80	66	89	70	63	65	77	78	80	72	44	73	857	450	407
	V. WEST-MIDLAND.																
17	Stirling, . . .	93,345	334	299	350	310	342	337	315	311	260	277	288	336	3759	1918	1841
18	Dumbarton, . .	61,116	229	195	220	226	201	210	232	168	156	187	207	203	2434	1301	1133
19	Argyll, . . .	79,661	157	148	188	151	172	173	160	174	139	172	155	151	1940	1006	934
20	Bute, . . .	16,966	43	35	39	36	41	32	35	32	26	31	42	34	426	208	218
	VI. SOUTH-WESTERN.																
21	Renfrew, . . .	195,305	674	604	728	713	735	678	674	643	552	608	592	663	7864	4079	3785
22	Ayr, . . .	200,908	710	647	800	752	787	693	674	688	629	625	591	660	8256	4215	4041
23	Lanark, . . .	787,005	3172	2795	3434	3268	3148	3167	3110	2948	2650	2851	2911	3126	36580	18742	17838
	VII. SOUTH-EASTERN.																
24	Linlithgow, . .	41,379	156	131	134	144	149	133	125	125	105	110	107	137	1556	799	757
25	Edinburgh, . .	328,138	1001	852	1044	1021	986	1039	1027	902	942	936	981	998	11729	5949	5780
26	Haddington, . .	37,755	95	82	85	92	118	92	96	97	104	93	95	104	1148	601	547
27	Berwick, . . .	36,382	91	74	95	71	85	93	114	74	89	86	92	68	1032	547	485
28	Peebles, . . .	12,218	33	28	33	43	29	17	31	32	47	33	43	35	404	200	204
29	Selkirk, . . .	19,651	66	66	84	62	67	62	63	70	71	54	74	64	803	404	399
	VIII. SOUTHERN.																
30	Roxburgh, . .	48,241	134	105	151	161	152	128	147	123	131	121	119	127	1599	802	797
31	Dumfries, . .	74,842	180	179	182	185	206	165	180	175	166	175	160	192	2145	1090	1055
32	Kirkcudbright, . .	42,087	87	89	107	112	114	108	96	103	99	112	98	96	1221	612	609
33	Wigtown, . .	38,602	121	75	85	112	107	104	97	115	90	90	91	87	1174	592	582

II.—DEATHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1875.

	Population.	DEATHS.													
	1871.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Deaths.	Males.	Fem.
SCOTLAND, -	3,360,018	9316	7493	8307	6902	6383	6233	6121	6188	5741	5723	6366	7012	81785	40414	41371
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS, . .	1,079,211	3563	2736	3023	2565	2400	2509	2339	2394	2137	2146	2466	2680	30958	15272	15686
LARGE TOWNS, . . .	318,740	1167	909	986	851	800	686	787	753	648	669	747	827	9830	5014	4816
SMALL TOWNS, . . .	767,487	2089	1636	1894	1521	1379	1347	1415	1416	1361	1323	1412	1501	18294	9043	9251
MAINLAND-RURAL, . .	1,062,576	2213	1984	2131	1744	1616	1519	1453	1460	1439	1403	1556	1773	20291	9951	10340
INSULAR-RURAL, . .	132,004	284	228	273	221	188	172	127	165	156	182	185	231	2412	1134	1278
DIVISIONS.																
NORTHERN, . . .	127,191	216	197	234	201	172	162	172	169	159	191	181	204	2258	1052	1206
NORTH-WESTERN, . .	166,351	394	352	396	296	261	206	194	211	225	236	257	301	3329	1577	1752
NORTH-EASTERN, . .	393,199	708	696	780	611	581	497	501	502	477	477	525	604	6959	3315	3644
EAST-MIDLAND, . .	559,676	1462	1186	1266	996	928	908	930	921	852	871	934	1030	12284	5924	6360
WEST-MIDLAND, . .	251,088	686	502	625	503	446	464	426	469	438	438	502	535	6034	3014	3020
SOUTH-WESTERN, . .	1,183,218	4161	3160	3540	3048	2801	2727	2705	2698	2417	2373	2694	2988	35312	17821	17491
SOUTH-EASTERN, . .	475,523	1230	987	1046	865	832	867	861	868	856	785	917	957	11071	5482	5589
SOUTHERN, . . .	203,772	459	413	420	382	362	402	332	350	317	352	356	393	4538	2229	2309
I. NORTHERN.																
Shetland, . . .	31,608	50	48	62	35	36	25	36	34	28	44	44	43	485	189	296
Orkney, ...	31,274	60	46	45	53	42	44	37	45	46	35	44	61	558	269	289
Caithness, . . .	41,011	75	56	78	72	66	69	72	66	57	70	59	63	803	389	414
Sutherland, . . .	23,298	31	47	49	41	28	24	27	24	28	42	34	37	412	205	207
II. NORTH-WESTERN.																
Ross and Cromarty, . .	82,093	245	202	207	157	132	111	96	100	112	107	120	135	1724	803	921
Inverness, . . .	84,258	149	150	189	139	129	95	98	111	113	129	137	166	1605	774	831
III. NORTH-EASTERN.																
Nairn, ...	8,372	32	27	21	13	12	5	11	13	2	13	7	15	171	85	86
Elgin (or Moray), . .	44,549	73	92	86	69	62	58	56	42	43	53	52	71	757	319	438
Banff, ...	58,883	91	96	127	99	80	82	79	62	67	54	69	70	976	481	495
Aberdeen, . . .	246,298	448	419	500	368	366	310	312	330	312	314	348	405	4432	2144	2288
Kincardine, . . .	35,097	64	62	46	62	61	42	43	55	53	43	49	43	623	286	337
IV. EAST-MIDLAND.																
Forfar, ...	240,049	664	546	563	437	425	430	451	427	373	435	441	453	5645	2749	2896
Perth, ...	128,550	319	236	282	205	201	204	195	169	202	158	180	241	2592	1254	1338
Fife, ...	160,924	400	343	366	286	263	237	242	273	231	230	267	272	3410	1611	1799
Kinross, ...	7,918	20	15	15	18	9	16	10	14	0	9	11	19	156	82	74
Clackmannan, . . .	22,235	59	46	40	50	30	21	32	38	46	39	35	45	481	228	253
V. WEST-MIDLAND.																
Stirling, ...	93,345	254	200	245	190	196	181	162	185	175	162	178	222	2350	1157	1193
Dumbarton, . . .	61,116	222	139	150	138	110	107	124	129	108	126	155	130	1638	822	816
Argyll, ...	79,661	182	140	133	132	111	143	96	122	117	105	122	148	1601	810	791
Bute, ...	16,966	28	23	47	43	29	33	44	33	38	45	47	35	445	225	220
VI. SOUTH-WESTERN.																
Renfrew, ...	195,305	626	449	515	448	446	443	450	506	454	517	518	471	5843	2868	2975
Ayr, ...	200,908	605	476	530	441	420	367	346	339	324	349	379	433	5009	2567	2442
Lanark, ...	787,005	2930	2235	2495	2159	1935	1917	1909	1853	1639	1507	1797	2084	24460	12386	12074
VII. SOUTH-EASTERN.																
Linlithgow, . . .	41,379	105	71	74	55	58	76	74	72	56	70	69	76	854	444	410
Edinburgh, . . .	328,138	908	725	772	669	634	651	607	618	621	578	700	714	8197	4056	4141
Haddington, . . .	37,755	93	71	68	47	47	54	55	61	60	48	47	47	698	345	353
Berwick, ...	36,382	56	67	72	47	47	33	63	66	66	41	51	55	664	321	343
Peebles, ...	12,218	24	14	25	15	10	23	16	26	22	18	24	25	242	121	121
Selkirk, ...	19,651	44	39	35	32	38	30	46	25	31	30	26	40	416	195	221
VIII. SOUTHERN.																
Roxburgh, . . .	48,241	98	93	90	89	72	100	92	98	82	88	92	86	1080	529	551
Dumfries, . . .	74,842	178	153	165	162	146	154	115	134	122	144	132	163	1768	903	865
Kirkcudbright, . . .	42,087	81	88	74	68	71	79	63	67	58	72	61	79	861	421	440
Wigtown, . . .	38,602	102	79	91	63	73	69	62	51	55	48	71	65	829	376	453

III.—MARRIAGES

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1875.

		Population.		Marriages.											
		1861	1871	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct.	Nov	Dec
	SCOTLAND,	3,062,294	3,360,018	3381	1424	1564	1526	1284	3828	2669	1582	1472	1673	2571	2947
	GROUPS OF DISTRICTS.														
1	PRINCIPAL TOWNS,	891,457	1,079,211	1396	586	662	666	541	1546	1195	695	679	674	1045	980
2	LARGE TOWNS,	264,537	318,740	419	150	167	191	152	427	341	194	175	203	305	280
3	SMALL TOWNS,	696,526	767,487	768	273	312	330	269	804	552	335	350	411	545	631
4	MAINLAND-RURAL,	1,073,009	1,062,576	712	332	364	311	295	1017	550	339	251	359	629	966
5	INSULAR-RURAL,	136,765	132,004	86	83	59	28	27	34	31	19	17	26	47	90
	DIVISIONS.														
1	NORTHERN,	130,422	127,191	84	77	54	33	44	34	46	29	20	39	50	120
2	NORTH-WESTERN,	167,242	166,351	109	69	56	28	24	72	63	28	26	55	75	126
3	NORTH-EASTERN,	366,870	393,199	258	139	94	90	154	422	216	114	115	214	244	402
4	EAST-MIDLAND,	523,822	559,676	639	180	252	224	241	594	377	284	214	235	449	512
5	WEST-MIDLAND,	242,487	251,088	192	83	98	105	56	255	156	98	114	91	184	198
6	SOUTH-WESTERN,	1,008,273	1,183,218	1493	567	666	735	484	1603	1336	670	637	702	1071	1013
7	SOUTH-EASTERN,	413,116	475,523	479	209	268	240	208	623	373	284	276	242	398	402
8	SOUTHERN,	210,062	203,772	127	100	76	71	73	225	102	75	70	95	100	174
	I. NORTHERN.														
1	Shetland,	31,670	31,608	31	22	8	4	5	5	3	9	3	2	14	39
2	Orkney,	32,395	31,274	18	19	20	17	13	8	17	2	5	10	13	25
3	Caithness,	42,200	41,011	23	11	9	8	21	19	21	10	8	23	18	32
4	Sutherland,	24,157	23,298	12	25	17	4	5	2	5	8	4	4	5	24
	II. NORTH-WESTERN.														
5	Ross and Cromarty,	82,427	82,093	52	29	25	11	8	27	25	8	9	25	43	51
6	Inverness,	84,815	84,258	57	40	31	17	16	45	38	20	17	30	32	75
	III. NORTH-EASTERN.														
7	Nairn,	8,347	8,372	4	1	0	3	3	7	5	0	1	7	4	7
8	Elgin (or Moray),	44,305	44,549	19	10	12	10	12	42	21	10	13	28	17	32
9	Banff,	56,020	58,883	27	10	20	17	18	59	22	9	19	38	38	71
10	Aberdeen,	223,417	246,298	181	102	56	48	108	272	153	86	72	124	159	260
11	Kincardine,	34,781	35,097	27	16	6	12	13	42	15	9	10	17	26	32
	IV. EAST-MIDLAND.														
12	Forfar,	206,750	240,049	298	97	126	123	131	332	187	147	94	122	175	245
13	Perth,	133,198	128,550	114	32	40	43	36	113	66	50	40	39	96	111
14	Fife,	155,021	160,924	189	42	72	46	69	123	97	66	69	64	156	137
15	Kinross,	8,731	7,918	7	3	3	2	0	5	3	3	2	1	6	9
16	Clackmannan,	20,122	22,235	31	6	11	10	5	21	24	18	9	9	16	10
	V. WEST-MIDLAND.														
17	Stirling,	88,138	93,345	88	35	46	41	23	125	63	49	48	41	89	89
18	Dumbarton,	54,179	61,116	58	9	22	30	15	73	60	28	29	27	42	53
19	Argyll,	83,859	79,661	36	38	28	24	10	47	25	17	27	18	40	48
20	Bute,	16,311	16,966	10	1	7	10	8	10	8	4	10	5	13	8
	VI. SOUTH-WESTERN.														
21	Renfrew,	168,746	195,305	241	86	111	110	67	244	219	133	89	109	192	118
22	Ayr,	199,083	200,908	224	79	76	105	72	245	147	112	83	80	164	172
23	Lanark,	640,444	787,005	1028	402	479	520	345	1114	970	425	465	513	715	723
	VII. SOUTH-EASTERN.														
24	Linlithgow,	39,045	41,379	31	12	17	15	12	43	30	9	12	15	31	35
25	Edinburgh,	273,792	328,138	375	168	209	184	155	476	285	235	229	174	320	282
26	Haddington,	37,626	37,755	23	11	14	14	22	25	25	15	15	15	25	32
27	Berwick,	36,488	36,382	20	10	12	15	12	35	10	9	7	12	11	25
28	Peebles,	11,264	12,218	7	8	7	4	2	25	7	2	2	8	4	9
29	Selkirk,	14,901	19,651	23	5	9	8	5	19	16	14	11	18	7	19
	VIII. SOUTHERN.														
30	Roxburgh,	49,568	48,241	35	32	18	21	20	59	26	21	18	19	23	34
31	Dumfries,	75,904	74,842	44	37	21	18	32	89	40	26	19	31	38	76
32	Kirkcudbright,	42,680	42,087	27	11	21	13	10	40	21	12	18	15	20	29
33	Wigtown,	41,910	38,602	21	20	16	19	11	37	15	16	15	30	19	35

—Total DEATHS from all Causes at Four Periods of Life in the Eight Principal Towns of Scotland.—Year 1875.

CAUSES OF DEATH.	AGES. 0–5	5–20	20–60	Above 60	Total.
L Causes	13267	3420	9014	5254	30955
CIFIED CAUSES	13127	3404	8949	5249	30729
EASES:—					
I. Zymotic Class	4387	1057	744	213	6401
II. Dropsy, Cancer, and others of uncertain seat	80	79	510	360	1029
III. Tubercular Class	1408	1091	2448	99	5046
IV. Of Brain, etc.	926	278	743	829	2776
V. Of Heart, etc.	22	98	782	495	1397
VI. Of Resp. Organs	3189	340	1906	1404	6839
VII. Of Digest. Organs	1095	134	587	290	2106
VIII. Of Kidneys, etc.	38	56	231	123	448
IX. Of Uterus, etc.	2	15	226	10	253
X. Of Joints, Bones, etc.	24	86	80	30	220
XI. Of Skin, etc.	19	2	11	4	36
XII. Malformations	84	4	1	–	89
XIII. Debility from Premature Birth	1537	–	–	–	1537
XIV. Atrophy	79	20	85	–	184
XV. Age	–	–	–	1232	1232
XVI. Sudden	24	3	56	15	98
XVII. Violence, Privation, etc.	213	141	539	145	1038
I. Small-pox	18	14	17	1	50
Measles	518	46	–	–	564
Scarlatina	996	532	53	–	1581
Diphtheria	179	54	9	4	246
Hooping-Cough	1262	79	1	–	1342
Croup	313	28	1	–	342
Thrush	25	–	–	–	25
Diarrhœa	754	28	78	101	961
Dysentery	16	–	9	17	42
Cholera	16	1	10	2	29
Influenza	5	2	5	16	28
Purpura; Scurvy	7	1	8	4	20
Ague	–	–	–	2	2
Worms	6	1	–	–	7
Typhus Fever	17	40	145	13	215
Enteric Fever	91	181	186	11	469
Relapsing Fever	1	2	5	–	8
Simple Cont. Fever	7	8	5	5	25
Infant. Rem. Fever	22	12	–	–	34
Metria	–	3	92	–	95
Rheumatic Fever	3	16	31	2	52
Erysipelas	56	3	59	33	151
Pyæmia	6	4	8	–	18
Syphilis	67	1	22	1	91
Noma	2	1	–	1	4
Hydrophobia	–	–	–	–	–
II. Hæmorrhage	4	5	24	5	38
Dropsy	45	44	125	116	330
Abscess	18	19	21	6	64
Ulcer	2	3	9	8	22
Fistula	–	–	4	–	4
Mortification	5	2	9	32	48
Cancer	6	6	315	191	518
Gout	–	–	3	2	5
III. Scrofula	111	73	55	3	242
Tabes Mesenterica	343	84	16	1	444
Phthisis	283	829	2370	95	3577
Hydrocephalus	671	105	7	–	783

CAUSES OF DEATH.	AGES. 0–5	5–20	20–60	Above 60	Total.
IV. Cephalitis	182	96	43	8	329
Apoplexy	107	48	231	241	627
Paralysis	4	12	229	458	703
Delirium Tremens	–	–	16	1	17
Chorea	3	–	–	–	3
Epilepsy	5	11	59	8	83
Tetanus	1	2	5	–	8
Insanity	–	–	12	5	17
Convulsions	508	25	3	–	536
Dis. of Brain, etc.	116	84	145	108	453
V. Pericarditis	6	5	7	2	20
Aneurism	–	–	29	8	37
Dis. of Heart, etc.	16	93	746	485	1340
VI. Laryngitis	48	6	18	3	75
Bronchitis	2439	170	1097	1105	4811
Pleurisy	7	13	44	16	80
Pneumonia	639	140	594	190	1563
Asthma	1	1	78	71	151
Dis. of Lungs, etc.	55	10	75	19	159
VII. Teething	499	–	–	–	499
Quinsey	13	5	4	3	25
Gastritis	27	7	23	4	61
Enteritis	330	37	69	34	470
Peritonitis	24	26	60	8	118
Ascites	1	1	10	–	12
Ulcer. of Intest.	5	7	27	10	49
Hernia	2	2	26	19	49
Ileus	28	3	34	17	82
Intussusception	7	1	5	1	14
Strict. of Intest.	–	1	7	5	13
Dis. of Stomach	104	25	103	54	286
Dis. of Pancreas	–	–	–	1	1
Hepatitis	8	2	29	14	53
Jaundice	25	–	13	19	57
Dis. of Liver	22	17	172	98	309
Dis. of Spleen	–	–	5	3	8
VIII. Nephritis	19	15	16	13	63
Nephria	5	15	98	21	139
Addison's Disease	–	–	2	–	2
Ischuria	3	1	4	6	14
Diabetes	–	4	15	6	25
Stone	1	1	7	6	15
Cystitis	–	2	6	20	28
Strict. of Urethra	–	–	3	1	4
Dis. of Kidneys	10	18	80	50	158
IX. Paramenia	1	–	6	–	7
Ovarian Dropsy	–	2	11	3	16
Childbirth	–	13	180	–	193
Dis. of Uterus	1	–	29	7	37
X. Arthritis	2	8	5	1	16
Rheumatism	–	12	44	25	81
Dis. of Joints, etc.	22	66	31	4	123
XI. Carbuncle	–	–	2	2	4
Phlegmon	1	1	–	–	2
Dis. of Skin	18	1	9	2	30
XVII. Intemperance	–	1	79	13	93
Privation of Food	–	1	2	1	4
Wt. Breast-milk	57	–	–	1	58
Neglect	1	–	–	–	1
Cold	1	–	1	1	3
Poison	1	–	10	3	14
Poisoned Wounds	–	–	–	1	1
Burns and Scalds	39	18	16	5	78
Hanging, etc.	–	1	16	3	20
Suffocation	73	3	18	6	100
Drowning	10	22	104	10	146
Fractures & Contus.	25	75	247	91	438
Gunshot Wounds	–	1	5	1	7
Cuts and Stabs	–	5	9	4	18
Other Vio. Causes	6	14	32	5	57
Not specified	140	16	65	5	226

Year 1875.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEE			
	0–5	5–20	20–60	60,etc.	Total	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.
ALL CAUSES	6990	1813	4592	1962	15357	1955	534	1447	1106	5042	1408	334	994	570	3306	674	181	574	58
SPECIFIED CAUSES	6934	1804	4563	1960	15261	1929	530	1425	1105	4989	1391	333	991	569	3284	669	181	571	58
DISEASES :—																			
I. Zymotic Class	2238	484	382	73	3177	741	250	112	38	1141	417	92	57	26	592	197	41	48	2
II. Dropsy, Cancer, and others of uncertain seat	49	46	220	124	439	10	11	108	77	206	9	10	57	42	118	1	–	42	4
III. Tubercular Class	787	645	1241	46	2719	217	100	363	15	695	110	103	302	12	527	65	65	169	1
IV. Of Brain, etc	474	153	337	296	1260	148	42	132	207	529	115	27	70	77	289	54	19	65	8
V. Of Heart, etc.	7	52	316	154	529	5	19	176	136	336	2	12	101	55	170	–	5	57	5
VI. Of Resp. Organs	1760	198	1141	613	3712	402	34	240	274	950	380	29	231	142	782	163	17	75	15
VII. Of Digest. Organs	667	81	290	90	1128	121	14	103	70	308	73	10	52	36	171	53	9	41	3
VIII. Of Kidneys, etc.	20	24	110	49	203	7	17	47	24	95	9	8	23	9	49	1	3	21	1
IX. Of Uterus, etc.	1	6	113	6	126	1	1	41	1	44	–	2	26	1	29	–	4	15	
X. Of Joints, Bones, etc.	11	35	37	13	96	5	23	12	4	44	1	14	6	1	22	1	6	11	
XI Of Skin etc.	7	1	5	1	14	1	–	1	1	3	2	–	2	–	4	4	–	1	
XII. Malformations	31	2	–	–	33	19	2	–	–	21	14	–	–	–	14	10	–	1	
XIII. Debility from Premature Birth	732	–	–	–	732	200	–	–	–	200	222	–	–	–	222	101	–	–	
XIV. Atrophy	34	8	34	–	76	7	–	9	–	16	7	1	15	–	23	3	–	6	
XV. Age	–	–	–	417	417	–	–	–	225	225	–	–	–	156	156	–	–	–	14
XVI. Sudden	9	1	43	8	61	3	–	2	1	6	5	1	3	4	13	–	1	2	
XVII Violence, Privation, etc.	107	68	294	70	539	42	17	79	32	170	25	24	46	8	103	16	11	17	1
I. Small-pox	9	–	–	–	9	–	–	–	–	–	–	–	–	–	–	6	7	12	
Measles	325	28	–	–	353	22	3	–	–	25	4	–	–	–	4	–	–	–	
Scarlatina	473	216	26	–	715	297	194	20	–	511	78	45	2	–	125	12	6	1	
Diphtheria	89	11	4	–	104	37	21	4	2	64	14	5	–	1	20	15	3	–	
Hooping-Cough	677	53	–	–	730	179	8	–	–	187	137	5	–	–	142	77	5	–	
Croup	147	16	–	–	163	56	3	–	–	59	14	1	–	–	15	21	2	1	
Thrush	2	–	–	–	2	1	–	–	–	1	5	–	–	–	5	6	–	–	
Diarrhœa	355	17	36	37	445	94	3	13	17	127	143	5	9	14	171	46	–	4	
Dysentery	7	–	6	8	21	3	–	–	2	5	1	–	–	2	3	–	–	–	
Cholera	5	1	5	1	12	5	–	–	–	5	1	–	–	–	1	–	–	–	
Influenza	2	2	2	3	9	3	–	2	3	8	–	–	–	2	2	–	–	–	
Purpura; Scurvy	4	1	3	3	11	–	–	2	–	2	1	–	–	1	2	–	–	–	
Ague	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	
Worms	4	–	–	–	4	1	–	–	–	1	–	–	–	–	–	–	–	–	
Typhus Fever	7	19	67	3	96	1	3	22	1	27	–	2	12	1	15	3	3	3	
Enteric Fever	50	90	108	4	252	8	10	17	2	37	3	24	12	1	40	5	14	10	
Relapsing Fever	1	1	1	–	3	–	–	1	–	1	–	–	–	–	–	–	–	1	
Simple Cont. Fever	4	4	3	–	11	–	1	1	–	2	–	–	–	–	–	–	1	–	
Infant. Rem. Fever	12	7	–	–	19	6	–	–	–	6	1	1	–	–	2	–	–	–	
Metria	–	1	57	–	58	–	–	10	–	10	–	1	7	–	8	–	–	7	
Rheumatic Fever	2	8	13	1	24	1	4	5	–	10	–	3	6	1	10	–	–	5	
Erysipelas	33	3	38	12	86	8	–	9	8	25	5	–	4	3	12	3	–	2	
Pyæmia	3	4	4	–	11	2	–	1	–	3	1	–	–	–	1	–	–	1	
Syphilis	26	1	9	–	36	17	–	5	1	23	8	–	5	–	13	3	–	1	
Noma	1	1	–	–	2	–	–	–	1	1	1	–	–	–	1	–	–	–	
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
II. Hæmorrhage	1	4	9	4	18	1	–	5	–	6	1	–	4	–	5	–	–	1	
Dropsy	29	24	65	52	170	5	6	16	12	39	5	7	15	17	44	1	–	5	
Abscess	13	9	7	1	30	2	5	6	1	14	2	2	2	1	7	–	–	2	
Ulcer	1	3	5	4	13	–	–	–	1	1	–	–	–	–	–	–	–	3	
Fistula	–	–	3	–	3	–	–	1	–	1	–	–	–	–	–	–	–	–	
Mortification	1	1	5	8	15	–	–	1	9	10	1	1	1	1	4	–	–	–	
Cancer	4	5	126	55	190	2	–	78	52	132	–	–	34	23	57	–	–	31	27
Gout	–	–	–	–	–	–	–	1	2	3	–	–	1	–	1	–	–	–	
III. Scrofula	52	44	26	1	123	18	5	7	1	31	7	5	8	–	20	4	7	9	1
Tabes Mesenterica	212	61	10	–	283	54	9	2	1	66	24	4	1	–	29	8	1	2	
Phthisis	214	488	1201	45	1948	7	71	351	13	442	17	86	293	12	408	6	48	158	14
Hydrocephalus	309	52	4	–	365	138	15	3	–	156	62	8	–	–	70	47	9	–	

Year 1875.

USES OF DEATH.	GREENOCK.					PAISLEY.					LEITH.					PERTH.					Grand Total.
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	
Causes	1072	258	552	297	2179	489	174	377	324	1364	472	84	296	210	1062	207	42	182	204	635	30955
fied Causes	1052	258	547	297	2154	478	174	376	324	1352	472	83	294	210	1059	202	41	182	204	629	30729
ses :—																					
. Zymotic Class	404	97	71	21	593	160	47	35	15	257	165	29	26	10	230	65	17	13	7	102	6401
. Dropsy, Cancer, and others of uncertain seat	6	9	26	18	59	2	–	20	28	50	3	3	21	16	43	–	–	16	12	28	1029
. Tubercular Class	94	74	152	2	322	63	71	90	2	226	56	21	71	2	150	16	12	60	5	93	5046
. Of Brain, etc.	61	15	52	53	181	33	14	49	46	142	32	6	29	30	97	9	2	9	37	57	2776
. Of Heart, etc.	–	3	57	35	95	2	3	22	17	44	1	3	35	20	59	5	1	18	28	52	1397
. Of Resp. Organs	243	31	68	53	395	98	14	81	69	262	105	12	46	67	230	38	5	24	32	99	6839
. Of Digest. Organs	98	9	29	12	148	43	10	34	19	106	28	1	23	16	68	12	–	15	13	40	2106
. Of Kidneys, etc.	–	2	13	7	22	–	–	7	5	12	1	2	4	3	10	–	–	6	8	14	448
. Of Uterus, etc.	–	–	13	–	13	–	2	9	1	12	–	–	5	–	5	–	–	4	–	4	253
. Of Joints, Bones, etc.	2	5	6	4	17	2	1	5	2	10	2	1	2	–	5	–	1	1	2	4	220
. Of Skin, etc.	2	–	–	1	3	1	1	1	–	3	1	–	1	1	3	1	–	–	–	1	36
. Malformations	6	–	–	–	6	1	–	–	–	1	2	–	–	–	2	1	–	–	–	1	89
. Debility from Premature Birth	111	–	–	–	111	57	–	–	–	57	65	–	–	–	65	49	–	–	–	49	1537
. Atrophy	12	5	10	–	27	9	3	6	–	18	4	2	4	–	10	3	1	1	–	5	184
. Age	–	–	–	81	81	–	–	–	110	110	–	–	–	40	40	–	–	–	59	59	1232
. Sudden	3	–	3	–	6	3	–	–	1	4	1	–	2	–	3	–	–	1	–	1	98
. Violence, Privation, etc.	10	8	47	10	75	4	8	17	9	38	6	3	25	5	39	3	2	14	1	20	1038
. Small-pox	1	–	–	–	1	1	7	5	–	13	1	–	–	–	1	–	–	–	–	–	50
Measles	92	10	–	–	102	59	5	–	–	64	1	–	–	–	1	15	–	–	–	15	564
Scarlatina	55	28	2	–	85	27	15	–	–	42	41	22	2	–	65	13	6	–	–	19	1581
Diphtheria	16	6	–	1	23	1	1	1	–	3	4	2	–	–	6	3	5	–	–	8	246
Hooping-Cough	136	6	1	–	143	16	–	–	–	16	34	2	–	–	36	6	–	–	–	6	1342
Croup	23	3	–	–	26	12	–	–	–	12	31	2	–	–	33	9	1	–	–	10	342
Thrush	2	–	–	–	2	4	–	–	–	4	4	–	–	–	4	1	–	–	–	1	25
Diarrhœa	43	1	7	8	59	24	1	3	11	39	35	–	4	1	40	14	1	2	4	21	961
Dysentery	1	–	–	–	1	1	–	1	1	3	1	–	2	2	5	2	–	–	1	3	42
Cholera	3	–	5	–	8	1	–	–	1	2	–	–	–	–	–	1	–	–	–	1	29
Influenza	–	–	1	–	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	28
Purpura; Scurvy	1	–	2	–	3	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	20
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Worms	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
Typhus Fever	3	8	21	5	37	–	2	8	–	10	3	–	7	1	11	–	3	5	1	9	215
Enteric Fever	19	33	22	1	75	4	10	10	1	25	2	–	6	1	9	–	–	1	1	2	469
Relapsing Fever	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–	1	–	1	8
Simple Cont. Fever	1	1	1	3	6	–	1	–	–	1	1	–	–	2	3	1	–	–	–	1	25
Infant. Rem. Fever	1	–	–	–	1	2	3	–	–	5	–	1	–	–	1	–	–	–	–	–	34
Metria	–	–	2	–	2	–	1	5	–	6	–	–	2	–	2	–	–	2	–	2	95
Rheumatic Fever	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	1	–	–	1	52
Erysipelas	2	–	3	3	8	3	–	–	1	4	2	–	1	1	4	–	–	2	–	2	151
Pyæmia	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
Syphilis	4	–	2	–	6	4	–	–	–	4	5	–	–	–	5	–	–	–	–	–	91
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
. Hæmorrhage	–	1	2	–	3	–	–	–	–	–	1	–	2	–	3	–	–	1	–	1	38
Dropsy	3	5	10	5	23	1	–	6	12	19	1	2	5	8	16	–	–	3	1	4	330
Abscess	1	2	1	–	4	–	–	2	2	4	–	1	–	–	1	–	–	1	–	1	64
Ulcer	–	–	–	–	–	–	–	–	1	1	1	–	1	1	3	–	–	–	1	1	22
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Mortification	2	–	2	3	7	1	–	–	2	3	–	–	–	3	3	–	–	–	1	1	48
Cancer	–	1	11	10	22	–	–	12	11	23	–	–	12	4	16	–	–	11	9	20	518
Gout	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	5
. Scrofula	19	8	–	–	27	3	2	2	–	7	5	1	2	–	8	3	1	1	–	5	242
Tabes Mesenterica	14	1	–	–	15	7	1	–	–	8	18	3	–	–	21	6	4	1	–	11	444
Phthisis	27	58	152	2	239	11	59	88	2	160	1	12	69	2	84	–	7	58	5	70	3577
Hydrocephalus	34	7	–	–	41	42	9	–	–	51	32	5	–	–	37	7	–	–	–	7	783

Year 1875.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.
IV. Cephalitis	92	57	23	4	176	39	11	7	3	60	23	13	3	1	40	8	7	3	–	
Apoplexy	57	28	103	83	271	15	3	36	55	109	16	6	29	27	78	1	2	18	30	
Paralysis	3	7	111	155	276	–	1	36	121	158	–	1	22	44	67	–	1	16	37	
Delirium Tremens	–	–	8	–	8	–	–	5	–	5	–	–	–	1	1	–	–	–	–	
Chorea	1	–	–	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	
Epilepsy	2	8	15	3	28	1	1	17	1	20	1	–	6	1	8	–	1	9	2	1
Tetanus	1	1	3	–	5	–	–	–	–	–	–	–	1	–	1	–	1	1	–	
Insanity	–	–	7	2	9	–	–	–	–	–	–	–	–	–	–	–	–	3	1	
Convulsions	260	13	2	–	275	70	8	1	–	79	74	–	–	–	74	35	1	–	–	
Dis. of Brain, etc.	58	39	65	49	211	21	18	30	27	96	1	7	9	3	20	10	6	15	13	
V. Pericarditis	–	4	3	–	7	3	1	–	–	4	–	–	2	1	3	–	–	–	–	
Aneurism	–	–	12	3	15	–	–	10	2	12	–	–	3	–	3	–	–	–	2	
Dis. of Heart, etc.	7	48	301	151	507	2	18	166	134	320	2	12	96	54	164	–	5	57	48	1
VI. Laryngitis	26	1	10	–	37	7	1	–	–	8	2	–	2	1	5	7	2	2	1	
Bronchitis	1330	102	688	502	2622	301	22	109	196	618	297	11	134	113	555	143	8	43	122	3
Pleurisy	3	6	21	1	31	2	2	13	11	28	–	2	3	1	6	1	–	1	–	
Pneumonia	370	80	329	70	849	88	9	87	58	242	80	16	86	20	202	12	7	24	18	
Asthma	1	1	47	32	81	–	–	8	11	19	–	–	6	7	13	–	–	3	12	
Dis. of Lungs, etc.	30	8	46	8	92	4	–	23	8	35	1	–	–	–	1	–	–	2	1	
VII. Teething	305	–	–	–	305	46	–	–	–	46	31	–	–	–	31	32	–	–	–	
Quinsey	8	2	3	2	15	2	–	–	–	2	1	1	–	1	3	1	1	–	–	
Gastritis	19	7	13	–	39	2	–	2	–	4	2	–	1	1	4	–	–	1	3	
Enteritis	218	26	42	17	303	25	3	9	4	41	19	1	10	7	37	5	1	1	2	
Peritonitis	4	15	29	–	48	10	3	4	1	18	5	4	7	1	17	2	2	6	2	
Ascites	1	–	2	–	3	–	–	–	–	–	–	–	1	–	1	–	–	2	–	
Ulcer. of Intest.	1	1	8	1	11	1	1	11	4	17	3	2	3	2	10	–	2	2	1	
Hernia	2	1	12	2	17	–	1	6	4	11	–	–	–	2	2	–	–	3	5	
Ileus	17	2	13	5	37	4	1	6	6	17	2	–	6	1	9	3	–	3	1	
Intussusception	1	1	1	–	3	3	–	–	–	3	2	–	3	1	6	–	–	1	–	
Strict. of Intest.	–	–	2	2	4	–	–	3	1	4	–	–	–	–	–	–	–	–	1	
Dis. of Stomach	61	12	55	11	139	22	4	22	21	69	5	1	4	4	14	2	2	7	5	
Dis. of Pancreas	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
Hepatitis	6	–	17	6	29	–	–	–	–	–	1	3	2	6	1	–	2	1		
Jaundice	10	–	4	5	19	2	–	4	5	11	2	–	1	3	6	7	–	2	2	
Dis. of Liver	14	14	87	37	152	4	1	36	23	64	1	–	12	11	24	–	1	9	10	
Dis. of Spleen	–	–	2	2	4	–	–	–	–	–	–	–	1	–	1	–	–	2	1	
VIII. Nephritis	9	6	9	6	30	3	5	2	3	13	6	4	2	2	14	1	–	1	1	
Nephria	3	4	44	8	59	2	7	23	3	35	–	3	10	2	15	–	1	3	2	
Addison's Disease	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
Ischuria	2	1	2	2	7	–	–	–	–	–	1	–	–	2	3	–	–	2	2	
Diabetes	–	2	11	3	16	–	2	3	3	8	–	–	–	–	–	–	–	1	–	
Stone	1	1	5	2	9	–	–	1	2	3	–	–	1	–	1	–	–	–	1	
Cystitis	–	1	1	4	6	–	–	1	2	3	–	–	1	1	2	–	1	1	4	
Strict. of Urethra	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
Dis. of Kidneys	5	9	36	23	73	2	3	16	11	32	2	1	9	2	14	–	1	7	8	
IX. Paramenia	–	–	4	–	4	1	–	1	–	2	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	–	1	3	3	7	–	–	5	–	5	–	–	3	–	3	–	1	–	–	
Childbirth	–	5	92	–	97	–	1	30	–	31	–	2	20	–	22	–	3	11	–	
Dis. of Uterus	1	–	14	3	18	–	–	5	1	6	–	–	3	1	4	–	–	4	1	
X. Arthritis	–	2	1	–	3	2	1	–	–	3	–	2	1	–	3	–	1	2	1	
Rheumatism	–	7	26	11	44	–	1	3	3	7	–	1	1	1	3	–	1	4	3	
Dis. of Joints, etc.	11	26	10	2	49	3	21	9	1	34	1	11	4	–	16	1	4	5	–	
XI. Carbuncle	–	–	1	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	–	
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Disease of Skin	7	1	4	1	13	1	–	–	–	1	2	–	2	–	4	3	–	1	–	
XVII. Intemperance	–	1	44	7	52	–	–	15	2	17	–	–	3	–	3	–	–	1	1	
Privation of Food	–	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
Wt. Breast-milk	34	–	–	–	34	10	–	–	–	10	2	–	–	–	2	4	–	–	–	
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	1	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	–	–	3	2	5	1	–	2	–	3	–	–	1	–	1	–	–	1	–	
Poisoned Wounds	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	16	7	13	2	38	7	2	1	2	12	10	6	–	1	17	2	–	1	–	
Hanging, etc.	–	1	10	–	11	–	–	3	1	4	–	–	2	2	4	–	–	1	–	
Suffocation	21	2	9	2	44	14	–	1	2	17	11	1	3	–	15	8	–	1	1	
Drowning	8	11	66	7	92	1	–	1	1	3	1	1	5	1	8	–	3	4	1	
Fractures	14	33	120	43	210	6	11	51	22	90	1	15	26	4	46	1	6	6	6	
Gunshot Wounds	–	–	3	–	3	–	–	1	–	1	–	–	–	–	–	–	1	–	–	
Cuts and Stabs	–	2	4	4	10	–	2	1	–	3	–	–	1	–	1	–	–	–	–	
Other Vio. Causes	2	10	20	1	33	3	2	3	2	10	–	1	4	–	5	1	1	2	1	
Not specified	56	9	29	2	96	26	4	22	1	53	17	1	3	1	22	5	–	3	1	

Year 1875.

CAUSES OF DEATH.	GREENOCK.					PAISLEY.					LEITH.					PERTH.					Grand Total.
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	0–5	20–60	60,etc	Total.	0–5	5–20	20–60	60,etc.	Total.	
V. Cephalitis	9	3	–	–	12	–	2	4	–	6	9	2	2	–	13	2	1	1	–	4	329
Apoplexy	2	4	15	20	41	14	5	15	8	42	2	–	11	7	20	–	–	4	11	15	627
Paralysis	–	–	17	28	45	–	1	15	32	48	1	1	9	21	32	–	–	3	20	23	703
Delirium Tremens	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	17
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Epilepsy	–	1	6	–	7	–	–	4	–	4	1	–	2	1	4	–	–	–	–	–	83
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
Insanity	–	–	2	1	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	17
Convulsions	28	2	–	–	30	18	1	–	–	19	18	–	–	–	18	5	–	–	–	5	536
Dis. of Brain, etc.	22	5	10	4	41	1	5	10	5	21	1	3	5	1	10	2	1	1	6	10	453
V. Pericarditis	–	–	–	–	–	1	–	–	–	1	–	–	1	1	2	2	–	1	–	3	20
Aneurism	–	–	–	–	–	–	–	1	–	1	–	–	2	–	2	–	–	1	1	2	37
Dis. of Heart, etc.	–	3	57	35	95	1	3	21	17	42	1	3	32	19	55	3	1	16	27	47	1340
VI. Laryngitis	–	2	2	–	4	3	–	1	–	4	2	–	1	1	4	1	–	–	–	1	75
Bronchitis	182	15	33	42	272	81	5	58	57	201	76	4	23	56	159	29	3	9	27	68	4811
Pleurisy	–	–	2	–	2	–	–	1	–	1	1	3	1	2	7	–	–	2	1	3	80
Pneumonia	43	12	23	8	86	14	9	17	8	48	24	5	18	5	52	8	2	10	3	23	1563
Asthma	–	–	6	3	9	–	–	4	3	7	–	–	1	2	3	–	–	3	1	4	151
Dis. of Lungs, etc.	18	2	2	–	22	–	–	–	1	1	2	–	2	1	5	–	–	–	–	–	159
VII. Teething	49	–	–	–	49	18	–	–	–	18	9	–	–	–	9	9	–	–	–	9	499
Quinsey	–	1	–	–	1	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	25
Gastritis	4	–	5	–	9	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	61
Enteritis	38	3	2	2	45	21	3	5	1	30	3	–	–	–	3	1	–	–	1	2	470
Peritonitis	–	1	3	–	4	2	1	4	1	8	1	–	4	2	7	–	–	3	1	4	118
Ascites	–	–	2	–	2	–	1	3	–	4	–	–	–	–	–	–	–	–	–	–	12
Ulcer. of Intest.	–	–	1	–	1	–	1	2	1	4	–	–	–	1	1	–	–	–	–	–	49
Hernia	–	–	2	–	2	–	–	2	4	6	–	–	–	–	–	–	–	1	2	3	49
Ileus	1	–	2	1	4	–	–	2	–	2	1	–	–	1	2	–	–	2	2	4	82
Intussusception	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	14
Strict. of Intest.	–	–	1	1	2	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	13
Dis. of Stomach	1	3	4	4	12	1	2	1	2	6	10	1	7	5	23	2	–	3	2	7	286
Dis. of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hepatitis	1	–	–	–	1	–	1	5	4	10	–	–	1	–	1	–	–	1	1	2	53
Jaundice	2	–	–	1	3	–	–	1	1	2	2	–	1	2	5	–	–	–	–	–	57
Dis. of Liver	2	1	7	3	13	–	–	6	5	11	1	–	10	5	16	–	–	5	4	9	309
Dis. of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
VIII. Nephritis	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	–	1	63
Nephria	–	–	4	1	5	–	–	3	2	5	–	–	3	1	4	–	–	3	2	5	139
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
Stone	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
Cystitis	–	–	1	2	3	–	–	1	2	3	–	–	–	1	1	–	–	–	4	4	28
Strict. of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4
Dis. of Kidneys	–	2	8	3	13	–	–	2	–	2	1	2	1	1	5	–	–	1	2	3	158
IX. Paramenia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
Childbirth	–	–	11	–	11	–	2	9	–	11	–	–	3	–	3	–	–	4	–	4	193
Dis. of Uterus	–	–	1	–	1	–	–	–	1	1	–	–	2	–	2	–	–	–	–	–	37
X. Arthritis	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–	–	1	16
Rheumatism	–	1	4	4	9	–	–	4	2	6	–	1	1	–	2	–	–	1	1	2	81
Dis. of Joints, etc.	2	4	2	–	8	2	–	–	–	2	2	–	1	–	3	–	–	–	1	1	123
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	4
Phlegmon	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2
Disease of Skin	2	–	–	1	3	1	–	1	–	2	1	–	1	–	2	1	–	–	–	1	30
VII. Intemperance	–	–	8	1	9	–	–	1	2	3	–	–	3	–	3	–	–	4	–	4	93
Privation of Food	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	4
Wt. Breast-milk	3	–	–	1	4	1	–	–	–	1	–	–	–	–	–	3	–	–	–	3	58
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Poison	–	–	1	–	1	–	–	–	1	1	–	–	1	–	1	–	–	1	–	1	14
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	–	–	1	–	1	1	2	–	–	3	3	1	–	–	4	–	–	–	–	–	78
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	20
Suffocation	6	–	2	–	8	2	–	2	–	4	1	–	–	–	–	–	–	–	–	–	100
Drowning	–	1	15	–	16	–	4	6	–	10	–	2	7	–	9	–	–	–	–	–	146
Fractures	1	7	18	7	33	–	2	5	4	11	2	–	12	4	18	–	1	9	1	11	438
Gunshot Wounds	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	7
Cuts and Stabs	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1	18
Other Vio. Causes	–	–	–	–	–	–	–	2	1	3	–	–	1	–	1	–	–	–	–	–	57
Not specified	20	–	5	–	25	11	–	1	–	12	–	1	2	–	3	5	1	–	–	6	226

CAUSES OF DEATH.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total
ALL CAUSES	3564	2737	3020	2564	2398	2509	2341	2394	2137	2146	2465	2680	30955
SPECIFIED CAUSES	3530	2719	2999	2546	2381	2493	2330	2376	2123	2130	2442	2660	30729
DISEASES:—													
I. Zymotic Class	624	482	493	453	446	490	545	663	623	546	566	470	6401
II. Dropsy, Cancer, and others of uncertain seat	101	73	105	82	78	78	84	73	88	83	100	84	1027
III. Tubercular Class	416	444	509	486	482	515	439	437	305	325	311	377	5047
IV. Of Brain, Nerves, etc.	263	231	260	268	254	235	208	215	179	193	233	237	2777
V. Of Heart, etc.	148	119	158	123	95	109	106	110	82	103	121	123	1397
VI. Of Respiratory Organs	1195	775	762	553	469	466	343	300	278	400	531	767	6839
VII. Of Digestive Organs	187	161	201	175	162	189	185	208	184	148	152	154	2106
VIII. Of Kidneys, etc.	60	37	50	34	39	37	30	29	30	30	31	41	448
IX. Of Uterus, viz. Puerperal Disease, etc.	33	22	15	19	27	25	21	15	19	13	27	17	254
X. Of Joints, Bones, viz. Rheumatism, etc.	18	14	20	16	24	25	18	17	13	23	19	13	230
XI. Of Skin, etc.	4	3	3	3	3	2	2	5	2	4	1	4	36
XII. Malformations	4	10	12	12	6	7	4	6	5	5	10	8	89
XIII. Debility from Premature Birth, etc.	128	131	156	148	125	112	136	118	119	101	134	129	1537
XIV. Atrophy	18	15	15	9	12	23	14	13	18	10	18	19	184
XV. Age	219	128	141	74	81	89	94	68	77	60	93	108	1232
XVI. Sudden	9	11	8	9	8	7	4	2	11	7	9	18	104
XVII. Violence, Privation, etc.	103	63	91	82	75	84	97	97	90	79	86	91	1038
I. Small-pox	14	12	6	4	5	2	1	1	3	–	2	–	50
Measles	23	17	47	54	60	71	69	42	43	49	55	34	564
Scarlatina	227	140	125	107	77	98	87	124	141	163	177	115	1581
Diphtheria	25	25	27	17	13	12	16	23	17	22	29	20	246
Hooping-cough	152	136	119	98	121	114	123	90	90	77	104	118	1344
Croup	24	30	23	25	18	19	22	25	21	51	44	40	342
Thrush	3	–	1	4	1	–	4	1	3	3	3	2	25
Diarrhœa	37	33	34	36	41	51	126	253	197	84	35	34	961
Dysentry	3	2	5	3	2	3	4	3	4	4	3	6	42
Cholera	–	–	1	–	1	3	6	12	3	1	2	–	29
Influenza	9	4	2	3	1	3	–	–	1	–	3	2	28
Purpura	1	1	4	1	1	3	2	3	1	1	1	1	20
Ague	–	–	–	1	–	–	–	–	–	–	1	–	2
Worms	2	–	1	–	2	–	–	–	–	1	–	1	7
Typhus Fever	22	18	18	20	23	15	10	18	11	11	20	29	215
Enteric Fever	24	26	31	40	35	53	44	33	50	47	55	31	469
Relapsing Fever	1	1	–	1	2	–	–	–	2	1	–	–	8
Simple Continued Fever	2	4	4	1	3	6	1	1	–	1	1	1	25
Infantile Remitt. Fever	2	6	3	4	3	3	3	2	2	3	–	3	36
Metria	12	7	17	7	8	6	4	7	6	6	4	11	95
Rheumatic Fever	7	1	2	3	7	5	2	6	6	4	5	4	52
Erysipelas	21	15	17	17	9	10	9	9	8	8	18	10	151
Pyæmia	3	1	–	2	2	1	–	2	2	3	1	1	18
Syphilis	10	3	6	4	10	12	11	7	12	6	3	7	95
Noma (or Canker)	–	–	–	1	1	–	1	1	–	–	–	–	5
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	4	2	3	5	3	1	2	3	5	1	4	38
Dropsy	43	33	42	28	17	18	26	23	30	19	31	20	330
Abscess	9	1	5	6	1	8	7	7	6	5	5	4	64
Ulcer	1	1	1	1	4	–	1	2	3	1	3	4	22
Fistula	–	–	–	–	–	1	1	1	–	1	–	–	4
Mortification	3	1	9	5	5	2	4	1	3	2	6	7	48
Cancer	39	33	46	39	45	45	44	37	43	49	53	45	519
Gout	1	–	–	–	1	1	–	–	–	1	1	–	5
III. Scrofula	17	15	27	29	25	32	15	32	11	17	10	12	245
Tabes Mesenterica	28	36	42	38	41	43	36	65	40	26	19	30	444
Phthisis	322	320	363	343	335	359	327	273	198	231	235	271	3577
Hydrocephalus	49	73	77	76	81	81	61	67	56	51	47	64	783

CAUSES OF DEATH.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
IV. Cephalitis	26	37	24	28	41	36	33	26	20	17	21	20	329
Apoplexy	53	43	68	55	57	55	64	48	39	36	54	55	627
Paralysis	68	64	68	73	57	51	40	47	43	61	61	70	703
Delirium Tremens	1	–	1	3	3	1	1	2	1	–	2	2	17
Chorea	–	–	–	1	–	1	–	–	–	–	–	1	3
Epilepsy	8	7	5	9	9	9	7	5	8	10	3	3	83
Tetanus	–	1	–	–	2	1	–	1	–	–	1	2	8
Insanity	2	1	7	–	3	3	1	–	–	–	–	–	17
Convulsions	55	48	43	54	44	49	29	43	29	42	51	49	536
Disease of Brain, etc.	50	30	44	45	38	29	33	43	39	27	40	35	453
V. Pericarditis	1	2	1	2	1	3	1	3	2	1	2	1	20
Aneurism	–	2	3	2	3	4	3	2	4	4	5	5	37
Disease of Heart, etc.	147	115	154	119	91	102	102	105	76	98	114	117	1340
VI. Laryngitis	8	5	8	7	5	4	2	6	6	4	7	13	75
Bronchitis	900	561	555	368	301	314	231	197	179	260	380	565	4811
Pleurisy	11	6	9	6	1	11	11	4	4	8	3	6	80
Pneumonia	219	159	159	151	141	129	83	78	70	106	113	149	1563
Asthma	39	22	16	9	8	3	6	4	4	8	13	19	151
Disease of Lungs	18	22	15	12	13	5	10	11	15	14	9	15	159
VII. Teething	46	40	53	40	31	43	32	62	45	51	26	30	499
Quinsey	2	1	2	2	1	1	–	2	5	5	0	4	25
Gastritis	6	2	6	3	7	6	8	6	3	8	3	3	61
Enteritis	30	49	33	45	32	42	43	48	45	35	31	37	470
Peritonitis	20	8	13	9	11	18	7	8	6	3	8	7	118
Ascites	1	–	–	4	2	–	1	1	1	–	2	–	12
Ulceration of Intest.	3	6	6	6	3	3	6	1	1	2	9	3	49
Hernia	7	4	5	8	3	4	3	5	2	2	2	4	49
Ileus	6	3	5	3	4	5	13	9	8	7	9	10	82
Intussception	4	1	1	–	–	–	2	–	2	2	–	2	14
Stricture of Intest. Canal	4	2	2	–	1	–	3	–	–	–	1	–	13
Disease of Stomach	24	7	28	30	27	28	34	23	29	13	22	21	286
Disease of Pancreas	–	–	–	1	–	–	–	–	–	–	–	–	1
Hepatitis	1	3	3	3	5	6	6	7	6	2	5	6	53
Jaundice	4	5	7	3	4	3	5	7	6	3	7	3	57
Disease of Liver	27	30	37	18	30	28	22	26	25	15	27	24	309
Disease of Spleen	2	–	–	–	1	2	–	3	–	–	–	–	8
VIII. Nephritis	10	10	4	5	2	2	2	4	4	7	5	8	63
Nephria	19	9	14	5	13	16	12	8	12	10	7	14	139
Addison's Disease	–	–	–	–	1	1	–	–	–	–	–	–	2
Ischuria	2	1	4	–	–	2	–	–	2	1	1	1	14
Diabetes	2	2	2	3	3	2	2	3	3	1	2	–	25
Stone	–	–	1	3	2	2	2	–	1	–	3	1	15
Cystitis	5	3	4	4	2	–	4	3	–	1	1	1	28
Stricture of Urethra	–	–	–	1	–	1	–	–	–	1	1	–	4
Disease of Kidneys	22	12	21	13	16	11	8	11	8	9	11	16	158
IX. Paramenia	–	–	1	1	–	2	2	–	1	–	–	–	7
Ovarian Dropsy	1	1	–	3	1	3	2	–	2	1	1	1	16
Childbirth	25	17	11	12	23	14	14	14	14	11	23	15	193
Disease of Uterus	7	4	3	3	3	6	3	1	2	1	3	1	37
X. Bone Diseases	–	1	–	–	3	1	6	1	2	–	2	–	16
Rheumatism	10	7	11	4	6	11	4	3	5	11	3	6	81
Disease of Joints, etc.	8	6	9	12	15	13	8	13	6	12	14	7	123
XI. Carbuncle	2	–	–	1	–	–	–	1	–	–	–	–	4
Phlegmon	–	1	–	–	–		1	–	–	–	–	–	2
Disease of Skin	2	2	3	2	3	2	1	4	2	4	1	4	30
VII. Intemperance	15	6	10	8	5	7	12	5	6	9	7	3	93
Privation of Food	–	1	–	–	–	–	1	1	–	–	1	–	4
Want of Breast-milk	4	2	2	4	5	5	2	12	6	6	6	4	58
Neglect	–	–	–	–	–	–	–	–	–	1	–	–	1
Cold	–	–	2	–	–	–	–	–	–	–	–	1	3
Poison	1	3	2	1	1	2	1	–	1	1	–	1	14
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	1
Burns and Scalds	4	3	8	7	5	5	4	8	1	5	11	17	78
Hanging, etc.	2	–	1	2	2	2	4	1	3	2	–	1	20
Suffocation	14	2	7	11	7	8	10	5	8	6	12	10	100
Drowning	10	14	14	10	8	15	17	15	14	5	9	15	146
Fractures	43	29	37	33	33	31	41	43	43	37	37	31	438
Gunshot Wounds	1	–	–	3	1	–	1	–	–	–	–	1	7
Cuts and Stabs	3	–	3	1	2	–	3	2	1	1	1	1	18
Other Violent Causes	6	3	5	2	6	9	1	4	7	6	2	6	57
Causes not specified	34	18	21	18	17	16	11	18	14	16	23	20	226

MALE BIRTHS.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total Male Births
Glasgow,	896	797	1018	950	957	902	897	828	785	809	882	900	1062
Edinburgh,	282	243	327	286	265	329	315	251	273	259	280	304	341
Dundee,	246	191	230	215	246	233	258	229	208	214	230	260	276
Aberdeen,	128	139	148	161	178	132	145	132	138	141	162	155	175
Greenock,	124	113	122	126	121	129	130	117	90	124	117	112	142
Paisley,	68	68	82	79	104	81	70	82	62	63	73	93	92
Leith,	89	90	96	89	82	81	82	80	87	78	96	82	103
Perth,	30	40	40	44	43	35	40	31	42	36	26	34	44
Total, 1875,	1863	1681	2063	1950	1996	1922	1937	1750	1685	1724	1866	1940	2237
Total, 1874,	1837	1576	1853	1928	1755	1926	1915	1678	1844	1882	1827	1838	2185
Total, 1873,	1927	1635	1921	1793	1932	1751	1816	1625	1746	1790	1530	1758	2122
Total, 1872,	1961	1668	1755	1975	1879	1712	1868	1601	1625	1828	1735	1803	2140
Total, 1871,	1766	1606	1849	1680	1897	1791	1774	1722	1649	1802	1578	1650	2076
Total, 1870,	1753	1509	1881	1845	1934	1861	1659	1731	1680	1678	1604	1593	2072
Total, 1869,	1640	1486	1819	1787	1685	1756	1749	1601	1566	1661	1749	1706	2020

FEMALE BIRTHS.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total Female Births
Glasgow,	878	768	923	882	873	946	898	828	769	788	758	896	1020
Edinburgh,	306	240	260	317	281	292	293	252	260	265	283	291	334
Dundee,	203	176	229	233	240	208	220	201	185	194	228	214	253
Aberdeen,	125	122	137	148	135	135	122	134	126	120	125	156	158
Greenock,	133	114	127	106	115	110	110	98	90	114	99	120	133
Paisley,	79	60	76	82	86	76	59	71	72	64	65	77	86
Leith,	87	68	98	87	85	76	82	72	82	92	80	70	97
Perth,	30	35	36	31	25	38	44	34	40	33	41	39	42
Total, 1875,	1841	1583	1886	1886	1840	1881	1828	1690	1624	1670	1679	1863	2127
Total, 1874,	1721	1524	1752	1840	1737	1828	1806	1662	1717	1791	1602	1789	2076
Total, 1873,	1785	1580	1780	1824	1907	1632	1763	1508	1564	1724	1494	1719	2028
Total, 1872,	1776	1532	1670	1877	1857	1616	1748	1632	1513	1712	1582	1739	2025
Total, 1871,	1745	1503	1764	1666	1837	1683	1624	1658	1523	1583	1537	1555	1967
Total, 1870,	1703	1436	1765	1746	1774	1730	1643	1624	1589	1577	1580	1586	1975
Total, 1869,	1651	1508	1755	1765	1612	1642	1638	1563	1478	1534	1513	1651	1931

BIRTHS—BOTH SEXES.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total Births
Glasgow,	1774	1565	1941	1832	1830	1848	1795	1656	1554	1597	1640	1796	2082
Edinburgh,	588	483	587	603	546	621	608	503	533	524	563	595	675
Dundee,	449	367	459	448	486	441	478	430	393	408	458	474	529
Aberdeen,	253	261	285	309	313	267	267	266	264	261	287	311	334
Greenock,	257	227	249	232	236	239	240	215	180	238	216	232	276
Paisley,	147	128	158	161	190	157	129	153	134	127	138	170	179
Leith,	176	158	194	176	167	157	164	152	169	170	176	152	201
Perth,	60	75	76	75	68	73	84	65	82	69	67	73	86
Total, 1875,	3704	3264	3949	3836	3836	3803	3765	3440	3309	3394	3545	3803	4364
Total, 1874,	3558	3100	3605	3768	3492	3754	3721	3340	3561	3673	3429	3627	4262
Total, 1873,	3712	3215	3701	3617	3839	3383	3579	3133	3310	3514	3024	3477	4150
Total, 1872,	3737	3200	3425	3852	3736	3328	3616	3233	3138	3535	3317	3542	4165
Total, 1871,	3511	3109	3613	3346	3734	3474	3398	3380	3172	3385	3115	3205	4044
Total, 1870,	3456	2945	3646	3591	3708	3591	3302	3355	3269	3255	3184	3179	4048
Total, 1869,	3291	2994	3574	3552	3297	3398	3387	3164	3044	3195	3262	3357	3951

VIII.—ILLEGITIMATE BIRTHS IN EIGHT TOWNS—1875. 49

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow,	144	140	151	163	170	144	165	138	116	131	129	154	1745
Edinburgh,	41	32	53	60	47	47	55	57	50	33	48	47	570
Dundee,	45	38	50	43	56	46	49	45	43	39	45	56	555
Aberdeen,	27	36	39	42	33	37	41	33	39	31	36	48	442
Greenock,	15	14	11	12	9	16	20	12	7	14	13	11	154
Paisley,	15	13	15	9	18	6	11	10	3	10	8	17	135
Leith,	10	5	9	6	12	7	8	10	9	12	17	7	112
Perth,	6	7	4	9	10	7	10	1	6	3	9	9	81
Total, 1875,	303	285	332	344	355	310	359	306	273	272	305	349	3794
Total, 1874,	318	291	298	340	300	328	340	285	321	328	326	336	3811
Total, 1873,	339	290	340	305	365	331	320	283	285	331	289	297	3775
Total, 1872,	378	304	269	302	309	296	336	301	294	316	276	347	3728
Total, 1871,	322	304	350	270	358	329	322	343	265	332	282	279	3756
Total, 1870,	342	278	329	334	364	322	330	356	305	266	292	283	3801
Total, 1869,	354	304	368	346	298	342	327	287	296	278	324	324	3848

IX.—MARRIAGES IN THE EIGHT TOWNS—1875.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow,	668	269	307	332	232	692	656	265	328	325	494	411	4979
Edinburgh,	243	110	143	114	101	328	194	162	148	105	213	190	2051
Dundee,	182	59	82	86	83	196	84	80	61	78	110	133	1234
Aberdeen,	92	51	23	24	44	104	76	43	44	51	67	81	700
Greenock,	68	33	24	33	19	77	79	50	27	38	73	44	565
Paisley,	75	31	37	33	16	65	46	48	17	25	48	23	464
Leith,	49	28	32	30	26	62	53	34	39	36	59	44	472
Perth,	35	7	15	12	13	24	24	14	9	12	22	24	211
Total, 1875,	1412	588	663	664	534	1548	1192	696	673	670	1086	950	10676
Total, 1874,	1462	593	687	689	438	1606	1094	671	619	678	966	989	10492
Total, 1873,	1384	607	665	699	511	1480	1178	650	721	695	1019	987	10596
Total, 1872,	1273	564	553	747	491	1415	1249	702	711	669	993	1012	10379
Total, 1871,	1222	553	497	637	529	1332	1148	714	633	618	879	1030	9792
Total, 1870,	1298	544	513	509	493	1347	1094	705	643	716	945	923	9730
Total, 1869,	1134	520	550	567	456	1299	1046	687	587	646	942	727	9161
Total, 1868,	1049	492	527	513	382	1269	943	612	578	575	859	807	8606
Total, 1867,	1049	509	510	573	436	1219	1034	583	638	577	899	840	8867
Total, 1866,	1163	599	501	641	462	1331	992	620	624	654	930	928	9450

	MALE DEATHS.												Tot Mal Death
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	851	659	817	702	618	622	588	593	486	484	554	670	764
Edinburgh,	259	209	221	192	221	210	173	199	183	181	220	220	248
Dundee,	212	143	156	120	129	143	140	120	109	98	137	122	162
Aberdeen,	93	98	94	69	83	80	62	61	47	65	83	93	92
Greenock,	77	90	86	82	71	86	64	104	103	121	110	89	108
Paisley,	83	41	55	63	56	49	68	47	47	43	50	63	66
Leith,	44	36	49	51	36	44	40	51	47	39	47	37	52
Perth,	38	24	29	27	25	29	24	31	19	22	18	29	31
Total, 1875,	1657	1300	1507	1306	1239	1263	1159	1206	1041	1053	1219	1323	1527
Total, 1874,	1358	1246	1360	1340	1299	1269	1293	1246	1183	1334	1476	1833	1623
Total, 1873,	1235	1340	1433	1317	1388	1201	1261	1158	1089	1230	1184	1396	1523
Total, 1872,	1607	1360	1311	1422	1332	1147	1148	1127	1078	1206	1174	1259	1517
Total, 1871,	1441	1223	1368	1231	1429	1299	1218	1233	1086	1186	1302	1478	1549
Total, 1870,	1497	1286	1371	1225	1133	1068	1025	1176	962	929	1148	1414	1423
Total, 1869,	1350	1240	1644	1380	1334	1355	1266	1118	1057	1091	1366	1547	1574

	FEMALE DEATHS.												Tot Fem Deat
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	964	727	761	653	579	611	589	601	507	472	587	662	771
Edinburgh,	306	228	234	205	179	209	200	171	185	190	222	225	255
Dundee,	211	171	163	131	115	142	115	119	102	141	125	142	167
Aberdeen,	125	103	107	90	87	73	64	82	95	63	90	103	108
Greenock,	114	66	92	72	80	84	82	101	97	122	97	89	109
Paisley,	99	56	62	53	66	56	62	48	36	45	56	60	69
Leith,	45	50	62	34	33	44	46	47	52	37	42	49	54
Perth,	43	36	32	20	20	27	24	19	22	23	27	27	32
Total, 1875,	1907	1437	1513	1258	1159	1246	1182	1188	1096	1093	1246	1357	1568
Total, 1874,	1310	1218	1368	1296	1269	1195	1234	1167	1122	1202	1421	2073	1587
Total, 1873,	1206	1455	1426	1250	1262	1247	1222	1058	1087	1149	1168	1242	1477
Total, 1872,	1567	1420	1351	1352	1277	1062	1153	1109	1029	1185	1148	1354	1500
Total, 1871,	1509	1354	1395	1279	1371	1268	1220	1217	1068	1290	1309	1627	1590
Total, 1870,	1584	1343	1388	1176	1100	1043	1000	1192	949	1013	1106	1365	1425
Total, 1869,	1399	1266	1574	1348	1328	1331	1158	1126	1038	1097	1422	1615	1570

	DEATHS—BOTH SEXES.												Tot Deat
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1815	1386	1578	1355	1197	1233	1177	1194	993	956	1141	1332	1535
Edinburgh,	565	437	455	397	400	419	373	370	368	371	442	445	504
Dundee,	423	314	319	251	244	285	255	239	211	239	262	264	330
Aberdeen,	218	201	201	159	170	153	126	143	142	128	173	196	201
Greenock,	191	156	178	154	151	170	146	205	200	243	207	178	217
Paisley,	182	97	117	116	122	105	130	95	83	88	106	123	136
Leith,	89	86	111	85	69	88	86	98	99	76	89	86	106
Perth,	81	60	61	47	45	56	48	50	41	45	45	56	63
Total, 1875,	3564	2737	3020	2564	2398	2509	2341	2394	2137	2146	2465	2680	3095
Total, 1874,	2668	2464	2728	2636	2568	2464	2527	2413	2305	2536	2897	3906	3211
Total, 1873,	2441	2795	2859	2567	2650	2448	2483	2216	2176	2379	2352	2638	3000
Total, 1872,	3174	2780	2662	2774	2609	2209	2301	2236	2107	2391	2322	2613	3017
Total, 1871,	2950	2577	2763	2510	2800	2567	2438	2450	2154	2476	2611	3105	3140
Total, 1870,	3081	2629	2759	2401	2233	2111	2025	2368	1911	1942	2254	2779	2849
Total, 1869,	2749	2506	3218	2728	2662	2686	2424	2244	2095	2188	2788	3162	3145

XI.—ABSTRACT of the METEOROLOGY of the Eight Principal Towns of Scotland during the several Months of the Year 1875.

Mean Height above the Sea-level, 111 feet. Mean North Latitude, 56°·12′. Mean West Longitude, 3°·30′.

1875.	BAROMETER.		SELF-REGISTERING THERMOMETER.						HYGROMETER.		DEDUCTIONS from Glaisher's Tables, 2d Edit.				RAIN.		WINDS.										
																	Number of Days it blew in certain Directions.									Pressure on square foot.
	Mean at 32° and Sea-level.	Monthly Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Mean Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cubic Foot of Air.	Humidity. Sat. 100.	Number of Days it fell.	Amount.	N	NE	E	SE.	S	SW	W	NW	Calm or Variable.	
	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		days.	inch.										lbs.
JANUARY,	29·688	1·841	57·3	5·0	40·2	40·3	10·6	20·4	40·1	39·1	37·7	·227	2·64	92	22	4·52	0	2	3	4	5	8	6	2	1	1·27
FEBRUARY,	30·109	0·856	54·0	18·8	37·2	30·3	9·3	19·3	35·8	34·4	32·1	·183	2·10	87	13	1·66	1	4	7	2	1	3	6	3	1	1·51
MARCH,	30·158	1·313	58·2	23·0	41·0	29·1	11·1	19·6	40·0	37·9	35·1	·205	2·37	83	9	1·79	1	2	9	3	0	3	7	5	1	1·60
APRIL,	30·029	1·548	76·2	27·0	47·3	41·3	17·0	34·3	45·7	42·9	39·6	·244	2·81	80	10	1·13	1	4	6	2	2	4	8	2	1	1·02
MAY,	29·892	1·031	73·8	38·8	52·3	29·8	14·7	24·7	51·4	48·2	45·0	·299	3·40	79	14	1·18	0	2	3	2	2	7	12	3	0	1·81
JUNE,	29·810	1·285	74·0	38·0	54·9	31·8	14·6	26·7	54·5	52·0	49·6	·356	4·01	84	16	2·72	0	2	5	2	2	8	9	1	1	1·22
JULY,	29·984	1·024	79·3	40·0	58·1	35·8	16·6	28·6	57·7	54·2	51·0	·375	4·19	79	12	2·34	1	4	8	2	1	3	9	2	1	0·92
AUGUST,	29·970	0·691	77·3	41·5	58·9	28·1	13·4	23·0	57·5	55·1	52·9	·403	4·49	85	20	1·99	1	3	6	1	2	6	10	1	1	1·20
SEPTEMBER,	29·984	1·307	76·1	36·0	54·8	34·9	13·9	28·6	54·0	52·3	50·7	·370	4·18	88	13	4·39	0	3	7	2	2	5	7	3	1	1·34
OCTOBER,	29·755	1·109	68·0	28·0	47·7	32·8	10·3	23·0	47·2	45·4	43·4	·281	3·20	87	21	4·50	0	2	10	5	1	5	5	2	1	2·00
NOVEMBER,	29·825	1·390	67·0	18·0	39·8	36·2	9·6	19·6	39·0	37·6	35·6	·209	2·42	88	19	4·68	2	5	5	2	2	3	5	4	2	1·15
DECEMBER,	29·963	1·451	53·5	16·0	39·4	27·9	9·0	16·1	39·3	37·8	35·9	·212	2·45	88	17	2·42	1	2	2	1	1	6	14	4	0	1·82
YEAR,	29·930	1·237	79·3	5·0	47·6	33·2	12·5	34·3	46·8	44·7	42·4	·280	3·19	85	186	33·32	8	35	71	28	21	61	98	32	11	1·40

TABLE XII.

BIRTHS, DEATHS, AND MARRIAGES, 1875, AND VACCINATIONS, 1874.

No. of Division, &c.	REGISTRATION GROUPS, DIVISIONS, AND COUNTIES.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.							
									Insusceptible of Vaccine Disease.					
							Successfully Vaccinated.	Vaccination Postponed.	Constitutional Insusceptibility.	On the ground of Children having already had Small-pox.	In respect of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
		1861.	1871.	Births.	Deaths.	Marriages.								
	SCOTLAND, – –	3,062,294	3,360,018	123693	81785	25921	108022	1229	206	33	205	11288	2878	123861
	GROUPS OF DISTRICTS.*													
1	PRINCIPAL TOWNS, – –	891,457	1,079,211	43633	30958	10665	36570	199	57	16	126	4471	1208	42647
2	LARGE TOWNS, – –	264,537	318,740	14659	9830	3004	13255	106	21	8	26	1464	322	15202
3	SMALL TOWNS, – –	696,526	767,487	29020	18294	5580	25799	366	37	7	28	2652	497	29386
4	MAINLAND-RURAL, – –	1,073,009	1,062,576	33099	20291	6125	29832	380	82	2	21	2420	440	33177
5	INSULAR-RURAL, – –	136,765	132,004	3282	2412	547	2566	178	9	0	4	281	411	3449
	DIVISIONS.													
I.	NORTHERN, – –	130,422	127,191	3068	2258	630	2591	226	7	0	4	207	132	3167
II.	NORTH-WESTERN, –	167,242	166,351	4167	3329	731	3232	280	18	0	2	410	386	4328
III.	NORTH-EASTERN, –	366,870	393,199	13028	6959	2462	11611	101	27	2	4	1053	79	12877
IV.	EAST-MIDLAND, –	523,822	559,676	19360	12284	4201	16844	122	33	0	66	1796	162	19023
V.	WEST-MIDLAND, –	242,487	251,088	8559	6034	1630	7591	94	8	2	6	761	199	8661
VI.	SOUTH-WESTERN, –	1,008,273	1,183,218	52700	35312	10977	45927	197	70	27	101	5025	1484	52831
VII.	SOUTH-EASTERN, –	413,116	475,523	16672	11071	4002	14727	141	23	1	4	1517	363	16776
VIII.	SOUTHERN, – –	210,062	203,772	6139	4538	1288	5499	68	20	1	18	519	73	6198
	COUNTIES.													
	1. NORTHERN DIVISION.													
1	Shetland, – – –	31,670	31,608	681	485	145	554	24	1	0	4	45	93	721
2	Orkney, – – –	32,395	31,274	747	558	167	755	48	2	0	0	35	4	844
3	Caithness, – –	42,200	41,011	1095	803	203	843	141	3	0	0	104	21	1112
4	Sutherland, – –	24,157	23,298	545	412	115	439	13	1	0	0	23	14	490

	II. North-Western Division.													
5	Ross and Cromarty,	82,427	82,093	1924	1724	313	1574	202	9	0	0	207	76	2068
6	Inverness,	84,815	84,258	2243	1605	418	1658	78	9	0	2	203	310	2260
	III. North-Eastern Division.													
7	Nairn,	8,347	8,372	238	171	42	198	3	0	0	0	22	1	224
8	Elgin (or Moray),	44,305	44,549	1293	757	226	1167	16	2	0	0	96	7	1288
9	Banff,	56,020	58,883	1857	976	348	1711	21	6	0	0	127	11	1876
10	Aberdeen,	223,417	246,298	8555	4432	1621	7587	54	9	2	4	718	53	8427
11	Kincardine,	34,781	35,097	1085	623	225	948	7	10	0	0	90	7	1062
	IV. East-Midland Division.													
12	Forfar,	206,750	240,049	9131	5645	2077	7704	42	22	0	57	998	69	8892
13	Perth,	133,198	128,550	3525	2592	780	3125	29	4	0	1	248	48	3455
14	Fife,	155,021	160,924	5656	3410	1130	5069	36	7	0	8	456	34	5610
15	Kinross,	8,731	7,918	191	156	44	198	2	0	0	0	12	1	213
16	Clackmannan,	20,122	22,235	857	481	170	748	13	0	0	0	82	10	853
	V. West-Midland Division.													
17	Stirling,	88,138	93,345	3759	2350	737	3406	11	0	0	5	359	51	3832
18	Dumbarton,	54,179	61,116	2434	1638	446	2081	18	4	2	1	219	71	2396
19	Argyll,	83,859	79,661	1940	1601	353	1764	61	3	0	0	153	50	2031
20	Bute,	16,311	16,966	426	445	94	340	4	1	0	0	30	27	402
	VI. South-Western Division.													
21	Renfrew,	168,746	195,305	7864	5843	1719	6968	39	22	9	34	771	174	8017
22	Ayr,	199,083	200,908	8256	5009	1559	7432	41	15	3	0	707	103	8301
23	Lanark,	640,444	787,005	36580	24460	7699	31527	117	33	15	67	3547	1207	36513
	VII. South-Eastern Division.													
24	Linlithgow,	39,045	41,379	1556	854	262	1506	9	0	0	0	162	35	1712
25	Edinburgh,	273,792	328,138	11729	8197	3092	10185	105	12	0	1	1074	290	11667
26	Haddington,	37,626	37,755	1148	698	236	1008	10	2	1	2	105	20	1148
27	Berwick,	36,488	36,382	1032	664	178	965	9	5	0	1	73	6	1059
28	Peebles,	11,264	12,218	404	242	80	353	1	1	0	0	33	5	393
29	Selkirk,	14,901	19,651	803	416	154	710	7	3	0	0	70	7	797
	VIII. Southern Division.													
30	Roxburgh,	49,568	48,241	1599	1080	326	1401	9	3	0	0	122	7	1542
31	Dumfries,	75,904	74,842	2145	1768	471	1895	39	8	0	10	208	40	2200
32	Kirkcudbright,	42,680	42,087	1221	861	237	1154	13	5	1	0	95	15	1283
33	Wigtown,	41,910	38,602	1174	829	254	1049	7	4	0	8	94	11	1173

* In consequence of alterations in the constitution of Districts, which took effect at the beginning of 1875, the populations of the Groups of Districts were changed. For 1874, the populations, as at Census 1871, were—Principal Towns, 1,068,556; Large Towns, 334,257; Small Towns, 776,087; Mainland-Rural, 1,049,114; Insular-Rural, 132,004.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
									Insusceptible of Vaccine Disease.						
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	On the ground of Successful Vaccination.	On the ground of previous Small-pox.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
	I. NORTHERN DIVISION.													
	1. SHETLAND.													
1	Bressay, etc.—(1) Bressay,	915	902	20	13	1	21	0	0	0	0	0	0	21
	(2) Burra and Quarff,	890	952	25	15	5	19	1	0	0	1	0	1	22
2	Delting,	1975	1862	45	32	7	43	0	0	0	0	3	0	46
3	Dunrossness, etc.—(1) Dunrossness,	2113	1970	39	20	7	44	0	0	0	0	0	0	44
	(2) Sandwick & Cunningsburgh,	2337	2326	52	37	11	46	0	0	0	0	6	1	53
	(3) Fair Isle,	380	226	11	5	5	0	0	0	0	0	0	0	9
4	Fetlar, etc.—(1) Fetlar,	548	517	6	8	0	10	0	0	0	0	1	0	11
	(2) North Yell,	932	893	19	12	4	14	0	0	0	0	0	6	20
5	LERWICK,	3631	4180	92	74	49	73	4	1	0	0	0	0	87
6	Mid and South Yell,	1784	1843	39	30	2	30	0	0	0	0	2	12	44
7	Nesting, etc.—(1) Nesting,	855	868	26	14	5	10	6	0	0	0	0	0	16
	(2) Lunnasting,	880	822	15	16	0	23	0	0	0	0	2	4	29
	(3) Whalsay and Skerries,	848	989	33	7	0	20	6	0	0	0	1	0	27
8	Northmavine,	2585	2602	50	44	8	45	0	0	0	0	5	3	53
9	Sandsting and Aithsting,	2670	2806	66	45	10	64	0	0	0	1	7	5	77
10	Tingwall, etc.—(1) Tingwall,	1554	1442	31	26	10	20	0	0	0	0	1	7	28
	(2) Whiteness and Weisdale,	1143	1049	13	12	3	6	1	0	0	0	0	16	23
11	Unst,	3060	2780	38	34	5	47	6	0	0	0	7	1	61
12	Walls, etc.—(1) Walls,	1365	1325	33	24	11	8	0	0	0	0	1	9	18
	(2) Sandness,	606	646	18	11	2	2	0	0	0	0	0	16	18
	(3) Papa-Stour,	366	351	4	3	0	9	0	0	0	0	0	0	11
	(4) Foula,	233	257	6	3	0	0	0	0	0	2	0	3	3
	2. ORKNEY.													
13	Birsay,	1774	1597	29	21	10	28	2	0	0	0	1	4	35
14	Deerness,	813	863	24	11	11	25	1	0	0	0	2	0	28
15	Eday and Pharay,	979	905	17	19	2	20	1	0	0	0	2	0	23
16	Evie and Rendall,	1408	1340	31	27	2	26	2	0	0	0	0	0	28
17	Firth and Stennes,	1493	1434	35	17	12	39	1	0	0	0	0	0	40
18	Harray,	819	727	18	19	3	14	2	0	0	0	0	0	16
19	Holm and Paplay,	834	935	22	10	6	23	2	0	0	0	3	0	28
20	Hoy and Græmsay,	556	581	13	9	1	9	7	0	0	0	0	0	16
21	KIRKWALL and St Ola,	4422	4261	108	118	25	115	6	0	0	0	5	0	126
22	North Ronaldshay,	532	539	16	5	1	11	1	0	0	0	0	0	12
23	Orphir,	1133	1040	25	31	10	24	3	0	0	0	0	0	27
24	Rousay and Egilsay,	1152	1101	26	11	6	23	1	0	0	0	1	0	24

25	St Andrews,	868	870	14	16	3	20	0	0	0	0	0	0	20
26	Sanday,	21 5	2053	49	26	12	48	2	0	0	0	3	0	53
27	Sandwick,	1225	1153	18	12	6	33	2	0	0	0	3	0	38
28	Shapinshay,	973	949	26	14	6	25	1	0	0	0	0	0	26
29	South Ronaldshay and Burray,	3282	3228	86	65	17	95	7	0	0	0	6	0	108
30	Stromness,	2540	2403	43	43	10	52	0	2	0	0	1	0	55
31	Stronsay,	1228	1305	30	22	4	32	1	0	0	0	1	0	34
32	Walls, etc.—(1) Walls,	1254	1107	46	21	7	30	0	0	0	0	2	0	32
	(2) Flotta,	420	423	12	2	2	14	0	0	0	0	0	0	14
33	Westray, etc.—(1) Westray,	2153	2090	44	33	10	39	6	0	0	0	4	0	49
	(2) Papa-Westray,	392	370	5	6	1	10	0	0	0	0	1	0	11
	3. CAITHNESS.													
34	Bower,	1746	1700	36	27	13	31	2	0	0	0	3	3	39
35	Canisbay,	2730	2729	71	30	10	61	17	0	0	0	3	0	81
36	Dunnet,	1861	1661	40	35	4	37	7	0	0	0	2	0	46
37	Halkirk,	2864	2664	73	46	16	66	5	1	0	0	9	0	81
38	Latheron,	8571	7400	181	105	29	184	5	0	0	0	6	0	195
39	Olrig,	2059	2028	55	28	10	55	0	0	0	0	2	0	57
40	Reay,	2476	2331	53	43	7	38	3	0	0	0	0	0	41
41	THURSO,	5561	5754	175	155	28	139	27	2	0	0	13	0	181
42	Watten,	1491	1453	40	19	9	31	1	0	0	0	3	0	35
43	WICK,	12841	13291	371	315	77	201	74	0	0	0	63	18	356
	4. SUTHERLAND.													
44	Assynt—(1) Kirkton,	553	487	8	4	0	12	0	0	0	0	1	0	13
	(2) Stoer,	2625	2519	52	39	10	35	0	0	0	0	3	1	39
45	Clyne,	1886	1733	51	37	10	33	1	0	0	0	1	0	35
46	Creich—(1) Bonar,	1982	1854	38	32	5	41	2	0	0	0	3	0	46
	(2) Rosehall,	539	670	19	12	4	16	0	0	0	0	0	0	16
47	DORNOCH,	2885	2764	59	55	14	52	0	0	0	0	4	0	56
48	Durness,	1109	1049	21	10	2	14	5	0	0	0	0	0	19
49	Eddrachillis—(1) Scourie,	727	648	13	7	0	8	0	0	0	0	0	0	8
	(2) Kinlochbervie,	914	882	36	19	6	20	1	0	0	0	1	0	22
50	Farr—(1) Kirkton,	1251	1190	34	40	2	23	1	0	0	0	0	0	24
	(2) Strathy,	852	829	17	15	4	10	1	0	0	0	0	0	11
51	Golspie,	1615	1804	43	34	7	40	0	0	0	0	2	0	42
52	Kildonan,	2132	1916	46	35	21	33	0	0	0	0	5	12	50
53	Lairg,	961	978	39	20	7	30	0	0	0	0	0	0	30
54	Loth,	610	583	11	6	3	17	1	1	0	0	0	1	20
55	Rogart,	1439	1341	23	23	9	27	0	0	0	0	2	0	29
56	Tongue,	2077	2051	35	24	11	28	1	0	0	0	1	0	30
	II. NORTH-WESTERN DIVISION.													
	5. ROSS AND CROMARTY.													
	Mainland.													
57	Alness,	1178	1053	21	26	5	24	2	0	0	0	1	0	27
58	Applecross—(1) Applecross,	1064	1129	19	26	3	6	14	0	0	0	1	0	21
	(2) Shieldaig,	1480	1341	36	21	3	18	2	0	0	0	2	9	26

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
		1861.	1871.	Births.	Deaths.	Marriages.			On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
	ROSS AND CROMARTY—*continued.*													
59*a*	Avoch,	1788	1828	57	30	7	45	0	0	0	0	4	2	51
59*b*	Carnoch,	c. 325	325	4	4	0	4	0	0	0	0	0	0	4
60	Contin,	c. 697	729	9	6	3	11	0	0	0	0	0	1	12
61	CROMARTY,	2300	2180	60	32	6	42	0	2	0	0	4	3	51
62	DINGWALL,	2412	2443	47	50	15	37	1	0	0	0	3	0	41
63	Edderton,	836	860	22	13	2	14	0	0	0	0	1	0	15
64	Fearn,	2083	2135	47	27	3	41	1	0	0	0	7	1	50
65	Fodderty,	c. 2060	1943	23	31	5	39	1	0	0	0	6	0	46
66	Gairloch—(1) Northern,	1927	1669	36	30	2	31	4	0	0	0	4	6	45
	(2) Southern,	3522	3379	78	49	7	59	2	0	0	0	1	1	63
67	Glenshiel,	485	463	10	4	3	7	0	0	0	0	0	1	8
68	Killearnan,	1494	1272	24	32	9	23	0	0	0	0	1	0	24
69	Kilmuir-Easter,	1295	1281	21	22	6	28	0	0	0	0	1	0	29
70	Kiltearn,	1634	1496	22	32	2	36	0	0	0	0	2	1	39
71*a*	Kincardine—(1) Kincardine,	1746	1273	23	28	5	16	0	0	0	0	0	0	16
	(2) Strathoykell,		412	8	4	0	8	0	0	0	0	1	1	10
71*b*	Kinlochluichart,	c. 704	704	11	9	3	16	0	0	0	0	0	0	16
72	Kintail,	890	753	8	18	0	9	0	0	0	0	3	2	14
73	Knockbain,	2485	2155	45	34	7	36	2	0	0	0	1	0	39
74	Lochalsh,	2413	2319	50	49	9	16	0	0	0	0	5	24	45
75	Lochbroom—(1) Lochbroom,	3577	3167	77	52	9	57	6	2	0	0	6	0	71
	(2) Coigach,	1285	1239	22	27	0	12	18	0	0	0	5	0	35
76	Lochcarron,	1592	1629	24	35	6	15	9	0	0	0	2	1	27
77	Logie-Easter,	932	912	22	21	2	21	1	0	0	0	1	0	23
78	Nigg,	1253	1201	20	22	9	24	0	0	0	0	3	0	27
79	Rosolis,	1568	1527	30	26	6	33	0	0	0	0	2	1	36
80	ROSEMARKIE,	1545	1441	26	42	4	34	1	1	0	0	2	0	38
81	Rosskeen,	3766	3808	97	79	17	74	2	0	0	0	6	0	82
82	TAIN,	3294	3221	77	72	11	59	2	0	0	0	6	0	67
83	Tarbat,	2269	2182	45	35	5	44	0	0	0	0	10	0	54
84	Urquhart and Logie-Wester,	3147	2863	37	49	11	52	0	0	0	0	2	3	57
85	Urray,	c. 2325	2278	60	24	7	60	0	0	0	0	2	0	62
	Insular.													
86*a*	Barvas,	4609	4950	150	129	25	115	38	0	0	0	15	2	170
86*b*	Carloway,	2204	2702	81	56	4	73	9	2	0	0	18	2	104
87	Lochs,	3568	4162	132	111	9	110	20	0	0	0	22	0	152
88	STORNOWAY,	8668	9510	282	314	68	193	65	2	0	0	48	0	308
89	Uig,	2007	2159	61	59	15	37	9	0	0	0	6	0	52

Births, Deaths, and Marriages in Scotland in 1875.

	6. INVERNESS.													
	Mainland.													
90*a*	Abernethy and Kincardine,	1928	1752	40	25	7	33	0	0	0	0	4	0	37
90*b*	Alvie,	883	882	23	13	5	18	0	0	0	0	1	0	19
91	Ardersier,	1239	1284	68	43	9	63	3	0	0	0	9	1	76
92	Boleskine, etc.—(1) Boleskine,	813	681	13	13	0	13	0	0	0	0	1	1	15
	(2) Fort-Augustus or Abertarff,	930	897	15	19	2	12	0	0	0	0	1	0	13
93	Cromdale and Inverallan. (Now 128*b infra.*)													
94	Croy and Dalcross,	1873	1841	27	19	10	37	0	0	0	0	2	1	40
95	Daviot and Dunlichty,	1741	1598	24	28	3	27	1	1	0	0	2	0	31
96*a*	Dores,	1506	1401	26	32	4	23	1	0	0	0	3	1	28
96*b*	Duthill, etc.—(1) Duthill,	1609	1530	32	26	6	29	0	0	0	0	2	4	35
	(2) Rothiemurchus,	319	342	3	4	1	3	0	0	0	0	0	0	3
97	Glenelg—(1) Glenelg,	800	714	20	19	4	9	0	0	0	0	2	0	11
	(2) Knoydart,	574	499	11	3	1	2	3	0	0	0	0	0	5
	(3) North Morar,	469	440	19	7	5	16	0	0	0	0	2	1	19
98	INVERNESS,	16162	18552	540	415	137	462	36	0	0	0	51	9	558
99	Kilmonivaig—(1) Glengarry,	625	550	12	7	3	16	0	0	0	2	1	0	19
	(2) Lochaber,	1651	1417	33	19	5	30	6	0	0	0	0	1	31
100	Kilmorack,	2852	2728	64	41	15	59	0	2	0	0	4	3	68
101	Kiltarlity,	2839	2537	40	33	7	56	0	4	0	0	1	0	61
102	Kingussie and Insh,	2033	2101	47	39	13	35	7	0	0	0	6	4	52
103	Kirkhill,	1757	1582	35	33	5	35	0	0	0	0	1	1	37
104	Laggan,	986	950	26	16	7	17	0	0	0	0	2	0	19
105	Moy and Dalarossie,	1026	1005	21	19	3	17	0	0	0	0	1	0	18
106	Petty,	1671	1549	44	28	6	33	0	0	0	0	1	1	35
107	Urquhart, etc.—(1) Urquhart,	2294	2215	55	43	12	35	2	0	0	0	4	1	42
	(2) Glenmoriston,	617	565	4	10	0	11	0	0	0	0	1	0	12
	Insular.													
108	Barra,	1853	1997	51	37	8	41	2	0	0	0	9	1	53
109	Bracadale,	1335	1113	19	19	2	12	0	0	0	0	1	2	15
110	Duirinish,	4775	4422	126	76	17	95	0	0	0	0	16	2	113
111	Harris—(1) Harris,	3769	3668	147	75	14	43	3	0	0	0	14	67	127
	(2) Bernera,	336	381	12	8	0	0	0	0	0	0	0	15	15
	(3) St Kilda,‡	78	71				0	0	0	0	0	0	3	3
112	Kilmuir—(1) Kilmuir,	1561	1362	41	38	5	26	2	0	0	0	6	2	36
	(2) Stenscholl,	1311	1228	37	33	5	32	9	0	0	0	3	0	44
113	North Uist,	3959	4107	122	53	23	15	0	0	0	0	4	112	131
114	Portree—(1) Portree,	2579	2328	44	42	12	31	1	1	0	0	10	17	60
	(2) Raasay,	580	600	24	16	5	5	0	0	0	0	3	11	19
115	Sleat,	2330	2233	56	45	11	49	0	0	0	0	2	6	57
116	Small Isles,	567	522	18	10	5	9	0	0	0	0	0	7	16
117	Snizort—(1) North,	961	803	22	15	1	15	1	0	0	0	3	1	20
	(2) South,	1652	1500	40	43	12	23	0	1	0	0	6	8	38
118	South Uist—(1) Benbecula,	1544	1651	43	30	9	37	3	0	0	0	4	1	45
	(2) Howmore,	1763	1818	64	33	12	34	1	0	0	0	9	11	55
	(3) Boisdale,	2051	2280	65	25	1	49	1	0	0	0	6	3	59
119	Strath,	2664	2562	70	53	6	51	2	0	0	0	5	12	70

‡ No Return for the year 1875 has been received from the remote island of St. Kilda.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.							
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
									On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
		1861.	1871.	Births.	Deaths.	Marriages.								
	III. NORTH-EASTERN DIVISION.													
	7. Nairn.													
120	Ardclach,	1330	1197	35	19	7	26	0	0	0	0	1	0	27
121	Auldearn,	1328	1279	28	21	2	19	0	0	0	0	4	0	23
122	Cawdor,	1203	1027	25	18	2	29	1	0	0	0	1	1	32
123	NAIRN,	4486	4869	150	113	31	124	2	0	0	0	16	0	142
	8. Elgin (or Moray.)													
124	Abernethy and Kincardine. (Now 90*a supra.*)													
125	Alves,	1010	1018	38	14	4	43	0	0	0	0	1	0	44
126	Bellie,	1967	2013	45	30	9	44	1	0	0	0	1	3	49
127	Birnie,	411	375	10	7	0	14	0	0	0	0	0	0	14
128*a*	Boharm,	1412	1337	35	18	3	27	0	0	0	0	3	0	30
128*b*	Cromdale, etc.—(1) Cromdale,	1308	1295	29	13	5	24	0	0	0	0	4	0	28
	(2) Inverallan,	2635	2522	83	48	9	77	0	0	0	0	5	2	84
129	Dallas,	1102	1060	19	14	5	34	0	0	0	0	2	0	36
130	Drainie,	3028	3293	125	69	21	109	2	0	0	0	8	0	119
131	Duffus,	3308	3716	115	66	21	84	0	0	0	0	15	0	99
132	Duthill, etc. (Now 96*b supra.*)													
133	Dyke,	1247	1238	24	27	6	32	0	0	0	0	2	0	34
134	Edinkillie,	1303	1286	38	21	7	33	0	0	0	0	3	0	36
135	ELGIN,	9866	9703	264	166	50	241	2	0	0	0	27	0	270
136	New Spynie,	518	573	8	17	1	9	0	0	0	0	4	0	13
137	FORRES,	4112	4562	139	94	28	111	2	0	0	0	7	0	120
138	Kinloss,	1315	1112	31	17	10	31	0	0	0	0	3	0	34
139	Knockando,	1736	1909	52	25	10	53	1	0	0	0	2	2	58
140	Rafford,	1055	1101	40	17	3	33	0	0	0	0	0	0	33
141	Rothes,	2407	2148	57	30	8	59	6	0	0	0	2	0	67
142	St Andrew's-Lhanbryde,	1344	1286	34	20	7	34	2	1	0	0	3	0	40
143	Speymouth,	689	634	28	9	5	17	0	0	0	0	0	0	17
144	Urquhart,	2532	2368	79	35	14	58	0	1	0	0	4	0	63
	9. Banff.													
145	Aberlour,	1520	1632	39	24	10	39	1	2	0	0	5	1	48
146	Alvah,	1467	1436	34	15	4	52	0	0	0	0	1	0	53

147	BANFF, – – –	7740	8425	315	152	46	247	6	0	0	0	21	0	274
148	Botriphnie, – – –	867	785	21	13	3	17	0	0	0	0	0	0	17
149	Boyndie, – – –	1711	1854	56	27	12	63	0	0	0	0	3	0	66
150	CULLEN, – – –	1821	2056	67	39	15	67	1	0	0	0	4	0	72
151	Deskford, – – –	1031	972	21	15	6	26	0	0	0	0	2	0	28
152	Enzie, – – –	2072	2251	76	53	19	67	1	0	0	0	5	0	73
153	FORDYCE—(1) FORDYCE, –	4145	c. 2050	70	38	10	54	1	1	0	0	4	0	60
	(2) Portsoy, – –		c. 2100	76	47	14	74	2	0	0	0	7	1	84
154	Forglen, – – –	783	845	24	8	3	23	0	0	0	0	0	0	23
155*a*	Gamrie, – – –	3019	3151	98	39	18	111	1	0	0	0	4	0	116
155*b*	Glenrinnes, – – –	439	466	9	4	1	11	0	0	0	0	0	0	11
156	Grange, – – –	1909	1876	55	21	12	52	1	0	0	0	2	0	55
157	Inveravon—(1) Inveravon, –	868	890	21	8	4	23	0	0	0	0	0	0	23
	(2) Glenlivat, – –	1771	1718	47	26	7	41	0	0	0	0	3	0	44
158	Inverkeithny, – – –	880	1000	30	7	6	25	0	0	0	0	1	0	26
159	KEITH, – – –	5943	5891	161	126	42	171	2	1	0	0	16	2	192
160	Kirkmichael, etc.—(1) Kirkmichael, –	551	477	5	11	1	8	0	0	0	0	1	0	9
	(2) Tomintoul, –	960	799	19	18	3	19	0	0	0	0	0	0	19
161	Marnoch, – – –	3289	3294	125	43	22	88	0	0	0	0	6	1	95
162	Mortlach, – – –	2801	2737	93	39	10	76	4	0	0	0	5	0	85
163	Ordiquhill, – – –	764	761	21	10	7	19	0	0	0	0	1	0	20
164	RATHVEN, – – –	4922	6659	230	128	55	216	0	0	0	0	25	1	242
165	Rothiemay, – – –	1414	1370	51	16	4	38	0	0	0	0	2	1	41
166	St Fergus, – – –	1608	1633	49	24	8	41	1	1	0	0	4	0	47
167	SEAFIELD, – – –	1725	1755	44	25	6	43	0	1	0	0	5	4	53
	10. ABERDEEN.													
168	ABERDEEN—(1) St Nicholas, –	41962	47077	1830	1147	360	1576	12	1	2	0	205	8	1804
	(2) Old Machar, –	31938	41104	1511	864	331	1303	2	3	0	0	105	7	1420
	Do. (Landward), –	1298	1373	37	15	11	31	0	0	0	0	4	0	35
169	Aberdour,– – –	1837	1945	61	33	18	54	1	0	0	0	2	0	57
170	Aboyne, – – –	1160	1351	48	24	7	40	0	0	0	0	7	0	47
171	Alford, – – –	1264	1396	33	25	10	44	0	0	0	0	5	2	51
172	Auchindoir, – – –	1593	1545	50	23	4	38	0	0	0	0	3	0	41
173	Auchterless, – – –	1782	1971	71	29	9	70	0	0	0	0	8	0	78
174	Belhelvie, – – –	1807	1833	60	26	12	49	0	0	0	0	3	0	52
175	Birse, – – –	1284	1198	34	13	9	40	1	0	0	0	2	1	44
176	Bourtie, – – –	547	499	11	12	6	14	0	0	0	0	0	0	14
177	Cabrach, – – –	794	775	19	6	8	13	1	0	0	0	1	0	15
178	Cairney, – – –	1490	1525	37	15	8	45	1	0	0	0	2	1	49
179	Chapel of Garioch, – – –	2023	1928	55	23	8	48	1	0	0	0	1	0	50
180	Clatt, – – –	511	483	7	5	4	10	0	0	0	0	0	0	10
181	Cluny, – – –	1254	1366	37	21	5	40	0	0	0	0	2	0	42
182	Coull, – – –	792	824	27	11	2	20	0	0	0	0	2	0	22
183	Crathie and Braemar, – –	1574	1566	43	22	3	31	0	0	0	0	1	0	32
184	Crimond, – – –	892	887	31	13	3	38	0	0	0	0	0	0	38
185	Cruden, – – –	2743	3124	100	42	15	81	1	0	0	0	12	0	94
186	Culsamond, – – –	1165	896	30	14	6	24	0	0	0	0	1	0	25
187	Daviot, – – –	614	597	11	10	3	15	0	0	0	0	0	0	15
188	Drumblade, – – –	926	931	26	13	6	12	0	0	0	0	1	0	13

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
									On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
		1861.	1871.	Births.	Deaths.	Marriages.								
	ABERDEEN—*continued.*													
189	Drumoak,– – – –	996	1032	30	13	8	23	0	0	0	0	1	0	24
190	Dyce, – – – –	585	945	29	14	6	37	0	0	0	0	3	0	40
191	Echt, – – – –	1287	1259	36	12	9	45	1	0	0	0	5	0	51
192	Ellon, – – – –	3239	3036	88	33	21	94	0	0	0	0	6	0	100
193	Fintray, – – – –	1003	1108	22	11	5	34	2	0	0	0	0	0	36
194	Forgue, – – – –	1397	1332	48	17	6	46	1	0	0	0	4	1	52
195	Foveran, – – – –	1891	1859	75	28	9	55	1	0	0	0	4	0	60
196	FRASERBURGH, – – –	4511	5301	296	151	47	221	0	0	0	0	26	4	251
197	Fyvie, – – – –	3264	3306	94	37	18	73	0	0	0	0	11	0	84
198	Gartly, – – – –	1029	972	20	7	7	23	0	0	0	0	1	0	24
199	Glass, – – – –	1049	1061	28	9	2	27	0	0	0	0	1	0	28
200	Glenbucket, – – –	552	570	10	10	0	16	0	0	0	0	1	0	17
201	Glenmuick, Tullich, and Glengairn,* –	*c.* 1503	*c.* 1995	67	31	4	54	0	0	0	0	5	0	59
202	HUNTLY, – – – –	4329	4374	124	73	25	129	3	0	0	0	11	2	145
203	Insch, – – – –	1565	1596	57	21	7	39	0	0	0	0	8	0	47
204	INVERURIE, – – –	2668	2970	101	44	17	99	0	0	0	0	16	0	115
205	Keig, – – – –	811	886	26	6	8	22	1	0	0	0	2	0	25
206	Keith-hall, – – –	933	874	26	10	0	13	0	0	0	0	3	0	16
207	Kemnay, – – – –	832	1300	50	19	4	36	1	0	0	0	3	0	40
208	Kildrummy, – – –	590	660	26	3	5	19	0	0	0	0	0	0	19
209	Kincardine O'Neil, – –	2186	2000	50	36	6	46	0	0	0	0	2	0	48
210	King-Edward—(1) King-Edward,	1050	1058	39	6	5	26	0	0	0	0	1	0	27
	(2) New Byth,	1793	2053	72	35	11	73	0	0	0	0	2	0	75
211	KINNELLAR, – – –	691	601	18	8	6	17	0	0	0	0	3	0	20
212	Kinnethmont, – – –	1187	1062	30	16	6	27	0	0	0	0	2	0	29
213	KINTORE, – – –	1895	2158	75	38	12	70	0	0	0	0	8	4	82
214	Leochel-Cushnie, – –	1173	1232	36	14	7	29	0	0	0	0	2	0	31
215	Leslie, – – – –	577	532	16	10	3	10	0	0	0	2	0	0	12
216	Logie-Buchan, – – –	762	808	20	11	1	32	0	0	0	0	3	0	35
217	Logie-Coldstone and Cromar,* –	*c.* 1097	*c.* 1065	22	12	5	24	0	0	0	0	1	0	25
218	Longside,– – – –	3008	3321	107	46	23	112	2	0	0	0	7	0	121
219	Lonmay, – – – –	2142	2245	74	23	11	48	1	0	0	0	6	0	55
220	Lumphanan, – – –	1251	1239	26	19	5	32	0	0	0	0	1	0	33
221	Methlic, – – – –	2157	2084	84	33	6	54	0	0	0	0	2	0	56
222*a*	Midmar, – – – –	1091	1127	25	13	9	32	0	0	0	0	1	0	33
222*b*	Millbrex, – – – –	1357	1484	45	15	7	51	1	0	0	0	4	0	56
223	Monquhitter, – – –	2303	2670	97	38	13	79	0	0	0	0	6	1	86
224	Monymusk, – – –	988	996	25	10	9	26	0	0	0	0	4	0	30

225	New Deer,	3736	4147	123	70	16	117	3	0	0	0	10	1	131
226	Newhills,	3463	4210	145	53	21	141	0	0	0	0	11	0	152
227*a*	New Machar,	1556	1520	48	23	3	41	0	0	0	0	1	0	42
227*b*	New Pitsligo,	2609	3090	121	67	26	116	2	0	0	0	11	0	129
228	Old Deer,	4392	4434	129	51	29	136	1	0	0	0	16	0	153
229	Old Meldrum,	2343	2330	80	48	20	71	0	1	0	0	9	0	81
230	Oyne,	1127	1050	25	13	13	37	0	0	0	0	1	0	38
231	Peterculter,	1483	1668	48	11	8	56	0	0	0	0	2	0	58
232	PETERHEAD,	9796	11506	518	259	110	457	5	1	0	0	44	17	524
233	Pitsligo,	1890	2218	79	46	15	81	0	0	0	0	5	0	86
234	Premnay,	916	997	35	14	10	31	1	0	0	0	1	0	33
235	Rathen,	2554	2850	95	53	22	84	0	0	0	0	7	0	91
236	Rayne,	1514	1409	43	25	2	34	1	0	0	0	3	0	38
237*a*	Rhynie,	1061	1195	40	18	4	34	0	0	0	0	5	0	39
237*b*	Savoch,	2061	1961	62	24	9	61	0	0	0	2	8	1	72
238	Skene,	1831	1842	63	41	11	44	0	0	0	0	2	0	46
239	Slains,	1266	1355	44	14	6	33	0	0	0	0	2	0	35
240	Strathdon,	1735	1761	43	29	5	34	2	2	0	0	3	0	41
241	Strichen,	2409	2254	75	40	8	72	0	0	0	0	7	0	79
242	Tarland,	970	983	31	9	4	15	0	0	0	0	3	0	18
243	Tarves,	2377	2288	80	31	15	60	0	0	0	0	5	1	66
244	Tough,	874	760	18	6	2	15	0	0	0	0	2	0	17
245	Towie,	839	798	27	10	4	10	0	1	0	0	2	0	13
246	Tullynessle and Forbes,	957	970	30	25	9	32	0	0	0	0	2	0	34
247	Turriff,	3693	4348	139	55	15	128	5	0	0	0	11	2	146
248	Tyrie,	833	869	27	13	9	30	0	0	0	0	5	0	35
249*a*	Udny,	1623	1626	58	22	13	45	0	0	0	0	5	0	50
249*b*	Ythan Wells,	1517	1494	46	24	8	43	0	0	0	0	2	0	45
	11. Kincardine.													
250	Arbuthnott,	932	924	24	13	4	17	0	0	0	0	0	1	18
251	BANCHORY-DEVENICK—													
	(1) BANCHORY-DEVENICK.	1159	1263	40	23	9	35	0	1	0	0	5	0	41
	(2) Portlethen,	1687	1789	55	26	9	38	0	0	0	0	5	0	43
252	Banchory-Ternan,	2947	2875	87	40	15	75	1	0	0	0	10	0	86
253	BENHOLM	1574	1569	50	30	14	50	0	0	0	0	4	0	54
254	BERVIE,	1561	1843	57	45	8	68	0	0	0	0	4	1	73
255	Dunnottar,	1828	2102	87	50	15	55	0	1	0	0	7	0	63
256	Durris,	1109	1021	39	15	6	37	0	0	0	0	1	0	38
257	Fettercairn,	1700	1539	45	23	7	47	0	1	0	0	4	0	52
258	Fetteresso—(1) Fetteresso,	3575	3585	103	68	23	83	0	1	0	0	10	0	94
	(2) Cookney,	1952	2080	66	38	13	65	0	1	0	0	6	0	72
259	Fordoun,	2297	2113	46	34	15	52	1	1	0	0	3	1	58
260	Garvock,	458	476	20	3	6	10	0	0	0	0	0	2	12
261	Glenbervie,	1219	1073	36	15	9	28	0	0	0	0	1	0	29
262	Kinneff and Catterline,	1054	1062	32	21	8	18	0	0	0	0	0	0	18
263	Laurencekirk,	2110	2174	55	30	15	52	3	0	0	0	11	1	67
264	Maryculter,	1055	1110	20	18	10	26	0	1	0	0	1	1	29
265	Marykirk,	2068	1771	43	28	7	47	0	2	0	0	4	0	53
266	Nigg,	2074	2348	107	65	12	101	0	0	0	0	12	0	113

* Constitution of Districts altered in 1875. The populations before alteration, as at Census 1871, of Glenmuick, Tullich, and Glengairn were 2160; and Logie-Coldstone, 900.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.							
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
									On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
		1861.	1871.	Births.	Deaths.	Marriages.								
	KINCARDINE—*continued.*													
267	St Cyrus,	1552	1585	54	22	15	31	2	1	0	0	1	0	35
268	Strachan,	870	795	19	16	5	13	0	0	0	0	1	0	14
	IV. EAST-MIDLAND DIVISION.													
	12. FORFAR.													
269	Aberlemno,	1054	1007	30	15	3	25	0	0	0	0	3	0	28
270	Airlie,	845	778	23	6	7	16	1	0	0	0	3	0	20
271	Arbirlot,	960	919	26	16	4	17	0	0	0	0	2	0	19
272	ARBROATH,	17831	20169	761	482	170	652	3	0	0	0	67	3	725
273	Auchterhouse,	706	721	25	6	6	21	0	0	0	0	4	0	25
274	BARRY,	2465	3008	84	84	24	76	2	2	0	0	11	0	91
275	BRECHIN,	8810	9514	274	217	52	264	2	0	0	0	24	1	291
276	Carmylie,	1286	1309	34	23	12	33	0	0	0	0	2	0	35
277	Careston,	225	209	7	2	1	10	0	0	0	0	0	0	10
278	Cortachy and Clova,	653	554	17	9	3	7	0	0	0	0	2	1	10
279	COUPAR-ANGUS,	2642	2797	80	31	15	70	1	0	0	0	6	0	77
280	CRAIG,	2177	2402	92	23	23	74	0	0	0	0	15	0	89
281	Dun,	552	565	14	7	2	15	1	0	0	0	1	0	17
282	DUNDEE—(1) St Peter,	91664	22894	1031	546	220	810	2	1	0	3	113	9	938
	(2) St Mary,		23582	1017	793	251	812	11	3	0	4	154	17	1001
	(3) St Clement,		25090	1051	595	258	882	5	3	0	4	157	14	1065
	(4) St Andrew,		38082	1708	1103	377	1378	8	2	0	46	218	7	1659
	(5) Lochee,		11076	478	270	129	370	0	8	0	0	50	10	438
283	Dunnichen,	1932	1536	41	21	15	44	0	0	0	0	3	0	47
284	Eassie and Nevay,	748	586	16	5	3	15	0	0	0	0	1	0	16
285	Edzell,	1025	976	29	23	6	18	0	0	0	0	3	0	21
286	Farnell,	703	580	20	15	3	14	0	0	0	0	0	0	14
287	Fearn,	439	348	16	5	0	6	0	0	0	0	0	0	6
288	FORFAR,	10838	12585	488	312	103	403	1	0	0	0	36	0	440
289	Glammis,	1980	1813	35	24	9	42	1	0	0	0	2	2	47
290	Glenisla,	1008	925	19	11	1	19	0	0	0	0	0	1	20
291	Guthrie,	476	404	12	5	3	10	0	0	0	0	0	0	10
292	Inverarity,	961	888	22	6	3	31	0	0	0	0	2	0	33
293	Inverkeillor,	1792	1521	50	26	7	49	0	0	0	0	1	0	50
294	Kettins,	962	855	27	13	5	24	0	1	0	0	3	0	28
295	Kingoldrum,	473	409	12	2	4	6	0	0	0	0	0	0	6

296	Kinnell, – – –	816	766	21	12	2	21	0	0	0	0	0	0	0	21
297	Kinnettles, – – –	447	405	9	4	1	12	0	0	0	0	0	0	0	12
298	Kirkden, – – –	1862	1623	46	27	8	57	0	0	0	0	0	2	0	59
299	KIRRIEMUIR, – – –	7359	6420	177	107	50	159	0	0	0	0	0	10	0	169
300	Lethnott and Navar, – –	446	318	6	6	2	8	1	0	0	0	0	1	0	10
301	Liff, Benvie, and Invergowrie,	1430	1357	36	27	3	35	0	0	0	0	0	1	0	36
302	Lintrathen, – –	898	756	22	16	4	19	1	0	0	0	0	1	1	22
303	Lochlee, – – –	495	424	5	7	5	8	0	0	0	0	0	0	0	8
304	Logie-Pert, – – –	1483	1251	30	19	11	35	0	0	0	0	0	2	0	37
305	Lunan, – – –	259	248	7	2	2	6	0	0	0	0	0	0	0	6
306	Lundie, – – –	442	400	19	7	2	8	0	1	0	0	0	0	0	8
307	Mains, etc.—(1) Mains, (2) Strathmartine,	1392	1927	85	31	10	61	1	0	0	0	0	6	1	69
		789	822	32	13	5	27	0	0	0	0	0	2	1	30
		417	396	16	5	3	7	0	0	0	0	0	2	0	9
308	Marytown, – – –	796	761	26	10	6	19	0	0	0	0	0	2	0	21
309	Menmuir,– – –	5052	7252	277	131	44	270	0	0	0	0	0	22	1	293
310	MONIFIETH, – –	1460	1397	54	30	11	37	0	1	0	0	0	3	0	41
311	Monikie, – – –	15668	15783	449	355	136	402	0	1	0	0	0	42	0	445
312	MONTROSE, – – –	763	751	30	7	4	29	0	0	0	0	0	2	0	31
313	Murroes, – – –	1139	931	30	19	4	27	0	0	0	0	0	2	0	29
314	Newtyle, – – –	399	452	11	8	1	11	0	0	0	0	0	1	0	12
315	Oathlaw, – – –	1299	1331	35	27	9	34	0	0	0	0	0	4	0	38
316	PANBRIDE, – – –	747	748	19	6	3	16	0	0	0	0	0	0	0	16
317	Rescobie, – – –	265	247	7	5	0	9	0	0	0	0	0	0	0	9
318	Ruthven, – – –	2553	2513	78	41	17	86	1	0	0	0	0	7	0	94
319	St Vigeans, – – –	546	503	10	1	1	19	0	0	0	0	0	1	0	20
320	Stracathro, – – –	1438	1286	31	13	9	37	0	0	0	0	0	1	0	38
321	Tannadice, – – –	883	879	24	13	5	32	0	0	0	0	0	1	0	33
322	Tealing, – –															
	13. PERTH.															
323	Aberdalgie, – – –	295	342	9	3	2	10	0	0	0	0	2	0	12
324	Aberfeldy, – – –	2402	2286	53	48	14	51	1	0	0	0	6	0	58
325	Aberfoyle, – – –	565	432	6	8	1	7	0	0	0	0	0	0	7
326	Abernethy, – – –	1960	1744	51	37	8	40	1	0	0	0	3	0	44
327	Abernyte, – – –	310	253	7	5	0	5	0	0	0	0	0	0	5
328*a*	ALYTH, – – –	3198	3151	103	72	26	84	0	0	0	0	9	2	95
328*b*	Ardoch, – – –	1418	1316	38	14	10	32	0	0	0	0	4	1	37
329	AUCHTERARDER, – –	4208	3795	88	73	27	87	0	0	0	0	8	0	95
330	Auchtergaven, – –	2562	2141	44	49	17	48	0	0	0	0	2	0	50
331	Balquhidder, – – –	746	743	21	20	0	14	0	0	0	0	2	0	16
332	Bendochy, – – –	549	474	18	8	3	17	0	0	0	0	0	0	17
333	Blackford, – – –	2041	1836	57	30	7	48	0	0	0	0	2	0	50
334	Blair-Athol, – – –	1553	1718	47	25	11	34	1	0	0	0	2	1	38
335	BLAIRGOWRIE, – – –	4423	4832	149	111	39	114	0	0	0	0	8	3	125
336	Callander, – – –	1676	1870	39	44	8	38	0	0	0	0	3	2	43
337	Caputh, – – –	1728	1571	33	28	11	29	0	0	0	0	1	1	31
338	Cargill, – – –	1647	1411	35	24	10	36	0	0	0	0	3	1	40
339	Clunie, – – –	699	603	15	12	3	19	0	0	0	0	2	0	21
340	Collace, – – –	534	456	7	5	3	11	0	0	0	0	0	0	11
341	Comrie, – – –	2226	1911	37	38	8	30	2	0	0	0	2	0	34

Land Tenure and Occupation.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.									
									Insusceptible of Vaccine Disease.					Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	Constitutional Insusceptibility.	On the ground of Small-pox.	In respect of the Children having already had Vaccination.	On the ground of previous Successful Vaccination.	Died before Vaccination.		
	PERTH—*continued.*														
342	CRIEFF,	4490	4598	118	101	25	102	5	0	0	0	0	9	5	121
343	CULROSS,	1423	1354	32	19	9	41	0	0	0	0	0	3	0	44
344	Dowally,	486	461	12	6	4	12	0	0	0	0	0	0	0	12
345	Dron,	376	343	8	5	4	13	1	0	0	0	0	0	0	14
346	Dull,	753	677	16	11	2	10	1	0	0	0	0	0	0	11
347	Dunbarney,	1035	913	20	12	1	20	0	0	0	0	0	1	0	21
348	Dunblane,	2528	2765	103	83	16	69	0	0	0	0	0	7	3	79
349	Dunkeld,	1086	881	24	19	4	15	1	0	0	0	0	1	1	18
350	Dunning,	2084	1832	48	30	10	43	0	0	0	0	0	1	0	44
351	Errol,	2759	2504	90	43	17	63	0	0	0	0	0	1	0	64
352	Findo-Gask,	399	369	11	8	5	10	0	0	0	0	0	1	0	11
353	Forgandenny,	789	632	20	15	2	9	0	0	0	0	0	1	1	11
354	Forteviot,	595	567	15	10	3	12	0	0	0	0	0	3	0	15
355*a*	Fortingall—(1) Innerwick in Glenlyon,	1244	*c.* 621	12	7	2	22	0	0	0	0	0	0	0	22
	(2) Fortingall,		*c.* 393	13	8	4									
355*b*	Foss,	381	270	6	3	1	7	0	0	0	0	0	0	0	7
356	Fowlis-Easter,	317	291	14	3	2	11	0	0	0	0	0	1	0	12
357	Fowlis-Wester,	1276	1028	24	15	6	25	0	0	0	0	0	0	0	25
358	Glendevon,	138	105	1	1	1	2	0	0	0	0	0	0	0	2
359	Inchture,	659	659	28	13	4	22	0	1	0	0	0	1	0	24
360	Kenmore,	1515	1215	35	29	6	28	3	0	0	0	0	1	0	32
361	Killin,	1681	1977	24	19	5	31	1	0	0	0	0	2	0	34
362	Kilmadock,	3312	3170	77	66	20	55	6	0	0	0	0	4	7	72
363	Kilspindie,	665	679	22	14	8	29	0	0	0	0	0	3	0	32
364	Kincardine,	1778	1484	29	28	16	34	0	0	0	0	0	1	0	35
365	Kinclaven,	758	607	19	14	2	15	0	1	0	0	0	2	0	18
366	Kinfauns,	657	578	8	10	3	12	0	0	0	0	0	3	0	15
367	Kinloch-Rannoch,	1147	921	21	13	1	22	0	0	0	0	0	1	0	23
368	Kinnaird,	318	299	7	1	2	11	0	0	0	0	0	0	0	11
369	Kinnoull,	796	723	21	15	4	19	0	0	0	0	0	1	0	20
370	Kirkmichael—(1) Kirkmichael,	812	657	14	12	3	21	1	0	0	0	0	1	0	23
	(2) Glenshee,	334	241	4	4	0	2	0	0	0	0	0	0	0	2
371	LECROPT,	538	535	18	8	1	2	0	0	0	0	0	0	0	2
372	Lethendy, etc.—(1) Lethendy,	235	179	2	1	4	2	0	0	0	0	0	0	0	2
	(2) Kinloch,	295	251	7	3	2	5	0	0	0	0	0	0	0	5
373	Little Dunkeld,	2089	2352	51	50	11	43	0	0	0	0	0	3	1	47
374	LOGIE,	3483	4553	116	105	19	93	0	0	0	0	0	12	0	105
375	Logiealmond,	815	646	11	8	2	11	0	0	0	0	0	0	0	11

376	Logierait, – – –	1902	1739	43	53	6	26	1	0	0	0	2	0	29
377	Longforgan, – – –	1823	1753	64	24	3	54	0	0	0	1	3	1	59
378	Madderty, – – –	536	523	14	11	3	8	0	0	0	0	0	0	8
379	Meigle, – – – –	1122	1003	32	17	7	28	0	0	0	0	0	1	29
380	Methven, – – –	2290	2073	45	48	13	45	0	0	0	0	5	0	50
381	Moneydie, – – –	252	244	11	3	1	3	0	0	0	0	0	0	3
382	Monzie, – – – –	461	413	6	3	1	9	0	0	0	0	0	0	9
383	Monzievaird, – – –	782	744	21	11	3	19	0	0	0	0	0	0	19
384	Moulin, – – – –	1605	1561	25	28	7	38	0	0	0	0	2	0	40
385	MUCKHART, – – –	615	612	19	10	4	9	0	1	0	0	0	0	10
386*a*	MUTHILL, – – –	2001	1916	35	23	12	38	0	0	0	0	1	2	41
386*b*	Persie, – – – –	839	820	25	13	4	20	0	0	0	0	1	0	21
387	PERTH, – – –	26094	26382	868	635	210	765	4	0	0	0	88	13	870
388	Port of Menteith, – – –	1375	1243	31	24	4	16	0	0	0	0	2	0	18
389	RATTRAY, – – –	2234	2586	70	54	10	75	0	0	0	0	8	1	84
390	Redgorton, – – –	1596	1401	34	25	7	31	0	0	0	0	2	0	33
391	Rhynd, – – – –	297	327	1	2	2	9	0	0	0	0	0	0	9
392	St Madoes, – – –	280	290	10	5	2	6	0	0	0	0	0	0	6
393	St Martins, – – –	904	735	18	15	2	20	0	0	0	0	1	0	21
394*a*	Scone, – – – –	2153	2185	58	43	17	63	0	0	0	0	3	0	66
394*b*	Strathfillan, – – –	411	342	9	7	0	5	0	1	0	0	1	0	7
394*c*	Tenandry, – – –	595	530	8	10	2	17	0	0	0	0	0	0	17
395	Tibbermore, – – –	1182	1128	37	13	7	31	0	0	0	0	2	0	33
396	Trinity-Gask, – – –	488	415	9	5	1	10	0	0	0	0	0	1	11
397	Tulliallan, – – – –	2410	2184	69	41	13	68	0	0	0	0	4	0	72
398	Weem, – – – –	215	186	5	3	0	5	0	0	0	0	0	0	5
	14. FIFE.													
399	Abbotshall (year 1875, merged in 442), –	808	674				22	0	0	0	0	2	0	24
400	ABDIE, – – – –	1257	1057	23	14	6	28	0	0	0	0	4	0	32
401	Aberdour, – – –	1874	1697	68	53	15	56	0	0	0	0	4	0	60
402	ANSTRUTHER-EASTER, –	1155	1239	44	22	6	39	0	0	0	0	3	0	42
403	ANSTRUTHER-WESTER, –	421	545	19	11	1	22	0	0	0	0	1	0	23
404	Arngask, – – –	705	565	13	12	3	16	0	0	0	0	2	0	18
405	AUCHTERDERRAN, – – –	3457	4017	210	86	18	203	0	0	0	0	19	0	222
406	AUCHTERMUCHTY, – –	3285	2958	66	61	8	54	0	0	0	0	6	0	60
407	Auchtertool, – – –	609	529	20	11	2	20	0	0	0	0	2	0	22
408	BALLINGRY, – – –	736	982	81	15	8	75	0	0	0	0	5	1	81
409	Balmerino, – – –	815	717	20	17	5	15	0	0	0	0	1	0	16
410	Beath, – – – –	2390	3534	230	103	26	199	3	0	0	0	20	0	222
411	BURNTISLAND, – –	3670	3872	148	71	30	118	2	0	0	0	9	3	132
412	Cameron, – – –	1362	1158	22	12	10	30	0	0	0	0	0	0	30
413	Carnbee, – – –	1157	1088	37	15	11	23	0	0	0	0	0	0	23
414	Carnock, – – –	2925	1764	41	26	10	52	0	0	0	0	4	1	57
415	Ceres, – – – –	2723	2381	61	49	12	51	3	0	0	0	1	2	57
416	Collessie, – – –	1530	1703	48	37	13	62	1	1	0	0	3	0	67
417	CRAIL, – – – –	1931	1864	53	49	11	55	0	0	0	0	4	0	59
418	Creich, – – – –	377	387	12	7	2	13	0	0	0	0	2	0	15
419	Cults, – – – –	800	767	18	19	8	20	0	0	0	0	4	0	24
420	CUPAR, – – –	6750	7102	205	148	35	177	1	2	0	0	9	2	191

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
									Insusceptible of Vaccine Disease.						
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.[1]
	FIFE—*continued.*													
421	Dairsie,	638	687	17	14	5	19	0	0	0	0	3	0	22
422	Dalgetty,	1569	1310	62	31	8	64	0	0	0	0	3	0	67
423	Dunbog,	414	395	21	5	4	10	0	0	0	0	1	0	11
424	DUNFERMLINE—(1) Burgh,	13506	14963	676	341	158	542	4	0	0	0	59	7	612
	(2) Landward,	7609	8293	272	190	48	283	0	0	0	0	23	6	312
425	Dunino,	370	325	5	1	2	7	0	0	0	0	0	0	7
426	DYSART,	8842	9682	388	215	82	345	1	0	0	0	40	0	386
427	ELIE,	826	775	23	20	6	12	0	0	0	0	0	0	12
428	FALKLAND,	2937	3069	79	56	15	72	0	0	0	0	5	0	77
429	FERRY-PORT-ON-CRAIG,	2013	2674	100	41	19	83	3	0	0	0	5	0	92
430	Flisk,	230	212	4	3	0	7	0	1	0	0	0	0	7
431	Forgan,	1326	2243	64	26	11	64	2	0	0	0	5	0	71
432	INVERKEITHING,	3196	3131	127	81	27	92	0	0	0	0	10	4	106
433	Kemback,	896	1056	26	17	4	19	0	0	0	0	2	0	21
434	Kennoway,	2012	1703	53	41	8	36	0	0	0	0	5	0	41
435	Kettle,	2474	2323	46	38	13	55	0	1	0	0	2	0	58
436	KILCONQUHAR,	2431	2018	60	42	5	47	0	0	0	0	3	0	50
437	Kilmany,	656	651	17	6	2	14	0	0	0	0	2	0	16
438	KILRENNY,	2534	2945	101	66	11	101	0	0	0	0	7	0	108
439	KINGHORN,	2349	2602	92	63	16	80	0	0	0	0	9	0	89
440	Kinglassie,	1266	1082	45	20	11	51	0	0	0	0	7	0	58
441	Kingsbarns,	937	922	29	16	9	20	0	0	0	0	0	0	20
442	KIRKCALDY,	11117	12835				417	7	0	0	0	57	1	482
442	KIRKCALDY and Abbotshall,	11925	13509	515	295	125								
443	Largo,	2626	2318	71	47	13	66	0	0	0	0	4	0	70
444	LESLIE,	4332	4294	130	91	29	114	2	0	0	0	13	1	130
445	Leuchars,	1903	1727	61	30	12	48	0	0	0	0	1	1	50
446	Logie,	410	402	7	5	3	8	0	0	0	0	2	0	10
447	Markinch,	5375	5413	182	128	41	174	0	0	0	0	4	1	179
448	Moniemail,	1054	918	16	9	4	25	0	0	0	0	0	0	25
449	Moonzie,	179	154	3	4	0	4	0	0	0	0	0	0	4
450	NEWBURGH,	2693	2529	66	40	13	73	1	0	0	0	4	1	79
451	Newburn,	374	362	14	8	3	8	0	0	0	0	2	1	11
452	PITTENWEEM,	1710	1803	74	51	6	59	0	0	0	0	5	2	66
453	ST ANDREWS and St Leonards,	7605	8592	204	169	57	183	0	1	0	0	15	0	198
454	St Monance (or Abercrombie),	1498	1761	63	37	18	57	1	0	0	0	11	0	69
455	Saline,	1610	1259	37	21	9	35	0	1	0	0	2	0	38
456	SCOONIE,	3257	3178	109	76	26	104	0	0	0	0	4	0	108

457	Strathmiglo,	–	–	–	2261	2267	56	46	12	48	1	0	0	0	7	0	56
458	Torryburn,	–	–	–	1229	1051	30	22	11	32	0	0	0	0	3	0	35
459	Wemyss—(1) Wemyss,		–	–	} 6003	{c. 2492	95	57	17	96	2	0	0	0	12	0	110
	(2) Buckhaven,		–	–		{c. 3908	177	103	27	145	2	1	0	8	14	0	170
	15. KINROSS.																
460	Cleish,	–	–	–	649	539	18	9	2	16	0	0	0	0	1	0	17
461	Fossoway and Tulliebole,		–	–	1584	1461	37	24	11	38	2	0	0	0	2	0	42
462	Kinross,	–	–	–	2649	2477	64	51	13	60	0	0	0	0	3	1	64
463	Orwell,	–	–	–	2399	2248	47	53	13	49	0	0	0	0	5	0	54
464	Portmoak,	–	–	–	1450	1193	25	19	5	35	0	0	0	0	1	0	36
	16. CLACKMANNAN.																
465	Alloa,	–	–	–	8867	9940	417	244	88	376	3	0	0	0	41	7	427
466	Clackmannan,	–	–	–	4425	4653	184	93	33	191	0	0	0	0	17	0	208
467	Dollar,	–	–	–	1776	2524	63	39	16	40	9	0	0	0	6	2	57
468	Tillicoultry,	–	–	–	5054	5118	193	105	33	141	1	0	0	0	18	1	161
	V. WEST-MIDLAND DIVISION.																
	17. STIRLING.																
469	Airth,	–	–	–	1194	1396	67	30	10	63	0	0	0	0	11	1	75
470	Alva,	–	–	–	3283	4296	216	133	27	168	0	0	0	0	23	0	191
471	Baldernock,	–	–	–	718	616	13	10	4	20	1	0	0	0	0	2	23
472	Balfron,	–	–	–	1517	1502	23	28	8	32	0	0	0	0	3	3	38
473	Bothkennar,	–	–	–	c. 1210	1726	86	30	14	75	0	0	0	0	4	0	79
474	Buchanan,	–	–	–	705	591	14	7	1	11	0	0	0	0	0	0	11
475	Campsie,	–	–	–	6483	6739	227	150	46	214	0	0	0	0	17	0	231
476	Denny,	–	–	–	4988	4993	209	116	24	194	0	0	0	0	20	3	217
477	Drymen,	–	–	–	1619	1405	32	20	6	42	0	0	0	0	0	0	42
478	Dunipace,	–	–	–	1731	1733	58	38	7	61	0	0	0	0	6	0	67
479	FALKIRK—(1) Burgh,		–	–	9030	9547	396	288	101	352	2	0	0	4	47	4	409
	(2) Landward,		–	–	c. 6320	6726	286	148	62	262	3	0	0	1	32	3	301
480	Fintry,	–	–	–	685	499	3	16	5	11	0	0	0	0	2	0	13
481*a*	Gargunnock,	–	–	–	728	675	19	8	2	21	0	0	0	0	1	1	23
481*b*	Grangemouth,	–	–	–	c. 2249	2569	107	59	18	99	0	0	0	0	16	0	115
482	Killearn,	–	–	–	1171	1111	34	18	4	23	0	0	0	0	1	0	24
483	Kilsyth,	–	–	–	6112	6313	329	173	56	278	0	0	0	0	20	15	313
484	Kippen,	–	–	–	1722	1568	39	24	11	45	0	0	0	0	1	0	46
485	Larbert,	–	–	–	4999	5280	218	175	40	194	0	0	0	0	19	1	214
486	Muiravonside,	–	–	–	2660	2653	135	71	18	111	0	0	0	0	5	1	117
487	Polmont,	–	–	–	c. 4050	3848	179	95	43	147	0	0	0	0	16	0	163
488	ST NINIANS—(1) ST NINIANS,			–	4693	5289	178	110	44	158	1	0	0	0	23	1	183
	(2) Bannockburn,			–	3796	4358	163	92	25	162	0	0	0	0	13	5	180
489	Slammanan,	–	–	–	2916	4164	283	123	32	234	0	0	0	0	27	4	265
490	STIRLING,	–	–	–	12171	12513	399	356	119	389	4	0	0	0	51	6	450
491	Strathblane,	–	–	–	1388	1235	46	32	10	40	0	0	0	0	1	1	42
	18. DUMBARTON.																
492	Arrochar,	–	–	–	629	525	9	10	3	6	0	0	0	0	1	3	10
493	Bonhill,	–	–	–	9059	9593	362	290	89	288	0	0	0	0	28	2	318
494	Cardross,	–	–	–	4168	4405	152	116	31	139	0	0	0	0	14	0	153

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination or otherwise unaccounted for.	Total Births for 1874.
									Constitutional Insusceptibility.	On the ground of Small-pox.	In respect of the Children having already had Successful Vaccination.	On the ground of previous Vaccination.			
		1861.	1871.	Births.	Deaths.	Marriages.									
	DUMBARTON—*continued.*														
495	Cumbernauld,	3513	3602	173	87	30	136	1	1	0	0	10	5	153
496	DUMBARTON,	8268	11423	553	339	78	489	4	3	2	1	61	6	566
497	Kilmaronock,	1085	978	19	20	3	16	0	0	0	0	2	0	18
498	KIRKINTILLOCH,	8179	8257	375	224	60	312	1	0	0	0	46	8	367
499	Luss,	831	730	10	14	5	7	0	0	0	0	2	0	9
500	NEW or EAST KILPATRICK	4910	6038	271	154	45	241	0	0	0	0	22	15	278
501	Old or West Kilpatrick,	5577	5346	276	160	43	224	2	0	0	0	15	22	263
502	Roseneath,	1626	1780	42	20	4	41	0	0	0	0	3	0	44
503	Row,	6334	8439	192	204	55	182	10	0	0	0	15	10	217
	19. ARGYLL.													
	Mainland.													
504	Ardchattan,	1381	1172	28	21	1	23	0	0	0	0	0	0	23
505	Ardnamurchan—(1) Aharacle,	1544	1414	46	32	3	30	0	0	0	0	8	2	40
	(2) Arisaig,	1343	1131	32	27	4	23	2	0	0	0	1	1	27
	(3) Sunart (or Strontian),	759	760	15	8	1	19	0	0	0	0	1	2	22
	(4) Western Ardnamurchan,	1054	954	19	17	1	32	0	0	0	0	3	0	35
506	Ballachulish and Corran of Ardgour,	919	849	21	16	3	15	0	0	0	0	2	0	17
507	CAMPBELTOWN,	8149	8580	282	191	56	273	0	0	0	0	25	4	302
508	Craignish,	618	481	14	12	1	12	0	0	0	0	1	0	13
509	Cumlodden,	c. 1340	c. 1133	38	32	7	26	0	0	0	0	2	1	29
510	DUNOON and KILMUN,	5461	6871	192	157	36	180	2	0	0	0	9	3	194
511	Glassary,	c. 1462	c. 1228	36	19	10	28	1	0	0	0	3	0	32
512	Glenorchy,	869	752	13	13	3	13	0	0	0	0	0	0	13
513	INVERARAY,	1650	1503	24	34	6	35	0	0	0	0	1	2	38
514	Inverchaolain,	424	443	12	6	0	8	0	1	0	0	1	0	10
515	Kilbrandon and Kilchattan,	2053	2107	48	44	4	45	2	0	0	0	3	0	50
516	Kilcalmonell, etc.—(1) Kilcalmonell,	742	684	19	16	1	12	0	0	0	0	1	0	13
	(2) Kilberry,	583	485	11	11	2	3	1	0	0	0	0	1	5
517	Kilchrenan, etc.—(1) Kilchrenan,	587	396	12	11	4	9	1	0	0	0	0	0	10
	(2) Dalavich,	230	217	5	2	1	5	0	0	0	0	0	0	5
518	Kilfinan,	1891	2228	65	45	16	52	0	0	0	0	1	2	55
519	Killean and Kilchenzie,	1890	1614	35	21	7	36	1	0	0	0	1	0	38
520	Kilmalie,	3353	3217	67	93	17	75	1	0	0	0	11	2	89
521	Kilmartin,	949	869	15	14	3	20	0	0	0	0	1	0	21
522	Kilmodan,	433	358	9	5	0	3	0	0	0	0	0	0	3

523	KILMORE AND KILBRIDE,	2962	3402	88	88	21	54	20	0	0	0	19	8	101
524	Kilninver, etc.—(1) Kilninver,	314	253	6	3	0	6	0	0	0	0	1	0	7
	(2) Kilmelford,	486	506	6	4	0	3	0	0	0	0	1	1	5
525	Lismore, etc.—(1) Lismore,	1023	908	14	12	1	16	2	0	0	0	0	0	18
	(2) Appin,	825	728	16	12	0	16	0	0	0	0	1	1	18
	(3) Glencoe and Ballachulish,	1324	1529	37	29	11	29	6	0	0	0	1	0	36
	(4) Duror,	423	370	9	5	4	3	0	0	0	0	1	0	4
526	Lochgilphead,	3312	3680	80	97	16	73	0	0	0	0	7	4	84
527	Lochgoilhead, etc.—(1) Lochgoilhead,	418	436	6	10	3	12	0	0	0	0	0	0	12
	(2) Kilmorich,	284	330	5	3	1	13	0	0	0	0	1	0	14
528	Morvern,	1226	973	25	11	4	18	0	0	0	0	4	0	22
529	Muckairn,	965	790	10	14	3	15	1	0	0	0	0	0	16
530	North Knapdale,	1327	1059	17	21	3	23	0	0	0	0	1	0	24
531	Saddell, etc.—(1) Saddell,	739	645	19	9	2	16	0	0	0	0	0	0	16
	(2) Skipness,	533	500	8	6	0	5	0	0	0	0	0	0	5
532	Southend,	1214	1044	27	14	7	19	0	0	0	0	0	2	21
533	South Knapdale,	654	548	8	5	2	8	0	0	0	0	0	0	8
534	Stralachlan, etc.—(1) Stralachlan,	309	340	7	3	2	10	0	0	0	0	0	0	10
	(2) Strachur,	563	527	12	4	2	13	0	0	0	0	2	0	15
535	Tarbert,	1661	1866	55	39	9	55	2	0	0	0	3	0	60
	Insular.													
536	Bowmore (or Killarrow),	2701	2088	43	43	13	36	0	0	0	0	1	0	37
537	Gigha,	467	390	8	12	0	12	0	0	0	0	1	0	13
538	Iona (merged in 542).													
539	Jura, etc.—(1) Jura,	858	775	14	16	2	14	1	0	0	0	2	0	17
	(2) Colonsay,	598	456	11	3	3	12	0	0	0	0	0	0	12
540	Kilchoman,	2377	1882	46	45	3	32	0	0	0	0	3	0	35
541	Kildalton,	2187	1916				45	3	1	0	0	9	4	62
541	Kildalton and Oa,	2956	2283	68	51	7								
542	Kilfinichen and Kilvickeon,	2535	2461	47	49	9	33	8	0	0	0	3	2	46
543	Kilmeny,	1268	924	15	16	0	21	0	0	0	0	1	5	27
544	Kilninian and Kilmore,	1641	1189	15	12	8	18	0	0	0	0	1	0	19
545	Kinlochspelvie,	428	388	9	8	0	10	0	0	0	0	0	1	11
546	Oa (year 1875, merged in 541).	769	367				4	0	0	0	0	0	1	5
547	Portnahaven,	1059	979	28	18	5	19	0	0	0	0	2	0	21
548	Salen,	604	605	12	5	2	8	2	0	0	0	1	0	11
549	Tobermory,	1566	1344	24	32	1	26	0	0	0	0	2	1	29
550	Torosay,	557	454	6	10	1	6	1	0	0	0	2	0	9
551	Tyree, etc.—(1) Tyree,	3217	2837	65	38	15	72	0	1	0	0	7	0	80
	(2) Coll,	781	723	16	7	5	12	4	0	0	0	1	0	17
	20. BUTE.													
552	Cumbrae,	1236	1613	60	41	9	41	0	0	0	0	4	0	45
553	Kilbride—(1) Brodick,	902	928	16	18	1	12	0	1	0	0	2	0	15
	(2) Kilbride,	1351	1276	17	28	4	22	0	0	0	0	2	0	24
554	Kilmory,	2515	2278	41	51	11	28	0	0	0	0	2	0	30
555	Kingarth,	905	901	29	16	0	22	0	0	0	0	2	0	24
556	Lochranza,	824	777	11	17	4	14	0	0	0	0	1	0	15
557	North Bute,	1351	1393	28	25	5	24	3	0	0	0	1	0	28
558	ROTHESAY,	7227	7800	224	249	60	177	1	0	0	0	16	27	221

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.							
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
									On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	In respect of the children having already had Small-pox.			
		1861.	1871.	Births.	Deaths.	Marriages.								
	VI. SOUTH-WESTERN DIVISION.													
	21. RENFREW.													
559	Abbey—(1) Part of PAISLEY,	15889	16348	564	433	163	548	4	1	3	0	41	12	609
	(2) LANDWARD,	5670	5679	221	127	25	224	0	0	1	0	22	1	248
	(3) JOHNSTONE,	8142	8590	353	275	88	293	7	0	0	1	35	14	350
560	CATHCART,	3782	7231	330	192	76	321	0	2	0	0	20	6	349
561	Eaglesham,	2328	1714	49	44	18	42	0	0	0	0	2	0	44
562	EASTWOOD,	11314	13098	441	353	126	442	3	0	0	5	47	11	508
563	Erskine,	1457	1565	36	23	6	39	0	0	0	0	3	2	44
564	GREENOCK—(1) New, or Middle,	9446	9592	366	350	28	307	1	2	0	8	55	20	393
	(2) East,	12135	17061	884	541	152	757	5	5	0	7	74	16	864
	(3) Old, or West,	22313	33141	1511	1289	388	1316	5	11	1	9	168	39	1549
565	Houston and Killellan,	2490	2167	87	46	8	66	0	0	0	0	8	4	78
566	Inchinnan,	619	584	12	12	2	20	0	0	0	0	1	2	23
567	Innerkip—(1) Innerkip,	1188	1393	44	31	7	31	0	0	0	0	1	1	33
	(2) GOUROCK,	2307	3109	85	95	15	78	0	0	0	0	13	2	93
568	KILBARCHAN,	6348	6093	230	162	52	213	0	0	0	0	19	2	234
569	Kilmalcolm,	1455	1716	57	44	11	42	1	0	0	0	8	2	53
570	Lochwinnoch,	3821	3816	106	73	18	96	0	0	0	0	13	4	113
571	MEARNS,	3547	3543	123	107	18	91	1	1	0	0	7	1	101
572	NEILSTON—(1) Neilston,	4577	4633	149	112	42	115	2	0	0	0	27	0	144
	(2) BARRHEAD,	6436	6503	221	157	35	201	0	0	0	0	18	2	221
573	PAISLEY,	31538	31909	1228	931	301	1027	6	0	4	0	112	21	1170
574	PORT-GLASGOW,	7294	9912	506	307	92	463	4	0	0	1	46	7	521
575	RENFREW,	4650	5908	261	139	48	236	0	0	0	3	31	5	275
	22. AYR.													
576	ARDROSSAN—(1) OLD ARDROSSAN,	3530	3336	135	92	41	123	0	1	0	0	6	1	131
	(2) NEW ARDROSSAN,	3246	3929	184	95	21	145	0	0	0	0	14	1	160
577	AUCHINLECK,	4213	6174	292	150	35	264	2	1	0	0	25	3	295
578	AYR,	19659	19172	688	499	161	596	5	0	0	0	86	8	695
579	Ballantrae,	1483	1277	40	25	7	40	0	0	0	0	2	0	42
580	Barr,	910	672	20	16	3	13	0	0	0	0	0	0	13
581	BEITH,	5775	6233	221	121	46	204	1	0	0	0	21	3	229
582	Colmonell—(1) Colmonell, (2) Barrhill,	2588	c. 1167 c. 1126	33 31	20 20	11 4	71	0	0	0	0	2	4	77
583	Coylton,	1604	1440	77	40	16	54	2	0	0	0	2	1	59
584	Craigie,	730	618	8	10	6	15	0	0	0	0	4	0	19
585	Dailly,													

586	Dalmellington,	4194	6165	302	201	37	345	3	5	0	0	28	10	391
587	DALRY,	11156	10885	383	239	62	427	1	0	0	0	34	10	472
588	Dalrymple,	1325	1412	57	27	5	56	1	0	0	0	4	0	61
589	Dreghorn,	3283	3241	181	78	23	158	1	0	0	0	13	3	175
590	DUNDONALD—(1) Dundonald,	2095	1507	46	30	10	57	1	0	0	0	4	0	62
	(2) TROON,	2599	2870	101	52	21	76	0	0	0	0	8	1	85
591	Dunlop,	1038	1160	43	32	7	37	0	0	0	0	3	0	40
592	Fenwick,	1532	1318	27	31	3	25	0	0	0	0	‖1	1	27
593	GALSTON,	5254	6331	310	137	52	282	3	0	0	0	28	1	314
594	GIRVAN,	7053	5685	168	114	37	180	2	0	0	0	8	5	195
595	IRVINE,	8607	8462	407	334	89	337	0	0	0	0	43	11	391
596	KILBIRNIE,	5265	4953	216	109	46	167	0	0	1	0	15	2	185
597	KILMARNOCK,	23556	24072	1023	770	220	891	4	3	0	0	95	15	1008
598	Kilmaurs,	3526	3449	179	102	38	133	2	1	1	0	9	0	146
599	KILWINNING,	7717	7375	338	221	60	327	1	0	0	0	26	5	359
600	Kirkmichael,	2823	2254	58	45	20	65	0	0	0	0	9	2	76
601	Kirkoswald,	2060	1846	41	23	7	62	0	0	0	0	2	0	64
602	LARGS,	3620	4087	143	115	27	102	2	2	0	0	14	1	121
603	LOUDOUN,	4840	5525	240	113	42	203	1	1	1	0	22	1	229
604	Mauchline,	2303	2435	68	37	16	69	1	0	0	0	10	0	80
605	MAYBOLE,	6713	5900	190	101	49	187	1	0	0	0	22	0	210
606	Monkton and Prestwick,	1937	1744	56	44	15	44	0	0	0	0	1	0	45
607	MUIRKIRK,	3270	3253	184	99	23	137	4	0	0	0	12	2	155
608	New Cumnock,	2891	3434	223	77	21	176	1	0	0	0	16	2	195
609	Ochiltree,	1676	1656	42	29	13	42	0	0	0	0	1	1	44
610	OLD CUMNOCK,	3721	4041	170	76	30	165	0	0	0	0	18	1	184
611	RICCARTON,	5629	5845	280	120	53	285	0	0	0	0	24	2	311
612	St Quivox and Newton-upon-Ayr,	1870	1363	63	37	18	41	0	0	0	0	2	0	43
613	SORN,	4042	4032	168	81	25	139	0	0	0	0	11	0	150
614	Stair,	743	734	45	22	6	25	0	0	0	0	4	0	29
615	STEVENSTON,	5452	5019	236	122	33	218	0	0	0	0	15	4	237
616	STEWARTON,	4449	4478	159	121	30	147	1	0	0	0	19	0	167
617	Straiton,	1544	1443	52	31	14	40	1	0	0	0	1	0	42
618	Symington,	855	792	30	11	3	20	0	0	0	0	0	0	20
619	Tarbolton,	2669	3219	146	74	25	133	0	1	0	0	12	1	147
620	West Kilbride,	1988	1847	61	39	13	43	0	0	0	0	5	0	48
	23. LANARK.													
621	AVONDALE,	6125	5460	161	125	51	166	0	1	0	1	18	0	186
622	Barony*—(1) MARYHILL,	6734	10235				595	6	1	1	0	42	18	663
	(2) SPRINGBURN,	8911	13994				612	5	0	0	1	56	89	763
	(3) SHETTLESTON,	6914	7517				302	0	0	0	0	25	4	331
	(1) MARYHILL,	*c.* 4356	6659	475	266	100								
	(2) SHETTLESTON,	6914	7517	375	196	71								
623	Biggar,	1999	2013	66	51	11	61	1	0	0	0	8	1	71
624	Blantyre,	3092	3472	262	131	40	193	0	0	0	0	15	4	212
625	BOTHWELL—(1) BOTHWELL,	7059	9193	462	313	59	386	5	3	0	0	31	12	437
	(2) HOLYTOWN,	10844	10099	495	265	92	443	0	0	0	0	57	13	513
626*a*	Cadder—(1) Western,	3023	3261	151	103	23	128	0	0	0	0	13	2	143
	(2) Eastern,	2925	3203	160	87	20	107	0	0	0	0	17	2	126

* Glasgow Registration area increased in 1875 by additions thereto of portions of Barony and Govan.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
									Insusceptible of Vaccine Disease.						
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination or otherwise unaccounted for.	Total Births for 1874.
	LANARK—*continued.*													
626*b*	Calderhead,	4034	4271	188	87	32	211	0	0	0	0	19	6	236
627	CAMBUSLANG,	3647	3740	237	133	33	189	0	0	0	0	22	3	214
628	CAMBUSNETHAN,	13118	18709	1015	470	144	933	4	1	2	0	107	16	1063
629	CARLUKE,	6176	7066	370	161	69	299	1	0	0	1	19	3	323
630	Carmichael,	836	708	22	14	5	12	0	0	0	0	4	0	16
631	Carmunnock,	734	702	26	20	6	14	3	0	0	0	0	0	17
632	Carnwath,	3584	5709	285	101	54	278	0	0	0	0	22	5	305
633	Carstairs,	1345	1718	63	48	11	52	0	0	0	0	4	1	57
634	Covington and Thankerton,	532	464	11	5	7	11	0	0	0	0	1	0	12
635	Crawford—(1) Crawford,	694	727	29	9	6	17	2	0	0	0	0	0	19
	(2) Leadhills,	896	1102	36	23	7	40	0	0	0	0	4	0	44
636	Crawfordjohn,	980	853	25	11	8	19	0	0	0	0	0	0	19
637	Culter,	665	593	14	7	1	11	0	0	0	0	1	0	12
638	DALSERF—(1) LARKHALL,	3629	5332	305	123	43	282	0	1	0	0	26	3	312
	(2) Dalserf,	1247	2009	130	44	16	124	1	1	0	0	10	6	142
639	DALZIEL,	5438	9175	589	295	61	472	0	0	0	0	52	20	544
640	Dolphington,	260	231	6	3	1	4	1	0	0	0	0	0	5
641	Douglas,	2490	2624	90	50	17	76	2	0	0	0	6	2	86
642	Dunsyre,	312	302	4	4	1	7	0	0	0	0	1	0	8
643	EAST KILBRIDE,	4064	3861	125	76	26	121	0	0	0	0	13	2	136
644	GLASGOW—*(1) Central,	49678	57279				1957	2	3	0	9	286	112	2369
	(2) High,	48119	58466				2089	12	0	0	9	246	118	2474
	(3) Bridgeton,	45485	60628				2722	1	0	1	0	357	101	3182
	(4) Calton,	36625	38177				1164	0	0	1	0	115	143	1422
	(5) Clyde,	29975	26044				531	6	2	1	12	90	79	721
	(6) Blythswood,	28697	33443				794	6	2	0	3	68	22	895
	(7) Milton,	33360	46393				1923	6	1	1	7	228	86	2252
	(8) Anderston,	40945	52504				1786	2	2	3	0	211	41	2045
	(9) Tradeston,	38600	49176				1694	14	0	1	3	204	43	1958
	(10) Hutchesontown,	44019	55622				2397	6	1	0	1	275	53	2733
	(1) Bridgeton,		*c.* 31154	1736	1234	256								
	(2) Camlachie,		*c.* 32676	1655	1104	192								
	(3) Dennistoun,		*c.* 31024	1573	1632	644								
	Do. Landward,		*c.* 3298	140	366	21								
	(4) Calton,		*c.* 43654	1512	1094	374								
	(5) Blackfriars,		*c.* 54602	1868	1444	250								
	(6) St Rollox,		*c.* 38383	1810	1684	419								

	(7) Blythswood,		c. 44310	1176	967	403								
	(8) Milton,		c. 38223	1764	1172	311								
	(9) Kelvin,	c. 409921	c. 32516	1500	906	667								
	(10) Anderston,		c. 40178	1602	1049	287								
	(11) Hutchesontown,		c. 29717	1826	1071	245								
	Do. Landward,		c. 1008	145	65	16								
	(12) Gorbals,		c. 43212	1452	1039	650								
	Do. Landward,		c. 1565	178	81	18								
	(13) Tradeston,		c. 22340	800	628	126								
	Do. Landward,		c. 1411	64	37	5								
	(14) Kinning Park,		c. 9857	547	336	64								
	Do. Landward,		c. 8953	617	379	122								
645	Glassford,			1430	60	26	20	45	0	0	0	0	4	0	49
646	GOVAN*—(1) GOVAN CHURCH,	11297		27116				2063	1	1	0	2	273	54	2394
	(2) PARK,	2428		5720				335	3	1	0	0	25	3	367
	(3) PARTICK,	14859		23918				1060	6	0	0	13	107	38	1224
	(1) GOVAN CHURCH,	c. 10646		19899	1955	1237	319								
	(2) PARTICK,	c. 14809		c. 23837	1213	744	244								
647	HAMILTON,	14047		16803	763	428	150	652	3	2	2	5	71	24	759
648	LANARK,	7891		7841	227	213	56	194	0	1	0	0	23	11	229
649	Lesmahagow,	9266		8709	406	183	84	383	1	0	0	0	35	1	420
650	Libberton,	836		691	14	6	5	16	0	0	0	0	4	0	20
651	NEW MONKLAND—(1) AIRDRIE,	12922		13488	605	333	124	575	0	0	0	0	55	7	637
	(2) Landward,	7632		9264	581	298	83	537	9	2	0	0	41	6	595
652	OLD MONKLAND—(1) WESTERN,	6982		7873	392	231	46	364	0	0	0	0	36	7	407
	(2) COATBRIDGE,	15303		18410	856	517	156	846	3	5	2	0	91	21	968
	(3) EASTERN,	7308		7790	346	205	68	348	2	0	1	0	27	6	384
653	Pettinain,	407		366	8	9	0	12	0	0	0	0	0	0	12
654	RUTHERGLEN,	9335		10766	462	276	101	433	0	0	0	0	40	1	474
655	Shotts,	4792		5699	349	153	37	283	2	2	0	0	27	15	329
656	STONEHOUSE,	3267		3177	135	57	22	124	0	0	1	0	14	2	141
657	Symington,	528		442	11	10	2	8	0	0	0	0	0	0	8
658	Walston,	480		425	15	9	2	9	0	0	0	0	1	0	10
659	Wandell and Lamington,	380		332	12	2	3	8	0	0	0	0	0	1	9
660	Wiston and Roberton,	786		680	19	10	3	10	1	0	0	0	0	0	11
	VII. SOUTH-EASTERN DIVISION.														
	24. LINLITHGOW.														
661	Abercorn,	965		933	22	17	10	26	0	0	0	0	1	1	28
662	BATHGATE—(1) BATHGATE,	6572		6942	258	166	46	234	2	0	0	0	21	15	272
	(2.) ARMADALE,	3562		3187	144	50	21	152	3	0	0	0	23	7	185
663	BORROWSTOUNNESS,	5698		4986	211	117	40	203	0	0	0	0	29	0	232
664	CARRIDEN,	1821		1799	81	39	10	58	0	0	0	0	7	3	68
665	Dalmeny,	804		916	19	15	1	38	0	0	0	0	2	0	40
666	Ecclesmachen,	309		329	10	3	2	4	0	0	0	0	0	0	4
667	Kirkliston,	1907		2172	90	53	15	82	1	0	0	0	8	0	91
668	LINLITHGOW,	5784		5554	161	126	45	181	0	0	0	0	17	4	202
669	Livingstone,	1366		1727	55	41	7	59	1	0	0	0	11	1	72
670	QUEENSFERRY,	1391		1521	56	48	3	46	1	0	0	0	8	0	55
671	Torphichen,	1848		1630	54	28	12	59	0	0	0	0	4	0	63

* Glasgow Registration area increased in 1875 by additions thereto of portions of Barony and Govan.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
									On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination. In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
		1861.	1871.	Births.	Deaths.	Marriages.								
	EDINBURGH—*continued.*													
672	Uphall, – – – –	1507	2772	83	37	13	97	0	0	0	0	6	3	106
673	WHITBURN—(1) Whitburn, – – (2) FAULDHOUSE, –	5511	*c.* 2250 *c.* 4661	119 193	58 56	15 22	267	1	0	0	0	25	1	294
	25. EDINBURGH.													
674	Borthwick, – – –	1569	1494	34	14	4	57	0	0	0	0	2	1	60
675	Carrington, – – –	681	712	23	11	2	21	2	0	0	0	5	0	28
676	Cockpen, – – –	2113	2481	104	56	20	94	3	0	0	0	7	0	104
677	Colinton, – – –	2656	3644	117	218	24	111	0	0	0	0	16	16	143
678	Corstorphine, – – –	1579	1788	55	45	10	51	0	0	0	0	4	0	55
679	Cramond, – – –	2695	3020	81	56	24	62	1	0	0	0	4	0	67
680	Cranston, – – –	1035	1036	28	9	10	38	0	0	0	0	1	1	40
681	Crichton, – – –	1304	1223	39	14	6	33	1	0	0	0	2	0	36
682	Currie, – – – –	2248	2360	88	51	18	70	0	0	0	0	12	0	82
683	DALKEITH, – – –	7114	7667	241	165	64	245	2	2	0	0	23	2	274
684	DUDDINGSTON— (1) PORTOBELLO, –	4366	5481	183	120	54	165	0	2	0	0	12	3	182
	(2) Landward, –	857	970	39	20	2	34	1	0	0	0	1	0	36
685	EDINBURGH—(1) St George, –	39759	51590	1764	1180	407	1709	6	2	0	0	180	17	1914
	Do. Landward,	2309	3459	116	280	13								
	(2) St Andrew, –	38731	39781	1144	860	392	1006	6	0	0	0	111	28	1151
	(3) Canongate, –	30169	33183	1312	1137	305	1019	6	1	0	0	140	31	1197
	(4) St Giles, –	29679	31960	1053	822	359	986	5	1	0	0	118	37	1147
	(5) Newington, –	29797	41079	1481	1042	587	1244	31	2	0	1	131	20	1429
686	Fala and Soutra, – – –	382	364	10	5	4	10	0	0	0	0	0	0	10
687	Glencross, – – –	1217	1153	43	17	5	34	0	0	0	0	1	0	35
688	Heriot, – – – –	407	414	17	1	1	12	0	0	0	0	1	0	13
689	INVERESK, – – –	9518	10068	339	228	70	282	2	0	0	0	23	4	311
690	Kirknewton and East-Calder,–	1549	2213	99	67	13	85	3	0	0	0	8	2	98
691	LASSWADE, – – –	5688	7098	271	186	49	235	2	0	0	0	19	0	256
692	LEITH—(1) North Leith, –	11562	16582	647	322	166	609	3	0	0	0	47	10	669
	(2) South Leith, –	24467	29852	1364	738	307	1089	22	0	0	0	124	74	1309
693	Liberton, – – –	3510	3791	166	100	30	103	3	0	0	0	7	5	118
694	Mid-Calder, – – –	1389	3634	46	35	5	48	2	0	0	0	1	0	51
695	Newbattle, – – –	2138	2424	86	45	16	95	1	2	0	0	11	0	109
696	Newton, – – –	1553	1181	38	26	13	41	0	0	0	0	4	0	45
697	PENICUIK, – – –	3249	3765	140	69	23	103	0	0	0	0	9	2	114

698a	Ratho,	1659	1744	48	36	15	46	2	0	0	0	4	3	55
698b	Stobhill,	2364	2447	104	42	16	106	0	0	0	0	7	0	113
699	Stow,	1870	1957	68	36	15	54	1	0	0	0	7	0	62
700	Temple,	682	658	15	14	5	18	0	0	0	0	1	0	19
701	WEST-CALDER,	1927	7865	326	130	38	270	0	0	0	0	31	34	335
	26. HADDINGTON.													
702	Aberlady,	1019	1022	29	18	12	23	0	0	0	0	2	0	25
703	Athelstaneford,	902	844	24	14	3	16	1	0	0	0	1	0	18
704	Bolton,	332	364	5	6	3	9	0	0	0	0	0	0	9
705	Dirleton,	1540	1419	41	23	9	26	0	0	0	1	2	0	29
706	DUNBAR,	4944	4982	174	92	31	119	0	1	1	0	18	2	141
707	Garvald,	891	832	21	7	6	14	1	0	0	0	0	0	15
708	Gladsmuir,	1945	1863	42	29	15	45	1	0	0	0	3	0	48
709	HADDINGTON,	5548	5735	188	147	43	146	2	0	0	0	16	6	170
710	Humbie,	997	967	30	12	3	25	0	0	0	0	0	1	26
711	Innerwick,	937	892	17	13	4	19	0	0	0	0	6	0	25
712	Morham,	281	204	8	3	0	4	0	0	0	0	1	0	5
713	NORTH BERWICK,	2071	2373	68	47	11	61	1	0	0	0	6	1	69
714	Oldhamstocks,	615	592	11	10	3	10	1	0	0	0	0	0	11
715	Ormiston,	915	911	27	23	7	34	1	0	0	0	4	0	38
716	Pencaitland,	1187	1320	48	17	5	42	0	0	0	0	1	2	46
717	Prestonkirk,	1960	1931	42	41	9	51	0	0	1	0	8	0	59
718	Prestonpans,	2080	2069	88	46	12	60	0	0	0	0	10	0	70
719	Salton,	712	647	17	7	2	13	0	0	0	0	1	1	15
720	Spott,	555	560	13	10	3	9	0	0	0	0	0	5	14
721	Stenton,	692	612	19	9	4	14	1	0	0	1	2	0	18
722	TRANENT,	4647	4852	186	85	40	206	3	0	0	0	21	2	232
723	Whitekirk and Tynninghame,	1113	1073	17	14	5	28	0	0	0	0	1	0	29
724	Whittinghame,	710	657	10	6	3	14	0	0	0	0	0	0	14
725	Yester,	1033	1034	23	19	3	20	0	0	0	0	2	0	22
	27. BERWICK.													
726	Abbey St Bathans,	179	195	9	5	0	8	0	0	0	0	0	0	8
727	AYTON,	2014	1983	65	33	11	59	1	1	0	0	5	0	66
728	Bunkle and Preston,	756	764	16	13	11	16	1	0	0	0	0	1	17
729	Channelkirk,	671	705	20	6	3	22	0	0	0	0	1	0	23
730	Chirnside,	1502	1413	35	38	10	37	0	0	0	0	4	0	41
731	Cockburnspath,	1194	1133	35	26	14	35	0	1	0	0	2	1	38
732	Coldingham,	3241	3093	80	67	12	97	1	1	0	0	6	0	104
733	Coldstream,	2823	2619	80	41	10	57	1	0	0	0	7	0	65
734	Cranshaws,	134	142	2	3	2	1	0	0	0	0	0	0	1
735	DUNSE,	3595	3602	83	110	12	78	2	0	0	0	8	1	89
736	Earlston,	1825	1977	60	28	8	57	3	0	0	0	5	0	65
737	Eccles,	1861	1780	52	32	5	38	0	0	0	0	0	0	38
738	Edrom,	1592	1513	41	28	5	40	0	0	0	0	4	0	44
739	EYEMOUTH,	1804	2372	114	41	22	88	0	0	0	0	6	0	94
740	Fogo,	559	502	10	3	1	10	0	0	0	0	2	1	13
741	Foulden,	431	425	14	8	0	8	0	0	0	0	2	0	10
742	Gordon,	931	876	29	19	9	21	0	0	1	0	2	0	24
743	Greenlaw,	1370	1381	31	25	7	36	0	1	0	0	5	0	42

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
									On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
		1861.	1871.	Births.	Deaths.	Marriages.								
	PEEBLES—*continued.*													
744	Hume,	420	460	13	5	0	13	0	0	0	0	2	0	15
745	Hutton,	1067	1077	20	23	3	20	0	0	0	0	0	0	20
746	Ladykirk,	564	518	9	5	4	16	0	0	0	0	0	0	16
747	Langton,	502	548	18	6	5	14	0	0	0	0	1	0	15
748	LAUDER,	2198	2120	59	26	4	65	0	0	0	0	6	0	71
749	Legerwood,	599	525	17	10	4	18	1	1	0	0	0	0	20
750	Longformacus,	448	452	14	3	1	14	0	0	0	1	0	0	16
751	Merton,	729	734	16	6	1	23	0	0	0	0	1	1	24
752	Mordington,	377	402	13	5	2	9	0	0	0	0	1	0	10
753	Nenthorn,	461	434	8	6	1	16	0	0	0	0	1	0	16
754	Polwarth,	251	249	3	4	1	3	0	0	0	0	0	0	3
755	Swinton,	964	996	29	22	6	20	0	0	0	0	2	1	23
756	Westruther,	786	784	21	8	0	17	0	1	0	0	1	0	19
757	Whitsome,	640	608	16	9	4	9	0	0	0	0	0	0	9
	28. PEEBLES.													
758	Broughton (merged in 763),													
759	Drumelzier,	209	221	5	2	0	8	1	0	0	0	0	0	9
760	Eddlestone,	753	700	23	3	5	16	0	0	0	0	0	0	16
761	Glenholm (merged in 763),													
762	Innerleithen,	1787	2776	96	54	27	87	0	1	0	0	11	0	99
763	Kilbucho, Broughton, and Glenholm,	723	729	28	8	4	22	0	0	0	0	1	0	23
764	Kirkurd,	362	294	10	4	1	7	0	0	0	0	0	0	7
765	Lyne, etc.—(1) Lyne,	81	104	4	1	0	3	0	0	0	0	0	0	3
	(2) Megget,	53	70	3	1	0	1	0	0	0	0	0	0	1
766	Manor,	247	271	7	2	0	6	0	0	0	0	0	0	6
767	Newlands,	987	851	31	9	4	18	0	0	0	0	2	1	21
768	PEEBLES,	2850	3172	96	99	22	95	0	0	0	0	9	2	106
769	Skirling,	317	325	12	6	1	5	0	0	0	0	3	1	9
770	Stobo,	478	459	19	8	2	24	0	0	0	0	0	0	24
771	Traquair,	687	669	24	11	9	18	0	0	0	0	1	0	19
772	Tweedsmuir,	196	190	5	4	0	7	0	0	0	0	0	0	7
773	West Linton,	1534	1387	41	30	5	36	0	0	0	0	6	1	43
	29. SELKIRK.													
774*a*	Caddonfoot,	610	699	22	13	6	28	1	0	0	0	4	0	33
774*b*	Ettrick,	454	434	9	7	3	10	0	0	0	0	0	0	10
775	GALASHIELS,	3268	5921	245	126	42	203	2	0	0	0	25	0	230
776*a*	Kirkhope,	555	565	15	11	4	18	0	0	0	0	1	0	19

777	Roberton, – – –	640	593	21	6	5	11	0	0	0	0	1	0	12
778	SELKIRK, – – –	4646	5555	230	121	44	208	2	0	0	0	20	1	231
779	Yarrow, – – –	574	567	16	10	4	20	0	0	0	0	0	0	20
	VIII. SOUTHERN DIVISION.													
	30. Roxburgh.													
780	Ancrum, – – – –	1511	1391	35	18	7	51	0	0	0	0	2	0	53
781	Ashkirk, – – – –	578	550	16	6	2	10	0	0	0	0	0	0	10
782	Bedrule, – – – –	222	292	5	1	2	7	0	0	0	0	0	0	7
783	Bowden, – – – –	864	842	18	16	3	18	0	0	0	0	0	0	18
784	Castleton, – – – –	3688	2202	83	35	8	67	1	0	0	0	13	0	81
785	Cavers, – – – –	1824	1443	48	27	10	39	1	0	0	0	2	1	43
786	Crailing, – – – –	673	657	16	9	8	13	0	0	0	0	3	0	16
787*a*	Eckford, – – – –	957	931	32	14	6	22	0	0	0	0	2	0	24
787*b*	Edgerston, – – –	359	365	15	8	0	15	0	0	0	0	0	0	15
788	Ednam, – – – –	599	613	13	11	3	20	0	0	0	0	0	0	20
789	HAWICK, – – – –	8726	8733	363	301	84	301	0	2	0	0	33	1	337
790	Hobkirk, – – – –	771	718	21	7	6	15	0	0	0	0	2	0	17
791	Hownam, – – – –	289	238	6	3	4	10	0	0	0	0	1	0	11
792	JEDBURGH, – – –	5011	4971	168	137	28	135	1	0	0	0	18	0	154
793	Kelso, – – – –	5192	5124	144	127	30	130	2	0	0	0	6	1	139
794	Kirktown, – – – –	421	320	12	9	1	6	0	0	0	0	1	0	7
795	Lilliesleaf, – – –	772	788	24	7	1	31	0	0	0	0	0	0	31
796	Linton, – – – –	608	570	16	10	3	13	0	0	0	0	0	0	13
797	Makerston, – – –	380	361	11	2	3	8	0	0	0	0	2	0	10
798	Maxton, – – – –	497	481	14	6	3	13	0	0	0	0	1	0	14
799	Melrose, – – – –	3500	4115	112	95	25	96	1	1	0	0	6	2	106
800	Minto, – – – –	430	431	14	4	4	6	0	0	0	0	0	0	6
801	Morebattle, – – –	1031	986	36	19	4	29	0	0	0	0	3	0	32
802	Oxnam, – – – –	592	652	22	12	4	23	0	0	0	0	0	0	23
803	Roxburgh, – – –	1178	1053	29	20	11	31	1	0	0	0	3	1	36
804	St Boswells, – – –	922	973	21	13	11	38	1	0	0	0	1	0	40
805	Smailholm, – – –	554	534	13	8	5	13	0	0	0	0	1	0	14
806	Southdean, – – –	687	674	22	11	4	12	0	0	0	0	2	0	14
807	Sprouston, – – –	1305	1294	27	12	9	27	0	0	0	0	3	1	31
808	Stitchel, – – – –	425	388	12	2	3	11	0	0	0	0	0	0	11
809	Teviothead, – – –	438	515	15	6	1	13	0	0	0	0	2	0	15
810	WILTON, – – –	3357	3936	189	115	29	149	1	0	0	0	12	0	162
811	Yetholm, – – –	1207	1100	27	19	4	29	0	0	0	0	3	0	32
	31. Dumfries.													
812	ANNAN, – – –	5113	4631	136	144	26	121	1	0	0	4	17	9	152
813*a*	Applegarth, – – –	935	902	29	11	8	13	0	0	0	0	5	0	18
813*b*	BRYDEKIRK, – – –	779	731	16	10	6	18	0	0	0	0	2	2	22
814	Canonbie, – – –	3219	3055	92	56	15	102	1	0	0	0	6	2	111
815	Carlaverock, – – –	1248	1151	25	17	7	25	0	1	0	0	3	0	29
816	Closeburn, – – –	1651	1612	40	30	9	53	1	0	0	0	3	0	57
817	Cummertrees, – – –	1184	1072	28	24	9	28	0	0	0	0	0	0	28
818	Dalton, – – – –	679	577	11	4	4	16	0	0	0	0	1	0	17
819	Dornock, – – – –	856	826	19	17	6	18	0	0	0	0	3	0	21

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1875.			VACCINATIONS, 1874.								
									Insusceptible of Vaccine Disease.						
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
	DUMFRIES—*continued.*													
820	Dryfesdale,	2509	2825	98	75	8	71	1	0	0	1	10	2	85
821	DUMFRIES,	13523	14841	455	441	109	365	9	0	0	4	52	8	438
822	Dunscore,	1554	1504	34	24	5	33	0	3	0	0	3	1	40
823	Durrisdeer,	1320	1189	28	25	3	28	0	0	0	0	2	1	31
824	Eskdalemuir,	590	551	16	13	5	12	0	0	0	0	0	0	12
825	Ewes,	356	338	8	2	4	8	0	0	0	0	0	0	8
826	Glencairn,	1867	1749	46	46	16	42	0	0	0	0	0	0	42
827	Graitney (or Gretna),	1620	1395	45	29	6	33	0	0	0	0	2	2	35
828	Halfmorton,	713	611	15	5	2	16	0	0	0	0	0	0	18
829	Hoddom,	1568	1520	44	33	7	32	0	0	0	0	1	2	35
830	Holywood,	1115	1069	29	26	6	20	0	0	0	0	1	2	25
831	Hutton,	876	842	22	26	8	29	0	0	0	0	1	4	32
832	Johnstone,	1149	1089	26	22	5	26	0	0	0	0	0	3	28
833	Keir,	849	828	25	22	5	14	4	0	0	0	0	2	19
834	Kirkconnel,	996	952	42	15	4	26	1	0	0	0	0	1	29
835	Kirkmahoe,	1462	1332	28	19	6	36	1	0	1	0	0	2	29
836	Kirkmichael,	1026	903	25	15	7	28	1	0	0	0	1	3	41
837	Kirkpatrick-Fleming—													
	(1) Northern District,	493	393	9	6	3	8	0	0	0	0	1	0	9
	(2) Southern District,	1432	1136	28	30	8	30	0	0	0	0	1	0	31
838	Kirkpatrick-Juxta,	1025	1091	32	20	9	29	0	1	0	0	1	0	31
839	LANGHOLM,	2979	3735	146	93	19	117	9	3	0	0	1	0	31
840	LOCHMABEN,	3087	3085	91	76	19	57	3	1	0	0	16	6	149
841	Middlebie,	2004	2000	61	38	15	52	1	1	0	0	8	1	70
842	Moffat,	2232	2543	63	44	13	62	3	1	0	0	6	2	62
843	Morton,	2253	2099	63	70	18	48	0	0	0	0	9	0	74
844	Mousewald,	633	647	14	9	4	13	0	0	0	0	7	0	55
845	Penpont,	1326	1323	33	44	8	23	0	0	0	0	1	1	15
846	Ruthwell,	1046	974	21	8	7	22	0	0	0	0	4	1	27
847	St Mungo,	686	658	13	10	2	15	0	0	0	0	1	0	23
848	SANQUHAR,	2758	2201	57	69	19	74	0	0	0	0	2	0	17
849	Tinwald,	1079	993	29	15	5	31	0	0	0	0	11	0	86
850	Torthorwald,	1254	1098	27	31	4	33	2	0	0	0	2	0	33
851	Tundergarth,	507	510	17	9	3	13	0	1	0	0	1	1	37
852	Tynron,	446	381	9	8	4	11	0	0	0	0	4	0	17
853*a*	Wamphray,	559	505	17	11	6	4	0	0	0	0	1	1	13
853*b*	Wanlockhead,	811	837	18	20	6	24	0	0	0	0	1	0	6
854	Westerkirk,	537	540	15	6	3	16	0	0	0	0	1	0	25
														16

	32. KIRKCUDBRIGHT.													
855	Anwoth, – – – –	899	827	16	20	4	18	0	0	0	0	2	0	20
856	Balmaclellan, – – –	890	861	31	13	5	19	0	0	0	0	0	0	19
857*a*	Balmaghie, – – –	1225	1085	20	15	2	30	0	0	0	0	4	0	34
857*b*	Bargrennan, – – –	471	428	14	4	1	4	0	0	0	0	1	0	5
858	Borgue, – – – –	1162	1087	38	13	9	33	0	0	0	0	2	0	35
859	Buittle, – – – –	1165	1026	43	17	7	34	0	0	0	0	1	0	35
860	Carsphairn, – – –	553	545	14	7	6	13	0	0	0	0	0	0	13
861	Colvend, – – – –	1366	1318	42	32	7	40	0	0	0	0	7	1	48
862	Corsock-Bridge, – – –	544	563	12	9	3	18	0	1	0	0	2	0	21
863	CROSSMICHAEL, – – –	1536	1492	38	29	6	34	0	0	0	0	2	1	37
864	DALBEATTIE, – – –	2054	3163	133	77	21	103	3	0	0	0	12	5	123
865	Dalry, – – – –	1149	1074	27	19	5	28	1	0	0	0	0	0	29
866	Girthon, – – – –	1702	1586	53	34	16	48	0	0	0	0	4	0	52
867	Irongray, – – –	913	815	16	16	3	27	0	0	0	0	0	0	27
868	KELLS, – – – –	1170	1007	27	8	7	23	0	0	0	0	4	0	27
869	KELTON, – – – –	3436	3222	101	61	19	90	0	0	0	0	11	0	101
870	Kirkbean. – – –	942	825	18	18	3	26	0	0	0	0	0	0	26
871	KIRKCUDBRIGHT, – –	3407	3346	80	67	18	81	2	0	0	0	6	1	90
872	Kirkgunzeon, – – –	793	661	24	8	2	22	0	0	0	0	3	0	25
873	Kirkmabreck, – – –	1851	1568	44	43	12	40	2	1	0	0	6	3	52
874	Kirkpatrick-Durham, – –	1323	1218	45	27	5	26	0	0	0	0	2	0	28
875	Lochrutton, – – –	677	656	16	20	4	15	0	1	0	0	1	0	17
876	MINNIGAFF, – – –	1518	1329	36	29	7	45	2	1	0	0	2	1	50
877	New Abbey, – – –	1063	931	22	12	5	29	0	0	0	0	2	2	33
878	Parton, – – – –	572	526	8	4	1	17	1	0	0	0	0	0	18
879	Rerrick, – – – –	1738	1911	45	32	12	50	0	0	0	0	0	0	50
880	TERREGLES, – – –	580	547	17	7	1	8	1	0	0	0	0	1	10
881	Tongland, – – –	892	902	18	20	4	24	0	0	0	0	1	0	25
882	TROQUEER, – – –	4743	5402	165	156	24	157	1	2	1	0	17	0	178
883	Twynholm, – – –	815	717	28	17	7	15	0	0	0	0	0	0	15
884	Urr, – – – –	1531	1443	30	27	11	37	0	0	0	0	3	0	40
	33. WIGTOWN.													
885	Glasserton, – – –	1472	1196	48	13	6	28	0	1	0	0	5	0	34
886	Inch, – – – –	2460	2189	49	33	13	58	0	0	0	0	2	0	60
887	Kirkcolm, – – –	1860	1948	59	32	13	52	0	0	0	0	3	0	55
888	Kirkcowan, – – –	1434	1352	32	37	14	40	0	2	0	0	2	1	45
889	Kirkinner, – – –	1716	1548	64	28	9	32	0	0	0	0	3	0	35
890	Kirkmaiden, – – –	2333	2507	86	46	23	86	1	1	0	0	5	0	93
891	Leswalt, – – – –	1417	1249	43	25	9	29	0	0	0	0	3	0	32
892	Mochrum, – – –	2694	2450	75	49	12	74	0	0	0	0	6	1	81
893	New Luce, – – –	731	661	31	32	3	27	0	0	0	0	2	0	29
894	Old Luce (or Glenluce), – –	2800	2449	63	44	12	67	0	0	0	0	9	3	79
895	PENNINGHAME, – – –	3876	3712	118	68	28	99	0	0	0	0	9	2	110
896	Portpatrick, – – –	2189	1492	33	30	8	40	2	0	0	2	3	0	47
897	Sorbie, – – – –	1814	1667	50	30	15	41	0	0	0	0	3	0	44
898	Stoneykirk, – – –	3228	2993	88	58	32	83	1	0	0	0	7	1	92
899	STRANRAER, – – –	6315	5977	169	165	32	159	1	0	0	0	20	3	183
900	WHITHORN, – – –	2934	2906	94	82	13	69	0	0	0	6	7	0	82
901	WIGTOWN, – – –	2637	2306	72	57	12	65	2	0	0	0	5	0	72

APPENDIX.

ANNUAL AVERAGE of VACCINATIONS in SCOTLAND during the Ten Years 1864–1873.

		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births.
				From Constitutional Insusceptibility	From having had Small-pox.	From previous Vaccination.			
	SCOTLAND,	101152·4	811·8	296·2	53·1	231·8	9769·9	2620·0	114935·2
	DIVISIONS.								
I.	NORTHERN,	2752·5	138·0	18·2	2·0	12·9	186·6	132·7	3242·9
II.	NORTH-WESTERN,	3576·4	231·8	43·5	1·2	16·6	372·8	171·4	4413·7
III.	NORTH-EASTERN,	11800·0	55·7	31·1	1·5	6·1	885·5	62·3	12842·2
IV.	EAST-MIDLAND,	16215·0	73·5	43·7	12·7	48·5	1561·7	239·6	18194·7
V.	WEST-MIDLAND,	7205·1	80·1	19·3	2·1	6·2	614·1	176·6	8103·5
VI.	SOUTH-WESTERN,	39829·3	106·9	79·2	24·2	122·5	4212·7	1337·0	45711·8
VII.	SOUTH-EASTERN,	13993·6	72 5	37·0	7 6	10·7	1421·8	408·4	15951·6
VIII.	SOUTHERN,	5780·5	53·3	24·2	1·8	8·3	514·7	92·0	6474·8
	COUNTIES.								
	I. NORTHERN.								
1	Shetland,	601·8	42·6	2·9	0·1	8·0	45·3	84·7	785·4
2	Orkney,	732·7	16·8	2·8	0·0	0·8	31·1	6·8	791·0
3	Caithness,	963·0	71·2	8·5	1·9	2·8	77·5	26·9	1151·8
4	Sutherland,	455·0	7·4	4·0	0·0	1·3	32·7	14·3	514·7
	II. NORTH-WESTERN.								
5	Ross and Cromarty,	1778·2	124·9	24·9	0·1	7·9	169·2	58·4	2163·6
6	Inverness,	1798·2	106·9	18·6	1·1	8·7	203·6	113·0	2250·1
	III. NORTH-EASTERN.								
7	Nairn,	209·6	1·7	1·1	0·0	1·8	21·9	2·7	238·8
8	Elgin (or Moray),	1217·9	13·2	6·7	0·0	0·7	104·7	11·8	1355·0
9	Banff,	1737·7	12·8	7·3	0·0	0·0	114·3	6·3	1878·4
10	Aberdeen,	7576·1	22·5	13·8	1·1	3·3	584·2	37·8	8238·8
11	Kincardine,	1058·7	5·5	2·2	0·4	0·3	60·4	3·7	1131·2
	IV. EAST-MIDLAND.								
12	Forfar,	7278·7	17·8	25·6	11·1	45·0	851·6	127·7	8357·5
13	Perth,	3294·6	22·2	7·9	0·6	1·5	251·0	49·2	3627·0
14	Fife,	4770·4	31·3	8·9	0·7	1·7	381·0	54·5	5248·5
15	Kinross,	198·5	0·9	0·4	0·1	0·0	13·1	1·8	214·8
16	Clackmannan,	672·8	1·3	0·9	0·2	0·3	65·0	6·4	746·9
	V. WEST-MIDLAND.								
17	Stirling,	3101·5	16·5	6·4	0·8	3·0	270·1	43·2	3441·5
18	Dumbarton,	1895·7	10·0	2·9	1·1	2·5	179·4	52·3	2143·9
19	Argyll,	1849·3	47·9	7·6	0 2	0·4	135·7	66·6	2107·7
20	Bute,	358·6	5·7	2·4	0·0	0·3	28·9	14·5	410·4
	VI. SOUTH-WESTERN.								
21	Renfrew,	6349·2	24·0	20·9	6·6	25·1	705·8	214·7	7346·3
22	Ayr,	6858·4	22·0	11·2	1·9	8·2	571·8	92 5	7566·0
23	Lanark,	26621·7	60·9	47·1	15·7	89·2	2935·1	1029 8	30799·5
	VII. SOUTH-EASTERN.								
24	Linlithgow,	1565·9	9·1	6·0	0·7	0·0	156·8	46·0	1784·5
25	Edinburgh,	9514·0	43·8	21·3	6·2	7·2	1009·0	321·7	10923·2
26	Haddington,	1075·3	8·7	2·0	0·2	2·3	95·5	18·8	1202·8
27	Berwick,	1029·3	3·9	3·6	0·4	0·7	77·0	11·3	1126·2
28	Peebles,	348·1	3·3	3·2	0·0	0·4	28·1	7·0	390·1
29	Selkirk,	461·0	3·7	0·9	0·1	0·1	55·4	3·6	524·8
	VIII. SOUTHERN.								
30	Roxburgh,	1522·8	8·7	4·3	1·0	0·4	143·9	13·5	1694·6
31	Dumfries,	2055·3	26·1	10·0	0·4	6·0	189·1	37·4	2324 3
32	Kirkcudbright,	1157·0	13·2	4·7	0 3	1·5	98·7	22·9	1298·3
33	Wigtown,	1045·4	5·3	5·2	0·1	0·4	83·0	18·2	1157·6

APPENDIX.

VACCINATIONS, 1874.

EXTRACTS FROM THE REGISTRARS' NOTES RELATIVE TO THE WORKING OF THE VACCINATION ACT.

I. NORTHERN DIVISION.

1. Shetland.

10. (2.) Whiteness and Weisdale.—The unusual number of outstanding cases (14) arises from the indisposition, during the last three or four months, of the Vaccinator. A substitute is to be appointed by the Parochial Board, and those unvaccinated will be visited forthwith.

2. Orkney.

33. (1.) Westray. — Vaccination was suspended for some time owing to an epidemic of Measles.

4. Sutherland.

48. Durness.—Parents very willing to have their children vaccinated, but a great number had the operation postponed from eruptions of the skin.

51. Golspie.—Vaccination very regularly attended to, and scarcely any trouble is given to the Registrar in reminding parents of their duty.

53. Lairg. — Vaccination carefully attended to. Some of the parents are shepherds, who are 20 miles from the place where the Vaccinator attends; yet these are seldom in the list of defaulters. It is never found necessary to send a list to the Parochial Board, the Registrar's notice being sufficient to call the dilatory to a sense of their duty.

II. NORTH-WESTERN DIVISION.

5. Ross and Cromarty.

Mainland.

58. (1.) Applecross. — There has been no registered medical officer since May last until very recently. The medical officer who has been appointed makes a weekly visit (weather permitting), and it is hoped matters will be more satisfactory.

66. (2.) Southern District of Gairloch.—Vaccination better attended to than in any previous year, but the Registrar is still obliged to send repeated notices to defaulters before they comply. Not to say anything of the "shilling" due, he never gets even the postages for these circulars. So ignorant are some of the parents, that one man, after keeping the certificate of the successful vaccination of his child for six months in his possession, came forward and swore that it was given in to the Registrar, when it was found wrapped up in a dirty paper in his coat pocket.

73. Knockbain.—One prosecution for default was conducted in the Sheriff-Court,—the first in the parish since Vaccination became compulsory. The fine which was imposed in this case will tend to make others more careful in future.

Insular.

88. Stornoway.—Scarlatina, very prevalent especially during the last six months, caused the vaccination of so many children born in 1874 to be postponed. The disease is still raging and fatal in many cases.

89. Uig.—The reason for 15 of the children born being entered under col. 7 is that there is no Vaccinator for the parish. The Registrar has brought the matter before the Parochial Board.

6. Inverness.

Mainland.

91. Abdersier.—Notices have very frequently to be sent to parents on the expiry of the six months prescribed, but the Registrar believes, that in many cases, this is owing in great measure to the Vaccinator. The provisions of the Act, however, are on the whole well attended to.

97. (1.) Glenelg. — Act, upon the whole, works well. In some cases the Registrar finds it necessary to issue second notices before the children are vaccinated, but he is never under the necessity of making up a list of defaulters for the Parochial Board.

99. (1.) Glengarry.—Parents require to be reminded sometimes more than once before they get their children vaccinated, even although they are well told at the time of registration, when Schedule (D) is put into their hands. Many have very long distances to go to the Vaccinator, which entails considerable trouble and expense. Some parts of their journeys are across hills, where there are almost no roads, or these are very imperfect; and, if the weather be severe, there is a good deal of risk both to mothers and children. The Parochial Board have, however, obviated these difficulties so far, by appointing certain days, once in four months, for the doctor calling, and the people attending with their children at certain places.

Insular.

108. BARRA.—Of the seven entered under col. 7, the Vaccinator says that the parents failed to attend on the day fixed for vaccination.

111. (1.) HARRIS.—Arrangements are being made to compel defaulters to fulfil duly and in all cases the requirements of the Statute.

114. (2.) RAASAY.—Vaccination is still very irregularly attended to. The last list of defaulters contained over 30 names, and the Registrar is not yet aware what steps have been taken by the Board to amend matters.

116. SMALL ISLES.—All the children born in 1874 were vaccinated, but the Vaccinator did not grant certificates until the weather would enable him to go round the four Islands comprising the parish the second time.

118. (2.) HOWMORE.—The Registrar has good authority to say that most of those marked in col. 7 have been vaccinated, although the certificates have not yet been given in.

119. STRATH.—The prevalence of epidemics is to a certain extent the cause of so many defaulters appearing in col. 7. The result, however, considering the state of the parish, is very satisfactory,—at least the local authorities consider it so.

III. NORTH-EASTERN DIVISION.

8. ELGIN (OR MORAY).

134. EDINKILLE.—The Vaccinator attends, within the parish, four times a year, for the purposes of the Act.

9. BANFF.

148. BOTRIPHNY.—The Registrar has very little trouble in getting in the Schedules, but thinks it would suit better if only three months instead of six were allowed.

153. (1.) FORDYCE.—Generally speaking the provisions of the Act are willingly complied with. The Registrar finds that the most successful cases are those of children who are vaccinated within three and a-half months after birth. Beyond that period, through teething and its attendant distempers, postponements become the rule, and immediate success the exception.

10. ABERDEEN.

203. INSCH.—The Registrar would respectfully suggest that it might be an improvement if Schedule (C) were so re-arranged as to secure the classification of insusceptible cases by the Vaccinator or other medical practitioner.

241. STRICHEN.—The harmonious working of the Act is the result of the admirable arrangements of the Vaccinator. Under similar arrangements in every parish, the Act would be a complete success.

249*a*. UDNY.—Immense deal of trouble in obtaining the Schedules, especially in the case of the working classes, whose addresses are always changing. Remuneration by far too small, being only 3d. for each vaccination.

IV. EAST-MIDLAND DIVISION.

12. FORFAR.

282. (2.) ST. MARY (DUNDEE).—Although defaulters have been pretty numerous during 1874, still the people seem more alive to the requirements of the Act. The Registrar continues of opinion that the period allowed for vaccination is too long. Removals frequently take place within the six months, and were the period shortened to three or even four months, fewer notices would require to be sent, and defaulters would be more easily found.

282. (4.) ST. ANDREW (DUNDEE).—Much labour and attention on the part of the Registrar are required to secure the carrying out of the Act. A great proportion of the parents delay sending in the certificates till after the statutory notice is sent them, and when asked the cause of delay, blame the medical men for putting them off by saying it would be time enough to vaccinate after they got the Registrar's notice. In a great many cases this putting off necessitates postponements, and consequently causes needless trouble to both parents and Registrar. The Act is now so well understood that the ten days' grace should be abolished, which, if done, would remove one great cause for the carelessness of both parents and some medical men, and endless trouble to Registrars.

282. (5.) LOCHEE (DUNDEE).—Requirements of the Act upon the whole tolerably well complied with, although the under-paid Registrar has substantial reason for complaining of the filling up and despatching not much short of 150 defaulters' notices in the course of one year, for which he does not receive a "plack."

299. KIRRIEMUIR.—Parents and guardians in many instances had to be reminded as to the requirements of the Statute; but considering the extent of the parish, and that many have to come a long distance, vaccination is in general well attended to.

319. ST. VIGEANS.—The vaccination of every child has been accounted for, and the only thing remarkable is the very large number of postponements that have taken place during the year. Certificates of postponement amounting to fully one-fourth having been returned.

14. FIFE.

442. KIRKCALDY.—Though there is considerable difficulty in getting in the required certificates, the Act is working well.

V. WEST-MIDLAND DIVISION.

17. STIRLING.

490. STIRLING.—A large proportion of the children who have left the district are illegitimate. Out of many notices to parents issued during the year, in no case has the shilling been paid. So far as the remuneration of the Registrar is concerned, it is a dead letter, although useful as a threat. The remuneration of Registrars generally, and specially in regard to vaccination, requires revision.

18. DUMBARTON.

501. OLD OR WEST KILPATRICK.—On account of the population employed in a large shipbuilding yard being migratory, a number of the cases are unaccounted for.

19. ARGYLL.

Mainland.

508. CRAIGNISH.—Parents generally anxious to comply with the terms of the Act, but the Vaccinator being resident at some distance from the parish, advantage is taken of this in some cases to delay having the operation performed.

519. KILLEAN AND KILCHENZIE.—In one case successful vaccination was effected after six

failures. One defaulter has been duly reported to the Inspector of Poor.

525. (1.) LISMORE.—This being a wide district, the greatest difficulty is experienced in getting vaccination performed within six months. The small fee of 3d. is quite inadequate for the expense and trouble in sending circulars perhaps on three or four occasions to the same party.

528. MORVERN.—Although it may be fairly stated that parents are generally willing to have their offspring vaccinated in conformity with the Act, yet there being no medical practitioner residing within the parish, it cannot be reasonably expected that women and infants can, in a district so rugged and extensive, attempt to move either by sea or land to have the operation performed.

VI. SOUTH-WESTERN DIVISION.

21. RENFREW.

560. CATHCART.—A great many parents retain the vaccination certificates after they have been filled up by the medical practitioner, and forget all about them.

22. AYR.

582. COLMONELL.—The moving habits of the Irish navvies employed upon the construction of a railway through the parish explains the four entries under "removed from the district before vaccination."

586. DALMELLINGTON.—The Registrar requires to issue many notices to remind parents to return the schedules. During the year many parties have removed without returning the certificates.

587. DALRY. — During 1874 Scarlatina was prevalent, and the mortality among children under six months (the period allowed for vaccination) was above the average.

590. (2.) TROON.—Among the poorer class parents often require to be reminded of the requirements of the Act. Were medical officers paid a small fee for vaccination certificates, the defaulters might be fewer.

600. KIRKMICHAEL.—One has failed to return the vaccination certificate on account of inability to pay the surgeon's fee. The Registrar expects to receive it from the Inspector of Poor.

613. SORN.—The Vaccination Act is working very satisfactorily.

617. STRAITON.—Sometime the certificate of postponement is a few days late; but, on the whole, the Act works well.

23. LANARK.

638. (2.) DALSERF.—On the whole the Vaccination Act works perfectly well in this district, the defaulters in the half-yearly list being principally those who have removed from the district before vaccination.

639. DALZIEL.—The certificates do not come in so freely as they might. A considerable number of parents never think of forwarding them until they receive the Registrar's notice; this often occurs, although the parents have had the certificate for months filled up and ready. It is hopeless to expect to get a shilling from those who exceed the statutory ten days.

648. LANARK.—Vaccination is generally well attended to.

VII. SOUTH-EASTERN DIVISION.

24. LINLITHGOW.

669. LIVINGSTONE. — The vaccination certificates continue to be sent in regularly either by the parents or Vaccinator. It is very seldom necessary to send out a notice.

25. EDINBURGH.

681. CRICHTON.—The Vaccination Act continues to work well.

690. KIRKNEWTON AND EAST CALDER.—It is with considerable difficulty that the vaccination is performed and certified within the prescribed time. The parents lay the blame on the Vaccinator. The Registrar has more difficulty with the vaccinations than with the whole of the other registrations put together.

691. LASSWADE.—The Vaccination Act works well; but the continual movement of the population in the mining districts causes a great amount of watchfulness and work to the Registrar.

698. RATHO.—The difficulty of obtaining the vaccination certificates has been very great, chiefly owing to the dilatoriness of the doctor.

701. WEST CALDER.—Owing to the closing of four paraffin oil works, the population has been considerably reduced.

26. HADDINGTON.

720. SPOTT. — Some parents, whose children had been vaccinated, refused to take them to the Vaccinator to get a certificate that the operation had been successful.

27. BERWICK.

730. CHIRNSIDE.—The Vaccination Act continues to work successfully in this parish.

732. COLDINGHAM.—At the expiry of the six months allowed for vaccination, the Registrar has frequently to write to parents.

739. EYEMOUTH.—The careful and efficient working of the Vaccination Act entails on the Registrar a very great amount of labour and responsibility, for which the remuneration is marvellously little. Several cases of postponement have continued for nearly a year; and many of the parents require to be reminded of their duty by the Registrar's notice pursuant to sect. 17.

29. SELKIRK.

776*a*. KIRKHOPE. — In a few cases the six months have fully expired; but in none have parties ever shown the slightest unwillingness to comply with the provisions of the Act.

VII. SOUTHERN DIVISION.

30. ROXBURGH.

810. WILTON.—By the return it will be seen that the working of the Act during 1874 has been very satisfactory. In the case of the one postponed vaccination, the Registrar is informed by the medical attendant that there is little probability of the child being fit for vaccination for a year at least. In such cases it is hard to put the parent to the trouble and expense of renewing the certificate of postponement every two months.

31. DUMFRIES.

822. DUNSCORE.—The Vaccination Act is still working successfully, all the parents being anxious to comply with its requirements.

850. TORTHORWALD.—Summonses require to be issued far too often. The case entered in col. 7 may be cited as a specimen of the work sometimes to be gone through. The parents had left the district, but their residence was found out, and a summons was duly despatched per post. As no certificate was forthcoming, I communicated with the Inspector for the parish to which they had removed, but he did not even

condescend to reply. The mother, with the child, happening to be revisiting this district, and accidently meeting her, I directed her attention to the case. She informed me that the child was vaccinated, exhibiting the arm in proof, and that the doctor, when she paid him, took in hand to forward to the Registrar the proper schedule.

wrote the doctor, but neither has he deigned to reply. Postponements too are becoming the order of the day. This year they are exactly two and a half times the average for the five previous years.

32. KIRKCUDBRIGHT.

856. BALMACLELLAN. — Although there have been some cases of postponement three or four times, and in one case six times, vaccination has been well attended to; but the work is badly paid.

33. WIGTOWN.

893. NEW LUCE.—The Act is working well; but occasionally the Registrar has to send the "notice." It seems strange that he is not entitled to charge for so doing unless the parties are convicted. His labour is all the same. It is possible the defaulting parents would look sharper after the time of vaccination, if they had to pay one shilling for the "notice" when the statutory period had elapsed.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
59*b*	Carnoch	Parts of Contin, Fodderty, and Urray.
71*b*	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
217	Logie-Coldstone & Cromar	Logie-Coldstone, and part of Glenmuick.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar, and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland
249*b*	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328*b*	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch. [Kinloch, and Rattray.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy and Abbotshall	Kirkcaldy, Abbotshall and part of Kinghorn.
481*b*	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail. [Knapdale.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow and Kilmeny.
545	Kinlochspelvie	Part of Torosay.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Troosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 and 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698*b*	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774*a*	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie	*Fortrose.	
130	Drainie	–	*Lossiemouth.
164	Rathven	–	*Buckie.
167	Seafield	Cullen.	
211	Kinnellar	Kintore.	
213	Kintore	Inverurie.	
251 [1]	Banchory-Devenick	Aberdeen.	
253	Benholm	Inverbervie.	
255	Dunnottar	–	Stonehaven.
258 [1]	Fetteresso	–	Do.
262	Kinneff, etc.	Inverbervie.	
274	Barry	–	Carnoustie.
280	Craig	Montrose.	
282 [4]	St Andrews (Dundee)	–	Broughty-Ferry.
310	Monifieth	–	Do.
316	Panbride	–	Carnoustie.
371	Lecropt	–	Bridge of Allan.
374	Logie	Stirling.	Do.
385	Muckhart	*	Dollar.
386 *a*	Muthill	*	Crieff.
389	Rattray	–	Blairgowrie
400	Abdie	–	Suburban of Newburgh.
405	Auchterderran	–	Lochgelly.
408	Ballingry	–	Do.
427	Elie	–	Suburban of Earlsferry.
436	Kilconquhar	*Earlsferry.	Do.
440	Kilrenny	Anstruther-Easter.	
456	Scoonie	–	*Leven.
459	Wemyss	–	Buckhaven.
466	Clackmannan	–	Alloa.
475	Campsie	–	*Lennoxtown.
478	Dunipace	–	Denny.
488	St Ninians	–	Bannockburn.
493	Bonhill	–	*Alexandria.
494	Cardross	–	*Renton.
500	New or East Kilpatrick	–	*Milngavie.
503	Row	–	*Helensburgh.
523	Kilmore and Kilbride	*Oban.	
559 [1]	Abbey	Paisley.	
559 [2]	Do. (Landward)	–	Barrhead.
560	Cathcart	–	{Busby. {Crosshill (Suburban of Glasgow).
562	Eastwood	–	*Pollokshaws and Thornliebank.
564	Greenock (East)	Port-Glasgow.	
571	Mearns	–	Busby.
576 [1]	Old Ardrossan	–	Saltcoats.
577	Auchinleck	–	Cumnock.
593	Galston	–	Newmilns.
597	Kilmarnock	–	Hurlford.
603	Loudoun	–	Galston and Newmilns.
611	Riccarton	Kilmarnock.	Hurlford.
613	Sorn	–	*Catrine.
615	Stevenston	–	Saltcoats.
621	Avondale	–	*Strathaven.
622 [2]	Shettleston	–	Tollcross.
625 [1]	Bothwell	–	*Bellshill.
625 [2]	Holytown	–	Calderbank.
628	Cambusnethan	–	*Newmains and Wishaw.
639	Dalziel	–	Motherwell.
643	East Kilbride	–	Busby.
646 [1]	Govan Church	–	Suburban of Glasgow.
646 [2]	Partick	–	{Hillhead, Whiteinch, and Suburban of Glasgow,
647	Hamilton	–	Larkhall and Motherwell.
651 [2]	New Monkland (Landward)	–	Suburban of Airdrie.
652	Old Monkland		
	(1) Western District	–	Baillieston, and Tollcross.
	(2) Middle District	–	Coatbridge and Rosehall.
	(3) Eastern District	–	Do. do. and Calderbank.
654	Ruthergien	–	Cambuslang.
664	Carriden	–	Bo'ness.
673 [2]	Fauldhouse	–	*Crofthead.
689	Inveresk	*Musselburgh.	
691	Lasswade	–	Penicuik.
727	Ayton	–	Eyemouth.
776 *b*	Ladhope	Galashiels.	
810	Wilton	Hawick.	
813 *b*	Brydekirk	Annan.	
863	Crossmichael	–	Castle-Douglas.
868	Kells	*New Galloway.	
869	Kelton	–	Castle-Douglas.
876	Minnigaff	–	Newton-Stewart.
880	Terregles	Dumfries.	
882	Troqueer	Do.	
895	Penninghame	–	Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, 145
Abernethy . 326
Abernethy, and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barrhill, . 582
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blackfriars, 614
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 498
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Botriphny, . 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813
Buchanan, 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Camlachie, . 644
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 595
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Criech (Sutherland), . 46
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682
Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 6
Dennistoun, 644
Denny, . 471
Deskford, . 152
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 90
Dornoch (Sutherland) . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, . 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . 190
Dyke, . 133
Dysart, . . 426
Eaglesham, 561
Earlsferry, 436
Earlston, . 736
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738

* The actual number of Districts is 1028—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . . 50
Fauldhouse, 673
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355
Fortrose, . 80
Foss, . . 355
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, . 358
Glenelg, . 97
Glengarry, . 99
Glenholm, . 761
Glenisla, . 290
Glenlivat . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, . 512
Glenrinnes, 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gorbals, . 644
Gordon, . 742
Gourock, . 567
Govan Church, 646
Graitney (or Gretna), . 827
Grange, . 156
Grangemouth, 481
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.) 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick (Had.) 711
Innerwick in Glenlyon, 355a
Insch (Aberd'n), 203
Inverallan, . 128
Inveraray, . 513
Inverarity, 292
Inveravon . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kelvin, . 644
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton & Oa, 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinning Park, 644
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy and Abbotshall, 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 776
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 74
Larbert, . 49
Largo, . 44
Largs, . 66
Larkhall, . 63
Lasswade, . 69
Latheron, . 4
Lauder, . 74
Laurencekirk, 26
Leadhills, . 63
Lecropt, 31
Legerwood, 74
Leith, . . 69
Leochel-Cushnie, . 21
Lerwick, . 1
Leslie (Aberd'n), 21
Leslie (Fife), 44
Lesmahagow, 64
Leswalt, . 89
Lethendy, . 31
Lethnott and Navar, . 36
Leuchars, . 44
Libberton (Lanark), . 6
Liberton (Edin.) 6
Liff, Benvie, & Invergowrie, 3
Lilliesleaf, . 71
Linlithgow, 6
Linton, . 71
Lintrathen, 3
Lismore, . 5
Little Dunkeld, . 3
Livingstone, 6
Lochaber, . .
Lochalsh, . .
Lochbroom, .
Lochcarron, .
Lochee, . 2
Lochgilphead, 5
Lochgoilhead, 5
Lochlee, . 3
Lochmaben, . 8
Lochranza, . 5
Lochrutton, 8
Lochs, . .
Lochwinnoch, 5
Logie (Fife), 4
Logie (Perth), 3
Logiealmond, 3
Logie-Buchan, 2
Logie-Coldstone & Cromar, 2
Logie-Easter, .
Logie-Pert, 3
Logierait, . 3
Longforgan, 3
Longformacus, 7
Longside, . 2
Lonmay, . 2
Loth, . .
Loudoun, . 6
Lumphanan, 2
Lunan, . 3
Lundie, . 3
Lunnasting, .
Luss, . 4
Lyne, . 7

Madderty, . 3
Mains, . 3
Makerston 7
Manor, . 7
Markinch, . 4
Marnoch, . 1
Maryculter, 2
Maryhill, . 6

Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey. 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, 225
New Galloway, 868
Newhills, . 226
Newington, 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Menteith, . 388
Portlethen, 251
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, . 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 96
Rousay and Egilsay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Mary, . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peter, . 282
St Quivox, &c., 612
St Rollox, 644
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Speymouth, 143
Spott, . 720
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394
Strathmartin, 307
Strathmiglo, 457
Strathoykel, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple . 700
Tenandry . 394
Terregles . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells 249

EDINBURGH: PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.